

DAFTAR PUSTAKA

- Abdullah, B., T. Soewito, Sularjo. 2008. Perkembangan dan prospek perakitan padi tipe baru di Indonesia. *Jurnal Penelitian dan Pengembangan Pertanian* 27 : 1—9.
- Acquaah, G. 2007. *Principles of Plant Genetics and Breeding*. Blackwell Publishing, Malden.
- Akhtar, S., Bhat, M.A., Wani, S.A., Bhat, K.A., Chalkoo, S., Mir, M.R., Wani, S.A. 2010. *Journal of Plant Physiology* 2 : 66—81.
- Bai, J., Choi, S. H., Panciano, G., Leung, H., Leach, J. E. 2000. *Xanthomonas oryzae* pv.*oryzae* avirulence gene contribute differently and spesifically to pathogen aggressiveness. *Molecular Plant Microbe Interaction* 13 : 1322—1329.
- Badan Pengawasan dan Sertifikasi Benih Tanaman Pangan dan Hortikultura. Luas penyebaran varietas padi di Jawa Barat.<diperta.jabarprov.go.id/assets/data/menu/Luas_PV_2009.pdf>. Diakses pada 15 Agustus 2015.
- Badan Pusat Statistik. 2014. BPS: Produksi padi tahun 2014 diperkirakan turun. <<http://BPS.go.id>>. Diakses 29 November 2014.
- Baker, B., Zambryski, P., Staskawicz, B., Kumar, D. S. P. 1997. Signaling in plant microbe interactions. *Journal of Science* 276 : 726—773.
- Bent, A.F. 1996. Plant disease resistance genes: function meets structure. *The Plant Cell*. 8 : 1757—1771.
- Bentota, A.P., D. Senadhira, M.J. Lawrence. 1995. Genetic analysis of new plant type in Rice (*Oryza sativa* L.) with a view to exploit yield potential. University of Birmingham, Birmingham.
- Bhasin H, Bhatia D, Raghuvanshi S, Lore, J.S., Sahi, G.K., Kaur, B. 2012. New PCR-based sequence-tagged site marker for bacterial blight resistance gene *Xa38* of rice. *Molecular Breeding* 30 : 607—611.
- Bustaman, M., Moeljopawiro, S. 1998. Pemanfaatan teknologi sidik jari DNA di bidang pertanian. *Zuriat* 9 : 77—90.
- Cassman, K.G., A. Dobermann. 2001. *Rice Research and Production in the 21st Century*. IRRI, Los Banos.
- Chang, T. T. 2003. Origin, Domestication, and Diversification. *In*: W. C. Smith and R. H. Dilday (EDS.). John Wiley and Sons, Inc. Hoboken, New Jersey.
- Chen, S., Zhanghui, H., Liexan, Z., Jianyuan, Y., Qiongguang, L., Xiaoyuan, Z. 2008. High-resolution mapping and gene prediction of *Xanthomonas Oryzae* pv. *Oryzae* resistance gene *Xa7*. *Molecular Breeding* 22 : 433—441.

- Collard, B.C.Y., M.Z.Z. Jahufer, J.B., Brouwer, Pang, E. C. K. 2005. An introduction to markers, quantitative trait loci (QTL) mapping and marker-assisted selection for crop improvement : the basic concepts. *Euphytica* 142 : 169—196.
- Dinas Pertanian dan Tanaman Pangan Propinsi Jawa Barat. 2013. Penyebaran varietas padi 2010. <<http://diperta.jabarprov.go.id/index.php/subMenu/931>>. Diakses 29 November 2014.
- Direktorat Perlindungan Tanaman Pangan. 2011. Prakiraan serangan BLB pada padi di Indonesia masa tanam 2011. <www.deptan.go.id>. Diakses 29 November 2014.
- Dardjat, A. A., Suwarno, Abdullah, B., Soewito, B. J., Ismail, B. P., Simanullang, Z. A. 2001. Status Penelitian Pemuliaan Padi untuk Memenuhi Kebutuhan Pangan Masa Depan. Balai Penelitian Tanaman Padi, Sukamandi.
- Fatchiyah. 2006. Gel Elektroforesis. Laboratorium Sentral Biologi Molekuler dan Seluler Departemen Biologi. Universitas Brawijaya, Malang.
- Fadlilah, S. H. 2014. Identifikasi gen *Xa* pada galur F1 'Code'x 'Angke'dan 'Ciherang'x IRBB21 serta uji patogenitas padi galur isogenik. Fakultas Matematika dan Ilmu Pengetahuan Alam. Institut Pertanian Bogor. Skripsi.
- Fatimah, T. P., Priyatno, S. H., Fadlilah, Hermanto, M., Baroya, Mahrup, Wawan, D., Sasongko, Y., Suryadi, T. S., Kadir. 2014. Isolation and disease assessment of *Xanthomonas oryzae* pv. *oryzae* from Java island and pathogenic assay on near isogenic lines with different resistant genes. *Jurnal Biologi Indonesia* 10 (2): 237—245.
- Fatimah, M., Baroya, T. P., Priyatno. 2015. Survey marka polimorfik pada kromosom padi untuk pemuliaan padi tahan penyakit hawar daun bakteri menggunakan pendekatan pemuliaan berbantu marka. Prosiding Ekspose Hasil Penelitian Unggulan LIPI Bidang Pangan Nabati, Bogor, 25 September 2014.
- Guimares, E.P. 2005. Rice Breeding. FAO, Rome.
- Hargrove, T. R., W. R., Coffman, V. L. Cabanilla. 1979. Genetic interrelationship of improved rice varieties in Asia. IRRI, Los Banos.
- Herlina, L., Silitonga, T. S. 2011. Seleksi lapang ketahanan beberapa varietas padi terhadap infeksi hawar daun bakteri strain IV dan VIII. *Buletin Plasma Nutfah* 17 (2).
- Hermanto. 2014. Deteksi gen ketahanan penyakit hawar daun bakteri pada populasi silang ganda F1 (DCF1) padi 'Ciherang'. Fakultas Matematika dan Ilmu Pengetahuan Alam. Institut Pertanian Bogor. Skripsi.
- Herzog, E. 2014. Computer simulations to optimize the design of marker-assisted backcrossing for high-throughput marker systems. *Oktrophologie und Umweltmanagement*. Justus Liebig Universitie. Disertasi Doktor.

- Hifni, H.R., Miharja, S. 1994. Studi penggeseran strain bakteri *Xanthomonas campestris* pv. *Oryzae* penyebab penyakit hawar daun bakteri. Tidak dipublikasikan.
- Hoisington, R. 1998. Marker-assisted selection : new tools and strategie. Trends in Plant Science 3 : 236—239.
- Horino O, Hifni, H. R. 1981. A survey of geographical distribution of pathogenic group of *Xanthomonas campestris* pv. *oryzae*. Phytopatology Social Japan 47 : 50—57.
- Hummel, A.W., Doyle, E.L., Bognadove, A.J. 2012. Addition of transcription activator-like effector binding sites to a pathogen strain-specific rice bacterial blight resistance gene makes it effective against additional strains and against bacterial leaf streak. New Phytologist 195 : 883—893.
- International Rice Reaserch Institute (IRRI). 1996. Standard Evaluation System for Rice. IRRI, Los Banos.
- Ishii T., Yonezawa K. 2007. Optimization of the marker-based procedures for pyramiding genes from multiple donor lines: II. Strategies for selecting the objective homozygous plant. Crop Science 47 : 1878—1886.
- Iyer, A. S., S. R. McCouch. 2004. The rice bacterial blight resistance gene *xa5* encodes a novel form of disease resistance. Molecular Plant Microbe Interactions Journal 17 : 1348—1354.
- Jiang, G. L. 2013. Plant Breeding from Laboratories to Fields. InTech, Croatia.
- Jiang, G. H., Xia, Z. H., Zhou, Y. L., Wan, J., Li, D. Y., Chen, R. S., Zhai, W. X., Zhu, L. H. 2006. Testifying the rice bacterial blight resistance gene *xa5* by genetic complementation and further analyzing *xa5* (*Xa5*) in comparison with its homolog TFIIA gamma I. Molecular Genetic Genomics 275 : 354—366.
- Jonharnas. 2009. Evaluasi Beberapa Varietas Ubi Jalar di Kabupaten Dairi Sumatera Utara. Balai Pengkajian Teknologi Tanaman Pertanian Sumatera Utara, Medan.
- Joshi, R. K., Nayak, S. 2010. Gene pyramiding: a broad spectrum technique for developing durable stress resistance in crops. Biotechnology and Molecular Biology Review 5 (3): 51—60.
- Kadir, T. S. 2009. Menangkal HDB dengan menggilir varietas. Warta Penelitian dan Pengembangan Pertanian 31 (5): 1—3.
- Kardin M. K., Hifni H. R. 1993. Penyakit hawar daun bakteri padi di Indonesia. Research Seminar Puslit : 85—99.

- Khush, G. S. 1996. Prospects and approaches to increasing the genetic yield potential of rice. *In*: R. I., Everson, R. W., Herdt, and M., Hossain (EDS). IRRI, Los Banos.
- Lanya, H. 2002. Laporan kegiatan inventarisasi data pemetaan OPT pangan. Balai Penelitian Tanaman Pangan, Bogor.
- Liu, D., Pamela, C. R., Adam, J. B. 2006. *Xanthomonas oryzae* pathovars: model pathogen of a model crop. *Molecular Plant Pathology* 7 : 303—324.
- Loan, L.C., Ngan, V.T.T., Du, P.V. 2006. Preliminary evaluation on resistance genes against rice bacterial leaf blight in Can Tho Province-Vietnam. *Omonrice* 14 : 44—47.
- Ma, B. J., Wang, W. M., Zhao, B., Zhou, Y. L. 1999. Studies of PCR markers for the rice bacterial blight resistance gene *Xa4*. *Hereditas* 21 : 9—12.
- Mazzola, M., Leach, J. E., Nelson, R., White, F. 1994. Analysis of the interaction between *Xanthomonas oryzae* pv. *Oryzae* and the rice cultivars IR24 and IRBB21. *Phytopathology* 84 : 392—397.
- McDonald, D. J. 1994. Temperate rice technology for the 21st century: an Australian example. *Australian Journal of Experimental Agriculture* 34 : 877—888.
- Mew, T. W. 1987. Current status and future prospects of research on bacterial blight of rice. *Phytopathology* 25 : 359—382.
- Mew, T.W. 1989. Bacterial blight of rice. IRRI, Los Banos.
- Mew, T.W., Vera Cruz, R.C. Rayes. 1982. Interaction of *Xanthomonas campestris oryzae* and Resistance of Rice cultivar. *Phytopathology* 72 (7):786—789..
- Musaddad, A., H. Kasim, Sunihardi. 1993. Varietas Unggul Tanaman Pangan tahun 1918 hingga 1993. Pusat Penelitian dan Pengembangan Tanaman Pangan, Bogor.
- Nafisah, A.A., Daradjat, B. Suprihatno, T.S. Kadir. 2007. Ketahanan padi terhadap hawar daun bakteri. *Penelitian Pertanian Tanaman Pangan* 26 (2):100- 105.
- Morillo, S. A., Tax, F. E. 2006. Functional analysis of receptor-like kinases in monocots and dicots. *Curr Opin Plant Biology* 9 : 460—469.
- Narasimhan, V., Kareem, A. A. 1994. Simulation of the effect of bacterial leaf blight infection on yield reduction in rice. Analysis of damage mechanisms by pest and diseases and their effects on rice yield. *SARP Research Proceedings* : 44—59.
- Natrajkumar P, Sujatha K, Laha GS, Srinivasarao, K, Mishra, B., Viraktamath, B. C. 2012. Identification and fine-mapping of *Xa33*, a novel gene for resistance to *Xanthomonas oryzae* pv. *oryzae*. *Phytopathology* 102 : 222—228.

- OECD. 1999. Consensus document on the biology of *Oryza sativa* (rice). OECD Environmental Health and Safety Publications, Paris.
- Openshaw, S.J., S.G. Jarboe, W.D. Beavis. 1994. Marker-assisted selection in backcross breeding. Proceedings of the Symposium 'Analysis of Molecular Marker Data', Corvallis.
- Panigrahi, J., Mishra, R. R., Sahu, A. R., Rath, S. C., Seth, S., Mishra, S. P. 2013. Marker-assisted breeding for simple inherited traits conferring stress resistance in crop plants. The Ecoscan 3 : 217—233.
- Peng, S. & G.S. Khush. 2003. Four decades of breeding for varietal improvement of irrigated lowland rice in the International Rice Research Institute. Plant Production Science 6 : 157-164.
- Peng, S., K.G. Cassman, S.S. Virmani. J. Sheehy, G.S. Khush. 1999. Yield potential trends of rice since the release of IR8 and the challenge of increasing rice yield potential. Crop Science 39 : 1552—1559.
- Perumalsamy, S., Bharani, M., Sudah, M., Nagarajan, P., Arul, L., Sarawathi, R., Balasubramanian, P., Ramalingam, J. 2010. Functional marker-assisted selection for bacterial leaf blight resistance genes in rice (*Oryza Sativa* L.). Plant Breeding. 129 : 400—406.
- Pusat Penelitian dan Pengembangan Tanaman Pangan. 2015. Deskripsi padi varietas Ciherang. <http://www.puslittan.bogor.net/index.php?bawaan=varietas/varietas_detail&komoditas=05021&id=Ciherang&pg=1&varietas=1>. Diakses 13 April 2015.
- Reitsman, J., Schure, P. S. J. 1950. 'Kresek', a bacterial disease of rice. Central Agriculture Research, Bogor.
- Sambrook, J. Russell, D. W. 2001. Molecular Cloning: a laboratory manual. Coldspring Harbor Laboratory Press, New York.
- Servin, B., Martin, O. C., Mezard, M., Hospital, F. 2004. MDM: A program to compute fully informative genotypes frequencies in complex breeding schemes. The Journal of Heredity 93 : 227—228.
- Sharma, D., G. S. Sanghera, P. Sahu, P. Sahu, M. Parikh, B. Sharma, S. Bhandarkar, P. R. Chaudhari, B. K., Jena. 2013. Tailoring rice plants for sustainable yield through ideotype breeding and physiological interventions. African Journal of Agricultural Research 8 : 5004—5019.
- Shen, Y., Ronald, P. 2002. Molecular determinants of disease and resistance in interactions of *Xanthomonas oryzae* pv. *oryzae* and rice. Microbes and Infection 4: 1361—1367.
- Silitonga, T. S. 2010. The use of biotechnology in the characterization, evaluation, and utilization of Indonesian rice germplasm. Jurnal Agro Biogen 6 (1): 49—56.

- Soewito, T., P. Adijono, E. Suparman, Suprpto, P. H. Siwi. 2000. Peningkatanketahanan vaietas padi unggul tahan terhadap wereng coklat. Kumpulan Makalah Hasil Penelitian Tanaman Padi, Sukamandi.
- Song, W., Wang, G., Chen, L., Kim, H., Holsten, T., Zhai, W., Zhu, L., Fauquet, C., Ronald, P. 1995. The rice disease resistance gene Xa21, encodes a receptor kinase-like protein. *Science* 270 : 1804—1806.
- Sudir, Triny, S., Kadir, Suprihanto. 2009. Identifikasi patotipe *Xanthomonas oryzae* pv. *oryzae*, penyebab penyakit hawar daun bakteri padi di sentra produksi padi di Jawa. *Penelitian Pertanian Tanaman Pangan* 28 (3): 131—138.
- Sudir, Triny S. Kadir, Suprihanto. 2010. Pemetaan patotipe *Xanthomonas oryzae* pv. *oryzae*, penyebab penyakit hawar daun bakteri padi di sentra produksi padi di Jawa. *Laporan Hasil Penelitian Tahun 2010*. Balai Besar Penelitian Tanaman Padi, Sukamandi.
- Suhendrata, T., Mastur, Kushartanti, E. 2011. Adopsi dan penyebaran varietas unggul padi inbrida di kabupaten Sukoharjo. *Balai Pengkajian Teknologi Pertanian Jawa Tengah*: 41—46.
- Sunihardi, Yusanti, Sri, K. 1999. Deskripsi Varietas Unggul Padi dan Palawijaya dari tahun 1993 hingga 1998. *Pusat Penelitian dan Pengembangan Tanaman Pangan, Bogor*.
- Suparyono, Sudir. 1992. Perkembangan penyakit bakteri hawar daun pada stadia tumbuh yang berbeda dan pengaruhnya terhadap hasil padi. *Media Penelitian Sukamandi* 12 : 6—9.
- Suparyono, Sudir, Suprihanto. 2004. Pathotype profile of *Xanthomoas campestris* pv. *oryzae*, isolates from the rice ecosystem in Java. *Indonesian Journal of Agricultural Science* 5 (2): 63—69.
- Suprihatno, B., Aan, A., Daradjat, Satoto, Baehaki, S. E, Suprihatno, A., Setyono, S.D., Indrasari, I., Putu Wardana, Sembiring, H. 2010. Deskripsi varietas padi. Balai Besar Tanaman Padi, Sukamandi.
- Susanto, U., Sudir. 2012. Ketahanan genotipe padi terhadap *Xanthomonas oryzae* pv. *Oryzae* patotipe III, IV, dan VIII. *Penelitian Pertanian Tanaman Pangan* 31 (2): 108—116.
- Takahashi, N.1997. Differentiation of ecotypes in cultivated rice. *Science of the rice plant: Genetics* 3 : 112—118.
- Takai, T., Y. Nonoue, S. Yamamoto, U. Yamanouchi, K. Matsubara, Z. Liang, H. Lin, N. Ono, Y. Uga, M. Yano. 2007. Development of chromosomes segment substitution lines derived from backcross between *indica* donor rice cultivar 'Nona Bokra' and *japonica* recipient cultivar 'Koshihikari'. *Breeding Science* 57 : 257—261.

- Thermo Fisher Scientific. 2009. Nanodrop 2000/200c Spectrophotometer V1.0 User Manual. Thermo Fisher Scientific, Wilmington.
- Toekidjo. 1992. Kajian keragaan beberapa varietas lokal padi gogo dan kemungkinan pemanfaatan dalam pemuliaan tanaman. Laporan Penelitian Fakultas Pertanian UGM, Yogyakarta.
- Triny, S. K., Suryadi, Y., Sudir, Machmud, M. 2011. Penyakit Bakteri Padi dan Cara Pengendaliannya. Balai Besar Penelitian Tanaman Padi, Bogor.
- USDA, NRCS. 2006. The Plants Database.<<http://plants.usda.gov>>. Diakses 29 November 2014.
- Vaughan, D. A., Morishima, H. 2003. Biosystematics of the genus *Oryza*. In: John Wiley and Sons, Inc. Hoboken, New Jersey.
- Virk, P.S., G.S. Khush, S. Peng. 2004. Breeding to enhance yield potential of rice at IRRI : the ideotype approach. IRRN Mini Review 29 : 5-9.
- Webb, M. K., Garcia, E., Vera Cruz, C. M., Leach, J. E. 2010. Influence of rice development on the function of bacterial blight resistance genes. Europe Journal Plant Pathology 128 : 399—407.
- Xu, Y. 2010. Molecular Plant Breeding. CABI Publishing, London.
- Yamamoto, T., Hifni, H. R., Machmud, M., Nishizawa, T. Tantera. 1977. Genetic diversity within population of *Xanthomonas oryzae* pv. *oryzae* in India. Phytopathology 87 : 760—765.
- Yang, B., Zhu, W. G., Johnson, L. B., White, F. F. 2000. The virulence factor AvrXa7 of *Xanthomonas oryzae* pv. *oryzae* is a type III secretion pathway-dependent nuclear-localized doublestranded DNA-binding protein. Prociding National Academy Science USA 97 : 9807—9812.
- Ye, G., Smith, K. F. 2008. Marker assisted gene pyramiding for inbred line development: basic principles and practical guidelines. International Journal of Plant Breeding: 1—10.
- Yoshimura S, U., Yamanouchi, Y., Katayose, S., Toki, Z. X., Wang, I., Kono, N., Kurata, M., Yano, N., Iwata, T., Sasaki. 1998. Expression of *Xa1*, a bacterial blight resistance gene in rice, is induced by bacterial inoculation. Prociding National Academy of Science USA 95 : 1633—1668.
- Yusida, Miharja, S., Hifni, H. R., Soewito, T. 1994. Identifikasi gen ketahanan pada varietas padi IRBBN yang efektif terhadap strain *Xanthomonas oryzae* pv. *oryzae* kelompok III dan IV. Dalam Machmud *et al.* (Eds). Risalah Hasil Penelitian Tanaman Pangan No. 3. Balai Penelitian Tanaman Pangan, Bogor.

- Zhang, Y., Jianfei, W., Jianwei, P., Zhimin, G., Xifeng, C., Yang, J., Feng, L., Hongsheng, Z., Bojun, M. 2009. Identification and molecular mapping of the rice bacterial blight resistance gene allelic to Xa7 from an elite restorer line Zhenhui 084. *Europe Journal Plant Pathology* 125 : 235—244.
- Zhi, H. X., Fei, H., Li, F. G., Qian, H. Y., Wen, X. Z., Di, L., Yue, H. L. 2010. Application of Functional Markers to Identify Genes for Bacterial Blight Resistance in *Oryza rufipogon*. *Rice Science* 17 (1): 73—76.
- Zubay, G. L. 1989. *Biochemistry* 2nd Edition. Mcmillan Publishing Corporation, New York.