

Daftar Pustaka

Pdf Conceptual Design & Marketing.,1999,*Welder's Handbook*. South Afrika. Air Products PLC.

Barwil Unitor Ships Service.,1998, *The Welding Handbook*. Norway : Lysaker. Barwil Unitor Ships Service

Wilson, Hal., 1990, *welding Secrets*. USA : Flyco Machine Company

Lampiran

Ordering Number	Outlet Size	A		B		C		APP'Weght(kg)	
		STD	X-S	STD	X-S	STD	X-S	STD	X-S
WOL-04	1/2	19.1	19.1	34.9	34.9	23.8	23.8	0.08	0.19
WOL-06	3/4	22.2	22.2	44.5	44.5	30.2	30.2	0.11	0.14
WOL-08	1	27.0	27.0	54.0	54.0	36.5	36.5	0.23	0.21
WOL-10	1 1/4	31.8	31.8	65.1	65.1	44.5	44.5	0.36	0.41
WOL-12	1 1/2	33.3	33.3	73.0	73.0	50.8	50.8	0.45	0.50
WOL-16	2	38.1	38.1	88.9	88.9	65.1	65.1	0.80	0.80
WOL-20	2 1/2	41.3	41.3	103.2	103.2	76.2	76.2	1.14	1.20
WOL-24	3	44.5	44.5	122.2	122.2	93.7	93.7	1.82	1.90
WOL-32	4	50.8	50.8	152.4	152.4	120.7	120.7	2.86	2.90
WOL-40	5	57.2	57.2	179.4	179.4	141.3	141.3	4.66	4.70
WOL-48	6	60.3	77.8	215.9	225.4	169.9	169.9	6.45	10.50
WOL-64	8	69.9	98.5	263.5	292.1	220.7	220.7	10.68	16.60
WOL-80	10	77.8	93.7	322.3	323.9	274.7	265.1	17.73	20.90
WOL-96	12	85.7	103.2	377.8	397.4	325.4	317.5	26.82	27.70
WOL-112	14	88.9	100.0	409.6	431.8	357.2	350.8	30.00	31.80
WOL-128	16	93.7	106.4	463.6	466.7	408.0	403.2	34.10	46.40
WOL-144	18	96.8	111.1	520.7	523.9	458.8	455.6	44.10	59.10
WOL-160	20	101.6	119.1	571.5	582.6	508.0	509.6	53.60	71.80
WOL-184	24	115.9	139.7	689.0	708.0	614.4	608.2	100.00	131.80

Ordering Number	Outlet Size	A		B		C		APP'Weght(kg)	
		Sch 160	XX-s	Sch 160	XX-s	Sch 160	XX-s	Sch 160	XX-s
WL-04	1/2	28.6	28.6	34.9	34.9	14.3	14.3	0.11	-
WL-06	3/4	31.8	31.8	44.5	44.5	19.1	19.1	0.32	-
WL-08	1	38.1	38.1	50.8	50.8	25.4	25.4	0.38	0.38
WL-10	1 1/4	44.5	44.5	61.9	61.9	33.3	33.3	0.57	0.57
WL-12	1 1/2	50.8	50.8	69.9	69.9	38.1	38.1	0.80	0.80
WL-16	2	55.6	55.6	81.0	81.0	42.9	42.9	1.00	1.00
WL-20	2 1/2	61.9	61.9	96.8	96.8	54.0	54.0	1.54	1.54
WL-24	3	73.0	73.0	120.7	120.7	73.0	73.0	2.90	2.90
WL-32	4	84.1	84.1	152.4	152.4	98.4	98.4	4.80	4.80
WL-40	5	93.7	93.7	187.3	187.3	122.2	122.2	6.50	6.50
WL-48	6	104.8	104.8	220.7	220.7	146.1	146.1	12.70	12.70
WL-64	8	111.1	111.1	284.2	284.2	173.0	173.0	20.50	20.50
WL-80	10	125.4	125.4	312.7	312.7	215.9	215.9	38.60	38.60

- Dimensions are in millimeters.
- Applicable Run Pipe Sizes are from Out-Let to 36 inch

5.3.1 Tabel dimensi Weldolet

Ordering Number	Outlet Size	A		B		C		F		APP Weight(kg)	
		3000#	6000#	3000#	6000#	3000#	6000#	3000#	6000#	3000#	6000#
SOL-04	1/2	25.4	31.8	34.9	44.5	23.8	19.1	31.8	39.7	0.14	0.23
SOL-06	3/4	27.0	36.5	44.5	50.8	30.2	25.4	36.5	45.2	0.15	0.36
SOL-08	1	33.3	39.7	54.0	61.9	36.5	33.3	46.0	57.2	0.27	0.59
SOL-10	1 1/4	33.3	41.3	65.1	69.9	44.5	38.1	55.6	65.1	0.39	0.73
SOL-12	1 1/2	34.9	42.9	73.0	82.6	50.8	49.2	61.9	76.2	0.47	0.91
SOL-16	2	38.1	58.7	88.9	103.2	65.1	58.7	74.6	92.1	0.73	2.33
SOL-20	2 1/2	46.0	-	103.2	-	76.2	-	87.3	-	1.25	-
SOL-24	3	50.8	-	122.2	-	93.7	-	104.8	-	1.73	-
SOL-32	4	57.2	-	152.4	-	120.7	-	130.2	-	3.30	-

5.3.1 Tabel dimensi *Sockolet*