

DAFTAR PUSTAKA

- Adzkiya MAZ. 2011. Kajian Potensi antioksidan beras merah dan pemanfaatannya pada minuman beras kencur. (Thesis). IPB.
- Afifatunnisa, Soeharto, Gatot and Hadi. 2013. Pengaruh Lama Waktu . Kematian Terhadap Kemampuan Motilitas Spermatozoa Testis Hewan Coba Post Mortem Yang Diperiksa Pada Suhu Kamar Dan Dingin.UNDIP. Semarang
- Akiko N., Tetsuya M., Mitsuhiko N., Yoshihiko T., Masayuki T., Manami I., and Shoichiro T. 2010.;Rice intake and type 2 diabetes in Japanese men and women: the Japan Public Health Center based Prospective Study. *The American journal of clinical nutrition*.
- Anggraeni L.N. 2011. *Aktivitas antioksidan tiga varietas padi (Oryza sativa L. var. Cempo Ireng, var. Cempo Abang, dan var IR-64*. Laporan Seminar. Program Sarjana, Fakultas Biologi Universitas Gadjah Mada, Yogyakarta.
- Bearden, H.J. and J.W. Fuquay. 1984. *Applied Animal Reproduction*. 2nd ed. Prentice-Hall, New Jersey
- Bolkent S., S. Bolkent, R. Yanardag, and S. Tanuli. 2010. Protective effect of vanadyl sulfate on the pancreas of streptozotocin-induced diabetic rats. *Australian Journal of Basic and Applied Sciences* 4(2) : 114-121.
- Charles, J., dan Ivar, F. (2011). Relationship Polychlorinated Byphenyls With Diabetes Tipe 2 and Hipertesion. *Environmental Monitoring of The Journal*. 13(4): 241- 251.
- Chandrashekar KN; Muralidhara. Evidence of oxidative stress and mitochondrial dysfunctions in the testis of prepubertal diabetic rats. [Int J Impot Res] 2009 May-Jun; Vol. 21 (3), pp. 198-206.
- Cholisoh , Zakky and Utami , Wahyu. 2008. Aktivitas Penangkap Radikal Ekstrak Ethanol 70% Biji Jengkol (Archidendron jiringa) PHARMACON. Jurnal Farmasi Indonesia ISSN 1441-4283. PP. 33-40
- Cherl K.J., Jung-In K., Byoung-Wook K., Min-Jung K., Myo-Jeong K., Cha,2004. Influence of the physical form of processed rice products on the enzymatic hydrolysis of rice starch in vitro and on the postprandial glucose and insulin responses in patients with type 2 diabetes mellitus. *Bioscience, biotechnology, and biochemistry*.
- DEPKES. 2005. *Pharmaceutical Care Untuk Penyakit Diabetes Mellitus*. Direktur Jenderal Bina Kefarmasian dan Alat Kesehatan. : Indonesia.
- Drake, Gebardt, et al. – 1989, *Composition of foods; Cereal Grains and Pasta*. United States Department of Agriculture of Agronomic Crops under Agri-horti-silviculture System.
- Dumas JF, Simard G, Flamment M, Ducluzeau PH, Ritz P. *Is skeletal muscle mitochondrial dysfunction a cause or an indirect consequence of insulin resistance in humans?*. [Diabetes Metab] 2009 Jun; Vol. 35 (3), pp.159-67
- Effendi, H., Hanafiah, M.J and Kadri. 1981. *Fisiologi Sistem Hormonal dan Reproduksi dengan Pathofisiologinya*. Penerbit Alumni. Bandung.
- Erris. 2014. Pengaruh Kebisingan Terhadap Kuantitas dan Kualitas Spermatozoa Tikus Putih (*Rattus norvegicus*) Jantan Dewasa. Kesehatan Lingkungan Politeknik Jambi : Jambi.

- Garner, D.L. and E.S.E. Hafez. 2000. Spermatozoa and Seminal Plasma. In Reproduction in Farm Animals. 7th ed. B. Hafez and E.S.E. Hafez (Eds). Lippincott Williams and Wilkins. Philadelphia.
- Gomathi D., G. Ravikumar, M. Kalaiselvi, K. Devaki, and C. Uma. 2013. Efficacy of *Evolvulus alsinoides* (L.) L. on insulin and antioxidant activity in pancreas of streptozotocin induced diabetic rats. *Journal of Diabetes & Metabolic Disorders* 12:39. <http://jdmdonline.com/content/12/1/39>
- Ganong, W.F. (1978) Role of brain monamines and histamine in regulation of anterior pituitary secretion. *Physiol. Rev.* 58, 905-976.
- Guyton AC, Hall EJ. 1996. Buku ajar fisiologi kedokteran. Ed. 9, Editor Setiawan I. Jakarta : EGC
- Hartini. 2011. Pengaruh Dekok Daun Jambu Biji Merah (*Psidium Guajava* L) terhadap Jumlah Kecepatan dan Morfologi Spermatozoa Tikus Putih Jantan (*Rattus norvegicus*). Tesis. Program Studi Ilmu Biomedik. Fakultas Farmasi, Universitas Andalas, Padang.
- Hess and Franca, L. D. 2008. Spermatogenesis and Cycle of the Seminiferous Epithelium. Department of Veterinary Biosciences, University of Illinois, Urbana
- Hu, C., J. Zawistowski, W. Ling and D. D. Kitts. 2003. Black rice (*Oryza sativa* L. *indica*) pigmented fraction suppresses both reactive oxygen species and nitric oxide in chemical and biological model systems. *J. Agric. Food Chem.* 51:5271-5277
- Imam M.U., and Ismail M. 2012. Effects of Brown Rice and White Rice on Expression of Xenobiotic Metabolism Genes in Type 2 Diabetic Rats. *Int. J. Mol. Sci.* 2012, 13(7), 8597-8608
- Imam M.U., Azmi N.H., Bhanger I.M., Ismail N, and Ismail M, 2012. Antidiabetic Properties of Germinated Brown Rice: A Systematic Review. Evidence Based Complementary and Alternative Medicine Volume 2012, Article ID 816501, <http://dx.doi.org/10.1155/2012/816501>
- Ina Hasanah. 2007. Bercocok Tanam Padi. Jakarta : Azka Mulia Media
- Junqueira, LC and Carneiro, J. 1988. Basic Histology 11th ed., McGraw-Hill, New York
- Kongkachuichai R., Prangthip P., Surasiang R., Posuwan J., Charoensiri R., Kettawan A. and Vanavichit A. 2013. Effect of Riceberry oil (deep purple oil; *Oryza sativa* Indica) supplementation on hyperglycemia and change in lipid profile in Streptozotocin (STZ)-induced diabetic rats fed a high fat diet. *International Food Research Journal* 20(2): 873-882
- Larasati, A. S. 2013. Analisis Kandungan Zat Gizi Makro dan Indeks Glikemik *Snack Bar* Beras Warna Sebagai Makanan Selingan Penderita Nefropati Diabetik. Fakultas Kedokteran UNDIP : Semarang.
- Lee J.H. 2010. Identification and quantification of anthocyanins from the grains of black rice (*Oryza sativa* L.) Varieties. *Food Sci. Biotechnol.* 19(2): 391-397.
- Lesson, C. R., T.S. Lesson dan A.A Paparo. 1990. Buku Ajar Histologi (Text Book of Histology). Diterjemahkan oleh J. Tembajong dkk (Staf Ahli Histologi UI. Penerbit Buku Kedokteran EGC. Jakarta. Hal 511-525, 528.

- Listiati, Ika Farida. 2011. Konsumsi Makanan Sumber Indeks Glikemik Pangan Terkait Dengan Kadar Gula Darah Penderita Diabetes Melitus Tipe 2 Rawat Jalan Di RS Tugurejo Semarang. Universitas Muhammadiyah Semarang. Tesis.
- Magdy A. Shallan, Hossam S. El-Beltagi, Mona, A. M., Amera, T.M. and Sohir, N.A. 2010. Effect of Amylose Content and Pre-germinated Brown Rice on Serum Blood Glucose and Lipids in Experimental Animal. *Australian Journal of Basic & Applied Sciences*, Vol. 4 Issue 2, p114
- Masiello P, Broca C, Gross R, Roye M, Manteghetti M, Hillaire-Buys D, Novelli and M, Ribes G. 1998. Experimental NIDDM: development of a new model in adult rats administered streptozotocin and nicotinamide.
- Nalbandov AV. 1990. Fisiologi Reproduksi pada Mamalia dan Unggas. Cetakan. Pertama. Jakarta: Universitas Indonesia (UI-Press).
- Novitasari, Dwi., Sunarti., dan Arta Fatmawati. 2011. Emping Garut (*Maranta arundinaceae* Linn) sebagai Makanan Ringan dan Kadar Glukosa Darah, Angiotensin II Plasma serta Tekanan Darah pada Penderita Diabetes Mellitus Tipe 2 (DMT2). *Jurnal Media Medika Indonesiana* Vol. 45 No 1, 2011
- Pasowan J., P. Prangthip P., V. Leardkamolkarn, U. Yamborisut, R. Surasiang, R. Charoensiri, and R. Kongkachuichai. 2013. Long-term supplementation of high pigmented rice bran oil (*Oryza sativa* L.) on amelioration of oxidative stress and histological changes in streptozotocin-induced diabetic rats fed high fat diet: Ricebrand oil. *Food Chemistry*, 138:501-508
- Pauzi N.A.S, Muhammad A A, Fakurazi S, Arulselvan P. and Ahmad Indian Z Preliminary Study of the Optimization of Protocol for Development of Type 2 Diabetic Model in Rats *Indian Journal of Science and Technology* | Vol 6 (7) | July 2013 pp 4960-4965
- Prabu A.K, Kumarappan CT, Christudas S., Kalaichelvan VK. 2012. Effect of Biophytum sensitivum on streptozotocin and nicotinamide-induced diabetic rats. *Asian Pacific Journal of Tropical Biomedicine*, 31-35.
- Pratiwi R., Purwestri Y.A., dan Tunjung W.A.S. 2012. *Efek Diet Nasi dari Padi (*Oryza sativa* L.) kultivar Cempo Ireng, Cempo Abang, dan IR-64 terhadap Profil Lipid Serum Darah Tikus Putih (*Rattus norvegicus* Berkenhout, 1769) Hiperlipidemia*. Laporan Hibah Penelitian Fakultas Biologi UGM.
- Reddy, A.R., 1996, Genetic and Molecular Analysis of Anthocyanin Pigmentation Pathway in Rice. Proceedings of the third international rice genetics symposium. 16-20 October 1995 .IRRI. Manila. Phillipines.
- Rugh, R. (1968) The mouse its reproduction and development, Minneapolis, Burgess Publishing Company.
- Sagi, M. 1994. Embriologi Perbandingan Pada Vertebrata. Yogyakarta. UGM Press
- Salisbury, G.W. and N.L. Van Demark. 1985. Fisiologi Reproduksi dan Inseminasi Buatan pada Sapi. (Diterjemahkan oleh R. Djanuar) Gadjah Mada University Press, Yogyakarta.
- Saputro. P. S. 2015. Pengaruh Polisakarida Larut Air dan Serat Pangan Umbi-umbian Terhadap Glukosa Darah. FTP Universitas Brawijaya : Malang. *Jurnal Pangan dan Agroindustri* Vol. 3 No 2 p.756-762

- Sastrosupadi, A. 2000. *Rancangan Percobaan Praktis Bidang Pertanian*. Penerbit Kanisius. Yogyakarta.
- Sherwood L. 2001. *Fisiologi Manusia dari Sel ke Sistem Edisi 2*. Jakarta : EGC.
- Siregar, H. 1981. *Budidaya Tanaman Padi di Indonesia*. PT Sastra Hudaya. Jakarta.
- Steenis, C.G.G.J. 1997. *Flora untuk sekolah di Indonesia*. Terjemahan dari Flora de Scholen in Indonesia. oleh Surjowinoto, M.S., Hardjosuwarno, S.S. Adisewojo, Wibisono, M. Partodidjojo dan S. Wirjahardha. P.T. Widya Paramita. Jakarta. Hal. 471.
- Sun Q.i., Spiegelman, D., van Dam R.M., Holmes, M.D., Malik V.S., Willett W.C., and Hu F.B. 2010. White rice, brown rice, and risk of type 2 diabetes in US men and women. Institution: Department of Nutrition. Publication: Archives of internal medicine
- Tjokroprawiro, A. 2002. Diabetik Neuropati: dari Basik ke Klinik. Pusat Diabetes dan Nutrisi ? FK UNAIR/RSUD Dr. Soetomo, Surabaya. <http://www.tempo.co.id/medika/arsip/042002/pus-2.htm>. 20 Januari 2016.
- Turner and J. T. Bagnara. 1988. *Endokrinologi Umum*. Edisi keempat. Airlangga University Press. Surabaya.
- Varisli O, Uguz C, Agca C, Agca Y: 2009. Various physical stress factors on rat sperm motility, integrity of acrosome, and plasma membrane. *J Androl*, 30(1): 75-86.
- Vichapong, J., Sookserm, M., Srijesdaruk, V., Swatsitang, P. dan Srijaranai, S. (2010). High performance liquid chromatographic analysis of phenolic compounds and their antioxidant activities in rice varieties. *LWT-Food Science Technology* 43: 1325-1330.
- Whitney E., and S.R. Rolfes. 2008. *Understanding Nutrition*. Eleventh edition. International Student Edition. Thomsom, Wadworth. Hal. 156-158.
- Xia X., W.L.J. Ma, M. Xia, M. Hou, Q. Wang and H. Zhu. 2006. An anthocyanin-rich extract from black rice enhance atheroscleorotic plaque stablitation in apolipoprotein E-deficient mice. *J.Nutr.* 136: 2220-2226.
- Zawistowski, W. Ling and D. D. Kitts. 2003. Black rice (*Oryza sativa* L. *indica*) pigmented fraction suppresses both reactive oxygen species and nitric oxide in chemical and biological model systems. *J. Agric. Food Chem.* 51:5271-5277.