

DAFTAR PUSTAKA

- Abdullah et.al.,2010, “Thermogravimetry Study on Pyrolysis of Various Lignocellulosic Biomass for Potential Hydrogen Production”, *IJCBS*, Vol. 3, pp.3.
- Adekunle, J.O., Ibrahim,J.S., and Kucha, E.I., 2015, “ Proximate and Ultimate Analyses of Biocoal Briquettes of Nigerian’s Ogboyaga and Okaba Sub-bituminous Coal”, *Br.J. Appl.Sci.Technol.*, Vol. 7(1), pp. 114-123.
- Aina, O. M., Adetogun, A. C. and Iyiola, K. A., 2009, “Heat Energy From Value-Added Sawdust Briquettes of Albizia Zygia”, *Ethio. J.Envntal. Studs. and Mgmt*, Vol. 2, pp. 42-49.
- Anonim, 2008, “Buku Panduan Biomassa Asia: Panduan untuk Produksi dan Pemanfaatan Biomassa”, The Japan Institute of Energy.
- Antal, Jr., M.J., Croiset, E., Dai, X., De Almeida, C., Mok, W.S., Norberg, N., 1996, “ High – Yield Biomass Charcoal”, *Energ.fuel*, Vol. 10, pp. 652 – 658.
- Aswati, N., 2011, “Peningkatan Mutu Batubara Peringkat Rendah Indonesia Melalui Teknik *Slurry Dewatering*”, Skripsi, Fakultas Teknik, Universitas Indonesia, Depok.
- Balai Perbenihan Tanaman Hutan Jawa dan Madura, 2013, “Ketapang (*Terminalia Cattappa* Linn)”, Informasi Singkat Benih No.153

- Balci, S., Dogu, T., and Dogu, G. G., 1987, “Structural Variations and Deactivation Model for Gasification of Coal ”, *Ind. Eng. Chem. Res.*, Vol. 32, pp. 2573 – 2579.
- Balci, S., Dogu, T., and Yucel, H., 1993, “Pyrolysis Kinetics of Lignocellulosic Material”, *Ind. Eng. Chem. Res.*, Vol. 32, pp. 2572 – 2579.
- Bradbury A.G.W, Sakay, Y., Shafizadeh, F., 1979, “ Kinetic Model for Pyrolysis of Celulose”, *J. Appl. Polym.Sci.*, Vol. 23, pp. 3271 – 80.
- Cristina P., 2014, “Four – Lump Kinetic Model vs. Three Lump Kinetic Model for the Fluid Catalytic Cracking Riser Reactor”, *Procedia.Eng.*, Vol.100, pp. 602 – 608.
- De Velden, M.V., Baeyens, J., Brems, A., Janssens, B., Dewil, R., 2010, “Fundamentals, kinetics and endothermicity of the biomass pyrolysis reaction”, *Renew.Energ.*, Vol.35, pp. 232–242.
- Di Blasi, C., 2008, “Modeling Chemical and Physical Processes of Wood and Biomass Pyrolysis”, *Prog. Energ. Combust.*, Vol.34, pp. 47 – 90.
- Dos Santos, I.C.F., De Carvalho, S.H.V., Solleti J.I., Ferreira de La Salles, W., K. Teixeira da Silva de La Salles., K., Meneghetti, S.M.P., 2008, “Studies of Terminalia Catappa L. oil: Characterization and biodiesel production”, *Bioresource Technol.*, Vol.99, pp. 6545-6549.
- Fagbemi, L., Khezami, L., Carpat, L., 2001, “Pyrolysis products from different biomasses: application to the thermal cracking of tar”, *Appl. Energy*, Vol.69, pp. 293–306.

- Font, R., Marcilla, A., Verdu, E., Devesa, J., 1990, “Kinetics of the pyrolysis of almond shells and almond shells impregnated with COCl_2 in a fluidized bed reactor and in a Pyroprobe 100”, *Ind.Eng.Chem.Res.*, Vol.29, pp. 1846–1855.
- Gašparovič, L.,et.al., 2011, “Kinetic study of pyrolysis of waste water treatment plant sludge”, *Chemical Papers*, Vol.65, pp.139-146.
- Grieco, E., Baldi, G., 2011, “Analysis and modelling of wood pyrolysis”, *Chem.Eng.Sci.*, Vol. 66, pp. 650–660.
- Hartanto,F.P., dan Alim, F., 2011, “Optimasi Kondisi Operasi Pirolisis Sekam Padi untuk Menhasilkan Bahan Bakar Briket Bioarang sebagai Bahan Bakar Alternatif”, FT-Universitas Diponegoro, Semarang.
- Hartoyo,A.dan Roliadi, H., 1978, “Percobaan Pembuatan Briket Arang dari Lima Jenis Kayu”, Laporan Lembaga Penelitian Hasil Hutan No. 103, Bogor.
- Hendra, D., 2011, “Pemanfaatan Eceng Gondok (*Eichornia crassipes*) untuk Bahan Baku Briket Sebagai Bahan Bakar Alternatif”, *Jurnal Penelitian Hasil Hutan*, Vol.29, No.2, pp. 189-210.
- Holtzapple, M., 2003, “Cellulose”. In: Caballero, B., Trugo, L.C., and Finglas, P.M., (eds), *Encyclopedia of Food Science, Food Technology, and Nutrition*, 2nd ed., London : Academic Press, pp. 998 – 1007.
- Inbaraj, B.S., Sulochana, N., 2006, “Mercury adsorption on Carbon Sorbent Derived from Fruit Shell of *Terminalia Catappa*”, *J.Hazard.Mater.*, Vol. B133, pp. 283–290.

- Kock, P., 1972, "Utilization of The Southern Pines. In: Agriculture Handbook, Vol. 420", *USDA,for Serv.*, pp. 1499-1504.
- Kusumaningrum, W.B., and Munawar,S.S., 2014, "Prospect of Bio-pellet as an Alternative Energy to Substitute Solid Fuel Based", *Energy Procedia*, Vol.47, pp. 303-309.
- Lu, C., Song, W., Lin, W., 2009, "Kinetics of biomass catalytic pyrolysis", *Biotechnol.Adv.*, Vol. 27, pp. 583–587.
- Lu, G.Q., and Do, D.D.,1991, "A Kinetic Model for Coal Reject Pyrolysis at Low Heating Rates ", *Fuel Process.Tech.*, Vol. 28, pp. 35 – 48.
- Lynd L.R., Weimer, P.J.,Van Zyl, W.H., and Pretorius, I.S. I.S., 2002, "Microbial Cellulose Utilization: Fundamentals and Biotechnology", *Microbiol. Mol. Biol. Rev.* 66 , Vol. 3, pp. 506-577.
- Moscowitz,C.M., 1978, "Source Assessment: Charcoal Manufacturing State of the Art", US. Environmental Protection Agency, Cincinnati, OH, EPA-600/2-78-004z.
- Norgate, T., Langberg, D., 2009, " Environmental and Economic Aspects of Charcoal Use in Steelmaking", *ISIJ International* 49, Vol. 4, pp. 587- 595.
- Nuriana, W., Anisa, N., Martana, 2014, "Synthesis Preliminary Studies Durian Peel Bio Briquettes as an Alternative Fuels, *Energy Procedia*, Vol.47, pp.295-302.
- Orth A.B., Royse, D.J., Tien, M., 1993, "Ubiquity of lignindegrading peroxidases among various wood-degrading fungi", *Appl.Environ.Microbiol*, Vol. 59, pp. 4017-4023.

- Orwa.,et al., 2009, “ Terminalia Catappa Linn”, Agroforestry Database 4.0
http://www.worldagroforestry.org/treedb/AFTPDFS/Terminalia_catappa.PDF
F (Diakses 31 Desember 2015)
- Othmer, D.F., and Schurig, W.F., 1941, “Destructive Distillation of Maple Wood”,
Ind.Eng.Chem., Vol. 33, pp. 188 – 196.
- Park, W.C., Atreya, A., Baum, H.R., 2010, “Experimental and theoretical investigation of heat and mass transfer processes during wood pyrolysis”,
Combust.Flame, Vol. 157, pp. 481–494.
- Perez J.,Munoz-Dorado, J., De la Rubia, T., and Martinez,J.,2002,
“Biodegradation and biological treatments of cellulose, hemicellulose and lignin”, *an overview. Int.Microbiol*, Vol. 5, pp. 53-63.
- Purwanto, D.,dan Sofyan, 2014, “Pengaruh Suhu dan Waktu Pengarangan terhadap Kualitas Briket Arang dari Limbah Tempurung Kelapa Sawit”,
Jurnal Litbang Industri, Vol.4, No.4, pp. 29-38.
- PUSPIJAK, 2014, “Pemilihan Jenis Pohon Dalam Rangka Pembangunan dan Pengembangan Hutan Kota”, Serang: PUSPIJAK.
- Rao,T.,Sharma, A.,1998, “ Pyrolysis Rate of Biomass Material”, *Energy*, Vol. 23:
973-978.
- Rousset , P., Caldeira-Pires, A., Sablowski, A., Rodrigues, T., 2011,“LCA of Eucalyptus Wood Charcoal Briquettes” , *J.Clean.Prod.*, Vol. 19, pp. 1647-1653.
- Rout,T.K., 2013, “Pyrolysis of Coconut Shell”, Thesis, Departement of Chemical Enginering National Institute of Technology Rourkela.

- Sadhukhan, A.K., Gupta, P., Saha, R.K., 2009, “ Modelling of Pyrolysis of Large Wood Particles”, *Bioresource Technol.*, Vol. 100, pp. 3134–3139.
- Sari, 2011, “ Optimasi Nilai Kalor Pembakaran Biobriket Campuran Batubara dengan Arang Tempurung Kelapa”, Skripsi, Fakultas MIPA UNS, Surakarta.
- Sastry, M.K.S., Bridge, J., Brown, A., Williams, R., 2013, “Biomass Briquettes : A Sustainable and Environment Friendly Energy Option for the Caribbea”, Fifth International Symposium on Energy, Puerto Rico Energy Center-Lacpei, Puerto Rico.
- Sengar, S.H., Mohod, A.G., Khandetod, Y.P., Patil, S.S., Chendake, A.D., 2012, “Performance of Briquetting Machine For Briquette Fuel”, *International Journal of Energy Engineering*, 2(1) 28-34.
- Shafizadeh F., Chin P.P.S., 1977, “Thermal Deterioration of Wood”, *ACS Symp Ser*, Vol. 43, pp. 57 – 81.
- Shankar, J.T., Christopher, T.W., Kevin, L.K., Richard, H.A., 2010, “Technical review on biomass processing: Densification, preprocessing, modelling, and optimization”, pp. 3-5.
- Simanjuntak, B.A., 2004., “Pembuatan Briket Arang Dari Limbah Batang Tembakau dengan Treatment Awal Penghilangan Nikotin”, Fakultas Teknik Universitas Gadjah Mada, Yogyakarta.
- Sinha, S., Jhalani, A., Ravi, M.R., Ray., 2000, “Modelling of Pyrolysis in Wood : A Review”, *SESI Journal*, Vol. 10(1), pp. 41-62.

- Sohn, H.Y., and Yang, H.S., 1985, “Effect of Reduced Pressure on Oil Shale Retorting.1.Kinetics of Oil Generation”, *Ind.Eng.Chem.Process.Des.Dev.*, Vol. 24, pp. 265 – 270.
- Soltes, E.J. and Elder T.J.,1981,”Organic Chemicals from Biomass”, Pyrolysis, *CRC Press*, pp. 63-95.
- Surest,H.S.,Permana,I., Wibisono,R.G., “Pembuatan Karbon Aktif dari Cangkang Biji Ketapang”, FT-Universitas Sriwijaya.
- Syamsudin, Susanto, H., and Subagjo, 2013, “ Isothermal Pyrolysis of Kraft Pulp Mill Sludge”, *Reaktor*, Vol.14, No.4, pp.298-304.
- Tauhid, 2008, “Kajian Jarak Jangkau Efek Vegetasi Pohon Terhadap Suhu Udara Pada Siang Hari di Perkotaan (Studi Kasus: Kawasan Simpang Lima Kota Semarang)”, Tesis, Universitas Diponegoro.
- Thomson, L.A.J., and Evans, B., 2006, “ Terminalia Cattapa (Tropical Almond)”, Permanent Agriculture Resources (PAR), Holualoa, Hawaii.
- Thurner, F., Mann, U., 1981, “Kinetic investigation of wood pyrolysis”, *Ind.Eng.Chem.Process.Des.Dev.*, Vol. 20, pp. 482–488.
- Tsoumis, G, 1991, “Science and Technology of Wood –Structure, Properties and Utilization”, New York: Van Nostrand Reinhold.
- Vargas, J.M., and Perlmutter, D.D., 1986, “ Interpretation of Coal Kinetics”, *Ind.Eng .Chem. Process. Des. Dev.*, Vol. 25, pp. 49-54.
- Veeresh, S.J., and Narayana, J., 2012, “Assessment of Agro-Industrial Wastes Proximate, Ultimate, SEM and FTIR analysis for Feasibility of Solid Bio-Fuel Production”, *Univ. J.Envi. Res.Tech.*, Vol.2, pp.575-581.

White, J.E.,Catallo, W.J.,Legendre, B.L., 2011, “Biomass pyrolysis kinetics: A comparative critical review with relevant agricultural residue case studies “, *J.Anal.Appl.Pyrolysis*, Vol.91, pp.1-33.

Wijayanti, D.S.,2009, “Karakteristik Briket Arang dari Serbuk Gergaji dengan Penambahan Arang Cangkang Kelapa Sawit”,Skripsi, Fakultas Pertanian – Universitas Sumatera Utara.

Willard, H.K., 1978., “Source Assessment: Charcoal Manufacturing, State of Art”, EPA-600/2-78-004z.

Yang, H.,et.al.,2007, “Characteristics of hemicellulose, cellulose and lignin pyrolysis”, *Fuel*, Vol.86, pp.1781-1788.