

- Ali, G., F. Hadi, Z. Ali, M. Tariq, and M. A. Khan. 2007. Callus induction and in vitro complete plant regeneration of different cultivars of tobacco (*Nicotiana tabacum* L.) on media of different hormonal concentrations. *Biotechnol.* 6:561-566.
- Amiarsi, D., Yulianingsih, dan S. D. Sabari. 2006. Pengaruh jenis dan perbandingan pelarut terhadap hasil ekstraksi minyak atsiri mawar. *J.Hort.* 16 (4):356-359
- Ampasavate, C., S Okonogi, and S Anuchapreeda. 2010. Cytotoxicity of extracts from fruit plants againts leukemic cell lines. *African Journal of Pharmacy and Pharmacology.*4(1) : 013-021.
- Aziman, N., N. Abdullah, Z. M. Noor, K. S. Zulkifli, and W. S. S. D. Kamarudin. 2012. Phytochemical Constituents and In Vitro Bioactivity of Ethanolic Aromatic Herb Extracts (Kandungan Fitokimia dan Bioaktiviti In Vitro Etanol Ekstrak Aromatik Herba). *Sains Malaysiana.* 41(11): 1437
- Andaryani. S. 2010. Kajian Penggunaan berbagai Konsentrasi BAP dan 2,4-D terhadap Induksi Kalus Jarak Pagar (*Jatropha curcas* L.) Secara In Vitro.
- Barz, W.E., Reinhard, M.H. Zenk. 1977. *Proceedings in life sciences : plant tissue culture and its biotechnological application.* Springer-Verlag. Jerman. P: 41
- Bhojwani, S. S and M. K., Razdan. 1983. *Plant tissue Culture Theory and Practice.* Elsevier Science publ. Co Amsterdam. Pp.30-32.
- Bintang, M. 2010. *Biokimia : Teknik penelitian.* Erlangga.Jakarta Ha. 166-168, 198-199.
- Butryee, C., Sungpuag, P., and Chitchumroonchokchai, C. 2009. Effect of Processing on the Flavonoid Content and Antioxidant Capacity of *Citrus hystrix* Leaf, *Int. J. Food Sci. Nutr.*, 2009, Suppl. 2: 162-174.
- Chan SW, Lee CY, Yap CF, Wan Aida WM, Ho CW. Optimisation of extraction conditions for phenolic compounds from limau purut (*Citrus hystrix*) peels. *In Food Res J.* 2009;16: 203- 213.
- Chanthaphon S, Chanthachum S, Hongpattarakere T. Antimicrobial activities of essential oils and crude extracts from tropical *Citrus spp.* against food-related microorganisms. Songklanakar. *J Sci Technol.* 2008;30:125-131.
- Chapman, J. L., and M. J. Reis. 1999. *Ecology : Principles and Applications.* Cambridge University Press. USA. P. 332.
- Chinapongtitiwat V, Jongaroontaprangsee S, Chiewchan N, Devahastin S. Important flavonoids and limonin in selected Thai citrus residues. *J Functional Foods.* 2013;5:1151-1158.
- Chowdhury A, Alam MA, Rahman MS, Hossain MA, Rashid MM. Antimicrobial, antioxidant and cytotoxic activities of *Citrus hystrix* DC. *Fruits J Pharm Sci.* 2009;8(2):177-180.
- Chueahongthong, F., C. Ampasavate, S. Okonogi, S. Tima, and S. Anuchapreeda. 2011. Cytotoxic effects of crude kaffir lime (*Citrus hystrix*, DC.) leaf fractional extracts on leukemic cell lines. *Journal of Medicinal Plants Research.* 5(14): 3097-3105.
- Collin A. and S. Edwards. 1998. *Plant Cell Culture.* Bios scientific pub. Liverpool
- Constabel, F. 1984. *Callus Culture: Induction and Maintenance.* Academic Press, Inc. Florida.p.208-210.
- Dalimartha, S. 2006. *Atlas tumbuhan obat Indonesia,* Volume 2. Niaga Swadaya. Jakarta. hal. 93-95.
- Day, R. A., and A. L. Underwood. 1998. *Quantitative Analysis 6h Ed.* Prentice-Hall, Inc. New York. 480-489,671



- Deb, C.R. and T. Imchen. 2010. *An Efficient In Vitro Hardening Technique of Tissue Culture Raised Plants*. Department of Botany, Nagaland University. India.
- Devy, N. F., F. Yulianti, dan Andrini. 2010. Kandungan Flavonoid dan Limonoid pada Berbagai Fase Pertumbuhan Tanaman Jeruk Kalamondin (*Citrus mitis* Blanco) dan Purut (*Citrus hystrix* Dc.). *J. Hoert.* 20(1) :360-367.
- Fadilah, R., E. Ratnasari, dan Isnawati. 2014. Induksi dan Pertumbuhan Kalus Daun Tin (*Ficus carica*) dengan Penambahan Berbagai Kombinasi Konsentrasi IBA dan Kinetin pada Media MS secara In Vitro. *Lentera Bio* 3 (2).p. 141-146.
- Fergusson, J. J. 2002. *Medicinal Use of Citrus*. Series of the Horticultural Sciences Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. P. 3.
- Fortin H, Vigora C, Lohezic-Le F, RobinaV, Le Bosse B, Boustiea J and Arnoros M. *In vitro* antiviral activity of thirtysix plants from La Reunion Island. *Fitoterapia* 2002; 3: 346-350.
- Fowler, M.W. 1983. Commercial application and economic aspects of mass plant cell culture. In: *Plant Biotechnology*. Mantell Smith, H (eds). London: Cambridge Univ. Press.
- George, F. E. and Sherrington, P.D. 1984. *Plant Propagation by Tissue Culture*. Exegetics Ltd. Eversly, Basingstoke, Hants. England.
- Gerhards,P., U. Bons, J. Sawazki, O. Szigan, and A. Wertmann. 1999. *GC/MS in Clinical Chemistry*. WILEY-VCH Verlag GmbH. Weinheim.
- Gunawan LW. 1987. Teknik Kultur Jaringan. Bogor: Pusat Antar Universitas Bioteknologi, Institut Pertanian Bogor. Hal. 252.
- Hutami, R., W. Haryati, U.Amalia, I. D. Rachmani, N. Tannia, dan Wirasuwasti. 2012. *Analisis komponen asam lemak dalam minyak goreng dengan instrumen gc-ms (Gas chromatography-mass spectrometer)*. www.academia.edu. diakses tanggal 15-11-2015
- Jacob, R., S. Hasegawa, and G. Manners. 2000. *The Potential of Citrus Limonoids as Anticancer Agents*. Perishables Handling Quarterly Issue No. 102.
- Harmanto, N., dan M. A. Subroto. 2007. *Pilih Jamu Dan Herbal Tanpa Efek Samping*. Elex Media Komputind. Jakarta. hal. 10.
- Hendaryono, Daisy P. Sriyanti dan Wijayani, Ari. 1994. *Teknik Kultur Jaringan*. Yogyakarta: Kanisus.
- Hidayat, S., S. Wahyuni, dan S. Anda. 2008. *Seri Tumbuhan Obat Berpotensi Hias*. Elex Media Komputindo. Jakarta. hal. 10-13.
- Hutadilok-Towatana, N., P. Chaityamutti, K. Panthong, W. Mahabusarakam, V. Rukachaisirikul. 2006. Antioxidative and Free Radical Scavenging Activities of Some Plants Used in Thai Folk Medicine. *Pharm. Biol.* 44(3) :221-228
- Indah, P. N., dan D. Ermavitalini. 2013. Induksi kalus daun Nyemplung (*Calophyllum inophyllum* Linn.) pada beberapa kombinasi konsentrasi 6-Benzylamineopurine (BAP) dan 2,4-Dichlorophenoxyacetic acid (2,4D). *Jurnal Sains dan Seni Pomits* (2) 1 : 2337-3520.
- Indrianto, A. 2003. *Kultur Jaringan Tumbuhan*. Fakultas Biologi, Universitas Gadjah Mada. Yogyakarta. Hal. 71-74.
- Indrianto, A., E. Semarti, dan E. A. Suyono.2014. Petunjuk praktikum teknik kultur jaringan tumbuhan. FakultasBiologi, UGM Yogyakarta.hal. 4-9
- Jamilah B, Gedi, MA, Suhaila M, Zaidul, ISMd. Phenolics in *Citrus hystrix* leaves obtained using supercritical carbon dioxide extraction. *Int Food Res Journal*. 2011;18(3):941-948.
- Jayaraman J, Namasivayam N. Naringenin modulates circulatory lipid peroxidation, anti-oxidant status and hepatic alcohol metabolizing enzymes in rats with ethanol induced liver injury. *Fundam Clin Pharmacol*. 2011;25(6):682-689.



- Jha, T. B., and B. Ghosha. 2005. *Plant Tissue Culture: Basic and Applied*. Universities Press. New Delhi. P.36.
- Karomah, N.M. 1998. Embriogenesis Somatik dari Calon Bunga Jantan dari Beberapa Kultivar Pisang (*Musa* spp.). *Tesis Jurusan Biologi Fmipa IPB*. Bogor.
- Kaur C, Kapoor HC. Antioxidants in fruits and vegetablesthe millennium's health. *Int J Food Sci Technol*. 2001;36:703-725.
- Laohavechvanich P, Muangnoi C, Butryee C Kriengsinyos W. Protective effect of makrut lime leaf (*Citrus hystrix*) in HepG2 cells: Implications for oxidative stress. *Science Asia*. 2010;36:112–117.
- Lawrence BM, Hogg JW, Terhune SJ. Constituents of the leaf and peel oils of *Citrus hystrix* DC. *Phytochem*.1971;10:1404-5.
- Ling SL, Mohamed S. Alpha-Tocopherol content in 62 edible tropical plants. *J Agric Food Chem*. 2001;49:3101-3105.
- Loh FS, Awang RM, Omar D, Rahmani M. Insecticidal properties of *Citrus hystrix* DC leaves essential oil against *Spodoptera litura* fabricius.
- Manickavasagan, A., M. Mohamed Essa, E. Sukumar. 2012. *Dates: Production, Processing, Food, and Medicinal Values*. Taylor and Francis Group, LLC. USA. P. 15-16.
- Manosroi. 2006. Anti-proliferative Activity of Essential Oil Extracted from Thai Medicinal Plants on KB and P388 Cell Lines. *Cancer Letters*.235 : 114-120. Elsevier.
- Muhammad Nur, O., and Tong, L. B. 1992. *Development and Application of Citrus hystrix for flavour for food In : Asean Workshop on the Production of Natural Flavours for Foods*. p. 73-77.
- Murakami A, Nakamura Y, Koshimizu K, Ohigashi H. Glyceroglycolipids from *Citrus hystrix*, a traditional herb in Thailand, potently inhibit the tumorpromoting activity of 12-O-tetradecanoylphorbol 13-acetate
- Muthaiya, M.J., P. Nagella, M. Thiruvengadam, and A. A. Mandal. 2013. Enhancement of the productivity of tea (*Camellia sinensis*) secondary metabolites in cell suspension cultures using pathway inducers. *Journal of Crop Science and Biochemistry*. Vol 16(2). 143-149
- Niamthiang S, Sawasdee P. Cholinesterase inhibitors from the leaves and roots of *Citrus hystrix* DC. Pure and Applie Chemistry International Conference.
- Nor OM. Volatile aroma compounds in *Citrus hystrix* oil. *J Trop Agric and Food Sci*. 1999;27(2):225–229.
- Nurchayati, Y., W. Wardani, R. R. Esyanti. 2006. Produksi gosipol menggunakan kultur akar berambut *Gossypium hirsutum* L. CV KANESIA 7. *Berkala ilmiah biologi*. 5(2). 51-56.
- Opik, H. and S. A. Rolfe. 2005. *The Physiology of Flowering Plants 4th Ed*. Cambridge University Press. New York. Pp. 100-106.
- Panthong K, Srisud Y, Rukachaisirikul V, Hutadilok-Towatana N, Voravuthikunchai SP, Tewtrakul S. Benzene, coumarin and quinolinone derivatives from roots of *Citrus hystrix*. *Phytochem*. 2013;88:79–84.
- Pawinee P, Thirayudh G, Aporn C. Antifertility effect of *Citrus hytrix*. *J Ethnopharmacol*. 1985;13:105-110.
- Poole, C. 2012. *Gas Chromatography*. Elsevier, Inc. USA. p. 5-9.
- Rahayu, E. S. & Habibah, N. A. (2009). *Buku Ajar Kultur Jaringan Tumbuhan*. Semarang: Universitas Negeri Semarang.
- Ramdan, R., N. Handaji, H. Beyahia, and M. Ibriz. 2014. Influence of growth regulators on callus induction from embryos of five *citrus* rootstocks. *Journal of Applied Biosciences* (73) : 5959-5965.
- [Sathyanarayana](#), B. N., and D. B. Varghese. 2007. *Plant Tissue Culture: Practices and New Experimental Protocols*. I. K. International Pvt Ltd.New Delhi. P.110.



PROFIL SENYAWA BIOAKTIF KALUS JERUK PURUT (*Citrus hystrix* DC.) DENGAN INDUKSI KOMBINASI

2,4-DICHLOROPHENOXY ACETIC ACID DAN BENZYL AMINO PURINE

VITA FATONAH, Woro Anindito Sri Tunjung, S.Si.,M.Sc.,Ph.D.

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Silalahi, J. 2006. *Makanan fungsional*. Kanisius. Yogyakarta. hal. 14-17

- Smith, R. H. 2012. *Plant Tissue Culture: Techniques and Experiments*. Academic Press. United States of America.p.1-3.
- Steenis, C. G. G. J. 2003. *Flora Untuk Sekolah di Indonesia*. PT Pradnya Paramita. Jakarta Pusat
- Steward, C. N. 2008. *Plant Biotechnology and Genetics:Principles, Techniques and Applications*. John Wiley & Sons. Canada. P. 50- 51.
- Sunarya, Y., dan A. Setiabudi. 2007. Mudah dan aktif belajar kimia. PT Grafindo Media Pratama. p. 158
- Putri, W. S., N. K. Waditani, L. P. F. Larasanty. 2000. Skrining fitokimia ekstrak etil asetat kulit buah manggis (*Gracinia mangostana* L.)
- Syahid, S. F. & Kristina, N. N. (2007). Induksi dan regenerasi kalus Keladi tikus (*Typonium flagelliforme*. Lodd.) secara *in vitro*. *Jurnal Littri*, 13(4),142-146.
- Tawtsin A, Wratten SD, Scott R, Thavara U, Techadamrongsin Y. Repellency of volatile oils from plants against three mosquito vectors. *Engl J Med*. 2001;26:76-82.
- Tinjan P, Jirapakkul W. Comparative study on extraction methods of free and glycosidically bound volatile compounds from kaffir lime leaves by solvent extraction and solid phase extraction. *Kasetsart Journal*. 2007;41:300–306.
- Tripoli, E., M. Guardia, S. Giammanco, D. Majo, and M. Giamanco. 2007. Citrus Flavonoids: Molecular Structure, Biological Activity and Nutritional Properties: *A Review*. *Food Chem*. 104:466-479.
- Tunjung, W. A. S., J. Cinatl jr, M. Michaelis, and M. Smales. 2015. Anti- Cancer Effect of Kaffir Lime (*Citrus Hystrix* DC) Leaf Extract in Cervical Cancer an Neuroblastoma Cell Lines. *Procedia Chemistry* 14: 465-468. Elsevier.
- Turhan, H. 2004. Callus induction and growth in transgenic potato genotypes. *African Journal of biotechnology*. (3) 8. 375-378.
- Waikedrea J, Dugayb A, Barrachinac I, Herrenknecht C, Cabaliona P, Fournet A. Chemical Composition and Antimicrobial Activity of the Essential Oils from New Caledonian *Citrus macroptera* and *Citrus hystrix*. *Chem Biodivers*. 2010;7:871-877
- Wattimena. 1991. Farmakodinamik dan Terapi antibiotik. Gajah Mada University. Yogyakarta.