

DAFTAR PUSTAKA

- Aboud, F.E., Akhter, S. (2011) A Cluster-Randomized Evaluation Of a Responsive Stimulation and Feeding Intervention in Bangladesh. *Pediatrics*. 127(5): e1191-e1197.
- Abubakar, A., Holding, P., Van De Vijver, F.J., Newton, C., Van Baar, A. (2010) Children at Risk for Developmental Delay Can Be Recognised by Stunting, Being Underweight, Ill Health, Little Maternal Schooling or High Gravidity. *J Child Psychol Psychiatry*. 51(6): 652–659.
- Abuya, B.A., Ciera, J., Kimani-Murage E. (2012) Effect of Mother's Education on Child's Nutritional Status in the Slums of Nairobi, *BMC Pediatr*, 12(80): 1-10.
- Almatsier, S. (2010) *Prinsip-prinsip Dasar Ilmu Gizi*. EGC. Jakarta.
- Amare, B., Moges, B., Fantahun, B., Tafess, K., Woldeyohannes, D., Yismaw, G., Ayane, T., Yabutani, T., Mulu, A., Ota, F., Kassu, A. (2012) Micronutrient Levels and Nutritional Status of School Children Living in Northwest Ethiopia. *Nutr J*. 11:108-116.
- Amigo, H., Bustos, P., Leone, C., Radrigan, M.E. (2010) Growth Deficits in Chilean School Children. *J Nutr*. 131(2): 251-254.
- Anonim. 2015. *Fluitest CA AIII Calcium*. Analyticon Biotechnologies AG. Germany.
- Arsenault, J.E., Yakes, E.A., Hossain, M.B., Islam, M.M., Ahmed, T., Hotz, C., Lewis, B., Rahman, A.S., Jamil, K.M., Brown, K.H. (2010) The Current High Prevalence of Dietary Zinc Inadequacy Among Children and Women in Rural Bangladesh Could Be Substantially Ameliorated by Zinc Biofortification of Rice. *J Nutr*. 140(9): 1683-1690.
- Asrar, M., Hadi, H., Boediman, D. (2009) Hubungan Pola Asuh, Pola Makan, Asupan Zat Gizi dengan status Gizi Anak Balita Masyarakat Suku Naulu Di Kecamatan Amahai Kabupaten Maluku Tengah Propinsi Maluku. *Jurnal Gizi Klinik Indonesia*, 6(2): 84 – 94.
- Astari, L.D., Nasoetion, A., Dwiriani, C.M. (2005) Hubungan Karakteristik Keluarga, Pola Pengasuhan, dan Kejadian Stunting Anak Usia 6-12 Bulan. *Mediagizi*. 29(2): 40-46.
- Badan Perencanaan Pembangunan Nasional. (2013) *Periode Emas pada 1000 Hari Pertama Kehidupan*. Bappenas. Jakarta.

- Badan Pusat Statistik Kota Pontianak. (2014) *Profil Daerah Kota Pontianak*. BPS Kota Pontianak. Pontianak.
- Badan Pusat Statistik Provinsi Kalimantan Barat. (2015) *Tingkat Kemiskinan Provinsi Kalimantan Barat Januari 2015*. BPS Provinsi Kalimantan Barat. Pontianak.
- Baird, G.S. (2011) Ionized Calcium. *Clin Chim Acta*. 412(9-10): 696–701.
- Black, R.E., Allen, L.H., Bhutta, Z.A., Caulfield, L.E., de Onis, M., Ezzati, M., Mathers, C., River, J. (2008). Maternal and Child Undernutrition: Global and Regional Exposures and Health Consequences. *Lancet*, 371: 243-260.
- Black, R.E., Victora, C.G., Walker, S.P., Bhutta, Z.A., Christian, P., de Onis M. (2013) Maternal and Child Undernutrition and Overweight in Low-Income and Middle-Income Countries. *Lancet*. 382(9890): 427–451.
- Bohin, B. (1999) *Patterns of Human Growth*. New York. Cambridge University.
- Brown, E.M. (2013) Role of the Calcium-Sensing Receptor in Extracellular Calcium Homeostasis. *Best Pract Res Clin Endocrinol Metab*. 27(3): 333–343.
- Burckhardt, P., Hughes, B.D., Weaver, C. (2010) *Nutritional Influences on Bone Health*. Springer. New York.
- Candra, A., Puruhita, N., Susanto, J.C. (2011) Risk Factors of Stunting among 1-2 Years Old Children in Semarang City. *M Med Indonesiana*. 45(3): 206-212.
- Checkley, W., Buckley, G., Gilman, R.H., Assis, A.M., Guerrant, R.L., Morris, S.S. (2008) Multi-Country Analysis of the Effects of Diarrhea on Childhood Stunting. *Int J Epidemiol*. 37(4): 816–830.
- Cline, J. (2012) Calcium and Vitamin D Metabolism, Deficiency, and Excess. *Top Companion Anim Med*. 27(4): 159–164.
- Damanik, M.R., Ekayanti, I., Hariyadi, D. (2010) Analisis Pengaruh Pendidikan Ibu Terhadap Status Gizi Balita di Provinsi Kalimantan Barat. *J Gizi Pangan*. 5(2): 69-77.
- Deker, L.H., Plazas, M.M., Marin, C., Baylin, A., Villamor, E. (2010) Stunting Associated with Poor Socioeconomic and Maternal Nutrition Status and Respiratory Morbidity in Colombian Schoolchildren, *Food Nutr Bull*, 31(2): 242-250.

- Dewey, K.G., Begum, K. (2011) Long-Term Consequences of Stunting in Early Life. *Matern Child Nutr.* 7(3): 5–18.
- Ejaz, M.S., Latif, N. (2010) Stunting and Micronutrient Deficiencies in Malnourished Children. *J Pak Med Assoc.* 60(7): 543-547.
- Farid-ul-Hasnain, S., Sophie, R. (2010) Prevalence and Risk Factors for Stunting Among Children Under 5 Years: a Community Based Study from Jhangara Town, Dadu Sindh. *J Pak Med Assoc.* 60(1): 41–44.
- Fikadu, T., Assegid, A., Dube, L. (2014) Factors Associated with Stunting Among Children of Age 24 – 59 Months in Meskan District, Gurage Zone, South Ethiopia: a Case-Control Study. *BMC Public Health.* 14: 800-806.
- Fink, G., Gunther, I., Hill, K. (2011) The Effect of Water and Sanitation on Child Health: Evidence from the Demographic and Health Surveys 1986–2007. *Int J Epidemiol.* 40(5): 1196–1204.
- Gibney, M.J., Margaretts, B.M., Kearney, J.M., Arab, L. (2009) *Gizi Kesehatan Masyarakat*. EGC. Jakarta.
- Guyton, A.C., Hall, J.E. (2008) *Buku Ajar Fisiologi Kedokteran, ed. 11*. EGC. Jakarta.
- Hidayah, F. (2013) *ASI Eksklusif Sebagai Faktor Risiko Kejadian Stunting pada Anak Usia 6-24 Bulan di Kota Yogyakarta. Tesis*. Fakultas Kedokteran. Universitas Gadjah Mada. Yogyakarta.
- Jahari, A.B. (2012) *Median Berat Badan Dan Tinggi Badan Normal Orang Indonesia Berdasarkan Data Riskesdas 2007 dan 2010. Dalam: Widya Karya Nasional Pangan dan Gizi X*. LIPI. Jakarta.
- Kementerian Kesehatan Republik Indonesia. (2011) *Keputusan Menteri Kesehatan Republik Indonesia Nomor: 1995/Menkes/SK/XII/2010 tentang standar antropometri penilaian status gizi anak*. Kemenkes. Jakarta.
- Kementerian Kesehatan Republik Indonesia. (2013) *Laporan Hasil Riset Kesehatan Dasar (Riskesdas) Tahun 2013*. Kemenkes. Jakarta.
- Khairy, S.A.M., Mattar, M.K., Refaat, L.A.M., El-Sherbeny, S.A. (2010) Plasma Micronutrient Levels of Stunted Egyptian School Age Children. *Kasr El Aini Med J.* 16(1): 1-5.

- Laillou, A., Wieringa, F., Tran, T.N., Van, P.T., Le, B.M., Fortin, S., Le, T.H., Pfanner, R.M., Berger, J. (2013) Hypovitaminosis D and Mild Hypocalcaemia are Highly Prevalent Among Young Vietnamese Children and Women and Related to Low Dietary Intake. *PLoS ONE*. 8(5): 1-10.
- Leary, N.O., Pembroke, A., Duggan, P.F. (1992) Single Stable Reagent (Arsenazo III) for Optically Robust Measurement of Calcium in Serum and Plasma. *Clin Chem*. 38(6): 904-908.
- Lee, C.T., Yang, C.C., Lam, K.K., Kung, C.T., Tsai, C.J., Chen, H.C. (2006) Hypercalcemia in the Emergency Department. *Am J Med Sci*. 331(3): 119-123.
- Lemeshow, S., Hosner, J.D.W., Klar, J., Lwanga, S.K. (1997) *Besar Sampel dalam Penelitian Kesehatan*. Gadjah Mada University Press. Yogyakarta.
- Lewandowski, K. (2002) *Clinical Chemistry*. Lippincott Williams and Wilks. Philadelphia.
- Liam, C.K., Lim, K.H., Srinivas, P., Poi, P.J.H. 1998. Hypercalcaemia in Patients with Newly Diagnosed Tuberculosis in Malaysia. *Int J Tuberc Lung Dis*. 2(10): 818-823.
- Linder, M.C. (2010) *Biokimia Nutrisi dan Metabolisme*. UI Press. Jakarta.
- McDonald, C.M., Manji, K.P., Kupka, R., Bellinger, D.C., Spiegelman, D., Kisenge, R. (2013) Stunting and Wasting are Associated with Poorer Psychomotor and Mental Development in HIV-Exposed Tanzanian Infants. *J Nutr*. 143(2): 204-214.
- Medhin, G., Hanlon, C., Dewey, M., Alem, A., Tesfaye, F., Worku, B., Tomlinson, M., Prince, M. (2010) Prevalence and Predictors of Undernutrition Among Infants Aged Six and Twelve Months in Butajira, Ethiopia: The P-MaMiE Birth Cohort. *BMC Public Health*. 10(27): 1-15.
- Mikhail, W.Z.A, Sobhy, H.M., El-sayed, H.H., Khairy, S.A., Abu Salem, H.Y.H., Samy, M.A. (2013) Effect of Nutritional Status on Growth Pattern of Stunted Preschool Children in Egypt. *Acad J Nutr*. 2(1): 01-09.
- Muhilal, Hardinsyah (2004) *Penentuan Kebutuhan Gizi dan Kesepakatan Harmonisasi di Asia Tenggara. Dalam: Ketahanan Pangan dan Gizi di Era Otonomi Daerah dan Globalisasi*. Prosiding WNPG VIII. Jakarta.
- Murray, R.K., Granner, D.K., Rodwell, V.W. (2009) *Biokimia Harper, Ed. 27*. EGC. Jakarta.

- Nolla, N.P., Sop, M.M.K, Mananga, M.J., Ekoue, T., Goiado, I. (2014) Assessment of Nutritional Status of Preschool Children in the Bangang Rural Community, Cameroon. *Int J Biotechnol Food Sci.* 2(2): 44-52.
- Notoatmodjo, S. (2010) *Kesehatan Masyarakat Ilmu dan Seni*. Rineka Cipta. Jakarta.
- Olack, B., Burke, H., Cosmas, L., Bamrah, S., Dooling, K., Feikin, D.R., Talley, L.E., Breiman, R.F. (2011) Nutritional Status of Under-Five Children Living in an Informal Urban Settlement in Nairobi, Kenya. *J Health Popul Nutr.* 29(4): 357-363.
- Ozaltin, E., Hill, K., Subramanian, S.V. (2010) Association of Maternal Stature with Offspring Mortality, Underweight, and Stunting in Low to Middle Income Countries. *JAMA.* 303(15): 1507–1516.
- Ozmen, H., Akarsu, S., Polat, F., Cukurovali, A. (2013) The Levels of Calcium and Magnesium, and of Selected Trace Elements, in Whole Blood and Scalp Hair of Children with Growth Retardation. *Iran J Pediatr.* 23(2): 125-130.
- Peacock, M. (2010) Calcium Metabolism in Health and Disease. *Clin J Am Soc Nephrol.* 5: S23–S30.
- Pemerintah Kota Pontianak. (2014) *Dokumen Rencana Pembangunan Jangka Menengah Daerah (RPJMD) Kota Pontianak 2015-2019*. Pemerintah Kota Pontianak. Pontianak.
- Preedy, V.R. (2012) *Handbook of Anthropometry: Physical Measures of Human Form in Health and Disease*. Springer. New York.
- Prentice, A., Dibba, B., Sawo, Y., Cole, T.J. (2012) The Effect of Prepubertal Calcium Carbonate Supplementation on the Age of Peak Height Velocity in Gambian Adolescents. *Am J Clin Nutr.* 96(5): 1042–1050.
- Qin, Q. (2013) *Mechanics of Cellular Bone Remodeling Coupled Thermal, Electrical, and Mechanical Field Effects*. CRC Press. New York.
- Rahayu, L.S. (2011) *Hubungan Tinggi Badan Orang Tua Dengan Perubahan Status Stunting dari Usia 6-12 Bulan ke 3-4 Tahun*. Tesis. Fakultas Kedokteran. Universitas Gadjah Mada. Yogyakarta.
- Roumelioti, M., Leotsinidis, M. (2009) Relative Validity of a Semiquantitative Food Frequency Questionnaire Designed for Schoolchildren in Western Greece. *Nutr J.* 8(8): 1-5.

- Sediaoetama, A.D. 1989. *Ilmu Gizi*. Dian Rakyat. Jakarta.
- Senbanjo, I.O., Oshikoya, K.A., Odusanya, O.O., Njokanma, O.F. (2011) Prevalence of and Risk Factor for Stunting Among School Children and Adolescents in Abeokuta, Southwest Nigeria. *J Health Popul Nutr*. 29(4): 364-370.
- Silveira, K.B.R., Alves, J.F.R., Ferreira, H.S., Sawaya, A.L., Florêncio, T.M.M.T. (2010) Association Between Malnutrition in Children Living in Favelas, Maternal Nutritional Status, and Environmental Factors. *J Pediatr*. 86(3): 215-220.
- Sloane, E (2003). *Anatomi dan Fisiologi untuk Pemula*. EGC. Jakarta.
- Soekatri, M. & Kartono, D. (2014) *Kecukupan Mineral: Kalsium, Fosfor, Magnesium, Tembaga, Kromium, Besi, Iodium, Seng, Selenium, Mangan, Flour, Natrium dan Kalium dalam Prosiding Angka Kecukupan Gizi yang Dianjurkan Bagi Bangsa Indonesia*. Direktorat Jenderal Bina Gizi dan Kesehatan Ibu dan Anak. Kemenkes. Jakarta.
- Solihin, R.D.M., Anwar, F., & Sukandar, D. (2013). Kaitan Antara Status Gizi, Perkembangan Kognitif, dan Perkembangan Motorik pada Anak Usia Prasekolah. *PGM*. 36(1): 62-72
- Stewart, C.P., Iannotti, L., Dewey, K.G., Michaelsen, K.F., Onyango, A.W. (2013) Contextualising Complementary Feeding in a Broader Framework for Stunting Prevention. *Matern Child Nutr*. 9(2): 27–45.
- Stuijvenberg, M.E., Nel, J., Schoeman, S.E., Plessis, L.M., Dhansay, M.A. (2015) Low Intake of Calcium and Vitamin D, but Not Zinc, Iron or Vitamin A, is Associated with Stunting in 2 to 5 Year Old Children. *Nutrition*. 31(6): 841–846.
- Sudiman, H. (2008) Stunting atau Pendek: Awal Perubahan Patologis atau Adaptasi Karena Perubahan Sosial Ekonomi yang Berkepanjangan?. *MPK*. 18: 33-43.
- Suhardjo. 1989. *Sosio Budaya Gizi*. IPB PAU Pangan dan Gizi. Bogor.
- Supariasa, I.D., Bakri, B., Fajar, I. (2014) *Penilaian Status Gizi*. EGC. Jakarta.
- Susila & Suyanto. 2014. *Metodologi Penelitian Cross Sectional*. Bossscript. Klaten.

- Trihono, Atmarita, Tjandrarini, D.H., Irawati, A., Utami, N.H., Tejayanti, T., Nurlinawati, I. (2015) *Pendek (Stunting) di Indonesia, Masalah dan Solusinya*. Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan. Jakarta.
- Turyashemererwa, F.M., Kikafunda J.K., Agaba, E. (2009) Prevalence of Early Childhood Malnutrition and Influencing Factors in Peri-Urban Areas of Kabarole District, Western Uganda. *Afr J Food Agric Nutr Dev*. 9(4): 975-989.
- Victora, C.G., de Onis, M., Hallal, P.C., Blossner, M., Shrimpton, R. (2010) Worldwide Timing of Growth Faltering: Revisiting Implications for Interventions. *Pediatrics*. 125(3): e473–e480.
- Wahdah, S. (2012) *Faktor Risiko Kejadian Stunting pada Anak Umur 6-36 Bulan di Wilayah Pedalaman Kecamatan Silat Hulu Kabupaten Kapuas Hulu Provinsi Kalimantan Barat*. Tesis. Fakultas Kedokteran. Universitas Gadjah Mada. Yogyakarta.
- Walker, H.K., Hall, W.D., Hurst, J.W. (1990) *Clinical Methods: The History, Physical, and Laboratory Examinations*. 3rd edition. Butterworths. Boston
- World Health Assembly. (2014) *Global Nutrition Targets 2025: Stunting Policy Brief*. WHO. Geneva.
- World Health Organization. (2010) *Nutrition Landscape Information System (NLIS) Country Profile Indicators: Interpretation Guide*. WHO. Geneva.
- Xiong, J., Piemontese, M., Thostenson, J.D., Weinstein, R.S., Manolagas, S.C., O'Brien, C.A. (2014) Osteocyte-Derived RANKL is a Critical Mediator of the Increased Bone Resorption Caused by Dietary Calcium Deficiency. *Bone*. 66: 146–154.