

## DAFTAR PUSTAKA

- 3TIER, 2013. 3TIER. Available at: <https://www.3tier.com> [Accessed February 1, 2013].
- Al-Bahar, J. & F. Crandall, K., 1990. Systematic Risk Management Approach for Construction Project. *Journal of Construction Engineering*.
- Anton, P.S. et al., 2004. *Wind Tunnel and Propulsion Test Facilities; An Assessment of NASA's Capabilities to serve National Needs*, United States America: RAND Corporation.
- Azahari, H.L., 2012. *New and Renewable Energy Policies*, Jakarta.
- Balitbang, 2005. *Penelitian Survey Pengkajian dan Pelaksanaan Energi Angin*, Jawa Tengah.
- Barthelmie, R.J. et al., 2009. Modelling the impact of wakes on power output at Nysted and Horns Rev. In *European Wind Energy Conference*. Available at: [http://www.gl-group.com/assets/technical/301\\_EWEC2009presentation.pdf](http://www.gl-group.com/assets/technical/301_EWEC2009presentation.pdf).
- BI, 2014. Data BI Rate. *Bank Indonesia*. Available at: <http://www.bi.go.id/id/moneter/bi-rate/data/Default.aspx> [Accessed February 1, 2014].
- Blanco, M.I., 2009. The economics of wind energy. *Renewable and Sustainable Energy Reviews*, 13, pp.1372–1382.
- Boccard, N., 2010. Economic properties of wind power. *Energy Policy*, 38, pp.3232–3244. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0301421509005515>.
- BPS, 2014. Berita resmi statistik. *Badan Pusat Statistik*. Available at: <http://www.bps.go.id/index.php> [Accessed February 1, 2014].
- Cal, R.B. et al., 2010. Experimental study of the horizontally averaged flow structure in a model wind-turbine array boundary layer. *Journal of Renewable and Sustainable Energy*, 2, pp.0131061 – 01310625. Available at: <http://scitation.aip.org/content/aip/journal/jrse/2/1/10.1063/1.3289735>.
- Chu, C. & Chiang, P., 2014. Journal of Wind Engineering Turbulence effects on the wake flow and power production of a horizontal-axis wind turbine. *Jnl. of Wind Engineering and Industrial Aerodynamics*, 124, pp.82–89. Available at: <http://dx.doi.org/10.1016/j.jweia.2013.11.001>.

- Consulting, M., 2011. *Wind Turbine Trends*, Available at: <http://www.consultmake.com>.
- Crespo, a. & Hernández, J., 1996. Turbulence characteristics in wind turbine wakes. *Journal of Wind Engineering and Industrial Aerodynamics*, 61, pp.71–85.
- DEN, 2014. Outlook energi nasional 2014. *Dewan Energi Nasional*. Available at: <http://www.slideshare.net/Syamsir06/outlook-energi-nasional-2014> [Accessed November 13, 2015].
- Douglas-Westwood, 2010. *Offshore Wind Assessment For Norway*, Available at: [http://www.nve.no/Global/Energi/Havvind/Vedlegg/Annet/Offshore Wind Assessment For Norway - Final Report - 190510 with dc.pdf](http://www.nve.no/Global/Energi/Havvind/Vedlegg/Annet/Offshore%20Wind%20Assessment%20For%20Norway%20-%20Final%20Report%20-%20190510%20with%20dc.pdf).
- Enercon, 2014. ENERCON Wind energy converters: product overview. Available at: [http://www.enercon.de/p/downloads/ENERCON\\_PU\\_en.pdf](http://www.enercon.de/p/downloads/ENERCON_PU_en.pdf) [Accessed October 1, 2014].
- Erturk, M., 2012. The evaluation of feed-in tariff regulation of Turkey for onshore wind energy based on the economic analysis. *Energy Policy*, 45, pp.359–367.
- ESDM, K., 2012. *Penugasan kepada PT. Perusahaan Negara (persero) untuk melakukan pembelian tenaga listrik dari pembangkit listrik tenaga panas bumi dan harga patokan pembelian tenaga listrik oleh PT Perusahaan Listrik Negara (persero) dari pembangkit listrik tenaga panas*, Indonesia.
- Ettoumi, F.Y. et al., 2008. Comparative simulation of wind park design and siting in Algeria. *Renewable Energy*, 33, pp.2333–2338.
- FEM, I., 2010. SENSITIVITAS ANALYSIS. *Departemen Agribisnis FEM-IPB*, pp.1–16. Available at: <httpsskbagb.files.wordpress.com201010bab-8-analisis-sensitivitas1> [Accessed December 18, 2015].
- Frandsen, S., 1992. On the wind speed reduction in the center of large clusters of wind turbines. *Journal of Wind Engineering and Industrial Aerodynamics*, 39, pp.251–265.
- Frandsen, S. & Thogersen, M.L., 1999. Integrated fatigue loading for wind turbines in wind farms by combining ambient turbulence and wakes. *Wind Engineering*, 23, pp.327 – 339.
- Freris, L.L., 1990. *Wind energy conversion systems*, Prentice Hall.
- Geotherd & H, B., 2007. *Transonic Wind Tunnel Testing*, NEW YORK: DOVER.

- Grady, S.A., Hussaini, M.Y. & Abdullah, M.M., 2005. Placement of wind turbines using genetic algorithms. *Renewable Energy*, 30, pp.259–270.
- Högström, U. et al., 1988. A field study of the wake behind a 2 MW wind turbine. *Atmospheric Environment*, 22(4), pp.803–820.
- I.katic, J.højstrup & N.o.jensen, 1986. A simple model for cluster efficiency. In *European Wind Energy Association Conference and Exhibition*. Italy, pp. 407–410.
- IEA, 2010. *Projected Costs of Generating Electricity*, Available at: <http://www.oecd-ilibrary.org/oecd/content/book/9789264008274-en>  
[http://www.oecd-ilibrary.org/energy/projected-costs-of-generating-electricity-2010\\_9789264084315-en](http://www.oecd-ilibrary.org/energy/projected-costs-of-generating-electricity-2010_9789264084315-en)  
<http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Projected+Costs+of+Generati>.
- IRENA, 2012. *Renewable energy technologies: Cost analysis series*,
- Jensen, N.O., 1983. *A Note on Wind Generator Interaction*, Denmark: Riso National Laboratory.
- Johnson, G.L., 2006. *Wind Energy Systems Electronic*, Manhattan, KS. Available at: <http://eece.ksu.edu/~gjohnson/Windbook.pdf>.
- Kaltschmitt, M., Streicher, W. & Wiese, A., 2007. *Renewable Energy: Technology, Economics and Environment*, Springer.
- Kamal, S., 2010. *Pengembangan Potensi Energi Alternatif*, Yogyakarta.
- Kamal, S., 2006. *Studi Pengembangan Kincir Poros Vertikal dengan Mengoptimalkan Gaya Lift dan Drag*, Yogyakarta.
- Kamal, S., 2007. Studi Potensi Energi Angin Daerah Pantai Purworejo untuk Mendorong Penyediaan Listrik Menggunakan Sumber Energi Terbarukan yang Ramah Lingkungan. *Jurnal Manusia dan Lingkungan*, 14(1), pp.26–34.
- Kementerian ESDM, 2011. *Peluang Investasi Sektor ESDM*, Jakarta. Available at: [http://prokum.esdm.go.id/Publikasi/Buku Investasi ESDM Indonesia FINAL-1.pdf](http://prokum.esdm.go.id/Publikasi/Buku%20Investasi%20ESDM%20Indonesia%20FINAL-1.pdf).
- Kongnam, C. et al., 2009. Decision analysis on generation capacity of a wind park. *Renewable and Sustainable Energy Reviews*, 13(8), pp.2126–2133. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S1364032109000380>.

- Krohn, S., Morthorst, P.-E. & Awerbuch, S., 2009. *The Economics of Wind Energy*, Available at: [http://www.ewea.org/fileadmin/files/library/publications/reports/Economics\\_of\\_Wind\\_Energy.pdf](http://www.ewea.org/fileadmin/files/library/publications/reports/Economics_of_Wind_Energy.pdf).
- Larsen et al., 1996. Wind fields in wakes. In *European Union wind energy conference*. pp. 764–768.
- Magnusson, M. & Smedman, A.-S., 1999. Air flow behind wind turbines. *Journal of Wind Engineering and Industrial Aerodynamics*, 80, pp.169–189.
- Map, G., 2013. Purworejo Sub-District.
- Marmidis, G., Lazarou, S. & Pyrgioti, E., 2008. Optimal placement of wind turbines in a wind park using Monte Carlo simulation. *Renewable Energy*, 33, pp.1455–1460.
- Martosaputro, S., 2013. *Wind Power in Indonesia*, Jakarta.
- Martosaputro, S. & Murti, N., 2014. Blowing the Wind Energy in Indonesia. *Energy Procedia*, 47, pp.273–282. Available at: <http://dx.doi.org/10.1016/j.egypro.2014.01.225>.
- Mosetti, G., Poloni, C. & Diviacco, B., 1994. Optimization of wind turbine positioning in large windfarms by means of a genetic algorithm. *Journal of Wind Engineering and Industrial Aerodynamics*, 51, pp.105–116.
- Mustakerov, I. & Borissova, D., 2010. Wind turbines type and number choice using combinatorial optimization. *Renewable Energy*, 35, pp.1887–1894.
- Oliveira, W.S. De & Fernandes, A.J., 2011. Economic Feasibility Applied to Wind Energy Projects. *International Journal of Emerging Sciences*, 1(4), pp.659–682.
- Rahayu, S., 2010. Konsep Dasar Graph. In pp. 11–21.
- Renkema, D.J., 2007. *Validation of wind turbine wake models*. Delft University of Technology. Available at: [http://lr.home.tudelft.nl/fileadmin/Faculteit/LR/Organisatie/Afdelingen\\_en\\_Leerstoelen/Afdeling\\_AEWE/Wind\\_Energy/Education/Masters\\_Projects/Finished\\_Master\\_projects/doc/Douwe\\_Renkema\\_r.pdf](http://lr.home.tudelft.nl/fileadmin/Faculteit/LR/Organisatie/Afdelingen_en_Leerstoelen/Afdeling_AEWE/Wind_Energy/Education/Masters_Projects/Finished_Master_projects/doc/Douwe_Renkema_r.pdf).
- Rezavidi, A., 2013. Membaca nasib energi baru dan terbarukan di indonesia. *Masyarakat Energi Terbarukan Indonesia*, pp.1–5.
- Sawyer, S. & Raev, K., 2011. Global Wind Report: Annual Marker Update 2010.

*Global Wind Energy Council*, pp.1–72. Available at: [http://gwec.net/wp-content/uploads/2012/06/GWEC\\_annual\\_market\\_update\\_2010\\_-\\_2nd\\_edition\\_April\\_2011.pdf](http://gwec.net/wp-content/uploads/2012/06/GWEC_annual_market_update_2010_-_2nd_edition_April_2011.pdf) [Accessed April 1, 2013].

Schreck, C.S., Lundquist, J. & Shaw, W., 2008. *U . S . Department of Energy Workshop Report : Research Needs for Wind Resource Characterization U . S . Department of Energy Workshop Report : Research Needs for Wind Resource Characterization*, Colorado. Available at: [www.nrel.gov/docs/fy08osti/43521.pdf](http://www.nrel.gov/docs/fy08osti/43521.pdf).

Sicot, C. et al., 2006. Experimental study of the effect of turbulence on horizontal axis wind turbine aerodynamics. *Wind Energy*, 9(4), pp.361–370. Available at: <http://doi.wiley.com/10.1002/we.184>.

Sinaga, R.N.M., 2009. *Optimalisasi Ekstraksi Energi Angin Kecepatan Rendah di Indonesia dengan Aplikasi Konverter Boost*, Bandung. Available at: <https://konversi.wordpress.com/2009/01/24/optimalisasi-ekstraksi-energi-angin-kecepatan-rendah-di-indonesia-dengan-aplikasi-konverter-boost/>.

Sinovel1500, 2012. Technical Specification SL1500/89 (CC-60Hz). *Sinovel wind group Co.,Ltd*, pp.1–18.

Sinovel3000, 2011. SL3000 Series Wind Turbine SL3000/113-HH90 (60Hz). *Sinovel wind group Co.,Ltd*, pp.1–21.

Sørensen, J.D., 2006. *Optimal reliability-based design of offshore wind turbine parks*, Lake Louise.

Spera & David, 2009. *Wind turbine technology: fundamental concepts of wind turbine*, Asme Press.

Thewindpower, 2012. Wind Energy Market Intelligence. Available at: [http://www.thewindpower.net/turbines\\_manufacturers\\_en.php](http://www.thewindpower.net/turbines_manufacturers_en.php).

Thomsen, K. & Sørensen, P., 1999. Fatigue loads for wind turbines operating in wakes. *Journal of Wind Engineering and Industrial Aerodynamics*, 80, pp.121–136.

UURI, 2008. Perubahan keempat atas undang-undang nomor 7 tahun 1983 tentang pajak penghasilan. *Undang-undang Nomor 36 tahun 2008*.

Vardar, A. & Çetin, B., 2009. Economic Assessment of the Possibility of Using Different Types of Wind Turbine in Turkey. *Energy Sources, Part B: Economics, Planning, and Policy*, 4(2), pp.190–198. Available at: <http://www.tandfonline.com/doi/abs/10.1080/15567240701620465>.

- Ver-Bruggen, S., 2013. South - east Asia - Modest additions but scene is set for expansion. *Wind Power Monthly*, pp.8–11.
- Vermeer, L.J., S, J.N. & Crespo, A., 2003. Wind turbine wake aerodynamics. *Progress In Aerospace Sciences*, 39, pp.467–510.
- Vestas112, 2014. General Specification V112-3.0MW 50/60 Hz. *Vestas*. Available at: <https://id.scribd.com/doc/225239542/Technische-Specificatie-Windturbine-Vestas-v-112-3-0-MW-5060-Hz> [Accessed April 20, 2010].
- Vestas80, 2014. Vestas v80-2.0mw 2000 80.0. *Vestas*.
- Vestas90/100, 2014. D . ANNEX - TURBINE DATA. Available at: <http://www2.pr.gov/agencias/jca/Documents/Documentos Ambientales/2012/Proyectos Energéticos/Aspenall Energies LLC JCA-12-0007 AEE/Aspenall Apendice G-7.pdf>.
- Wan, C. et al., 2009. Optimal Micro-Siting of Wind Turbines by Genetic Algorithms Based on Improved Wind and Turbine Models. In *Joint 48th IEEE Conference on Decision and Control 28th Chinese Control Conference*. IEEE, pp. 5092–5096.
- Wang, J., Li, X. & Zhang, X., 2011. Genetic Optimal Micrositing of Wind Farms by Equilateral-Triangle Mesh. In *Wind Turbines*. In Tech, pp. 425–436. Available at: <http://www.intechopen.com/books/wind-turbines/genetic-optimal-micrositing-of-wind-farms-by-equilateral-triangle-mesh>.
- Wessel, a, Peinke, J. & Lange, B., 2006. Verification of a new model to calculate turbulence intensity inside a wind farm. *European Wind Energy Conference and Exhibition 2006, EWEC 2006*, 1, pp.517–521. Available at: <http://www.scopus.com/inward/record.url?eid=2-s2.0-84876572810&partnerID=40&md5=a0f16450d7494b18b02db96e0349e7bd>.
- Whale et al., 1996. A study of the near wake structure of a wind turbin comparing measurements from laboratory and full-scale experiments. *Solar Energy*, 56(6), pp.621–633.
- White, G., Garrad, A. & Tindal, A., 1997. Integrated design methodology for wind farms. In *IPENZ Conference*. pp. 62–68.
- WWEA, 2011. *World Wind Energy Report 2010*, Cairo.