

DAFTAR PUSTAKA

- AOAC, 1993. *Association of Analytical Chemists. Peer Verified Methods Program: Manual on Policies and Procedures*. AOAC International, arlington.
- Aranaz, I., Harris, R., Heras, A., 2010. Chitosan amphiphilic derivatives. Chemistry and applications. *Curr. Org. Chem.* **14**, 308.
- Avadi, M.R., Sadeghi, A.M.M., Mohammadpour, N., Abedin, S., Atyabi, F., Dinarvand, R., Rafiee-Tehrani, M., 2010. Preparation and characterization of insulin nanoparticles using chitosan and Arabic gum with ionic gelation method. *Nanomedicine Nanotechnol. Biol. Med.* **6**, 58–63.
- Bai, J.P.F., M.J.P. Hsu, W.T. Shier, 1995. Insulin-degrading enzyme in a human colon adenocarcinoma cell line (Caco-2), in: *Pharmaceutical Research*. hal 513–517.
- Banker, G.S., Siepmann, J., Rhodes, C., 2002. Modern pharmaceuticals. *CRC Press*.
- Bawarski, W.E., Chidlow, E., Bharali, D.J., Mousa, S.A., 2008. Emerging nanopharmaceuticals. *Nanomedicine Nanotechnol. Biol. Med.* **4**, 273–282.
- Bernabé-Galloway, P., Argüelles-Monal, W., Peniche-Covas, C., 2012. Conductimetric study of the interpolyelectrolyte reaction between chitosan and pectin. *Rev. CENIC Cienc. Quím.* **43**, 1–7.
- Bernabé, P., Peniche, C., Argüelles-Monal, W., 2005. Swelling behavior of chitosan/pectin polyelectrolyte complex membranes. Effect of thermal cross-linking. *Polym. Bull.* **55**, 367–375.
- Bhatia, A., Shard, P., Dimple, C., Mishra, Tulika, 2011. Chitosan nanoparticles as Carrier of Immunorestoratory plant extract: synthesis, characterization and Immunorestoratory efficacy. *International Journal of Drug Delivery* **3**, 381.
- Bhumkar, D.R., Pokharkar, V.B., 2006. Studies on effect of pH on cross-linking of chitosan with sodium tripolyphosphate: a technical note. *AAPS PharmSciTech* **7**, E50.
- Bigucci, F., Luppi, B., Cerchiara, T., Sorrenti, M., Bettinetti, G., Rodriguez, L., Zecchi, V., 2008. Chitosan/pectin polyelectrolyte complexes: Selection of suitable preparative conditions for colon-specific delivery of vancomycin. *Eur. J. Pharm. Sci.* **35**, 435–441.
- Birch, N.P., Schiffman, J.D., 2014. Characterization of Self-Assembled Polyelectrolyte Complex Nanoparticles Formed from Chitosan and Pectin. *Langmuir ACS J. Surf. Colloids*.
- Bradford, M.M., 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* **72**, 248–254.
- Buzea, C., Pacheco, I.I., Robbie, K., 2007. Nanomaterials and nanoparticles: sources and toxicity. *Biointerphases* **2**, MR17–MR71.
- Cheng, K. dan Lim, L.-Y., 2004. Insulin-loaded calcium pectinate nanoparticles: effects of pectin molecular weight and formulation pH. *Drug Development and Industrial Pharmacy*, **30**: 359–367.

- Dipiro, J.T., Wells, T., dan Schwinghamer, T., 2005. *Pharmacotherapy Handbook*, 5th ed. New York.
- Dyer, A.M., Hinchcliffe, M., Watss, P., Castile, J., Jabbal-Gill, I., Nankervis, R., Smith, A., Illum, L., 2002. Nasal delivery of insulin using novel chitosan based formulations: A comparative study in two animal models between simple chitosan formulations and chitosan nanoparticles. *Pharmaceutical Research*, **19**(7): 998-1008.
- Elsayed, A., Al-Remawi, M., Qinna, N., Farouk, A., Al-Sou'od, K.A., Badwan, A.A., 2011. Chitosan–sodium lauryl sulfate nanoparticles as a carrier system for the in vivo delivery of oral insulin. *AAPS PharmSciTech* **12**, 958–964.
- Ermer, J., 2005. Analytical validation within the pharmaceutical environment. Dalam : Ermer J., dan Miller, J.H. McB, Editors. *Method validation pharmaceutical analysis*. Weinheim: Willey-VCH Verlag GmbH&Co KGaA. 3-5,16
- Feranisa, Anggun, 2014. Formulasi dan sitotoksisitas nanopartikel pektin penaut silang kitosan rantai sedang terintegrasi ribosome-inactivating protein *Mirabilis Jalapa* L. (protein MJ) dengan penanda anti EpCAM. *Tesis*. Fak. Farmasi. Universitas Gadjah Mada. Yogyakarta.
- Goycoolea, F.M., Cárdenas, A., 2003. Pectins from *Opuntia* spp.: a short review. *J. Prof. Assoc. Cactus Dev.* **5**, 17–29.
- Grenha, A., Seijo, B., Lopez, C.R., 2005. Microencapsulated chitosan nanoparticles for lung protein delivery. *European Journal of Pharmaceutical Sciences* **25**, 427-437.
- Grenha, M.E.G., 2009. Development of new chitosan/carrageenan nanoparticles for drug delivery applications. *J. Biomed. Mater. Res. A* **92**, 1265–72.
- Gupta, R.B., Kompella, U., 2006. *Nanoparticle Technology For Drug Delivery (Drug And The Pharmaceutical Sciences)*. Taylor and Francis.
- Jansson, D., 2010. Development and characterisation of chitosan-plasmid DNA nanoparticles.
- Jin, Y., Song, Y., Zhu, X., Zhou, D., Chen, C., Zhang, Z., Huang, Y., 2012. Goblet cell-targeting nanoparticles for oral insulin delivery and the influence of mucus on insulin transport. *Biomaterials* **33**, 1573–1582.
- Kawashima, Y., Yamamoto, H., Takeuchi, H., Kuno, Y., 2000. Mucoadhesive DL-lactide/glycolide copolymer nanospheres coated with chitosan to improve oral delivery of elcatonin. *Pharm. Dev. Technol.* **5**, 77–85.
- Kiang, T., Wen, J., Lim, H.W., Leong, K.W., 2004. The effect of the degree of chitosan deacetylation on the efficiency of gene transfection. *Biomaterials* **25**, 5293–5301.
- Kim, S., Kim, J.-H., Jeon, O., Kwon, I.C., Park, K., 2009. Engineered polymers for advanced drug delivery. *Eur. J. Pharm. Biopharm.* **71**, 420–430.
- Kouchak, M., Avadi, M., Abbaspour, M., Jahangiri, A., dan Boldaji, S.K., 2012. Effect of different molecular weights of chitosan on preparation and characterization of insulin loaded nanoparticles by ion gelation method. *International Journal of Drug Development & Research*, **4**: 271–277.

- Kompella, U., Bandi, N., Ayalasomayajula, S.P, 2001. Poly (Lactic Acid) Nanoparticles for Sustained Release of Budesonide. *Drug Deliv. Technol* **1**, 1–7.
- Ku, M.S., 2008. Use of the biopharmaceutical classification system in early drug development. *AAPS J.* **10**, 208–212.
- Kunjachan, S., Jose, S., Lammers, T., others, 2010. Understanding the mechanism of ionic gelation for synthesis of chitosan nanoparticles using qualitative techniques. *Asian J. Pharm.* **4**, 148.
- Kwon, H.-Y., Lee, J.-Y., Choi, S.-W., Jang, Y., Kim, J.-H., 2001. Preparation of PLGA nanoparticles containing estrogen by emulsification–diffusion method. *Colloids Surf. Physicochem. Eng. Asp.* **182**, 123–130.
- Li, X., Kong, X., Shi, S., Zheng, X., Guo, G., Wei, Y., Qian, Z., 2008. Preparation of alginate coated chitosan microparticles for vaccine delivery. *BMC Biotechnol.* **8**, 89.
- Lin, Y.-H., Mi, F.-L., Chen, C.-T., Chang, W.-C., Peng, S.-F., Liang, H.-F., dkk., 2007. Preparation and characterization of nanoparticles shelled with chitosan for oral insulin delivery. *Biomacromolecules*, **8**: 146–152.
- Lipinski, C.A., 2000. Drug-like properties and the causes of poor solubility and poor permeability. *J. Pharmacol. Toxicol. Methods* **44**, 235–249.
- Lipinski, C.A., Lombardo, F., Dominy, B.W., Feeney, P.J., 2012. Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Adv. Drug Deliv. Rev.* **64**, 4–17.
- Lopes, M.A., Abraham, B.A., Cabral, L.M., Rodrigues, C.R., Seica, R.M.F., de Baptista Veiga, F.J., Ribeiro, A.J., 2014. Intestinal absorption of insulin nanoparticles: Contribution of M cells. *Nanomedicine Nanotechnol. Biol. Med.* **10**, 1139–1151.
- Masotti, A., Ortaggi, G., 2009. Chitosan micro-and nanospheres: fabrication and applications for drug and DNA delivery. *Mini Rev. Med. Chem.* **9**, 463–469.
- Mohanraj, V.J., Chen, Y., 2006. Nanoparticles – A Review. *TJPR*, **1** **5**, 561 –573.
- Mohnen, D., 2008. Pectin structure and biosynthesis. *Curr Opin Plant Biol.* **11**(3): 266-277
- Moser, E.G., Morris, A.A., Garg, S.K., 2012. Emerging diabetes therapies and technologies. *Diabetes Res. Clin. Pract.* **97**, 16–26.
- Mounica, R.M., Shanmugam, V., Rajesh, K., 2012. Design and characterization of insulin nanoparticles for oral delivery. *International Journal of Innovative Pharmaceutical Research.* **3**(3): 238-243.
- Mukhopadhyay, P., Mishra, R., Rana, D., Kundu, P.P., 2012. Strategies for effective oral insulin delivery with modified chitosan nanoparticles: A review. *Prog. Polym. Sci.* **37**, 1457–1475.
- Mukhopadhyay, P., Sarkar, K., Chakraborty, M., Bhattacharya, S., Mishra, R., Kundu, P.P., 2013. Oral insulin delivery by self-assembled chitosan nanoparticles: in vitro and in vivo studies in diabetic animal model. *Mater. Sci. Eng. C* **33**, 376–382.

- Niwa, T., 1993. Preparations of biodegradable nanospheres of water-soluble and insoluble drugs with d,l-lactide/glycolyde copolymer by a novel spontaneous emulsification solvent diffusion method, and the drug release behavior. *Journal of Controlled Release*, 1993 **25**, 89–98.
- Ohkubo, Y., Kishikawa, H., Araki, E., Miyata, T., Isami, S., Motoyoshi, S., Kojima, Y., Furuyoshi, N., Shichiri, M., 1995. Intensive insulin therapy prevents the progression of diabetic microvascular complications in Japanese patients with non-insulin-dependent diabetes mellitus: a randomized prospective 6-year study. *Diabetes Res. Clin. Pract.* **28**, 103–117.
- Oliveira, G.F., Ferrari, P.C., Carvalho, L.Q., Evangelista, R.C., 2010. Chitosan–pectin multiparticulate systems associated with enteric polymers for colonic drug delivery. *Carbohydr. Polym.* **82**, 1004–1009.
- Paños, I., Acosta, N., Heras, A., 2008. New drug delivery systems based on chitosan. *Curr. Drug Discov. Technol.* **5**, 333–341.
- Pandey, S., Mishra, A., Raval, P., Patel, H., Gupta, A., Shah, D., 2013. Chitosan–pectin polyelectrolyte complex as a carrier for colon targeted drug delivery. *J. Young Pharm. JYP* **5**, 160–166.
- Pertiwi, D.V., 2014. Formulasi nanopartikel ribosome-inactivating protein *Mirabilis Jalapa* L. (RIP MJ) tertarget menggunakan kitosan rantai pendek-pektin terkonjugasi antibodi anti EpCAM dan uji sitotoksik pada sel kanker payudara. *Tesis*. Fak.Farmasi. Universitas Gadjah Mada. Yogyakarta.
- Racovi, S., Vasiliu, S., Popa, M., Luca, C., 2009. Polysaccharides based on micro-and nanoparticles obtained by ionic gelation and their applications as drug delivery systems. *Rev. Roum. Chim.* **54**, 709–718.
- Ribeiro, J.P., 2014. Intestinal absorption of insulin nanoparticles: contribution of M cells and DNA Delivery. *Nanomedicine: nanotechnology, biology and medicine*, **10**:1139–1151.
- Reynolds, P.E., 1989. Structure, biochemistry and mechanism of action of glycopeptide antibiotics. *Eur. J. Clin Microbial Infect Dis.* **8**(11) : 943–950.
- Sarmiento, B., Ribeiro, A., Veiga, F., Sampaio, P., Neufeld, R., Ferreira, D., 2007. Alginate/chitosan nanoparticles are effective for oral insulin delivery. *Pharm. Res.* **24**, 2198–2206.
- Sona, P.S., 2010. Nanoparticulate Drug Delivery Systems for the Treatment of Diabetes. *Dig. J. Nanomater. Biostructures DJNB* **5**, 411–418.
- Steffansen, Brodin, B., Nielsen, C.U., 2010. Molecular Biopharmaceutics: Aspects of drug characterisation, drug delivery and dosage form evaluation URL <http://www.twirpx.com/file/1064686/> (diakses tanggal 28/4/2015).
- Su, F.-Y., Lin, K.-J., Sonaje, K., Wey, S.-P., Yen, T.-C., Ho, Y.-C., Panda, N., Chuang, E.-Y., Maiti, B., Sung, H.-W., 2012. Protease inhibition and absorption enhancement by functional nanoparticles for effective oral insulin delivery. *Biomaterials* **33**, 2801–2811.
- Tiyaboonchai, W., 2013. Chitosan nanoparticles: a promising system for drug delivery. *Naresuan Univ. J.* **11**, 51–66.

- Tsai, R.-Y., Chen, P.-W., Kuo, T.-Y., Lin, C.-M., Wang, D.-M., Hsien, T.-Y., Hsieh, H.-J., 2014. Chitosan/Pectin/Gum Arabic Polyelectrolyte Complex: Process-Dependent Appearance, Microstructure Analysis and Its Application. *Carbohydr. Polym.* **101**, 752–759.
- Turan, K., Nagata, K., 2006. Chitosan-DNA Nanoparticles: The Effect of Cell Type and Hydrolysis of Chitosan on In Vitro DNA Transfection. *Pharm. Dev. Technol.* **11**, 503–512.
- Uchiyama, T., Sugiyama, T., Quan, Y.S., Kotani, A., Okada, N., Fujita, T., Muranishi, S., Yamamoto, A., 1999. Enhanced permeability of insulin across the rat intestinal membrane by various absorption enhancers: their intestinal mucosal toxicity and absorption-enhancing mechanism of n-lauryl-beta-D-maltopyranoside. *J. Pharm. Pharmacol.* **51**, 1241–1250.
- Veber, D.F., Johnson, S.R., Cheng, H.-Y., Smith, B.R., Ward, K.W., Kopple, K.D., 2002. Molecular properties that influence the oral bioavailability of drug candidates. *J. Med. Chem.* **45**, 2615–2623.
- Wong, T.W., Sumiran, N., 2014. Oral calcium pectinate-insulin nanoparticles: influences of alginate, sodium chloride and Tween 80 on their blood glucose lowering performance. *J. Pharm. Pharmacol.* **66**, 646–657.
- Xu, Y., dan Du, Y., 2003. Effect of molecular structure of chitosan on protein delivery properties of chitosan nanoparticles. *Int J Pharm.* **250(1)** : 215-226.
- Yin, L., Ding, J., He, C., Cui, L., Tang, C., Yin, C., 2009. Drug permeability and mucoadhesion properties of thiolated trimethyl chitosan nanoparticles in oral insulin delivery. *Biomaterials.* **30**, 5691-5700.
- Zhang, G., Niu, A., Peng, S., Jiang, M., Tu, Y., Li, M., Wu, C., 2001. Formation of novel polymeric nanoparticles. *Acc. Chem. Res.* **34**, 249–256.
- Zhang, H., Wu, S., Tao, Y., Zang, L., Su, Z., 2010. Preparation and characterization of water-soluble chitosan nanoparticles as protein delivery system. *J. Nanomater.* **2010**, 1.