

## DAFTAR PUSTAKA

- Ainurofiq, A., 2006. 'Pengaruh tipe emulsi sederhana dan emulsi ganda terhadap pola pelepasan Natrium Salisilat secara In Vitro', *Thesis*. Universitas Gadjah Mada, Yogyakarta.
- Akhtar, N., Ahmad, M., Khan, H.M.S., Akram, J., Gulfishan, Mahmood, A., 2010. Formulation and characterization of a multiple emulsion containing 1% L-ascorbic acid. *Bull. Chem. Soc. Ethiop*, **24**: 1–10.
- Amic, D., Davidovic-Amic, D., Beslo, D., dan Trinajstic, N., 2003. Structure-radical scavenging activity relationships of flavonoids. *CROATICA CHEMICA ACTA*, **76**: 55–61.
- Ashara, K.C., Paun, J.S., Soniwala, M.M., Chavada, J.R., dan Mori, N.M., 2014. Micro-emulsion based emulgel: a novel topical drug delivery system. *Asian Pacific Journal of Tropical Disease*, **4**, **Supplement 1**: S27–S32.
- Asriyani, M., 2014. 'Formulasi emulsi A/M dan emulsi ganda A/M/A asetosal serta gambaran stabilitasnya', *Thesis*. Institut Teknologi Bandung, Bandung.
- Austad, J., 1982. Allergic contact dermatitis to sorbitan monooleate (Span 80). *Contact Dermatitis*, **8**: 426–427.
- Ayala-Zavala, J.F., Wang, S.Y., Wang, C.Y., dan Gonzalez-Aguilar, G.A., 2004. Effect of storage temperatures on antioxidant capacity and aroma compounds in strawberry fruit. *Lebensm.-Wiss. u.-Technol*, **37**: 687–695.
- Baitariza, A., Darijanto, S.T., Pamudji, J.S., dan Fidrianny, I., 2004. Formulasi sediaan mikroemulsi ekstrak beras hitam (*oryza sativa* l.) dan evaluasi efektivitasnya sebagai antikerut. *Indonesian Journal of Pharmaceutical Science and Technology*, **1**: 18–24.
- Behera, B., Biswal, D., Uvanesh, K., Srivastava, A.K., Bhattacharya, M.K., Paramanik, K., dkk., 2015. Modulating the properties of sunflower oil based novel emulgels using castor oil fatty acid ester: Prospects for topical antimicrobial drug delivery. *Colloids and Surfaces B: Biointerfaces*, 155–164.
- Bolton, S. dan Bon, C., 2003. *Pharmaceutical Statistics: Practical and Clinical Applications, Revised and Expanded*, 4 ed. CRC Press, New York.
- Borekova, M., Hojerova, J., Koprda, V., dan Bauerova, K., 2008. Nourishing and Healthy Benefits of Coenzyme. *Czech J. Food Sci.*, **26**: 229–241.

- Budavari, S., 1996. *The Merck Index*, 12th ed. Whitehouse Station, NJ, Merck & Co.
- Cahyono, B., 2011. *Sukses Budi Daya Stroberi Di Pot & Perkebunan*, 1st ed. Penerbit ANDI, Yogyakarta.
- Carstensen, J.T., 1995. *Disperse and Aggregated Systems*. In: Carstensen, J.T. (Ed.), *Drugs Stability—Principles and Practices*. Marcel Dekker, Inc, New York.
- Casagrande, R., Georgetti, S.R., Jr., W.A.V., Borin, M.F., Lopez, R.F.V., dan Fonseca, M.J.V., 2006. In vitro evaluation of quercetin cutaneous absorption from topical formulations and its functional stability by antioxidant activity. *International Journal of Pharmaceutics*, **328**: 183–190.
- Cerezo, A.B., Cuevas, E., Winterhalter, P., Garcia-Parrilla, M.C., dan Troncoso, A.M., 2010. Isolation, Identification, and antioxidant activity of anthocyanin compounds in Camarosa strawberry. *Food Chemistry*, **123**: 574–582.
- Crecente-Campo, J., Nunes-Damaceno, M., Romero-Rodríguez, M.A., dan Vázquez-Odériz, M.L., 2012. Color, anthocyanin pigment, ascorbic acid and total phenolic compound determination in organic versus conventional strawberries (*Fragaria × ananassa* Duch, cv Selva). *Journal of Food Composition and Analysis*, **28**: 23–30.
- Deng, B., Cao, Y., Fang, S., Shang, X., Yang, W., dan Qian, C., 2015. Variation and stability of growth and leaf flavonoid content in *Cyclocarya paliurus* across environments. *Industrial Crops and Products*, **76**: 386–393.
- De Rosso, V.V. dan Mercadante, A.Z., 2007. The high ascorbic acid content is the main cause of the low stability of anthocyanin extracts from acerola. *Food Chemistry*, **103**: 935–943.
- Dong, L., Liu, C., Cun, D., dan Fang, L., 2015. The effect of rheological behavior and microstructure of the emulgels on the release and permeation profiles of Terpinen-4-ol. *European Journal of Pharmaceutical Sciences*, **78**: 140–150.
- Elevitch, C.R. dan Manner, H.I., 2006. *Aleurites moluccana* (kukui), species profiles for Pacific Island Agroforestry. [www.traditionaltree.org](http://www.traditionaltree.org).
- Erdal, M.S. dan Araman, A., 2006. Development and evaluation of multiple emulsion systems containing cholesterol and squalene. *Turkish J.Pharm. Sci*, **3**: 105–121.

- Fatouros, D., Karpf, D., Nielsen, F., dan Mullertz, A., 2007. Clinical studies with oral lipid based formulations of poorly soluble compounds. *Clin Risk Manag*, **3**: 591–604.
- Fisher, E.L., Ahn-Jarvis, J., Gu, J., Weghorst, C.M., dan Vodovotz, Y., 2014. Assessment of physicochemical properties, dissolution kinetics and storage stability of a novel strawberry confection designed for delivery of chemopreventive agents. *Food Structure*, **1**: 171–181.
- Food Chemicals Codex, 2008. 6 ed. United States Pharmacopeia, MD.
- Frank, K., Walz, E., Gräf, V., Greiner, R., Köhler, K., dan Schuchmann, H.P., 2012. Stability of anthocyanin-rich w/o/w-emulsions designed for intestinal release in gastrointestinal environment. *Journal of Food Science*, **77**: N50–57.
- Garg, A., Aggarwal, D., Garg, S., dan Singla, A.K., 2002. Spreading of semisolid formulations: An update. *Pharmaceutical Technology North America*, **26**: 84.
- Ghosh, S., 2011. Formulation and Characterisation of Multiple Emulsions With Various Additive. *International Journal of Research in Pharmaceutical and Biomedical Sciences*, **2**.
- Giri, T.K., Choudhary, C., Ajazuddin, Alexander, A., Badwaik, H., dan Tripathi, D.K., 2013. Prospects of pharmaceuticals and biopharmaceuticals loaded microparticles prepared by double emulsion technique for controlled delivery. *Saudi Pharmaceutical Journal*, **21**: 125–141.
- Hakkinen, S.H., Karenlampi, S.O., Mykkanen, H.M., dan Torronen, A.R., 2000. Influence of domestic processing and storage on flavonol contents in berries. *J. Agric. Food Chem*, **48**: 2960–2965.
- Hannuksela, M., Kousa, M., dan Pirila, V., 1976. Allergy to ingredients of vehicles. *Contact Dermatitis*, **2**: 105–110.
- Hasan, N.M.Y., Hayajneh, F.M.H., Alharthi, S.A., Shahada, H.M., dan Almalki, H.F., 2015. Development of potential self-microemulsifying lipid formulation for the oral administration of Curcumin. *International Journal Of Advances In Pharmacy, Biology and Chemistry*, **4**: 590–602.
- Holcroft, D.M. dan Kader, A.A., 1999. Carbon dioxide–induced changes in color and anthocyanin synthesis of stored strawberry fruit. *HORTSCIENCE*, **34**: 1244–1248.

- Ibrahim, E.-S.A., Hassan, M.A., El-Mahdy, M.M., dan Mohamed, A.S., 2007. Formulation and evaluation of quercetin in certain dermatological preparations. *J. DRUG DEL. SCI. TECH*, **17**: 431–436.
- Igarashi, T., Nishino, K., dan Nayar, S.K., 2005. 'The Appearance of Human Skin'. Department of Computer Science Colombia University, New York.
- Issusilaningtyas, E., 2014. 'Optimasi Formula Krim ekstrak Kubis Ungu (*Brassica oleracea* L. var. capitata f. rubra) Sebagai Antioksidan Dengan Metode Simplex Lattice Design', *Thesis*. Universitas Gadjah Mada, Yogyakarta.
- Itoh, T., Xia, J., Magavi, R., Nishihata, T., dan Rytting, J.H., 1990. Use of shed snake skin as a model membrane for in vitro percutaneous penetration studies: comparison with human skin. *Pharmaceutical Research*, **7**: 1042–1047.
- Jabbari, M. dan Jabbari, A., 2016. Antioxidant potential and DPPH radical scavenging kinetics of water-insoluble flavonoid naringenin in aqueous solution of micelles. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **489**: 392–399.
- Jin, P., Wang, S.Y., Wang, C.Y., dan Zheng, Y., 2011. Effect of cultural system and storage temperature on antioxidant capacity and phenolic compounds in strawberries. *Food Chemistry*, **124**: 262–270.
- Kartal, S., Aday, M.S., dan Caner, C., 2012. Use of microperforated films and oxygen scavengers to maintain storage stability of fresh strawberries. *Postharvest Biology and Technology*, **71**: 32–40.
- Khullar, R., Kumar, D., Seth, N., dan Saini, S., 2012. Formulation and evaluation of mefenamic acid emulgel for topical delivery. *Saudi Pharmaceutical Journal*, **20**: 63–67.
- Kogan, A. dan Garti, N., 2006. Microemulsions as transdermal drug delivery vehicles. *Advances in Colloid and Interface Science*, **123–126**: 369–385.
- Korkm, E., Gokce, E.H., dan Ozer, O., 2013. Development and evaluation of coenzyme Q10 loaded solid lipid nanoparticle hydrogel for enhanced dermal delivery. *Acta Pharmaceutica*, **63**: 517–529.
- Kusumawati, I. dan Indrayanto, G., 2013. Chapter 15 - Natural Antioxidants of Cosmetics, dalam: Atta-ur-Rahman (Editor), *Studies in Natural Products Chemistry*. Universitas Airlangga, Surabaya.
- Lachman, L., Lieberman, H.A., dan Kanig, J.L., 1994. *Teori Dan Praktek Farmasi Industri*, Edisi III. Penerbit Universitas Indonesia, Jakarta.

- Lee, J., Durst, R.W., dan Wrolstad, R.E., 2005. Determination of total monomeric anthocyanin pigment content of fruit juices, beverages, natural colorants, and wines by the pH differential method: collaborative study. *Journal of AOAC International*, **88**: 1269–1278.
- Lieberman, H. (Editor), 1998. *Pharmaceutical Dosage Forms: Disperse Systems, Second Edition, Volume 3*, 2 ed. Informa Healthcare, New York.
- Lydia, S.W., Widjanarko, S.B., dan Susanto, T., 2011. Ekstraksi dan karakterisasi pigmen dari kulit buah rambutan (*Nephelium Lappaceum*) var. Binjai. *Jurnal Teknologi Pangan dan Gizi*, **2**: 42–53.
- Mahato, R.I. dan Narang, A.S., 2007. *Pharmaceutical Dosage Forms and Drug Delivery*, 1 ed. CRC Press, Boca Raton.
- Mandave, P.C., Pawar, P.K., Ranjekar, P.K., Mantri, N., dan Kuvalekar, A.A., 2014. Comprehensive evaluation of in vitro antioxidant activity, total phenols and chemical profiles of two commercially important strawberry varieties. *Scientia Horticulturae*, **172**: 124–134.
- Martin, C., Moure, A., Martin, G., dan Carrillo, E., 2010. Fractional characterisation of jatropha, neem, moringa, trisperma, castor and candlenut seeds as potential feedstocks for biodiesel production in Cuba. *Biomass dan Bioenergy*, **34**: 533–538.
- Mathes, S.H., Ruffner, H., dan Graf-Hausner, U., 2014. The use of skin models in drug development. *Advanced Drug Delivery Reviews*, **69–70**: 81–102.
- Miguel, M.G., 2011. Anthocyanins: Antioxidant and/or anti - inflammatory activities. *Journal of Applied Pharmaceutical Science*, **1**: 7–15.
- Mosquera, L.H., Moraga, G., dan Martínez-Navarrete, N., 2012. Critical water activity and critical water content of freeze-dried strawberry powder as affected by maltodextrin and arabic gum. *Food Research International*, **47**: 201–206.
- Motoyoshi, K., Nozawa, S., Yoshimura, M., dan Matsuda, K., 1984. The safety of propylene glycol and other humectants. *Cosmet Toilet*, **99**: 83–91.
- Nugroho, A.K., 2013. *Sediaan Transdermal: Solusi Masalah Terapi Obat*, Cetakan I. Pustaka Pelajar, Yogyakarta.
- Ozer, O., Gokce, E.H., Tuncay-tanriverdi, Korkmaz, Sandri, Bonferoni, dkk., 2012. A comparative evaluation of coenzyme Q10-loaded liposomes and solid lipid nanoparticles as dermal antioxidant carriers. *International Journal of Nanomedicine*, 5109.

- Pakpayat, N., Nielloud, F., Fortuné, R., Tourne-Peteilh, C., Villarreal, A., Grillo, I., dkk., 2009. Formulation of ascorbic acid microemulsions with alkyl polyglycosides. *European Journal of Pharmaceutics and Biopharmaceutics*, **72**: 444–452.
- Paleco, R., Vucen, S.R., Crean, A.M., Moore, A., dan Scalia, S., 2014. Enhancement of the in vitro penetration of quercetin through pig skin by combined microneedles and lipid microparticles. *International Journal of Pharmaceutics*, **472**: 206–213.
- Pokorný, J., 2007. Are natural antioxidants better – and safer – than synthetic antioxidants? *European Journal of Lipid Science and Technology*, **109**: 629–642.
- Pouillot, A., Polla, L.L., Tacchini, P., Neequaye, A., Polla, A., dan Polla, B., 2011. Natural Antioxidants and Their Effects on The Skin, dalam: *Formulating, Packaging, and Marketing of Natural Cosmetic Products*. John Wiley & Sons, Inc.,
- Prow, T.W., Grice, J.E., Lin, L.L., Faye, R., Butler, M., Becker, W., dkk., 2011. Nanoparticles and microparticles for skin drug delivery. *Advanced Drug Delivery Reviews*, **63**: 470–491.
- Quino, J., Ruehl, M., Klima, T., Ruiz, F., Will, S., dan Braeuer, A., 2016. Supercritical drying of aerogel: In situ analysis of concentration profiles inside the gel and derivation of the effective binary diffusion coefficient using Raman spectroscopy. *J. of Supercritical Fluids*, **108**: 1–12.
- Robaszkiewicz, A., Balcerzyk, A., dan Bartosz, G., 2007. Antioxidative and prooxidative effects of quercetin on A549 cells. *Cell Biology International*, **31**: 1245–1250.
- Robinson, T., 1995. *Kandungan Organik Tumbuhan Tinggi*, 6th ed. Penerbit ITB, Bandung.
- Rowe, R.C., Sheskey, P.J., dan Quinn, M.E. (Editor), 2009. *Handbook of Pharmaceutical Excipients*, 6th ed. Pharmaceutical Press, London; Chicago; Washington, DC.
- Sadilova, E., Stintzing, F.C., Kammerer, D.R., dan Carle, R., 2009. Matrix dependent impact of sugar and ascorbic acid addition on color and anthocyanin stability of black carrot, elderberry and strawberry single strength and from concentrate juices upon thermal treatment. *Food Research International*, **42**: 1023–1033.



- Sahat, N.S., Zaidel, D.N.A., Muhamad, I.I., dan Alam, M.N.H.Z., 2014. Stability study of water-in-oil emulsion containing anthocyanins from red cabbage. *Jurnal Teknologi*, **69**.
- Schuch, A., Leal, L.G., dan Schuchmann, H.P., 2014a. Production of W/O/W double emulsions. Part I: Visual observation of deformation and breakup of double emulsion drops and coalescence of the inner droplets. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **461**: 336–343.
- Schuch, A., Wrenger, J., dan Schuchmann, H.P., 2014b. Production of W/O/W double emulsions. Part II: Influence of emulsification device on release of water by coalescence. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **461**: 344–351.
- Shargel, L., Wu-Pong, S., dan Yu, A.B.C., 2012. *Biofarmasetika dan Farmakokinetika Terapan*, Edisi Kelima. Pusat Penerbitan dan Percetakan Universitas Airlangga, Surabaya.
- Sharma, K., Ko, E.Y., Assefa, A.D., Ha, S., Nile, S.H., Lee, E.T., dkk., 2015. Temperature-dependent studies on the total phenolics, flavonoids, antioxidant activities, and sugar content in six onion varieties. *Journal of Food and Drug Analysis*, **23**: 243–252.
- Shin, Y., Liu, R.H., Nock, J.F., Holliday, D., dan Watkins, C.B., 2007. Temperature and relative humidity effects on quality, total ascorbic acid, phenolics and flavonoid concentrations, and antioxidant activity of strawberry. *Postharvest Biology and Technology*, **45**: 349–357.
- Sinko J, M., 2013. *Buku Martin Farmasi Fisika & Ilmu Farmasetika*. Edisi 5. Buku Kedokteran EGC, Jakarta.
- Sinko, P.J., 2011. *Martin : Farmasi Fisika Dan Ilmu Farmasetika*, Edisi 5. Buku Kedokteran EGC, Jakarta.
- Sonakpuriya, P., Bhowmick, M., Pandey, G.K., Joshi, A., dan Dubey, B., 2013. Formulation and Evaluation of Multiple Emulsion of Valsartan. *International Journal of PharmTech Research*, **5**: 132–146.
- Tonutare, T., Moor, U., dan Szajdak, L., 2014. Strawberry anthocyanin determination by pH differential spectroscopic method - How to get true result ? *Acta Sci. Pol., Hortorum Cultus*, **13**: 35 – 47.
- Torri, C., Mangoni, A., Teta, R., Fattorusso, E., Alibardi, L., Fermani, S., dkk., 2014. Skin lipid structure controls water permeability in snake molts. *Journal of Structural Biology*, **185**: 99–106.

- Urrutia, M., Schwab, W., Hoffmann, T., dan Monfort, A., 2016. Genetic dissection of the (poly)phenol profile of diploid strawberry (*Fragaria vesca*) fruits using a NIL collection. *Plant Science*, **242**: 151–168.
- Vasiljevic, D., Parojcic, J., Primorac, M., dan Vuleta, G., 2006. An investigation into the characteristics and drug release properties of multiple W/O/W emulsion systems containing low concentration of lipophilic polymeric emulsifier. *International Journal of Pharmaceutics*, **309**: 71–77.
- Vermeir, L., Sabatino, P., Balcaen, M., Declerck, A., Dewettinck, K., Martins, J.C., dkk., 2016. Effect of molecular exchange on water droplet size analysis in W/O emulsions as determined by diffusion NMR. *Journal of Colloid and Interface Science*, **463**: 128–136.
- Wahyudi, M.D.P., 2013. 'Formulasi Dan Uji Transpor Transdermal In-vitro Emulsi ketoprofen Menggunakan Hidroksipropil Metilselulosa Sebagai Emulgator', *Thesis*. Universitas Gadjah Mada, Yogyakarta.
- Wang, Z., Zhang, M., dan Wu, Q., 2014. Effects of temperature, pH, and sunlight exposure on the color stability of strawberry juice during processing and storage. *LWT - Food Science and Technology*, **60**: 1174–1178.
- Wrolstad, R.E., Durst, R.W., dan Lee, J., 2005. Tracking color and pigment changes in anthocyanin products. *Trends in Food Science & Technology*, **16**: 423–428.
- Zaidel, D.N.A., Sahat, N.S., Jusoh, Y.M.M., dan Muhamad, I.I., 2014. Encapsulation of anthocyanin from roselle and red cabbage for stabilization of water-in-oil emulsion. *Agriculture and Agricultural Science Procedia*, **2**: 82–89.
- Zhang, Y., Gou, J., Sun, F., Geng, S., Hu, X., Zhang, K., dkk., 2014. Impact of electrolytes on double emulsion systems (W/O/W) stabilized by an amphiphilic block copolymer. *Colloids and Surfaces B: Biointerfaces*, **122**: 368–374.
- Zhu, Q., Nakagawa, T., Kishikawa, A., Ohnuki, K., dan Shimizu, K., 2015. In vitro bioactivities and phytochemical profile of various parts of the strawberry (*Fragaria × ananassa* var. Amaou). *Journal of Functional Foods*, **13**: 38–49.