

REFERENCES

- Alekseenko, S., Kuibin, P., & Okulov, V. (2007). *Theory of concentrated vortices*. New York: Springer.
- B, D., & C A, P. (1986). Measurement of mean velocity profiles in a hydrocyclone using laser Doppler anemometry. *Journal of Chemical Engineering*, 48, 377-388.
- Bednarski, S., & Listewnik, J. (1988). Hydrocyclones for simultaneous removal of oil and solid particle from ships oily waters. *Filtration and Separation*, 92-97.
- Bergström, J., & Vomhoff, H. (2007). Experimental hydrocyclone flow field studies. *Journal of Separation and Purification Technology*, 53(1), 8-20.
- Boubnov, B., & Golitsyn, G. (1986). Experimental study of convective structures in rotating fluids. *Journal of Fluid Mechanics*, 503–531.
- Bretney, E. (1891). *United States of America Paten No. 543,105*.
- Changirwa, R., Rockwell, M., Frimpong, S., & Szymanski, J. (1999). Hybrid simulation for oil-solids-water separation in oil sands production. *Minerals Engineering*, 12(12), 1459-1468.
- Colman, D., Thew, M., & Lloyd, D. (1984). The Concept of hydrocyclones for separating light dispersions and a comparison of field data with laboratory work. *Second International Conference on Hydrocyclones*. England.
- Donnelly, R. (1988). Superfluid turbulence. *Scientific American*, 100–109.
- Gay, J., Triponey, G., Bezar, C., & P.Schummer. (1987). Rotary cyclone will improve oily water treatment and reduce space requirement/weight on offshore platform. *Offshore Europe Conference* . Aberdeen: Society of Petroleum Engineers.
- Hoffmann, A. C., & Stein, L. E. (2008). *Gas cyclones and swirl tubes: principles, design and operation* (Number Second ed.). Berlin: Springer-Verlag Berlin Heidelberg.
- Hwang, K.-J., Hwang, Y.-W., Yoshida, H., & Shigemori, K. (2012). Improvement of particle separation efficiency by installing conical top-plate in hydrocyclone. *Powder Technology*, 41-48.
- Jackson, R. (1963). Uni-flow cyclones. *British Coal Utilisation Research Association Monthly Bulletin*, 27(8), 329-351.

- Kelsall, D. (1952). A study of the motion of solid particles in a hydraulic cyclone. *Transactions of The Institution of Chemical Engineers*, 30, 87-108.
- Kiknadze, G., Krasnov, Y., Podymaka, N., & Khabenskii, V. (1986). Self organization of vortex structures at water flow over half-spherical dimple (in Russian). *Doklady Akademii Nauk USSR*, 1315–1318.
- Kim, H., Kline, S., & Reynolds, W. (1971). The production of turbulence near a smooth wall in a turbulent boundary layer. *Journal of Fluid Mechanics*, 133-160.
- Kumar, R., & Conover, T. (1993). Flow visualization studies of a swirling flow in a cylinder. *Experimental Thermal and Fluid Science*, 254-262.
- Larin, A., & Mavritskii, V. (1971). The phenomenon of secondary generation of vortices (in Russian). *Inventions Discoveries*, 3.
- Listewnik. (1984). Some factors influencing the performance of de-oiling hydrocyclones for marine applications. *2nd International Conference on Hydrocyclones* (hal. 191-204). England: BHRA Fluid Engineering.
- Liu, H.-f., Xu, J.-y., Wu, Y.-x., & Zheng, Z.-c. (2010). Numerical study on oil and water two-phase flow in a cylindrical cyclone. *Journal of Hydrodynamics*, 22(5), 832-837.
- Liu, H.-f., Xu, J.-y., Zhang, J., Sun, H.-q., Zhang, J., & Wu, Y.-x. (2012). Oil/water separation in a Liquid-Liquid cylindrical cyclone. *Journal of Hydrodynamics*, 24(1), 116-123.
- Malhotra, A., Branion, R. M., & Hauptmann, E. G. (1994). Modelling the flow in a hydrocyclone. *The Canadian Journal of Chemical Engineering*, 72.
- Martinez, L. F., Lavin, A. G., Mahamud, M. M., & Bueno, J. L. (2008). Vortex finder optimum length in hydrocyclone separation. *Chemical and Engineering Processing*, 192-199.
- Mathiravedu, R. S., Wang, S., Mohan, R. S., Shoham, O., & Marrelli, J. D. (2010). Performance and control of liquid-liquid cylindrical cyclone separators. *Journal of Energy Resources Technology*, 1-9.
- Mousavian, S. M., & Najafi, A. F. (2009). Influence of geometry on separation efficiency in a hydrocyclone. *Springer-Archieve Applied Mechanics*, 1033-1050.
- Murthy, Y. R., & Bhaskar, K. U. (2012). Parametric CFD studies on hydrocyclone. *Powder Technology*, 36-47.

- Oglesby, K. (1979). *An experimental study on the effect of oil viscosity, mixture, velocity and water fraction on horizontal oil–water flow*. Tulsa: University of Tulsa.
- Oropeza-Vazquez, C., Gomez, E. A., Wang, S., Mohan, R., Shoham, O., & Kouba, G. (2004). Oil-Water separation in a novel liquid-liquid cylindrical cyclone (LLCC) compact separator- experiment and modelling. *Journal of Fluids Engineering*, 553-563.
- Paul, E., Atiemo-Obeng, V., & Kresta, S. (2004). Droplet break-up mechanisms, Table 12-2. *Handbook of Industrial Mixing – Science and Practice* (pp. 369). NJ: John Wiley and Sons.
- Payne, F., Ng, T., & Nelson, R. (1988). Visualization and wake surveys of vortical flow over a delta wing. *AIAA Journal*, 137–143.
- Seyda, B., & Petty, C. (1991). *Separation of a light dispersion in a cylindrical vortex chamber*. Technical Report No. HDC-R6, Michigan State University, College of Engineering.
- Shi, S.-Y., Wu, Y.-x., Zhang, J., Guo, J., & Wang, S.-j. (2010). A study on separation performance of a vortex finder in a liquid-liquid cylindrical cyclone. *Journal of Hydrodynamics*, 22(5), 391-397.
- Snow, J. (1984). The tornado. *Scientific American*, 56-66.
- Stones, A. C. (2007). *Oil/Water separation in a novel cyclone*. PhD Thesis, Cranfield University, School of Engineering, Bedford.
- Svarovsky, L. (2000). *Solid-liquid separation* (Number 4th ed.). Boston: Butterworth-Heinemann.
- Tani, I., Komoda, H., & Y., K. (1962). *Boundary-layer transition by isolated roughness*. Tokyo: Aeronaut Research Institute Report 375.
- Thew, M. (1986). Hydrocyclone redesign for liquid-liquid separation. *The Chemical Engineering*, 17-21.
- Van Dyke, M. (1982). *An album on fluid motion*. California: Parabolic Press.
- Wang, S. (1997). *Control System Analysis of Gas-Liquid Cylindrical Cyclone Separators*. Tulsa: University of Tulsa.
- Zhao, L., Jiang, M., Xu, B., & Zhu, B. (2012). Development of a new type high-efficient inner-cone. *Chemical Engineering Research and Design*, 2129-2134.