

DAFTAR PUSTAKA

- Ali, N.A., Krinsley, J.S., dan Preiser, J.-C., 2009. Glucose Variability in Critically Ill Patients, dalam: Vincent, P.J.-L. (Ed.), *Yearbook of Intensive Care and Emergency Medicine, Yearbook of Intensive Care and Emergency Medicine*. Springer Berlin Heidelberg, hal. 728–737.
- American Diabetes Association, 2012. Standards of Medical Care in Diabetes--2013. *Diabetes Care*, **36**: S11–S66.
- Boucher, B.A., Wood, G.C., dan Swanson, J.M., 2006. Pharmacokinetic changes in critical illness. *Critical care clinics*, **22**: 255–271, vi.
- Capes, S.E., Hunt, D., Malmberg, K., dan Gerstein, H.C., 2000. Stress hyperglycaemia and increased risk of death after myocardial infarction in patients with and without diabetes: a systematic overview. *Lancet*, **355**: 773–778.
- Collier, B., Dossett, L.A., May, A.K., dan Diaz, J.J., 2008. Glucose control and the inflammatory response. *Nutrition in clinical practice: official publication of the American Society for Parenteral and Enteral Nutrition*, **23**: 3–15.
- Dahlan, M.S., 2010. *Besar Sampel dan Cara Pengambilan Sampel Dalam Penelitian Kedokteran dan Kesehatan*, 3rd ed. Epidemiologi Indonesia, Jakarta.
- Dinas Kesehatan Provinsi Daerah Istimewa Yogyakarta, 2012. *Profil Kesehatan Provinsi D. I. Yogyakarta Tahun 2011*. Yogyakarta.
- Dodek, P., Kozak, J.-F., Norena, M., dan Wong, H., 2009. More men than women are admitted to 9 intensive care units in British Columbia. *Journal of Critical Care*, **24**: 630.e1–630.e8.
- Dossett, L.A., Cao, H., Mowery, N.T., Dortch, M.J., Morris, J.M., Jr, dan May, A.K., 2008. Blood glucose variability is associated with mortality in the surgical intensive care unit. *The American surgeon*, **74**: 679–685; discussion 685.
- Egi, M., Bellomo, R., Stachowski, E., French, C.J., dan Hart, G., 2006. Variability of blood glucose concentration and short-term mortality in critically ill patients. *Anesthesiology*, **105**: 244–252.
- Egi, M., Bellomo, R., Stachowski, E., French, C.J., Hart, G.K., Hegarty, C., dkk., 2008. Blood glucose concentration and outcome of critical illness: the impact of diabetes. *Critical Care Medicine*, **36**: 2249–2255.
- Farrokhi, F., Smiley, D., dan Umpierrez, G.E., 2011. Glycemic control in non-diabetic critically ill patients. *Best practice & research. Clinical endocrinology & metabolism*, **25**: 813–824.

- Faustino, E.V. dan Apkon, M., 2005. Persistent hyperglycemia in critically ill children. *The Journal of pediatrics*, **146**: 30–34.
- Finfer, S., Chittock, D., Su, S., Foster, D., Dhingra, V., Bellomo, R., dkk., 2009. Intensive versus Conventional Glucose Control in Critically Ill Patients. *New England Journal of Medicine*, **360**: 1283–1297.
- Hermanides, J., Vriesendorp, T.M., Bosman, R.J., Zandstra, D.F., Hoekstra, J.B., dan Devries, J.H., 2010. Glucose variability is associated with intensive care unit mortality. *Critical care medicine*, **38**: 838–842.
- Hogue, C.W., Stearns, J.D., Colantuoni, E., Robinson, K.A., Stierer, T., Mitter, N., dkk., 2009. The impact of obesity on outcomes after critical illness: a meta-analysis. *Intensive Care Medicine*, **35**: 1152–1170.
- Hsu, C.-W., 2012. Glycemic control in critically ill patients. *World Journal of Critical Care Medicine*, **1**: 31–39.
- Hurt, R.T., Kulisek, C., Buchanan, L.A., dan McClave, S.A., 2010. The Obesity Epidemic: Challenges, Health Initiatives, and Implications for Gastroenterologists. *Gastroenterology & Hepatology*, **6**: 780–792.
- Inoue, S., Egi, M., Kotani, J., dan Morita, K., 2013. Accuracy of blood-glucose measurements using glucose meters and arterial blood gas analyzers in critically ill adult patients: systematic review. *Critical Care*, **17**: R48.
- Kanji, S., Singh, A., Tierney, M., Meggison, H., McIntyre, L., dan Hebert, P.C., 2004. Standardization of intravenous insulin therapy improves the efficiency and safety of blood glucose control in critically ill adults. *Intensive Care Medicine*, **30**: 804–810.
- Kavanagh, B.P. dan McCowen, K.C., 2010. Glycemic Control in the ICU. *New England Journal of Medicine*, **363**: 2540–2546.
- Kementrian Kesehatan Republik Indonesia, 2011. *Keputusan Direktur Jenderal Bina Upaya Kesehatan Nomor HK.02.04/I/1966/2011 Tentang Petunjuk Teknis Penyelenggaraan Pelayananann ICU Di Rumah Sakit*. Jakarta.
- Klein, G.W., Hojsak, J.M., Schmeidler, J., dan Rapaport, R., 2008. Hyperglycemia and outcome in the pediatric intensive care unit. *The Journal of pediatrics*, **153**: 379–384.
- Krinsley, J.S., 2003. Association between hyperglycemia and increased hospital mortality in a heterogeneous population of critically ill patients. *Mayo Clinic proceedings*, **78**: 1471–1478.
- Krinsley, J.S., Egi, M., Kiss, A., Devendra, A.N., Schuetz, P., Maurer, P.M., dkk., 2013. Diabetic status and the relation of the three domains of glycemic control to mortality in critically ill patients: an international multicenter cohort study. *Critical Care*, **17**: R37.
- Krinsley, J.S., Egi, M., Kiss, A., Devendra, A.N., Schuetz, P., Maurer, P.M., dkk., 2013. Diabetic status and the relation of the three domains of glycemic

- control to mortality in critically ill patients: an international multicenter cohort study. *Critical care (London, England)*, **17**: R37.
- Krinsley, J.S. dan Preiser, J.-C., 2015. Time in blood glucose range 70 to 140 mg/dl >80% is strongly associated with increased survival in non-diabetic critically ill adults. *Critical Care (London, England)*, **19**: 179.
- Lacherade, J.-C., Jabre, P., Bastuji-Garin, S., Grimaldi, D., Fangio, P., Théron, V., dkk., 2007. Failure to achieve glycemic control despite intensive insulin therapy in a medical ICU: incidence and influence on ICU mortality. *Intensive care medicine*, **33**: 814–821.
- Lacy, C. dan American Pharmacists Association, 2008. *Drug Information Handbook: A Comprehensive Resource for All Clinicians and Healthcare Professionals*. Lexi-Comp; American Pharmacists Association, Hudson, Ohio; [Washington, D.C.].
- Lanspa, M.J., Dickerson, J., Morris, A.H., Orme, J.F., Holmen, J., dan Hirshberg, E.L., 2014. Coefficient of glucose variation is independently associated with mortality in critically ill patients receiving intravenous insulin. *Critical Care*, **18**: R86.
- Lim, S.Y., Choi, W.-I., Jeon, K., Guallar, E., Koh, Y., Lim, C.-M., dkk., 2014. Body mass index and mortality in Korean intensive care units: a prospective multicenter cohort study. *PloS One*, **9**: e90039.
- Marini, J.J. dan Wheeler, A.P., 2010. *Critical Care Medicine: The Essentials*. Wollters Kluwer/Lippincott Williams & Wilkins, Philadelphia.
- Meyfroidt, G., Keenan, D.M., Wang, X., Wouters, P.J., Veldhuis, J.D., dan Van den Berghe, G., 2010. Dynamic characteristics of blood glucose time series during the course of critical illness: effects of intensive insulin therapy and relative association with mortality. *Critical care medicine*, **38**: 1021–1029.
- Meynaar, I.A., Eslami, S., Abu-Hanna, A., van der Voort, P., de Lange, D.W., dan de Keizer, N., 2012. Blood glucose amplitude variability as predictor for mortality in surgical and medical intensive care unit patients: a multicenter cohort study. *Journal of critical care*, **27**: 119–124.
- Monnier, L., Mas, E., Ginet, C., Michel, F., Villon, L., Cristol, J.-P., dkk., 2006. Activation of oxidative stress by acute glucose fluctuations compared with sustained chronic hyperglycemia in patients with type 2 diabetes. *JAMA: the journal of the American Medical Association*, **295**: 1681–1687.
- Mukherjee, K., Sowards, K.J., Brooks, S.E., Norris, P.R., Boord, J.B., dan May, A.K., 2014. Insulin resistance increases before ventilator-associated pneumonia in euglycemic trauma patients. *Surgical Infections*, **15**: 713–720.
- Needham, D.M., Scales, D.C., Laupacis, A., dan Pronovost, P.J., 2005. A systematic review of the Charlson comorbidity index using Canadian

- administrative databases: a perspective on risk adjustment in critical care research. *Journal of Critical Care*, **20**: 12–19.
- Oliveros, H. dan Villamor, E., 2008. Obesity and mortality in critically ill adults: a systematic review and meta-analysis. *Obesity (Silver Spring, Md.)*, **16**: 515–521.
- Otto, N.M., Schindler, R., Lun, A., Boenisch, O., Frei, U., dan Oppert, M., 2008. Hyperosmotic stress enhances cytokine production and decreases phagocytosis in vitro. *Critical care (London, England)*, **12**: R107.
- Perkumpulan Endokrinologi Indonesia (PERKENI), 2007. *Petunjuk Praktis Terapi Insulin Pada Pasien Diabetes Melitus*. FKUI, Jakarta.
- Perner, A., Nielsen, S.E., dan Rask-Madsen, J., 2003. High glucose impairs superoxide production from isolated blood neutrophils. *Intensive care medicine*, **29**: 642–645.
- Quinn, T.J. dan Lees, K.R., 2009. Hyperglycaemia in acute stroke--to treat or not to treat. *Cerebrovascular diseases (Basel, Switzerland)*, **27 Suppl 1**: 148–155.
- Risso, A., Mercuri, F., Quagliari, L., Damante, G., dan Ceriello, A., 2001. Intermittent high glucose enhances apoptosis in human umbilical vein endothelial cells in culture. *American journal of physiology. Endocrinology and metabolism*, **281**: E924–930.
- Sechterberger, M.K., Bosman, R.J., Oudemans-van Straaten, H.M., Siegelaar, S.E., Hermanides, J., Hoekstra, J.B., dkk., 2013. The effect of diabetes mellitus on the association between measures of glycaemic control and ICU mortality: a retrospective cohort study. *Critical care (London, England)*, **17**: R52.
- Smith, B.S., Yogaratnam, D., Levasseur-Franklin, K.E., Forni, A., dan Fong, J., 2012. Introduction to drug pharmacokinetics in the critically ill patient. *Chest*, **141**: 1327–1336.
- Tiruvoipati, R., Chiezey, B., Lewis, D., Ong, K., Villanueva, E., Haji, K., dkk., 2012. Stress hyperglycemia may not be harmful in critically ill patients with sepsis. *Journal of critical care*, **27**: 153–158.
- Treggiari, M.M., Karir, V., Yanez, N.D., Weiss, N.S., Daniel, S., dan Deem, S.A., 2008. Intensive insulin therapy and mortality in critically ill patients. *Critical Care*, **12**: R29.
- Trentzsch, H., Nienaber, U., Behnke, M., Lefering, R., dan Piltz, S., 2014. Female sex protects from organ failure and sepsis after major trauma haemorrhage. *Injury*, , 20 years TraumaRegister DGU® **45, Supplement 3**: S20–S28.
- Van den Berghe, G., Wilmer, A., Hermans, G., Meersseman, W., Wouters, P.J., Milants, I., dkk., 2006. Intensive Insulin Therapy in the Medical ICU. *New England Journal of Medicine*, **354**: 449–461.

- Van den Berghe, G., Wouters, P., Weekers, F., Verwaest, C., Bruyninckx, F., Schetz, M., dkk., 2001. Intensive Insulin Therapy in Critically Ill Patients. *New England Journal of Medicine*, **345**: 1359–1367.
- Zauner, A., Nimmerrichter, P., Anderwald, C., Bischof, M., Schiefermeier, M., Ratheiser, K., dkk., 2007. Severity of insulin resistance in critically ill medical patients. *Metabolism: Clinical and Experimental*, **56**: 1–5.