

DAFTAR PUSTAKA

- Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia. 2008. Laporan Naional Riset Kesehatan Dasar (RISKESDAS) 2007. Departemen Kesehatan Republik Indonesia. Jakarta.
- Badan Pusat Statistik. 2013. Proyeksi Penduduk Indonesia. 2010 - 2035. Badan Pusat Statistik. Jakarta.
- Birgelen, C.V., et.al., 2004. Relationship Between Cardiovascular Risk as Predicted by Established Risk Scores Versus Plaque Progression as Measured by Serial Intravascular Ultrasound in Left Main Coronary Arteries. Circulation. 2004;110:1579-1585.
- Bosomworth, J. 2011. Practical use of the Framingham Risk Score in Primary Prevention. Canadian Family Physician vol 57 : April 2011.
- Brindle, P., et.al., 2003. Predictive Accuracy of The Framingham Coronary Risk Score in British Men: Prospective Cohort Study. British Medical Journal. Vol 327 29 November 2003.
- Clayton, T.C., et. al., 2005. Risk Score For Predicting Death, Myocardial Infarction, and Stroke In Patients With Stable Angina, Based On A Large Randomized Trial Cohort of Patients. British Medical Journal. 2005;331:869.
- D'Agostino, R.B, et.al., 2008. General Cardiovascular Risk Profile for Use in Primary Care. Circulation. 2008;117:743-753.
- Daly, C. A., et. al., 2006. Predicting Prognosis In Stable Angina-Results From The Euro Heart Survey of Stable Angina: Prospective Observational Study. British Medical Journal. doi:10.1136/bmj.38695.605440.AE.
- Delima, Mihardja, L., Siswoyo, H., 2009. Prevalensi dan Faktor Determinan Penyakit Jantung di Indonesia. Puslitbang Biomedis dan Farmasi, Bul. Penelit. Kesehat., Vol. 37, No. 3,2009: 142 - 159.
- Fischman, D.L., et.al., 1994. A Randomized Comparison Of Coronary-Stent Placement and Baloon Angioplasty

in The Treatment Of Coronary Artery Disease. New England Journal of Medicine. 1994;331:496-501.

- Genest, J., Pedersen, T.R., 2003. Prevention of Cardiovascular Ischemic Events: High-Risk and Secondary Prevention. Circulation. 2003;107:2059-2065.
- Gordon, T., Kannel, W.B., Hjortland, M.C., McNamara, P.M., 1978. Menopause and Coronary Heart Disease: The Framingham Study. Ann Intern Med. 1978; 89(2):157-161.
- Gordon, D.J., et.al., 1989. High-density Lipoprotein Cholesterol and Cardiovascular Disease. Four prospective American studies. Circulation. 1989; 79(1):8-15.
- Grundy, S.M., et.al., 1999. Assessment of Cardiovascular Risk by Use of Multiple-Risk-Factor Assessment Equations. Circulation. 1999;100:1481-1492.
- Haynes, S.G., Levine, S., Scotch, N., Feinleib, M., Kannel, W.B., 1978. The Relationship of Psychosocial Factors to Coronary Heart Disease in The Framingham Study I. Methods and Risk Factors. Am J Epidemiol. 1978; 107(5):362-383.
- Hull, A., 1993. Penyakit Jantung, Hipertensi, dan Nutrisi. PT Bumi Aksara, Jakarta.
- Kaneko, H., et.al., 2013. Recent Characteristics and Outcomes of Japanese Stable Angina Pectoris After Percutaneous Coronary Intervention. Int Heart J 2013; 54: 335-340.
- Katritsis, D.G., et.al., 2005. Percutaneous Coronary Intervention Versus Conservative Therapy in Nonacute Coronary Artery Disease A Meta-Analysis. Circulation. 2005;111:2906-2912.
- Kannel, W.B., Dawber, T.R., Thomas, H.E., Jr., McNamara, P.M., 1965. Comparison of Serum Lipids in The Prediction of Coronary Heart Disease. Framingham study Indicates hat Cholesterol Level and Blood Pressure Are Major Factors in Coronary Heart Disease; Effect of Obesity and Cigarette Smoking Also Noted. R I Med J. 1965; 48:243-250.

- Kannel, W.B., 1967. Habitual Level of Physical Activity and Risk of Coronary Heart Disease: The Framingham Study. Can Med Assoc J. 1967; 96(12):811-812.
- Kannel, W.B., Pearson, G., McNamara, P.M., 1969. Obesity as A Force of Morbidity; in: Heald FP, (ed): Adolescent Nutrition and Growth. Appleton-Century-Crofts, New York. pp 51-71.
- Kannel, W.B., Wolf, P.A., Dawber, T.R., 1978. Hypertension and Cardiac Impairments Increase Stroke Risk. Geriatrics. 1978; 33:71-83.
- Levy, D., et.al., 1996. The Progression From Hypertension to Congestive Heart Failure. JAMA. 1996; 275(20):1557-1562.
- Lilly, L.S., 2011. Pathophysiology of Heart Disease. 5th Edition. Lippincott Williams & Wilkins, Philadelphia.
- Llyod, Jones., PW, Wison., MG, Larson., RB, D'Agustion., 2004. Framingham risk Score and Prediction of Lifetime Risk for Coronary Heart Disease. AM.J. Cardiol. 2004 Jul 2 ;94 (1) : 20-4
- Makmun, L.A., et.al., 2003, Simposium Pendekatan Holistik Penyakit Kardiovaskular II. Pusat Informasi dan Penerbitan Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Mehta, S.R, et.al., 2001. Effects of Pretreatment With Clopidogrel and Aspirin Followed by Long-term Therapy in Patients Undergoing Percutaneous Coronary Intervention: The PCI-CURE Study. Lancet. DOI: [http://dx.doi.org/10.1016/S0140-736\(01\)05701-4](http://dx.doi.org/10.1016/S0140-736(01)05701-4).
- Nastiti, D., 2012. Gambaran Faktor Risiko Kejadian Stroke Pada Pasien Stroke Rawat Inap di Rumah Sakit Krakatau Medika Tahun 2011. Fakultas Kesehatan Masyarakat Universitas Indonesia. Depok.
- National Cholesterol Education Program, 2002. Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III). NIH Publication No. 02-5215 September 2002

- National Heart, Lung, and Blood Institute & Boston University, 2015. History of Framingham Heart Study. www.framinghamheartstudy.org.
- Pasternak, R. C., 2003. Report of the Adult Treatment Panel III: the 2001 National Cholesterol Education Program guidelines on the detection, evaluation and treatment of elevated cholesterol in adults. Cardiology Clinics. 21 (2003) 393-398
- Pearson, Thomas A., et.al., 1994. Primer In Preventive Cardiology. American Heart Association. Texas.
- Pham, T.D., To, C.C., et al..(2010). Analysis of Major Adverse Cardiac Events with Entropy-Based Complexity. *Intelligent and Soft Computing*. 261-272.
- Poole-Wilson, P.A.,Lubsen, J., Kirwan B.A., Dalen, F.J.V.,Wagener, G., Danchin, N., 2004. Effect of Long-acting Nifedipine on Mortality and Cardiovascular Morbidity in Patients with Stable Angina Requiring Treatment (ACTION Trial): Randomised Controlled Trial. Lancet. Pg. 364:849-57.
- Sastroasmoro, S.,Ismael, S., 2011. Dasar - Dasar Metodologi Penelitian Klinis. Edisi ke-4. Sagung Seto, Indonesia.
- Soewondo, P., 2010. Prevalence of Metabolic Syndrome Using NCEP/ATP III Criteria in Jakarta, Indonesia: The Jakarta Primary Non-communicable Disease Risk Factors Surveillance 2006. Acta Med Indones-Indones J Intern Med. Vol 42 Number 4.
- Talwalkar, P.G., et.al., 2013. Journey in Guidelines for Lipid Management: From Adult Treatment Panel (ATP)-I to ATP-III and What to Expect in ATP-IV. Indian J Endocrinol Metab. 2013 Jul-Aug; 17(4): 628-635.
- Vasan, R.S., Larson, M.G., Leip, E.P., Kannel, W.B., Levy, D., 2001. Assessment of Frequency of Progression to Hypertension in Non-hypertensive Participants in The Framingham Heart Study: A Cohort Study. Lancet. 2001; 358(9294):1682-1686.
- Wahjoepramono, Eka J., 2005. Stroke Tata Laksana Fase Akut. Universitas Pelita Harapan. Jakarta.

- Widjaja, F.F., et.al., 2013. Metabolic syndrome and Framingham risk score in obese young adults. Med J Indones. Vol. 22, No. 2, May 2013.
- Wilson, P. W. F., et. al., 1998. Prediction of Coronary Heart Disease Using Risk Factor Categories. Circulation. 1998;97:1837-1847.