

DAFTAR PUSTAKA

- Adams, D.J., Adams, E.M., Hills, G.J., 1979. The Computer Simulation of Polar Liquids. *Mol. Phys.*, 38, 387–400.
- Ahlrichs, R., Bär, M., Häser, M., Horn, H., Kölmel, C., 1989. Electronic Structure Calculations on Workstation Computers: The Program System Turbomole. *Chem. Phys. Lett.*, 162, 165–169.
- Allen, M.P., Tildesley, D.J., 1987. Computational Simulation of Liquids. p. 400.
- Atkins, P., Shriver, D., Overton, T., Rourke, J., Armstrong, F., Weller, M., Hagerman, M., 2009. *Inorganic Chemistry*, Oxford University Press.
- Bachrach, S.M., 2007. Computational Organic Chemistry. In: Wiley.
- Badyal, Y.S., Barnes, A.C., Cuello, G.J., Simonson, J.M., 2004. Understanding the Effects of Concentration on the Solvation Structure of Ca²⁺ in Aqueous Solution. II: Insights into Longer Range Order from Neutron Diffraction Isotope Substitution. *J. Phys. Chem. A*, 108, 11819–11827.
- Berendsen, H.J.C., Postma, J.P.M., van Gunsteren, W.F., DiNola, A., Haak, J.R., 1984. Molecular Dynamics with Coupling to an External Bath. *J. Chem. Phys.*, 81, 3684–3690.
- Bopp, P., 1986. A Study of the Vibrational Motions of Water in an Aqueous CaCl₂ Solution. *Chem. Phys.*, 106, 205–212.
- Canaval, L.R., Weiss, A.K.H., Rode, B.M., 2013. Structure and Dynamics of the Th⁴⁺ -Ion in Aqueous Solution – An Ab Initio QMCF-MD Study. *Comput. Theor. Chem.*, 1022, 94–102.
- Damay, P., Leclercq, F., Chieux, P., 1990. Geometry of the ND₃ Group in a Metallic Ca(ND₃)₆ Compound and in Solid and Liquid Deuteroammonia as Measured by Neutron Scattering. *Phys. Rev. B*, 41, 9676–9682.
- Dunning, T.H., 1970. Gaussian Basis Functions for Use in Molecular Calculations. I. Contraction of (9s5p) Atomic Basis Sets for the First-Row Atoms. *J. Chem. Phys.*, 53, 2823–2833.
- Field, M.J., 2007. A Practical Introduction to the Simulation of Molecular Systems. In: Cambridge University Press.
- Floris, F.M., Martinez, J.M., Tomasi, J., 2002. Preferential Solvation of Ca²⁺ in Aqueous Solutions Containing Ammonia: A Molecular Dynamics Study. *J. Chem. Phys.*, 116, 5460–5470.

- Frisch, M. J.; Trucks, G. W.; Schlegel, H. B.; Scuseria, G. E.; Robb, M. A.; Cheeseman, J. R.; Scalmani, G.; Barone, V.; Mennucci, B.; Petersson, G. A.; Nakatsuji, H.; Caricato, M.; Li, X.; Hratchian, H. P.; Izmaylov, A. F.; Bloino, J.; Zheng, G.; Sonnenb, W.C., 2009. Gaussian 09 Revision E.01.
- Gary L. Miessler, D.A.T., 2000. *Inorganic Chemistrv*.
- Hannongbua, S. V., T. Ishida, E. Spohr, K.H., 1988. Molecular Dynamic Study of a Lithium Ion in Ammonia. *Z. Naturforsch*, 43a, 572–582.
- Hofer, T.S., Pribil, A.B., Randolf, B.R., Rode, B.M., 2010. Ab Initio Quantum Mechanical Charge Field Molecular Dynamics—A Nonparametrized First-Principle Approach to Liquids and Solutions. *Comb. Quantum Mech. Mol. Mech. Some Recent Progresses QM/MM Methods*, 59, 213–246.
- Hofer, T.S., Randolf, B.R., Rode, B.M., 2006. Sr(II) in Water: A Labile Hydrate with a Highly Mobile Structure. *J Phys Chem B*, 110, 20409–20417.
- Hofer, T.S., Randolf, B.R., Rode, B.M., Division, T.C., Chemistry, T., 2005a. Influence of Polarization and Many Body Quantum Effects on the Solvation Shell of Al(III) in Dilute Aqueous Solution-Extended Ab Initio QM/MM MD Simulations. *Phys Chem Chem Phys*, 7, 1382–1387.
- Hofer, T.S., Rode, B.M., 2004. The Solvation Structure of Pb(II) in Dilute Aqueous Solution: An Ab Initio Quantum Mechanical/molecular Mechanical Molecular Dynamics Approach. *J. Chem. Phys.*, 121, 6406–6411.
- Hofer, T.S., Rode, B.M., Randolf, B.R., 2005b. Structure and Dynamics of Solvated Ba(II) in Dilute Aqueous Solution – an Ab Initio QM/MM MD Approach. *Chem. Phys.*, 312, 81–88.
- Hofer, T.S., Tran, H.T., Schwenk, C.F., Rode, B.M., 2004. Characterization of Dynamics and Reactivities of Solvated Ions by Ab Initio Simulations. *J. Comput. Chem.*, 25, 211–217.
- Housecroft, C.E., Sharpe, A.G., 2005. *Inorgaic Chemistry*.
- Humphrey, W., Dalke, A., Schulten, K., 1996. VMD-- Visual Molecular Dynamics. *J. Mol. Graph.*, 14, 33–38.
- Jalilehvand, F., Spångberg, D., Lindqvist-Reis, P., Hermansson, K., Persson, I., Sandström, M., 2001. Hydration of the Calcium Ion. An EXAFS, Large-Angle X-Ray Scattering, and Molecular Dynamics Simulation Study. *J. Am. Chem. Soc.*, 123, 431–441.
- Kerdcharoen, T., Morokuma, K., 2003. Combined Quantum Mechanics and Molecular Mechanics Simulation of Ca²⁺/ammonia Solution Based on the ONIOM-XS Method: Octahedral Coordination and Implication to Biology. *J. Chem. Phys.*, 118, 8856–8862.

- Leclercq, F., Damay, P., Chieux, P., 1984. Quantum and Diffusional Rotation of Ammonia in Hexaamminecalcium As Observed by Incoherent Neutron Scattering. *J. Phys. Chem*, 88, 3886–3890.
- Lim, L.E.N.H. V, Pribil, A.B., Ellmerer, A.E., Randolph, B.R., Rode, B.M., 2010. Temperature Dependence of Structure and Dynamics of the Hydrated Ca²⁺ Ion According to Ab Initio Quantum Mechanical Charge Field and Classical Molecular Dynamics. *J Comput Chem*, 31, 1195–1200.
- Megyes, T. Inde, Grósz, T., Radnai, T., Bakó, I., Pálinkás, G., 2004. Solvation of Calcium Ion in Polar Solvents: An X-Ray Diffraction and Ab Initio Study. *J Phys Chem*, 108, 7261–7271.
- Mulliken, R.S., 1955. Electronic Population Analysis on LCAO–MO Molecular Wave Functions. I. *J. Chem. Phys.*, 23, 1833.
- Naor, M.M., Nostrand, K. Van, Dellago, C., 2003. Car–Parrinello Molecular Dynamics Simulation of the Calcium Ion in Liquid Water. *Chem. Phys. Lett.*, 369, 159–164.
- Press, W., Damay, P., Leclercq, F., Chieux, P., 1989. On the Structure of Solid Ca(NS₃); with x=6. *J. Chem. Phys.*, 91, 1167–1172.
- R. B. V. Dreele, W.S. Glaunsinger, A.L. Bowman, J.L.Y., 1975. A Neutron Diffraction Study of Hexaammine-d₃-calcium(0) at 75 K1. *J Phys Chem*, 79, 2992–2995.
- R. B. V. Dreele, W.S. Glaunsinger, P. Chieux, P.D., 1979. Inelastic Neutron Scattering Study of Calcium Hexaammine. *J. Phys. Chem*, 84, 1172–1173.
- Rode, B.M., Hofer, T.S., Randolph, B.R., Schwenk, C.F., Xenides, D., Vchirawongkwin, V., 2005. Ab Initio Quantum Mechanical Charge Field (QMCF) Molecular Dynamics: A QM/MM - MD Procedure for Accurate Simulations of Ions and Complexes. *Theor. Chem. Acc.*, 115, 77–85.
- Rode, B.M., Schwenk, C.F., Hofer, T.S., Randolph, B.R., 2005. Coordination and Ligand Exchange Dynamics of Solvated Metal Ions. *Coord. Chem. Rev.*,
- S. Westman, P. Werner, T. Schuler, W.R., 1981. X-Ray Investigations of Ammines of Alkaline Earth Metal Halides. I. the Structure of CaCl₂(NH₃)₈, CaCl₂(NH₃)₂ and the Decomposition Product CaClOH. *Acta Chem. Scand.*, 35, 467–472.
- Satoh, A., 2011. Introduction to Practice of Molecular Simulation. In: Elsevier.
- Schwenk, C.F., Loeffler, H.H., Rode, B.M., 2001. Molecular Dynamics Simulations of Ca²⁺ in Water: Comparison of a Classical Simulation Including Three-Body Corrections and Born-Oppenheimer Ab Initio and Density Functional Theory Quantum Mechanical/molecular Mechanics Simulations. *J. Chem. Phys.*, 115, 10808–10813.

- Schwenk, C.F., Rode, B.M., 2004. Ab Initio QM/MM MD Simulations of the Hydrated Ca²⁺ Ion. *Pure Appl. Chem.*, 76, 37–47.
- Sidhisoradej, W., Hannongbua, S., Ruffolo, D., 1998. Three-Body Effects in Calcium(n)-Ammonia Solutions: Molecular Dynamics Simulations. *Z. Naturforsch.*, 53a, 208–216.
- Srinivas, G., Lovell, a, Skipper, N.T., Bennington, S.M., Kurban, Z., Smith, R.I., 2010. Ammonia Absorption in Calcium Graphite Intercalation Compound: In Situ Neutron Diffraction, Raman Spectroscopy and Magnetization. *Phys. Chem. Chem. Phys.*, 12, 6253–6259.
- T. Hofer, B. Randolph, B.R., 2005. Structure-Breaking Effects of Solvated Rb(I) in Dilute Aqueous Solution—An Ab Initio Q/MM MD Approach. *J Comput Chem*, 26, 949–956.
- T. R, White, S.P. Hsu, M.J. Mobley, W.S.G., 1983. Magnetic Properties of Metal-Ammonia Compounds. *Am. Chem. Soc.*, 88, 3890–3895.
- Tongraar, A., Liedl, K.R., Rode, B.M., 1997. Solvation of Ca²⁺ in Water Studied by Born - Oppenheimer Ab Initio QM / MM Dynamics. *J. Phys. Chem. A*, 101, 6299–6309.
- Tongraar, A., Sagarik, K., Michael Rode, B., 2002. Preferential Solvation of Ca²⁺ in Aqueous Ammonia Solution: Classical and Combined Ab Initio Quantum Mechanical/molecular Mechanical Molecular Dynamics Simulations. *Phys. Chem. Chem. Phys.*, 4, 628–634.
- Tongraar, A. Hannongbua, S, Rode, B., 1997. MOlecular Dynamic Simulation of a Potassium Ion and an Iodide Ion in Liquid Ammonia. *Chem. Phys.*, 219, 279–290.
- Vchirawongkwin, V., Kritayakornupong, C., Tongraar, A., Rode, B.M., 2012. Characterization of Structure and Dynamics of an Aqueous Scandium(iii) Ion by an Extended Ab Initio QM/MM Molecular Dynamics Simulation. *Dalt. Trans.*, 41, 11889.
- Wasse, J.C., Howard, C.A., Thompson, H., Skipper, N.T., 2004. The Structure of Calcium-- Ammonia Solutions by Neutron Diffraction. *J. Chem. Phys.*, 121, 996–1004.
- Weigend, F., Ahlrichs, R., 2005. Balanced Basis Sets of Split Valence, Triple Zeta Valence and Quadruple Zeta Valence Quality for H to Rn: Design and Assessment of Accuracy. *Phys. Chem. Chem. Phys.*, 7, 3297–3305.