



DAFTAR PUSTAKA

- Adiyanti, M. G., & Yuniarti, K. W. (*in press*). *Memaknai Kondisi Residen Therapeutic Community*. Laporan Penelitian. Fakultas Psikologi Universitas Gadjah Mada.
- Adomeh, I. O. C. (2006). Fostering emotional adjustment among nigerian adolescents with rational emotive behaviour therapy. *Educational Research Quarterly*, 29(3), 21-29.
- Akinsola, E. F., & Nwajei, A. D. (2013). Test anxiety, depression and academic performance: Assessment and management using relaxation and cognitive restructuring techniques. *Scientific Research*, 4(6A1), 18-24. DOI:10.4236/psych.2013.46A1003.
- Barlow, D. H., & Hersen, M. (1987). *Single-case experimental designs: Strategies studying behavior change second edition*. New York: Pergamon Press.
- Bloch, D. (2009). *Healing from depression: 12 weeks to a better mood*. Florida: Nicolas-Hayes, Inc.
- Blume, A. W. (2005). *Treating drug problems*. New Jersey: John Wiley & Sons, Inc.
- BNN & Puslitkes UI. (2015). *Laporan akhir survei nasional perkembangan penyalahgunaan narkoba tahun anggaran 2014*. Depok: Puslitkes UI.
- Boyacioglu, N., & Kucuk, L. (2011). Irrational beliefs and test anxiety in Turkish school adolescents. *The Journal of School Nursing*, 27(6), 447-454. DOI: 10.1177/1059840511417631.
- Caroll, S., Hides, L., Catania, L., Mathias, S., Greenwood-Smith, C., & Lubman, D. (2009). Integrated cognitive behaviour therapy for co-occurring substance misuse and major depression: Lessons from a youth mental health service. *Australian Pyschiatry*, 17(5), 365-370. DOI: 10.1080/10398560902912544.
- Castellanos-Ryan, N., & Conrod, P. (2012). Personality and Substance Misuse: Evidence for a Four-Factor Model of Vulnerability. Dalam Verster, J. C., Brady, K., Galanter, M., & Conrod, P (Eds), *Drug abuse and addiction in medical illness: Causes, consequences and treatment* (h. 47-62). New York: Springer.
- Cowan, D., & Brunero, S. (1997). Group therapy for anxiety disorder using rational emotive behavior therapy. *Australian and New Zealand Journal of Mental Nursing Health*, 6, 164-168.
- Craciun, B. (2013). The efficiency of applying a cognitive behavioral therapy program in diminishing perfectionism, irrational beliefs and teenagers' stress. *Procedia – Social and Behavioral Sciences*, 84, 274-278.



- Dayat. (2015, 28 Januari). Kepala BNN: “2015 Indonesia Darurat Narkotika”. *Lintas Indonesia*. Retrieved from <http://www.lintasindonesia.com/berita-375-kepala-bnn--2015-indonesia-darurat-narkotika-.html>.
- De Leon, G. (2000). *The therapeutic community: Theory, module, and method*. New York: Springer Publishing Company, Inc.
- Denoff, M. S., (1987). Irrational beliefs as predictors of adolescent drug abuse and running away. *Journal of Clinical Psychology*, 43(3), 412-423.
- Ejei, J., Rezaei, M. R., & Lavasani, M. G. (2011). The effectiveness of coping strategies training with irrational beliefs (cognitive approach) on test anxiety of students. *Procedia – Social and Behavioral Sciences*, 30, 2165-2168.
- Ellis, A. (2011). Rational emotive behavior therapy. Dalam Corsini, R. J., & Wedding, D (Eds), *Current psychotherapies ninth edition* (h. 196 – 234). California: Brooks/Cole.
- Ellis, A., & Dryden, W. (1997). *The practice of rational emotive behavior therapy second edition*. New York: Springer Publishing Company, Inc.
- Espejo, E. P., Hammen, C., & Brennan, P. A. (2012). Elevated appraisals of the negative impact of naturally occurring life events: A risk factors for depressive and anxiety disorders. *Journal of Abnormal Child Psychology*, 40, 303-315. DOI: 10.1007/s10802-011-9552-0.
- Ferreira, A. C. Z., Capistrano, F. C., Souza, E. B., Borba, L. O., Kalinke, L. P., Maftum, M. A. (2015). Drug addicts treatment motivations: Perception of family members. *Revista Brasileira de Enfermagem*, 68(3), 415-422. DOI: <http://dx.doi.org/10.1590/0034-7167.2015680314i>.
- Ferri, M., Finlayson, A. J. R., Wang, L., & Martin, P. R. (2014). Predictive factors for relapse in patients on buprenorphine maintenance. *The American Journal on Addictions*, 23, 62-67, DOI: 10.1111/j.1521-0391.2013.12074.x.
- Gendlin, E. T. (1964). A theory of personality change. Dalam Worcher P., & Byrne, D (Eds). *Personality change*. New York: John Wiley & Sons.
- Ghasemian, D., D’Souza, L., & Ebrahimi, S. (2012). Effectiveness of rational emotive behaviour therapy on shyness: Influence of age. *Journal of Psychosocial Research*, 7(2), 313-320.
- Goethals, I., Vanderplasschen, W., Vandavelde, S., & Broekaert, E. (2012). Fixed and dynamic predictors of treatment process in therapeutic communities for substance abusers in Belgium. *Substance Abuse Treatment, Prevention, and Policy*, 7(43), 1-12.



- Harrington, N. (2006). Frustration intolerance beliefs: The relationship with depression, anxiety, and anger, in a clinical population. *Cognitive Therapy and Research*, 30, 699-709. DOI 10.1007/s10608-006-9061-6.
- Hermawan, A. (2014). Konseling rational emotive behavior therapy berbasis islam untuk meningkatkan self-efficacy peserta didik MTs Nurul Huda Demak. *Tesis*. Yogyakarta: Universitas Islam Negeri Sunan Kalijaga.
- Hiller, M. L., Knight, K., Saum, C. A., & Simpson, D. D. (2006). Social functioning, treatment dropout, and recidivism of probationers mandated to a modified therapeutic community. *Criminal Justice and Behavior*, 33(6), 738-759, DOI:10.1177/0093854806288242.
- Hiller, M. L., Knight, K., & Simpson, D. D. (1999). Risk factors that predict dropout from corrections-based treatment for drug abuse. *The Prison Journal*, 79(4), 411-430.
- Jorn, A. C. (2015). Elements of the biopsychosocial interview of the chronic pain patient: A new expanded model using rational emotive behavior therapy. *Journal of Rational-Emotive and Cognitive-Behavior Therapy*, 33, 284-307. DOI 10.1007/s10942-015-0217-8.
- Kaplan, R. F. (2005). The neuropsychology of alcoholism: Effects of premorbid and comorbid disorders. Dalam Kranzler, H. R., & Tinsley, J. A (Eds), *Dual diagnosis and psychiatric treatment: Substance abuse and comorbid disorders second edition* (h. 381-401). Taylor & Francis e-Library.
- Kazdin, A. E. (2011). *Single-case research designs: Methods for clinical and applied settings 2nd edition*. New York: Oxford University Press, Inc.
- Lazuardi, G. (2015, Januari). Gerakan Rehabilitasi 100.000 Penyalahguna Narkoba. *Tribunnews*. Retrieved from <http://www.tribunnews.com/nasional/2015/01/31/gerakan-rehabilitasi-100000-penyalahguna-narkoba>.
- Lejuez, C. W., Zvolensky, M. J., Daughters, S. B., Bornovalova, M. A., Paulson, A., Tull, M.T., ... Otto, M. W. (2008). Anxiety sensitivity: A unique of drop-out among inner-city heroin and crack/cocaine users in residential substance use treatment. *Behaviour Research and Therapy*, 46(7), 811-818. DOI: 10.1016/j.brat.2008.03.010.
- Madsen, T. F., Tolstrup, J., Sorensen, H. J., & Mortensen, E. L. (2012). Social and psychological predictors of onset of anxiety disorders: Results from a large prospective cohort study. *Social Psychiatry and Psychiatric Epidemiology*, 47, 711-721. DOI 10.1007/s00127-011-0373-9.
- Mahfar, M., Aslan, A. S., Noah, S. M., Ahmad, J., & Jaafar, W. M. W. (2014). Effects of rational emotive education module on irrational beliefs and stress



- among fully residential school students in Malaysia. *Procedia – Social and Behavioral Sciences*, 114, 239-243.
- Mas-Baga, M. (2000). REBT in a therapeutic community: REBTC. *Journal of Rational-Emotive & Cognitive-Behavioural Therapy*. 18(3), 153-164.
- Metrikin, A. S., Galanter, M., Dermatis, H., & Bunt, G. (2003). Somatization, anxiety and depression in a drug-free residential therapeutic community. *The American Journal on Addictions*, 12, 60-70, DOI: 10.1080/10550490390143367.
- Morgan, D. L., & Morgan, R. K. (2009). *Single-case research methods for the behavioral and health sciences*. California: SAGE Publications, Inc.
- Myers, A., & Hansen, C. (2001). *Experimental psychology fifth edition*. California: Wadsworth Publishing.
- National Institute on Drug Abuse (2012). *Principles of drug addiction treatment: A research-based guide 3rd edition*. US: NIH Publication. Retrieved from https://d14rmgtrwzf5a.cloudfront.net/sites/default/files/podat_1.pdf.
- Neenan, M. (2011). Terapi perilaku emotif rasional. Dalam Palmer, S (Ed), *Konseling dan psikoterapi* (h. 499 – 524). Yogyakarta: Pustaka Pelajar.
- Nock, M. K., Michel, B. D., & Photos, V. I. (2008). Single-case research designs. Dalam McKay, D (Ed), *Handbook of research methods in abnormal and clinical psychology* (h. 337 – 350). UK: SAGE Publications, Inc.
- Osman, A. Z. (2008). Keefektifan cognitive behavior therapy (CBT) untuk menurunkan tingkat kecemasan dan meningkatkan kualitas hidup narapidana penyalahguna napza di rumah tahanan kelas I Surakarta. *Tesis*. Surakarta: Universitas Negeri Sebelas Maret.
- Paik, L. (2006). Are you truly a recovering dope fiend? Local interpretive practices at a therapeutic community drug treatment program. *Symbolic Interaction*, 29(2), 213-234.
- Santosa, A., Purwono, U., Kumalasari, A. D. (2015). Efektivitas rational-emotive behavior therapy untuk menurunkan derajat simptom depresi pada pasien jantung. *Tesis*. Bandung: Universitas Padjajaran.
- Siburian, E., Karyono., Kaloeti, D. V. S. (2010). Pengaruh rational emotive behavior therapy (REBT) dalam menurunkan kecemasan menghadapi masa depan pada penyalahguna napza di panti rehabilitasi. *Jurnal Psikologi Undip*, 7(1), 40-49.
- Srivastava, S., John, O. P., Gosling, S. D., & Potter, J. (2003). Development of personality in early and middle adulthood: Set like plaster or persistent change? *Journal of Personality and Social Psychology*, 84(5), 1041-1053.



- Sugiyanto. (2009). Manipulasi: Karakteristik eksperimen. *Buletin Psikologi*, 17(2), 98-108.
- Supermana, R. (2015, Februari). Presiden Jokowi: Indonesia Darurat Narkoba. *Radio Republik Indonesia*. Retrieved from http://www.rri.co.id/post/berita/137516/nasional/presiden_jokowi_indonesia_darurat_narkoba.html.
- Suryani, B. I. (2013). Efektifitas konseling perorangan REBT untuk mengatasi motivasi belajar rendah pada anak berbakat berprestasi kurang (underachiever) di SMA Semesta Gunungpati Semarang. *Skripsi*. Semarang: Universitas Negeri Semarang.
- Sutin, A. R., Evans, M. K., & Zonderman, A. B. (2013). Personality traits and illicit substances: The moderating role of poverty. *Drug and Alcohol Dependence*, 131, 247-251.
- Syafitri, R. (2013). Koping stres pada pecandu narkoba (narkotika dan obat-obatan terlarang) yang menjalani rehabilitasi di wisma sirih rumah sakit khusus Kalimantan Barat. *Artikel Penelitian*. Pontianak: Universitas Tanjungpura.
- Terjesen, M. D., DiGuiseppe, R., & Gruner, P. (2000). A review of REBT research in alcohol abuse treatment. *Journal of Rational-Emotive & Cognitive-Behavioural Therapy*, 18(3), 165-179.
- Tull, M. T., Schulzinger, D., Schmidt, N. B., Zvolensky, M. J., & Lejuez, C. W. (2007). Development and initial examination of a brief intervention for heightened anxiety sensitivity among heroin users. *Behavior Modification*, 31(2), 220-242. DOI: 10.1177/0145445506297020.
- Turiano, N. A., Whiteman, S. D., Hampson, S. E., Roberts, B. W., & Mroczek, D. K. (2012). Personality and substance use in midlife: Conscientiousness as a moderator and the effects of trait change. *Journal of Research in Personality*, 46, 295-305.
- Ziegler, D. J. (1999). The construct of personality in rational emotive behavior therapy (REBT) theory. *Journal of Rational-Emotive and Cognitive-Behavior Therapy*. 17(1), 19-32.
- Zinbarg, R., Uliaszek, A. A., & Adler, J. M. (2008). The role of personality in psychotherapy for anxiety and depression. *Journal of Personality*, 76(6), 1649-1688. DOI: 10.1111/j.1467-6494.2008.00534.x.