



DAFTAR PUSTAKA

- Aaby, K., Mazur, S., Nes, A., dan Skrede, G., 2012. Phenolic compounds in strawberry (*Fragaria x ananassa* Duch.) fruits: Composition in 27 cultivars and changes during ripening. *Food Chemistry*, **132**: 86–97.
- Adeyeye, M.C., Jain, A.C., Ghorab, M.K., dan Reilly, W.J., 2002. Viscoelastic evaluation of topical creams containing microcrystalline cellulose/sodium carboxymethyl cellulose as stabilizer. *AAPS PharmSciTech*, **3**: 16–25.
- Ainurofiq, A., Marchaban. 2006. Pengaruh tipe emulsi sederhana dan emulsi ganda terhadap pola pelepasan Natrium Salisilat secara In Vitro. *Thesis*. Universitas Gadjah Mada.
- Ali, M.D., Alam, M.I., Shamim, M., Imam, F., Anwer, T., Siddiqui, M.R., dkk., 2012. Design and Characterization of Nanostructure Topical Gel of Betamethasone Dipropionate for Psoriasis. *japsonline.com*
- Amaro, L.F., Soares, M.T., Pinho, C., Almeida, I.F., Pinho, O., dan Ferreira, I.M.P.L.V.O., 2013. Processing and storage effects on anthocyanin composition and antioxidant activity of jams produced with Camarosa strawberry. *International Journal of Food Science & Technology*, n/a–n/a.
- Ansel, H., Allen, L.V., dan Popovich, N., 2005. *Pharmaceutical Dosage Forms and Drug Delivery System*. Lippincott Williams dan Wilkins, Philadelphia.
- Arellano, A., Santoyo, S., Martín, C., dan Ygartua, P., 1999. Influence of propylene glycol and isopropyl myristate on the in vitro percutaneous penetration of diclofenac sodium from carbopol gels. *European Journal of Pharmaceutical Sciences*, **7**: 129–135.
- Berkó, S., Regdon Jr, G., dan Erös, I., 2002. Solutol and Cremophor products as new additives in suppository formulation. *Drug development and industrial pharmacy*, **28**: 203–206.
- Bolton, S. dan Bon, C., 2003. *Pharmaceutical Statistics: Practical and Clinical Applications, Revised and Expanded*, 4 edition. ed. CRC Press, New York.
- Budiman, S., 2007. *Berkebun Stroberi Secara Komersil*. Niaga Swadaya.
- Bursać Kovačević, D., Levaj, B., dan Dagović-Uzelac, V., 2009a. Free radical scavenging activity and phenolic content in strawberry fruit and jam. *Agriculturae Conspectus Scientificus (ACS)*, **74**: 155–159.
- Chen, H., Chang, X., Du, D., Li, J., Xu, H., dan Yang, X., 2006. Microemulsion-based hydrogel formulation of ibuprofen for topical delivery. *International Journal of Pharmaceutics*, **315**: 52–58.
- da Silva, F.L., Escribano-Bailón, M.T., Pérez Alonso, J.J., Rivas-Gonzalo, J.C., dan Santos-Buelga, C., 2007b. Anthocyanin pigments in strawberry. *LWT - Food Science and Technology*, **40**: 374–382.
- Departemen Kesehatan, R., 2009. *Materia Medika Indonesia*, I. Departemen Kesehatan, Republik Indonesia : Jakarta.
- Elder, D.J. dan Kelly, D.J., 1994. The bacterial degradation of benzoic acid and benzenoid compounds under anaerobic conditions: unifying trends and new perspectives. *FEMS microbiology reviews*, **13**: 441–468.



- Fatouros, D.G., Karpf, D.M., Nielsen, F.S., dan Mullertz, A., 2007. Clinical studies with oral lipid based formulations of poorly soluble compounds. *Therapeutics and clinical risk management*, **3**: 591.
- Franke, A.A., Custer, L.J., Arakaki, C., dan Murphy, S.P., 2004. Vitamin C and flavonoid levels of fruits and vegetables consumed in Hawaii. *Journal of Food Composition and Analysis*, **17**: 1–35.
- Gallo, R., Marro, I., dan Pavesi, A., 2005. Allergic contact dermatitis from shellac in mascara. *Contact dermatitis*, **53**: 238–238.
- Garg, A., Aggarwal, D., Garg, S., dan Singla, A.K., 2002. Spreading of semisolid formulations: An update. *Pharmaceutical technology*, **26**: 84–105.
- Gil, M.I., Holcroft, D.M., dan Kader, A.A., 1997. Changes in Strawberry Anthocyanins and Other Polyphenols in Response to Carbon Dioxide Treatments. *Journal of Agricultural and Food Chemistry*, **45**: 1662–1667.
- Gössinger, M., Moritz, S., Hermes, M., Wendelin, S., Scherbichler, H., Halbwirth, H., dkk., 2009. Effects of processing parameters on colour stability of strawberry nectar from puree. *Journal of Food Engineering*, **90**: 171–178.
- Häkkinen, S.H., Kärenlampi, S.O., Mykkänen, H.M., dan Törrönen, A.R., 2000. Influence of domestic processing and storage on flavonol contents in berries. *Journal of Agricultural and Food Chemistry*, **48**: 2960–2965.
- Harminta, 2004. *Petunjuk Pelaksanaan Validasi Metode Dan Cara Perhitungannya*. Majalah Ilmu Kefarmasian.
- Iwai, I., Han, H., Hollander, L. den, Svensson, S., Öfverstedt, L.-G., Anwar, J., dkk., 2012. The Human Skin Barrier Is Organized as Stacked Bilayers of Fully Extended Ceramides with Cholesterol Molecules Associated with the Ceramide Sphingoid Moiety. *Journal of Investigative Dermatology*, **132**: 2215–2225.
- Kalt, W., 2004. Effects of Production and Processing Factors on Major Fruit and Vegetable Antioxidants. *Journal of Food Science*, **70**: R11 – R19.
- Kameda, K., Takaku, T., Okuda, H., Kimura, Y., Okuda, T., Hatano, T., dkk., 1987. Inhibitory Effects of Various Flavonoids Isolated from Leaves of Persimmon on Angiotensin-Converting Enzyme Activity. *Journal of Natural Products*, **50**: 680–683.
- Khan, B.A., Akhtar, N., Khan, H.M.S., Waseem, K., Mahmood, T., Rasul, A., dkk., 2011. Basics of pharmaceutical emulsions: A review. *African Journal of Pharmacy and Pharmacology*, **5**: 2715–2725.
- Kogan, A. dan Garti, N., 2006. Microemulsions as transdermal drug delivery vehicles. *Advances in Colloid and Interface Science*, , Special Issue in Honor of Dr. K. L. Mittal **123–126**: 369–385.
- Korać, R., Krajišnik, D., Savić, S., Pantelić, I., Jovančić, P., Cekić, N., dkk., 2014. A new class of emulsion systems – Fast inverted o/w emulsions: Formulation approach, physical stability and colloidal structure. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **461**: 267–278.
- Kubo, H., Fujii, K., Kawabe, T., Matsumoto, S., Kishida, H., dan Hosoe, K., 2008. Food content of ubiquinol-10 and ubiquinone-10 in the Japanese diet. *Journal of Food Composition and Analysis*, **21**: 199–210.



- Kumpugdee-Vollrath, M., Subongkot, T., dan Ngawhirunpat, T., n.d. Model Membrane from Shed Snake Skins.
- Lachman, L., Lieberman, H., dan Kanig, J., 2007. *The Theory and Practice of Industrial Pharmacy*, I. Washington Square, Philadelphia, USA.
- Lee, J., Durst, R.W., dan Wrolstad, R.E., 2005. Determination of total monomeric anthocyanin pigment content of fruit juices, beverages, natural colorants, and wines by the pH differential method: collaborative study. *Journal of AOAC international*, **88**: 1269–1278.
- Lessmann, H., Schnuch, A., Geier, J., dan Uter, W., 2005. Skin-sensitizing and irritant properties of propylene glycol. *Contact dermatitis*, **53**: 247–259.
- Menon, G.K., Cleary, G.W., dan Lane, M.E., 2012. The structure and function of the stratum corneum. *International Journal of Pharmaceutics*, , Advances in Topical Drug Delivery **435**: 3–9.
- Miller, J.. dan Miller, J., 2005. *Statistics and Chemometrics for Analytical Chemistry*, 5th ed. Pearson Education Limited, Essex.
- Musa, K.H., Abdullah, A., Kuswandi, B., dan Hidayat, M.A., 2013. A novel high throughput method based on the DPPH dry reagent array for determination of antioxidant activity. *Food Chemistry*, **141**: 4102–4106.
- Nair, M.P.N., Kandaswami, C., Mahajan, S., Chadha, K.C., Chawda, R., Nair, H., dkk., 2002. The flavonoid, quercetin, differentially regulates Th-1 (IFN γ) and Th-2 (IL4) cytokine gene expression by normal peripheral blood mononuclear cells. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, **1593**: 29–36.
- Naqvi, A.Z., Noori, S., dan Kabir-ud-Din, 2015. Tensiometric studies on the mixtures of nonionic Cremophor RH and cationic gemini surfactants. *Journal of Molecular Liquids*, **208**: 137–144.
- Ngawhirunpat, T., Panomsuk, S., Opanasopit, P., Rojanarata, T., dan Hatanaka, T., 2006. Comparison of the percutaneous absorption of hydrophilic and lipophilic compounds in shed snake skin and human skin. *Die Pharmazie*, **61**: 331–335.
- O'Neil, M., Heckelman, P., Dobbelaar, P., Roman, K., Kenny, C., dan Karaffa, L., 2013. *The Merck Index*, 15th ed. The Royal Society of Chemistry, Thomas Graham House Science Park, Milton Road, Cambridge CBA OWF, UK.
- Oppermann, A.K.L., Renssen, M., Schuch, A., Stieger, M., dan Scholten, E., 2015. Effect of gelation of inner dispersed phase on stability of (w1/o/w2) multiple emulsions. *Food Hydrocolloids*, **48**: 17–26.
- Palazolo, G.G., Sobral, P.A., dan Wagner, J.R., 2011. Freeze-thaw stability of oil-in-water emulsions prepared with native and thermally-denatured soybean isolates. *Food hydrocolloids*, **25**: 398–409.
- Parveen, R., Baboota, S., Ali, J., Ahuja, A., Vasudev, S.S., dan Ahmad, S., 2011. Oil based nanocarrier for improved oral delivery of silymarin: In vitro and in vivo studies. *International Journal of Pharmaceutics*, **413**: 245–253.
- Patras, A., Brunton, N.P., Tiwari, B.K., dan Butler, F., 2009. Stability and Degradation Kinetics of Bioactive Compounds and Colour in Strawberry Jam during Storage. *Food and Bioprocess Technology*, **4**: 1245–1252.



- Pawlakowska-Pawłega, B., Ignacy Gruszecki, W., Misiak, L., Paduch, R., Piersiak, T., Zarzyka, B., dkk., 2007. Modification of membranes by quercetin, a naturally occurring flavonoid, via its incorporation in the polar head group. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, **1768**: 2195–2204.
- Perez-Moral, N., Watt, S., dan Wilde, P., 2014a. Comparative study of the stability of multiple emulsions containing a gelled or aqueous internal phase. *Food Hydrocolloids*, , Special Issue: A Festschrift in honour of Professor Eric Dickinson **42, Part 1**: 215–222.
- Pinho, O., Pinho, C., Amaro, L.F., Soares, M.T., Ferreira, I.M.P.L.V.O., dan Almeida, I.F., 2012. Influence of Cultivar and Storage Conditions in Anthocyanin Content and Radical-Scavenging Activity of Strawberry Jams.
- Poei-Langston, M.S. dan Wrolstad, R.E., 1981. Color Degradation in an Ascorbic Acid-Anthocyanin-Flavanol Model System. *Journal of Food Science*, **46**: 1218–1236.
- Pokorný, J., 2003. Natural antioxidants, dalam: Zeuthen, P. dan Bøgh-Sørensen, L. (Editor), *Food Preservation Techniques, Woodhead Publishing Series in Food Science, Technology and Nutrition*. Woodhead Publishing, hal. 31–48.
- Rowe, R.C., Sheskey, P.J., Cook, W.G., dan Quinn, M.E., 2013. *Handbook of Pharmaceutical Excipients–7th Edition*. Taylor & Francis.
- Rozman, B., Gasperlin, M., Tinois-Tessoneaud, E., Pirot, F., dan Falson, F., 2009. Simultaneous absorption of vitamins C and E from topical microemulsions using reconstructed human epidermis as a skin model. *European Journal of Pharmaceutics and Biopharmaceutics*, **72**: 69–75.
- Sapei, L. dan Hwa, L., 2014. Study on the Kinetics of Vitamin C Degradation in Fresh Strawberry Juices. *Procedia Chemistry*. International Conference and Workshop on Chemical Engineering UNPAR 2013 (ICCE UNPAR 2013) **9**: 62–68.
- Schmidts, T., Dobler, D., Schlupp, P., Nissing, C., Garn, H., dan Runkel, F., 2010. Development of multiple W/O/W emulsions as dermal carrier system for oligonucleotides: Effect of additives on emulsion stability. *International Journal of Pharmaceutics*, **398**: 107–113.
- Schmidt, U.S., Bernewitz, R., Guthausen, G., dan Schuchmann, H.P., 2014. Investigation and application of measurement techniques for the determination of the encapsulation efficiency of O/W/O multiple emulsions stabilized by hydrocolloid gelation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*.
- Sinko J, M., 2013. *Buku Martin Farmasi Fisika & Ilmu Farmasetika Edisi 5 - Mabastore: Toko Buku Kedokteran*, 5th ed.
- Stamatas, G.N., Zvulunov, A., Horowitz, P., dan Grove, G.L., 2012. Skin Barrier Protection. *Dermatology Research and Practice*, **2012**.
- Sun, J., Chu, Y.-F., Wu, X., dan Liu, R.H., 2002. Antioxidant and antiproliferative activities of common fruits. *Journal of Agricultural and Food Chemistry*, **50**: 7449–7454.



- Sutrisno, R., 1998. *Taksonomi Spermatophyta Untuk Farmasi*, Ed.1 ed. Fakultas Farmasi Universitas Pancasila, Jakarta.
- Thanasukarn, P., Pongsawatmanit, R., dan McClements, D.J., 2004. Influence of emulsifier type on freeze-thaw stability of hydrogenated palm oil-in-water emulsions. *Food Hydrocolloids*, **18**: 1033–1043.
- Tonutare, T., Moor, U., Szajdak, L., dan others, 2014. Strawberry anthocyanin determination by ph differential spectroscopic method—how to get true results? *Acta Scientiarum Polonorum. Hortorum Cultus*, **13**: .
- Tsai, Y.-H., Lee, K.-F., Huang, Y.-B., Huang, C.-T., dan Wu, P.-C., 2010. In vitro permeation and in vivo whitening effect of topical hesperetin microemulsion delivery system. *International Journal of Pharmaceutics*, **388**: 257–262.
- Vieira, R.P., Fernandes, A.R., Kaneko, T.M., Consiglieri, V.O., Pinto, C.A.S. de O., Pereira, C.S.C., dkk., 2009. Physical and physicochemical stability evaluation of cosmetic formulations containing soybean extract fermented by *Bifidobacterium animalis*. *Brazilian Journal of Pharmaceutical Sciences*, **45**: 515–525.
- Walker, A., 1992. Drinking water—doubts about quality. *BMJ*, **304**: 175–178.
- Wang, S.Y. dan Jiao, H., 2000. Scavenging capacity of berry crops on superoxide radicals, hydrogen peroxide, hydroxyl radicals, and singlet oxygen. *Journal of Agricultural and Food Chemistry*, **48**: 5677–5684.
- Wrolstad, R.E., Durst, R.W., dan Lee, J., 2005. Tracking color and pigment changes in anthocyanin products. *Trends in Food Science & Technology. Pigments in Food*3rd International Congress on Pigments in Food **16**: 423–428.
- Xiao, P. dan Imhof, R.E., 2012. Two dimensional finite element modelling for dynamic water diffusion through stratum corneum. *International Journal of Pharmaceutics*, **435**: 88–92.
- Zhang, H., Yao, M., Morrison, R.A., dan Chong, S., 2003. Commonly used surfactant, Tween 80, improves absorption of P-glycoprotein substrate, digoxin, in rats. *Archives of pharmacal research*, **26**: 768–772.
- Zhu, Q., Nakagawa, T., Kishikawa, A., Ohnuki, K., dan Shimizu, K., 2015. In vitro bioactivities and phytochemical profile of various parts of the strawberry (*Fragaria × ananassa* var. Amaou). *Journal of Functional Foods*, **13**: 38–49.