

DAFTAR PUSTAKA

- Andersson DC, Betzenhauser MJ, Reiken S, Meli AC, Umanskaya A, Xie W, Shiomi T, Zalk R, Lacampagne A, Marks AR. 2011. Ryanodine receptor oxidation causes intracellular calcium leak and muscle weakness in aging. *Cell Metab* 14(2):196–207
- Antioxidant enzyme activities and malondialdehyde levels related to aging. 2001. Mine Erden Inal, Gungor Kanbak, Emine Sunal. *Clinica Chimica Acta* 305 75–80
- Aslan R, M. Ramazan Şekeroğlu, Mehmet Tarakçıoğlu, Fahri Bayiroğlu, İsmail Meral. 1998. Effect of acute and regular exercise on antioxidant enzymes, tissue damage markers and membrane lipid peroxidation of erythrocytes in sedentary students. *Tr. J. of Medical Sciences* 28 411-414
- Aucello M, Dobrowolny G, Musaro A. 2009. Localized accumulation of oxidative stress causes muscle atrophy through activation of an autophagic pathway. *Autophagy*; 5:527–529.
- Aura AM. 2008. Microbial metabolism of dietary phenolic compounds in the colon. *Phytochem Rev.*;7:22.
- Bartali B, Salvini S, Turrini A. 2003. Age and disability affect dietary intake. *J Nutr.*;133:2868–2873.
- Bennie S, Bruner K, Dizon A, Fritz H, Goodman B, Peterson S. 2003. Measurements of balance: comparison of the Timed “Up and Go” test and Functional Reach test with the Berg Balance Scale. *J Phys Ther Sci.* 15:93-97.
- Benzie, I. F. & Strain, J. 1999. Ferric reducing/antioxidant power assay: direct measure of total antioxidant activity of biological fluids and modified version for simultaneous measurement of total antioxidant power and ascorbic acid concentration. *Methods Enzymol.* 299: 15–27
- Besral, L., Meilianingsih & J. Sahar. 2007. Pengaruh minum teh terhadap Kejadian Anemia pada Usia di Kota Bandung. *Makara Kesehatan* Vol 11 no 1: 38-43
- Bischoff HA, Stähelin HB, Monsch AU. 2003. Identifying a cut-off point for normal mobility: a comparison of the timed ‘up and go’ test in community-dwelling and institutionalized elderly women. *Age Ageing.*32:315-320.

- Bjørnsen, T. 2013. *The effect of supplementation with vitamin C and E on muscle growth and maximal strength during 12 weeks of resistance exercise in elderly men*. University of Agder, Faculty of Sport and Health Science Institute of Public Health, Sport and Nutrition
- Block, G., Marion Dietrich¹, Edward P. Norkus², Jason D. Morrow³, Mark Hudes⁴, Bette Caan⁵, and Lester Packer⁶. 2002. Factors Associated with Oxidative Stress in Human Populations. *American Journal of Epidemiology*. Vol. 156, No. 3
- Boldyrev AA. 2005. Protection of proteins from oxidative stress. A new illusion or a novel strategy? *Ann NY Acad Sci*; 1057:193-205.
- Bohannon, R. 2006. Reference Values for the Timed Up and Go Test: A Descriptive Meta-Analysis. *J Geriatr Phys Ther* 29: 2:06
- Boirie Y 2009. Physiopathological mechanism of sarcopenia. *J Nutr Health Aging* 13:717–723.
- Bua, E.; Johnson, J.; Herbst, A.; Delong, B.; McKenzie, D.; Salamat, S.; Aiken, J.M. 2006. Mitochondrial DNA–deletion mutations accumulate intracellularly to detrimental levels in aged human skeletal muscle fibers. *Am. J. Hum. Genet.*, 79 469-480.
- Buchner DM, Cress ME, DeLateur BJ, Esselman PC, Margherita AJ, Price R, Wagner EH. 1997. The effect of strength and endurance on gait, balance, fall risk, and health services use in community-living older adults. *J Gerontol A Biol Sci Med Sci* 52A:M218–M224
- Budziareck MB, Pureza Duarte RR, Barbosa-Silva MC. 2008. Reference values and determinants for handgrip strength in healthy subjects. *Clin Nutr*;27: 357e62.
- Cao, G., Verdon, C. P., Wu, A. H., Wang, H. & Prior, R. L. 1995. Automated assay of oxygen radical absorbance capacity with the COBAS FARA II. *Clin. Chem.* 41: 1738–1744.
- Cesari M, Pahor M, Bartali B. 2004. Antioxidants and physical performance in elderly persons: the Invecchiare in Chianti (InCHIANTI) study. *Am J Clin Nutr.*;79:289–294.
- Cesari M, Fielding RA, Pahor M, Goodpaster B, Hellerstein M, Abellan van Kan G. 2012. Biomarkers of sarcopenia in clinical trials. Recommendations from the International Working Group on sarcopenia. *J Frailty Aging*. 1:102–10.

- Chandler JM, Hadley EC 1996. Exercise to improve physiologic and functional performance in old age. *Clin Geriatr Med* 12:761–784
- Chen N, Bezzina R, Hinch E, Lewandowski PA, Cameron-Smith D, Mathai ML, Jois M, Sinclair AJ, Begg DP, Wark JD. 2009. Green tea, black tea, and epigallocatechin modify body composition, improve glucose tolerance, and differentially alter metabolic gene expression in rats fed a high-fat diet. *Nutr Res.*;29:784–93.
- Chilima DM, Ismail SJ. 2001. Nutrition and handgrip strength of older adults in rural Malawi. *Public Health Nutr*;4:11e7
- Chow HH, [Cai Y](#), [Hakim IA](#), [Crowell JA](#), [Shahi F](#), [Brooks CA](#), [Dorr RT](#), [Hara Y](#), [Alberts DS](#) 2003. [Pharmacokinetics and safety of green tea polyphenols after multiple-dose administration of epigallocatechin gallate and polyphenon E in healthy individuals](#) . *Clin Cancer Res*. 15;9(9):3312-9.
- Chow, Hakim, Donna R. Vining, James A. Crowell, James Ranger-Moore, Wade M. Chew, Catherine A. Celaya, Steven R. Rodney, Yukihiko Hara, and David S. Alberts. 2005. [Effects of Dosing Condition on the Oral Bioavailability of Green Tea Catechins after Single-Dose Administration of Polyphenon E in Healthy Individuals](#). *Clin Cancer Res* 1(12) June 15
- Chow HH, Hakim IA. 2011. Pharmacokinetic and chemoprevention studies on tea in humans. *Pharmacol Res.*;64:105–12
- Coimbra S, Castro E, Rocha-Pereira P, Rebelo I, Rocha S, SantosSilva A: 2006. The effect of green tea in oxidative stress. *Clin Nutr* 25:790–796
- Crespy V, Williamson G. 2004. A review of the health effects of green tea catechins in in vivo animal models. *J Nutr* ;134(12Suppl.):3431S–40S
- Cruz-Jentoft AJ, Baeyens JP, Bauer JM. , 2010. Sarcopenia: European consensus on definition and diagnosis: report of the European Working Group on Sarcopenia in older people. *Age Ageing*, 39: 412–423 [PMC free article] [PubMed]
- De La Fuente M. 2002. Effects of antioxidants on immune system ageing. *Eur J Clin Nutr*;56:S5–8.
- Diplock, A. T., Charleux, J. L., Crozier-Willi, G., Kok, F. J., Rice-Evans, C., Roberfroid, M., Stahl, W. & Vina-Ribes, J. 1998. Functional food science and defence against reactive oxidative species. *Br. J. Nutr.* 80(Suppl. 1): S77–S112.

- Dobrowolny G, Aucello M, Rizzuto E. 2008. Skeletal muscle is a primary target of SOD1G93A-mediated toxicity. *Cell Metab*; 8:425–436.
- Doherty TJ. 2003. Physiology of Aging. Invited Review: Aging and Sarcopenia. *J Appl Physiol* 2:95(1717-27)
- Dulloo AG, Duret C, Rohrer D, Girardier I, Mensi N, Fathi M, Chantre P, Vandermander J. 1999. Efficacy of a green tea extract rich in catechin polyphenols and caffeine in increasing 24-h energy expenditure and fat oxidation in humans. *Am J Clin Nutr.*;70:1040–5
- Edington J, Barnes R, Bryan F, Dupree E, Frost G, Hickson M.2004. A prospective randomised controlled trial of nutritional supplementation in malnourished elderly in the community: clinical and health economic outcomes. *Clin Nutr*23:195e204
- Erba D, Riso P, Colombo A, Testolin G. 1999 Supplementation of Jurkat T cells with green tea extract decreases oxidative damage due to iron treatment. *J Nutr*;129:2130 – 4.
- Fano, P. Mecocci, J. Vecchiet. 2001. “Age and sex influence` on oxidative damage and functional status in human skeletal muscle,” *Journal of Muscle Research and Cell Motility*, vol. 22, no. 4, pp. 345–351
- Figueiredo, P.A.; Mota, M.P.; Appell, H.J.; Duarte, J.A. 2008. The role of mitochondria in aging of skeletal muscle. *Biogerontology*, 9, 67-84.
- Freese R, Basu S, Hietanen E, Nair J, Nakachi K, Bartsch H, Mutanen M: 1999. Green tea extract decreases plasma malondialdehyde concentration but does not affect other indicators of oxidative stres, nitric oxide production, or hemostatic factors during a highlinoleic acid diet in healthy females. *Eur J Nutr* 38:149–157..
- Freter SH, Fruchter N. Relationship between timed ‘up and go’ and gait time in an elderly orthopaedic rehabilitation population. *Clin Rehabil.* 2000;14:96-101.
- Fried LP. 2000. Epidemiology of aging. *Epidemiol Rev.*;22:95–106.
- Gertz, M.A.; Comenzo, R.; Falk, R.H.; Femand, J.P.; Hazenberg, B.P.; Hawkins, P.N.; Merlini, G.; Moreau, P.; Ronco, P.; Sanchorawala, V. 2004. Definition of organ involvement and treatment response in immunoglobulin light chain amyloidosis (AL): A consensus opinion from the 10th International Symposium on Amyloid and Amyloidosis. *Am. J. Hematol.*, 79, 319–328.

- Ghiselli, A., Serafini, M., Maiani, G., Azzini, E. & Ferro-Luzzi, A. 1995. A fluorescence-based method for measuring total plasma antioxidant capability. *Free Radic. Biol. Med.* 18: 29–36.
- Goldstein DS, Eisenhofer G, Kopin IJ. 2003. Sources and significance of plasma levels of catechols and their metabolites in humans. *J Pharmacol Exp Ther.*;305:800–11.
- Griendling KK, Alexander RW. 1997. Oxidative stress and cardiovascular disease. *Circulation*; 96:3264–65.
- Greenblat, David. 2015. Reduced Serum Albumin Concentration in the Elderly: A Report from the Boston Collaborative Drug Surveillance. Program. *Journal of the American Geriatrics Society* 27:1 20-22
- Gregersen NT, Bitz C, Krog-Mikkelsen I. 2009. Effect of moderate intakes of different tea catechins and caffeine on acute measures of energy metabolism under sedentary conditions. *Br J Nutr.*;102:1187–94
- Gunawijaya, FA 1996. Penentuan LD-50 ekstrak teh hijau pada mencit strain C3H. *Maj. Ilm, Kedokteran USAKTI.* Vol. 15 No 4: 1645-50
- Halliwell, B. 1996. Oxidative stress, nutrition and health. Experimental strategies for optimization of nutritional antioxidant intake in humans. *Free Radic. Res.* 25: 57–74.
- Hauer K, Rost B, Rüttschle K, Opitz H, Specht N, Bärtsch P, Oster P, Schlierf G 2001. Exercise training for rehabilitation and secondary prevention of falls in geriatric patients with a history of injurious falls. *J Am Geriatr Soc* 49:10–20
- Hauer K., Hildebrandt W., Sehl Y., Edler L., Oster P., Oster V. 2003. Improvement in muscular performance and decrease in tumor necrosis factor level in old age after antioxidant treatment. *J Mol Med* 81:118–125
- He, Y. H. and Kies, C. 1994. Green and black tea consumption by humans: impact on polyphenol concentrations in feces, blood and urine. *Plant Foods Hum. Nutr.* 46: 221-229
- Hendromartono S. 2000. Peran Radikal Bebas terhadap Komplikasi Vaskuler. *Majalah Penyakit Dalam Udayana* 1:89-92
- Hof, K. H., de Boer, H. S., Wiseman, S. A., Lien, N., Westrate, J. A. & Tijburg, L. B. 1997. Consumption of green or black tea does not increase resistance of low-density lipoprotein to oxidation in humans. *Am. J. Clin.Nutr.* 66:1125–1132

- Hollman PCH, Feskens EJM, Katan MB. 1999. Tea flavonols in cardiovascular disease and cancer epidemiology. *Proc Soc Exp Biol Med*; 220(4):198–202.
- Holst B, Williamson G. 2008. Nutrients and phytochemicals: from bioavailability to bioefficacy beyond antioxidants. *Curr Opin Biotechnol.*; 19:73–82.
- Howard, C.;Ferrucci, L.; Sun, K.;Fried, L.P.;Walston, J.; Varadhan, R.;Guralnik, J.M.; Semba, R.D.. 2007. Oxidative protein damage is associated with poor grip strength among older women living in the community. *J. Appl. Physiol.*, 103, 17-20.
- Hughes C, Osman C, Woods AK.1998. Relationship among performance on stair ambulation, Functional Reach, and Timed Up and Go tests in older adults. *Issues on Aging.*;21:18-22.
- Hurrell, RF., Reddy M., Cook JD. 1999. Inhibition of nonhaem iron absorption in man by polyphenolic containing beverages. *British Journal of Nutrition.* (81):289-95
- Hurley BF.: 1995. Age, gender, and muscular strength. *J Gerontol A Biol Sci Med Sci.* , 50: 41–44 [PubMed]
- Ishii, T.; Ichikawa, T.; Minoda, K.; Kusaka, K.; Ito, S.; Suzuki, Y.; Akagawa, M.; Mochizuki, K.; Goda, T.; Nakayama, T. 2011. Human serum albumin as an antioxidant in the oxidation of (-)-epigallocatechin gallate: Participation of reversible covalent binding for interaction and stabilization. *Biosci. Biotechnol. Biochem.* 75, 100–106.
- Jawalekar,S, Anil K. Bhutey, Aarti Karnik, Vasant T. 2013. Surve Alteration of antioxidant enzymes and oxidative stress in elderly patient. *J Invest Biochem*;2(1):37-43
- Ji. 2003.“Antioxidant enzyme response to exercise and aging,” *Medicine and Science in Sports and Exercise*, vol. 25, no. 2, pp. 225–231
- Kamarul, T., Ahmad T.S., Loh.W.Y.C. 2006. Hand Grip Strenght in The Adult Malaysian Population. *Journal of Orthopaedic Surgery*; 14(2):172-177
- Kim HJ, Jeon SM, Lee MK, Jung UJ, Shin SK, Choi MS. 2009. Antilipogenic effect of green tea extract in C57BL/6J-Lep ob/ob mice. *Phytother Res.*;23:467–71
- Konig, D., Berg, A. 2002. Exercise and Oxidative Stres: is there a need for additional antioxidant. *Osterreichisches J Fur Sportmedizin* 3: 6-15.

- Koopman, R.;van Loon, L.J.Aging,exercise and muscle protein metabolism. 2009. *J. Appl. Physiol.*, 106, 2040-2048.
- Kregel, K.C.; Zhang, H.J. 2007. An integrated view of oxidative stres in aging: Basic mechanisms,functional effects, and pathological considerations. *Am. J. Physiol. Regul. Integr. Comp. Physiol.*, 292, R18-R36.
- Kroon PA, Clifford MN, Crozier A, Hels O, Kovacs EM, Rycroft JA, Frandsen E, Mela DJ, Astrup A. . 2004. How should we assess the effects of exposure to dietary polyphenols in vitro? *Am J Clin Nutr* ;80:15–21
- Lakenbrink, C., Lapczynski, S., Maiwald, B. & Engelhardt, U. H. 2000. Flavonoids and other polyphenols in consumer brews of tea and other caffeinated beverages. *J. Agric. Food Chem.* 48: 2848–2852
- Langseth L. 1994. *Oxidants and Antioxidants: Some Basic Concepts*. Dalam: Bracco U, Jardine NJ (Eds). *Oxidants, Antioxidants, and Disease Prevention*. Belgium: International Life Science Institute;. h. 1-4.
- Lauretani F, Russo CR, Bandinelli S. 2003. Age associated Changes in Skeletal Muscles and Their Effect on Mobility: An Operational Diagnosis of Sarcopenia. *J Appl Physiol*; 95:1851-60
- Lee W, Min WK, Chun S. 2005. Long-term effects of green tea ingestion on atherosclerotic biological markers in smokers. *Clin Biochem*;38(1):84–7.
- Lemeshow, Stanley, David W.Hosmer Jr., Janelle Klar, dan Stephen K. Lwangan. 1997. *Besar Sampel dalam Penelitian Kesehatan*. Yogyakarta: Gadjah Mada University Press
- Lin M-R, Hwang H-F, Hu M-H, Wu H-D I, Wang Y-W, Huang F-C.2004. Psychometric comparisons of the timed up and go, one-leg stand, functional reach, and Tinetti balance measures in community-dwelling older people. *J Am Geriatr Soc.*;52:1343-1348.
- Lorenz, M.; Jochmann, N.; von Krosigk, A.; Martus, P.; Baumann, G.; Stangl, K.; Stangl, V. . 2007. Addition of milk prevents vascular protective effects of tea. *Eur. Heart J.* 28, 219–223
- Marzani B, Pansarasa O, Marzatico F .2004. “Oxidative stres” and muscleging: influence of age, sex, fiber composition and function. *Basic Appl Myol* 14:37–44

- Marzetti, E.; Wohlgemutz, S.E.; Lees, H.A.; Chung, H.; Giovannini, S.; Leeuwenburgh, C. 2008. Age related activation of mitochondrial caspase-independent apoptotic signaling in rat gastrocnemius muscle. *Mech. Ageing Dev.* 129, 542-549.
- Mathias S, Nayak USL, Isaacs B. 1986. Balance in the elderly patient: The “Get-up and Go” test. *Arch Phys Med Rehabil.*;67:387
- Matsuo, 1993. *Age-related alteration in antioxidant defense*, in Free Radical in Aging, B. P. Yu, Ed., pp. 143–181, CRC Press, Boca Raton, Fla, USA
- Mendoza-Nunez VM, Sanchez-Rodriguez MA, Retana-Ugalde R, Vargas-Guadarrama LA, Altamirano-Lozano MA. 2001. Total antioxidant levels, gender, and age as risk factors for DNA damage in lymphocytes of the elderly. *Mech Age Dev*;122:835–47
- Miller, N. J., Rice-Evans, C., Davies, M. J., Gopinathan, V. & Milner, A. 1993. A novel method for measuring antioxidant capacity and its application to monitoring the antioxidant status in premature neonates. *Clin. Sci. (Colch.)* 84: 407–412.
- Moylan, J.S.; Reid, M.B. 2007. Oxidative stress, chronic disease, and muscle wasting. *Muscle Nerve.*, 35, 411-429.
- Negishi H, Xu JW, Ikeda K, Njelekela M, Nara Y, Yamori Y: 2004. Black and green tea polyphenols attenuate blood pressure increases in stroke-prone spontaneously hypertensive rats. *J Nutr* 134:38-42.
- Nielsen, Bo Borg Mikkelsen, Jesper Bo Nielsen, Helle Raun Andersen, and Philippe Grandjean. 1997. Plasma malondialdehyde as biomarker for oxidative stress: reference interval and effects of life-style factors. *Clinical Chemistry* 43:7 1209 1214
- Nicholson, S.K., Tucker, G.A., & Brameld, J.M. 2008. Effects of dietary polyphenols on gene expression in human vascular endothelial cells. *The Proceedings of the Nutrition Society, PubMed* 67,42–47.
- Nielsen, flemming, bo borg mikkelsen, jesper Bo Nielsen, Helle Raun Andersen, Phillippe Grandjean 1997 “Plasma Malondialdehyde as Biomarker For Oxidative Stress: Reference Interval and Effects of Life Style Factors”. *Clinical Chemistry* 43:7; 1209-1214
- Nikolaus T, Bach M, Oster P, Schlierf G. 1996. Prospective value of self-report and performance-based tests of functional status for 18-month outcomes in elderly patients. *Aging Clin Exp Res.*;8:271-276.

- Pansarasa O, Castagna L, Colombi B, Vecchiet J, Felzani G, Marzatico F. 2000. Age and sex differences in human skeletal muscle: role of reactive oxygen species. *Free Radic Res*;33:287–93
- Payette H, Hanusaik N, Boutier V, Morais JA, Gay-Donald K. 1998. Muscle strength and functional mobility in relation to lean body mass in free-living frail elderly women. *Eur J Clin Nutr.*;52:45-63.
- Pellegrino, J. F. Desaphy, L. Brocca, S. Pierno, D. C. Camerino, and R. Bottinelli. 2011. “Redox homeostasis, oxidative stress and disuse muscle atrophy,” *Journal of Physiology*, vol. 589, no. 9, pp. 2147–2160
- Pieterse S, Manandhar M, Ismail S. 2002. The association between nutritional status and handgrip strength in older Rwandan refugees. *Eur J Clin Nutr*;56: 933e9.
- Podsiadlo D, Richardson S. 1991. The Timed Up & Go: A test of basic functional mobility for frail elderly persons. *J Am Geriatr Soc.*;39:142-148.
- Powers, J. Duarte, A. N. Kavazis, and E. E. Talbert, 2010. “Reactive oxygen species are signalling molecules for skeletal muscle adaptation,” *Experimental Physiology*, vol. 95, no. 1, pp. 1–9
- Rains TM, Agarwal S, Maki KC. 2011. Antiobesity effects of green tea catechins: a mechanistic review. *J Nutr Biochem.*;22:1–7.
- Rantanen, T., Penninx, B.W.J.H., Masaki, K., 2000. Depressed mood and body mass index as predictors of muscle strength decline in old men. *J Am Geriatr Soc*; 48:613-617
- Rebrin I, Zicker S, Wedekind KJ, Paetau-Robinson I, Packer L, Sohal RS. 2005. Effect of antioxidant-enriched diets on glutathione redox status in tissue homogenates and mitochondria of the senescence-accelerated mouse. *Free Radic Biol Med* 39:549–557
- Reilly PM, Schiller HJ, Bulkley GB. 1998. Pharmacologic approach to tissue injury mediated by free radical and other reactive oxygen metabolites. *Am J Surg* 1991;161:488-502
- Rosner, Bernard. 2010. *Fundamentals of Biostatistics, Seventh Edition*. Boston: Brooks/Cole, Cengage Learning
- Rossi, B. Marzani, S. Giardina, M. Negro, and F. Marzatico. 2008. “Human skeletal muscle aging and the oxidative system: cellular events,” *Current aging science*, vol. 1, no. 3, pp. 182–191

- Ryan MJ, Dudash HJ, Docherty M, Geronilla KB, Baker BA, Haff GG, Cutlip RG, Alway SE. 2010. Vitamin E and C supplementation reduces oxidative stress, improves antioxidant enzymes and positive muscle work in chronically loaded muscles of aged rats. *Exp Gerontol* 45(11):882–895
- Saito K, Yokoyama T, Yoshida H, Kim H, Hiroyuki Shimada, Yuko Yoshida, Hajime Iwasa, Yoko Shimizu, Yoshitaka Kondo, Setsuko Handa, Naoki Maruyama, Akihito Ishigami, and Takao Suzuki. 2012. A Significant Relationship between Plasma Vitamin C Concentration and Physical Performance among Japanese Elderly Women. *J Gerontol A Biol Sci Med Sci*;67A(3):295–301
- Salomon RG, Batyreva E, Kaur K, Sprecher DL, Schreiber MJ, Crabb JW. 2000. Isolevuglandin-protein adducts in humans: Products of free radical-induced lipid oxidation through the isoprostane pathway. *Biochem Biophys Acta*; 1485:225-35.
- Samba, R.D.; Lauretani, F.; Ferrucci, L. 2007. Carotenoids as protection against sarcopenia in older adults. *Arch. Biochem. Biophys.*, 458, 141-145.
- Selma MV, Espin JC, Tomas-Barberan FA. 2009. Interaction between phenolics and gut microbiota: role in human health. *J Agric Food Chem.*;57:6485–501.
- Shechtman O, Mann WC, Justiss MD, Tomita M. 2004. Grip strength in the frail elderly. *Am J Phys Med Rehabil.* Nov;83(11):819-26
- Shumway-Cook, Brauer S, Woollacott M. 2000. Predicting the probability for falls in community-dwelling older adults using the Timed Up & Go Test. *Phys Ther.*;80:896-903.
- Smedley., 1985. Lafayette Instrument Hand Dynamometer, Owner's Manual. Diakses dari www.lafayetteinstrument.com ; p 1-3
- Simmonds MJ, Olson SL, Jones S., 1998. Psychometric characteristics and clinical usefulness of physical performance tests in patients with low back pain. *Spine.*;23:2412-2421.
- Siu, P.M.; Pistilli, E.E.; Alway, S.E. 2008. Age-dependent increase in oxidative stress in gastrocnemius muscle with unloading. *J. Appl. Physiol.*, 105, 1695-705.
- Skrzydowska E, Ostrowska J, Farbiszewski R, Michalak K: 2002. Protective effect of green tea against lipid peroxidation in the rat liver, blood serum and the brain. *Phytomedicine* 9:232-238.

Suryohudoyo P. Oksidan, Antioksidan dan Radikal bebas. Dalam: Ilmu Kedokteran Molekuler. Kapita Selekta. Jakarta: Sagung Seto. 2000.h. 31-46

Tea Association of the USA. 2014. Tea Fact Sheet – 2014. <http://www.teausa.com/14655/tea-fact-sheet> diakses pada 23 November 2015

Thielecke F, Rahn G, Bohnke J, Adams F, Birkenfeld AL, Jordan J, Boschmann M. 2010. Epigallocatechin-3-gallate and postprandial fat oxidation in overweight/obese male volunteers: a pilot study. *Eur J Clin Nutr.*;64:704–13.

Thompson A, Damaniovich A, Madapallipattam A, Mikalus D, Allard J, Jeejeebhoy KN. 1998. P-nuclear magnetic resonance studies of bioenergetic changes in skeletal muscle in malnourished human adults. *Am J Clin Nutr.*; 67:39e43

Tinahones FJ, Rubio MA, Garrido-Sa´nchez L, Ruiz C, Gordillo E, Cabrerizo L, Cardona F: 2008. Green tea reduces LDL oxidability and improves vascular function. *J Am Coll Nutr* 27:209–213

Ullmann U, [Haller J](#), [Decourt JD](#), [Girault J](#), [Spitzer V](#), [Weber P](#). 2004. [Plasma-kinetic characteristics of purified and isolated green tea catechin epigallocatechin gallate \(EGCG\) after 10 days repeated dosing in healthy volunteers](#) . *Int J Vitam Nutr Res.* 74(4):269-78.

Ümit MT, Ebru İ, Serdar O, Alev K, Gülçin AT, Müjdat 2003. Age-related increases in plasma malondialdehyde and protein carbonyl levels and lymphocyte DNA damage in elderly subjects. *Clinical Biochemistry.* Volume 36, Issue 5, July Pages 397–400

van Hedel HJ, Wirz M, Dietz V. 2005. Assessing walking ability in subjects with spinal cord injury: validity and reliability of 3 walking tests. *Arch Phys Med Rehabil.*;86:190-196.

Vendemiale, G., Grattagliano, I. & Altomare, E. 1999. An update on the role of free radicals and antioxidant defense in human disease. *Int. J. Clin. Lab. Res.* 29: 49–55.

Walston, JD. 2011. Frailty. Up To Date version 19.1 diakses dari <http://www.uptodate.com/contents/frailty>

Wagenmakers AJ. 2001. Muscle function in critically ill patients. *Clin Nutr.*;20: 451e4

- Whitthead, T. P., Thorpe, G. H. G. & Maxwell, S. R. J. 1992. Enhanced chemiluminescent assay for antioxidant capacity in biological fluids. *Anal. Chim. Acta.* 266: 265–277.
- Wolfram S, Raederstorff D, Wang Y, Teixeira SR, Elste V, Weber P. 2005. TEAVIGO (epigallocatechin gallate) supplementation prevents obesity in rodents by reducing adipose tissue mass. *Ann Nutr Metab.*;49:54–63.
- Yagi, K. 1987. *Lipid Peroxides in Human Disease. Chemistry and Physics of Lipid*, Elsevier Sc., Publ. Ireland Ltd: 337-51
- Yokozawa T, Nakagawa T, Lee KI, Cho EJ, Terasawa K, Takeuchi S: 1999. Effects of green tea tannin on cisplatin-induced nephropathy in LLC-PK1 cells and rats. *J Pharm Pharmacol*, 51 :1325-1331.
- Yokozawa T, Nakagawa T, Kitani K: 2002. Antioxidative activity of green tea polyphenol in cholesterol-fed rats. *J Agric Food Chem* 50:3549-3552.
- Zhu, Kun ; Deborah A Kerr; Xingqiong Meng; Amanda Devine; Vicky Solah; Colin W Binns; Richard L Prince. Two-Year Whey Protein Supplementation Did Not Enhance Muscle Mass and Physical Function in Well-Nourished Healthy Older Postmenopausal Women. 2015. *J.Nutr.*vol. 145 no. 11 2520-2526
- Zhao, B.; Guo, Q.; Xin, W., Free radical scavenging by green tea polyphenols Methods. *Enzymology* 2001, 355, 217-231.