

DAFTAR PUSTAKA

- Altiparmak, D., Keskin, A., Koca, A., Guru, M., 2007, Alternative Fuel Properties of The Tall Fatty Acids Methyl Ester-Diesel Fuel Blends, *Bioresour. Technol.*, 98(2), 241-246.
- Andrade, J., Arntz, D., Kraft, M., and Prescher, G., 1986, *Method For Preparation of Acetals*, Patent Degusa Aktiengesellschaft, 4579979.
- Anonim, 2009, Diesel Fuel Standard: EN 590:2009, *Dokumen Teknis*, European Committee for Standarization.
- Avinash, K.A., 2007, Biofuels (Alcohols and Biodiesel) Applications as Fuels for Internal Combustion Engines, *Prog. Energ. Combust. Sci.*, 33(3), 233-271.
- Bansal, C.R., Donnet, J.B., Stoedi, F., 1998, *Active Carbon*, Marcel Dekker Inc., New York.
- Bari, S., Yu, C.W., Lim, T.H., 2002, Performance Deterioration and Durability Issues While Running a Diesel Engine With Crude Palm Oil, Proc. Instn. Mech. Engrs Part-D, *J. Automob. Eng.*, 216, 785-792.
- Boenhoff, K. and Obenaus, F., 1980, *1,1-Diethoxyethane as Diesel Fuel*, DE Patent 2, 911.
- Bridgewater, A.J., Burch, R., and Mitchell, P.C.H., 1980, *J. Chem. Soc., Faraday Trans. 1*, 76, 1811-1820.
- Briggs, D.N., Bong, G., Leong, E., Oei, K., Lestari, G., and Bell, A.T., 2010, Effects of Support Composition and Pretreatment on The Activity and Selectivity of Carbon-Supported PdCu_nCl_x Catalysts for The Synthesis of Diethyl Carbonate, *J. Catal.*, 276(2), 215-228.
- Buasri, A., Chaikut, N., Lornyuenyong, V., Rodklum, C., Chaikwan, T., Kumphan, N., Jadee, K., Klinklom, P., Wittayarounayut., 2012, Transesterification of Waste Frying Oil for Synthesizing Biodiesel by KOH Suppoerted on Coconut Shell Activated Carbon in Packed Bed Reactor, *Science Asia*, 38, 283-288.
- Bueno, A.J., Gonc, J.A., Gusevskaya, E.V., 2007, Palladium-Catalyzed Oxidation of Primary Alcohols: Highly Selective Direct Synthesis of Acetals, *J. Appl. Catal.*, 329, 1-6.
- Burtscher, H., Matter, U., and Skillas, G., 1999, The Effect of Fuel Additives on Diesel Engine Particulate Emissions, *J. Aerosol Sci.*, 30, (Supplement 1) S851-S852.
- Can, O., Celikten, I., Usta, N., 2004, Effects of Ethanol Addition on Performance and Emissions of a Turbocharged Indirect Injection Diesel Engine Running at Different Injection Pressures, *J. Energ. Convers. Manage.*, 45, 2429-2440.

- Capeletti, M.R., Balzano, L., de la Puente G., Laborde, M., and Sedran, U., 2000, Synthesis of Acetal (1,1-Diethoxyethane) From Ethanol and Acetaldehyde Over Acidic Catalysts, *Appl. Catal. a General*, 198, (1-2) L1-L4.
- Chopade, S.P., and Sharma, M.M., 1997a, Reaction of Ethanol and Formaldehyde: Use of Versatile Cation-Exchange Resins as Catalyst in Batch Reactors and Reactive Distillation Columns, *J. React. Funct. Polym.*, 32, (1) 53-65.
- Chopade, S.P., and Sharma, M.M., 1997b, Acetalization of Ethylene Glycol With Formaldehyde using Cation-Exchange Resins as Catalysts: Batch Versus Reactive Distillation, *J. React. Funct. Polym.*, 34(1), 37-45.
- Chotwichien, A., Luengnaruemitchai, A., Jai-In, S., 2009, Utilization of Palm Oil Alkyl Esters as an Additive in Ethanol-Diesel and Butanol-Diesel Blends, *J. Fuel*, 88, 1618-1624.
- Dahuri, R., 2005, Mengali Bahan Baku Obat Didalam Laut, Departemen Perikanan dan Kelautan, <http://pkpp.ristek.go.id>, diakses tanggal 9 September 2015.
- Demirbas, A., Biodiesel Production From Vegetable Oils by Supercritical Methanol, *J. Sci. Ind. Res.* 64, 858-865.
- Falah, I.I., Ruliatima, and Triyono, 2015, Reversible Second Order Kinetics of Sorption-Desorption of Cr(VI) Ion on Activated Carbon From Palm Empty Fruit Bunches, *Indones. J. Chem.*, 15(3), 288-294.
- Frusteri, F., Spadaro, L., Beatrice, C., and Guido, C., 2007, Oxygenated Additives Production for Diesel Engine Emission Improvement. *Chem. Eng. J.*, 134, (1-3) 239-245.
- Galvita, V.V., Belyaev, V.D., Semikolenov, V.A., Tsiakaras, P., Frumin, A., and Sobyenin, V.A., 2002, *React. Kinet. Catal. Lett.*, 343-351.
- Guo, S., Peng, J., Li, W., Yang, K., Zhang, L., Zhang, S., and Xia, H., 2009, Effect of CO₂ Activation on Porous Structures of Coconut Shell-Based Activated Carbons, *J. Appl. Surf. Sci.*, 255, 8443-8449.
- Haga, F., Nakajima, T., Miya, H., and Mishima, S., 1997, *Catal. Lett.*, 48, 223-227.
- Han, M., Qu, J., and Guo, Q., 2015, Corn Stalk Activated Carbon Based Co Catalyst Prepared by One-Step Method for Hydrogen Generation, *J. Procedia Eng.*, 102, 450-457.
- He, X. dan Liu, H., 2014, Efficient Synthesis Of 1,1-Diethoxyethane Via Sequential Ethanol Reactions on Silica-Supported Copper and H-Y Zeolite Catalysts, *J. Catal. Today*, 233, 133-139.
- Hescel, W., and Klose, E., 1995, On The Suitability of Agricultural By-Products for The Manufacture of Granular Activated Carbon, *Fuel* 74, 1786-1791.
- Jaichandar, S. and Annamalai, K., 2011, The Status of Biodiesel as an Alternative Fuel for Diesel Engine, *J. Sustain. Energ. Environ.*, 2, 71-75.

- Joharmawan, R., 1997, *Pembuatan, Karakterisasi, dan Uji Aktivitas Katalis Pt/Zeolit dan Pd/Zeolit Untuk Oksidasi Hidrokarbon Ringan*, Tesis, Pascasarjana UGM, Yogyakarta.
- John, T., 2009, *Coal And Oil 1st Edition*, InfoBase Publishing, New York.
- Kaufhold, M. And El-Chahawi, M., 1996, *Process for Preparing Acetaldehyde Diethyl Acetal*, Patent Huels Aktiengesellschaft, 5527969.
- Keskin, A., Guru, M., and Altıparmak, D., 2008, Influence of Tall Oil Biodiesel With Mg and Mo Based Fuel Additives on Diesel Engine Performance and Emission, *Bioresour. Technol.*, 99, (14) 6434-6438.
- Kim, H. and Choi, B., 2008, Effect of Ethanol –Diesel Blend Fuels on Emmison and Particle Size Distribution in a Common-Rail Direct Injection Diesel Engine With Warm-Up Catalytic Converter, *Renew. Energ.*, 33(10), 2222-2228.
- Li, D.G., Zhen, H., Xingcai, L., Wu-gao, Z., and Jian-guang, Y., 2005, Physico-Chemical Properties of Ethanol-Diesel Blend Fuel and Its Efect on Performance and Emssions of Diesel Engines, *Renew. Energ.*, 30, (6) 967-976.
- Llorca, J., Homs, N., Sales, J., de la Piscina, P.R., 2002, Efficient Production of Hydrogen Over Supported Cobalt Catalysts From Ethanol Steam Reforming, *J. Catal.*, 209, 306-317
- Mahajani, S.M., 2000, Reactions of Glyoxylic Acid With Aliphatic Alcohols using Cationic Exchange Resins as Catalysts, *React. Funct. Polym.*, 43(3), 253-268.
- Mahdavian, L., 2011, Conversion of Ethanol to Acetone and Other Produces using Nano-Sensor SnO₂ (110): Ab Initio DFT, *J. Nat. Sci.*, 3, 471-477.
- Mallikappa, D.N., Rana, P.R., Murthy, Ch.S.N., 2011, Performance and Emission Characteristics of Stationary CI Engine With Cardnol Biofuel Blends, *Int. J. Sci. Eng. Res.*, 38(1), 150-154.
- McCormick, R and Parish, R., 2001, *Advanced Petroleum Based Fuels Program and Renewable Diesel Program: Technical Barriers to Use of Ethanol in Diesel Fuel*, Milestone Report NREL/MP-540-32674, National Renewable Energy Laboratory.
- McDougall, G.J., 1991, The Physical Nature and Manufacture of Activated Carbon, *J. S. Afr. Inst. Min. Metal*, 91(4), 109-102.
- Moser, B.R and Erhan, S.Z., 2008, Branched Chain Derivatives of Alkyl Oleats: Tribological, Rheological, Oxidation, and Low Temperature Properties, *Fuel*, 87, (10-11) 2253-2257.
- Nishiguchi, T., Matsumoto, T., Kanai, K., Utani, K., Matsumura, Y., Shen, W., Imamura, S., 2005, Catalytic Steam Reforming of Ethanol to Produce Hydrogen and Aceton, *Appl. Catal.*, 279, 273-277.
- Pradhan, S., 2011, Production and Characterization of Activated Carbon Produced From a Suitable Industrial Sludge, *Thesis*, Department of Chemical Engineering National Institute of Technology, Rourkela.

- Putra, D.H., 2015, Sintesis 1,1-Dietoksietana Dari Etanol Menggunakan Katalis Logam Ni/KA, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Qi, D.H., Chen, H., Matthews, R.D., Bian, Y.Z., Ren, X.C.H., 2010, Performance and Combustion Characteristics of Biodiesel-Diesel-Methanol Blend Fuel Engine, *J. Appl. Energ.*, 87p, 1679.
- Rakopoulus, C.D., Antonopoulos, K.A., Rakopoulus, D.C., Hountalas, D.T., Giakoumis, E.G., 2006, Comparative Performance and Emissions Study of a Direct Injection Diesel Engine using Blends of Diesel Fuel With Vegetable Oils Or Biodiesels of Various Origins, *Energ. Convers. Manage.*, 47, 272-3287.
- Sadiana, M.I., Falah, I.I., and Triyono, 2001, Preparation of Pt-Zeolite Catalyst for Conversion of n-Octanol, *Indones. J. Chem.*, 1(2), 90-97.
- Satterfield, C.N., 1991, *Heterogeneous Catalysis in Practice*, McGraw Hill Book Company, New York.
- Septiawati, E., Falah, I.I., Triyono, 2001, Preparation of Nickel/Active Carbon Catalyst and Its Utilization for Benzene Hydrogenation, *Indones. J. Chem.*, 1(2), 105-110.
- Shofa, 2012, Pembuatan Karbon Aktif Berbahan Baku Ampas Tebu Dengan Aktivasi Kalium Hidroksida, *Skripsi*, Fakultas Teknik Universitas Indonesia, Depok.
- Silverstein, R.M., Webster, F.X., Kiemle, D.J., 2005, *Spectrometric Identification of Organic Compunds*, Seventh Edition, John Wiley and Sons Inc., United States of America.
- Su, W., Zhou, L., Zhou, Y.P., 2003, Preparation of Microporous Activated Carbon From Coconut Shells Without Activating Agents, *Carbon*, 41, 861-863.
- Thavornprasert, K.A., Menorval, B.D.I.G.D., Capron, M., Gornay, J., Jalowieck-Duhamel, L., Secordel, X., Cristol, S., Dubois, J.L., Dumeignil, F., 2012, *J. Biofuels*, 3, 25-34.
- Utsumi, S., Vallejos-Burgos, F.E., Campos, C.M., Garcia, X., Gordon, A.L., Pecchi, G., Radovic, L.R., 2007, Preparation and Characterization of Inexpensive Heterogeneous Catalysts for Air Pollution Control: Two Case Studies, *J. Catal. Today*, 123, 208-217.
- Wang, C.B., Lee, C.C., Bi, J.L., Siang, J.Y., Liu, J.Y., Yeh, C.T., 2009, Study on The Steam Reforming of Ethanol Over Cobalt Oxides, *J. Catal. Today*, 146, 76-81.
- Wang, H., Ye, J.L., Liu, Y., Li, Y.D., Qin, Y.N., 2007, Steam Reforming of Ethanol Over $\text{Co}_3\text{O}_4/\text{CeO}_2$ Catalysts Prepared by Different Methods, *J. Catal. Today*, 129, 305-312.
- Wang, S. and Lu, G.Q., 1998, Effect of Acidic Treatments on The Pore Structure and Properties of Ni Catalyst Supported on Activated Carbon, *Carbon*, 36, 283-292.