

## DAFTAR PUSTAKA

- Abdullah, R. (2011). World palm oil supply, demand, price and prospects: focus on Malaysian and Indonesian palm oil industries. *Oil Palm Industry Economic Journal* **11**(2): 13 – 25.
- Adam, S. K., Sulaiman, N. A., Gapor, A., Top, M., dan Jaarin, K. (2007). Heating reduces vitamin E content in palm and soy oils. *Malaysian Journal of Biochemistry and Molecular Biology* **15**(2): 76–79.
- Aherne, S. A., Daly, T., Jiwan, M. A., O’Sullivan, L. dan Brien, N. M. O. (2010). Bioavailability of  $\beta$ -carotene isomers from raw and cooked carrots using an *in vitro* digestion model coupled with a human intestinal Caco-2 cell model. *Food Research International* **43**(5): 1449–1454. doi:10.1016/j.foodres.2010.04.026.
- Ahmed, K., Li, Y., McClements, D. J., dan Xiao, H. (2012). Nanoemulsion- and emulsion-based delivery systems for curcumin: Encapsulation and release properties. *Food Chemistry* **132**(2): 799–807. doi:10.1016/j.foodchem.2011.11.039
- Al-Adham, I. S. I., Khalil, E., Al-Hmoud, N. D., Kierans, M., dan Collier PJ. (2000). Microemulsions are membrane-active, antimicrobial, self-preserving systems. *Journal of Applied Microbiology* **89**: 32–39.
- Anton, N. dan Vandamme, T. F. (2011). Nano-emulsions and micro-emulsions: clarifications of the critical differences. *Pharmaceutical Research* **28**(5): 978–985. doi:10.1007/s11095-010-0309-1.
- Arab, L. dan Steck, S. (2000). Lycopene and cardiovascular disease 1 – 3. *The American Journal of Clinical Nutrition* **71**(6): 1691S–1695S.
- Ariviani S. (2009). Formulasi mikroemulsi  $\beta$ -karoten untuk menghambat kerusakan vitamin C dalam sistem *aqueous* akibat fotooksidasi. Tesis. Fakultas Teknologi Pertanian Universitas Gadjahmada. Yogyakarta.
- Ariviani, S., Raharjo, S., dan Hastuti, P. (2011<sup>a</sup>). Potensi mikroemulsi  $\beta$ -karoten dalam menghambat fotooksidasi vitamin C sistem *aqueous*. *Journal Teknologi dan Industri Pangan* **12** (1): 33–39.
- Ariviani, S., Raharjo, S., dan Hastuti, P. (2011<sup>b</sup>). Aplikasi mikroemulsi  $\beta$ -karoten untuk menghambat kerusakan fotooksidatif vitamin C pada sari buah jeruk. *Agritech* **31**(3): 180–189.
- Badrun, M. (2010). Lintasan fakta: minyak kelapa sawit lebih efisien. Dalam: Badrun M., Supriono, A. *Lintasan Tiga Puluh Tahun Pengembangan Kelapa Sawit*. Bab 2, hal: 7 – 16. Direktorat Jenderal Perkebunan, Kementerian Pertanian, Republik Indonesia bekerjasama dengan Gabungan Pengusaha Kelapa Sawit Indonesia.

- Bayrak, Y. dan Iscan, M. (2005). Studies on the phase behavior of the system non ionic surfactant/alcohol/alkane/H<sub>2</sub>O. *Colloids and Surfaces* **268**: 99 – 103.
- Bengtsson, A., Brackmann, C., Enejder, A., Elminger, M. L. dan Svanberg, U. (2010). Effects of thermal processing on the in vitro bioaccessibility and microstructure of  $\beta$ -carotene in orange-fleshed sweet potato. *Journal of Agricultural and Food Chemistry* **58**(20): 11090–11096. doi:10.1021/jf1024104.
- Bengtsson, A., Larsson Alminger, M. dan Svanberg, U. (2009). In vitro bioaccessibility of  $\beta$ -carotene from heat-processed orange-fleshed sweet potato. *Journal of Agricultural and Food Chemistry* **57**(20): 9693–9698. doi:10.1021/jf901692r.
- Bengtsson, A., Namutebi, A., Alminger, M. L., dan Svanberg, U. (2008). Effects of various traditional processing methods on the *all-trans* -  $\beta$  -carotene content of orange-fleshed sweet potato. *Journal of Food Composition and Analysis* **21**: 134–143. doi:10.1016/j.jfca.2007.09.006
- Biehler, E., Kaulmann, A., Hoffmann, L., Krause, E. dan Bohn, T. (2011). Dietary and host-related factors influencing carotenoid bioaccessibility from spinach (*Spinacia oleracea*). *Food Chemistry* **125**: 1328–1334. doi:10.1016/j.foodchem.2010.09.110.
- Böhm, V., Puspitasari-Nienaber, N. L., Ferruzzi, M. G. dan Schwartz, S. J. (2002). Trolox equivalent antioxidant capacity of different geometrical isomers of  $\alpha$ -carotene,  $\beta$ -carotene, lycopene, and zeaxanthin. *Journal of Agricultural and Food Chemistry* **50**(1): 221–226. doi:10.1021/jf010888q.
- Boon, C. S., McClements, D. J., Weiss, J. dan Decker, E. A. (2009). Role of iron and hydroperoxides in the degradation of lycopene in oil-in-water emulsions. *Journal of Agricultural and Food Chemistry* **57**(7): 2993–2998. doi:10.1021/jf803747j.
- Boon, C. S., McClements, D. J., Weiss, J. dan Decker, E. A. (2010). Factors influencing the chemical stability of carotenoids in foods. *Critical Reviews in Food Science and Nutrition* **50**(6): 515–532. doi:10.1080/10408390802565889.
- Borel, P., Grolier, P., Armand, M., Partier, A., Lafont, H., Lairon, D. dan Azais-Braesco, V. (1996). Carotenoids in biological emulsions: solubility, surface-to-core distribution, and release from lipid droplets. *Journal of Lipid Research* **37**: 250–261.
- Broekmans, W. M. R., Berendschots, T. T. J. M., Klopping-Ketelaars, I. A. A., de Vries, A. J., Goldbohm, R. A., Tijburg, L. B. M., Kardinal, A. F. M. dan van Poppel, G. (2002). Macular pigment density in relation to serum and adipose tissue concentrations of lutein and serum concentrations of zeaxanthin 1 – 3. *The American Journal of Clinical Nutrition* **76**(3): 595–603.

- Brown, L., Rimm, E. B., Seddon, J. M., Giovannucci, E. L., Chasan-Taber, L., Spiegelman, D., Willett, W. C. dan Hankinson, S. E. (1999). A prospective study of carotenoid intake and risk of cataract extraction in US men 1 – 3. *The American Journal of Clinical Nutrition* **70**(4): 517–524.
- Brown, M. J., Ferruzzi, M. G., Nguyen, M. L., Cooper, D. A., Eldridge, A. L., Schwartz, S. J., dan White, W. S. (2004). Carotenoid bioavailability is higher from salads ingested with full-fat than with fat-reduced salad dressings as measured with electrochemical detection1–3. *The American Journal of Clinical Nutrition* **80**: 396–403.
- Carbonell-Capella, J. M., Buniowska, M., Barba, F. J., Esteve, M. J., dan Frígola, A. (2014). Analytical methods for determining bioavailability and bioaccessibility of bioactive compounds from fruits and vegetables: A review. *Comprehensive Reviews in Food Science and Food Safety* **13**(2): 155–171. doi:10.1111/1541-4337.12049.
- Castenmiller, J. J. dan West, C. E. (1998). Bioavailability and bioconversion of carotenoids. *Annual Review of Nutrition* **18**: 19–38. doi:10.1146/annurev.nutr.18.1.19.
- Chakraborty, S., Shukla, D., Mishra, B. dan Singh, S. (2009). Lipid – an emerging platform for oral delivery of drugs with poor bioavailability. *European Journal of Pharmaceutics and Biopharmaceutics* **73**(1): 1–15. doi:10.1016/j.ejpb.2009.06.001.
- Charrondiere, U. R., Haytowitz, D. dan Stadlmayr, B. 2012. FAO/INFOODS Density Database Version 2.0 (2012). the Food and Agriculture Organization of the United Nations (FAO). <http://www.fao.org/docrep/017/ap815e/ap815e.pdf>. [5/9/2014].
- Chen, H. dan Zhong, Q. (2015). Thermal and UV stability of b-carotene dissolved in peppermint oil microemulsified by sunflower lecithin and Tween 20 blend. *Food Chemistry* **174**: 630–636. doi:10.1016/j.foodchem.2014.11.116.
- Cheng, H.-C., Chien, H., Liao, C.-H., Yang, Y.-Y. dan Huang, S.-Y. (2007). Carotenoids suppress proliferating cell nuclear antigen and cyclin D1 expression in oral carcinogenic models. *Journal of Nutritional Biochemistry* **18**(10): 667–675. doi:10.1016/j.jnutbio.2006.10.010.
- Chew, B. P. dan Park, J. S. (2004). Carotenoid action on the immune response. *The Journal of Nutrition* **134**(1): 257S–261S.
- Cho, Y.-H., Kim, S., Bae, E. K., Mok, C. K. dan Park, J. (2008). Formulation of a cosurfactant-free o/w microemulsion using nonionic surfactant mixtures. *Journal of Food Science* **73**(3): E115–E121. doi:10.1111/j.1750-3841.2008.00688.x.

- Choe, E., dan Min, D. B. (2006). Mechanisms and factors for edible oil oxidation. *Comprehensive Reviews in Food Science and Food Safety* **5**(4): 169–186.
- Chou, P.-Y., Huang, G.-J., Cheng, H.-C., Wu, C.-H., Chien, Y.-C., Chen, J.-S., Huang, M.-H., Hsu, K.-J dan Sheu, M.-J. (2010). Analgesic and anti-inflammatory activities of an ethanol extract of *Dunaliella Salina* Teod. (Chlorophyceae). *Journal of Food Biochemistry* **34**(6): 1288–1302. doi:10.1111/j.1745-4514.2010.00389.x.
- Chu, B., Ichikawa, S., Kanafusa, S. dan Nakajima, M. (2007). Preparation and characterization of  $\beta$ -carotene nanodispersions prepared by solvent displacement technique. *Journal of Agricultural and Food Chemistry* **55**(16): 6754–6760. doi:10.1021/jf063609d.
- Colle, I. J. P., Van Buggenhout, S., Lemmens, L., Van Loey, A. M. dan Hendrickx, M. E. (2012). The type and quantity of lipids present during digestion influence the in vitro bioaccessibility of lycopene from raw tomato pulp. *Food Research International* **45**: 250–255. doi:10.1016/j.foodres.2011.10.041.
- Colle, I., Lemmens, L., Van Buggenhout, S., Van Loey, A. dan Hendrickx, M. (2010). Effect of thermal processing on the degradation, isomerization, and bioaccessibility of lycopene in tomato pulp. *Journal of Food Science* **75**(9): C753–C759. doi:10.1111/j.1750-3841.2010.01862.x.
- Cornacchia, L. dan Roos, Y. H. (2011). Stability of  $\beta$ -carotene in protein-stabilized oil-in-water delivery systems. *Journal of Agricultural and Food Chemistry* **59**(13): 7013–7020. doi:/10.1021/jf200841k.
- Courraud, J., Berger, J., Cristol, J.-P. dan Avallone, S. (2013). Stability and bioaccessibility of different forms of carotenoids and vitamin A during in vitro digestion. *Food Chemistry* **136**(2): 871–877. doi:10.1016/j.foodchem.2012.08.076
- Coyne, T., Ibiebele, T. I., Baade, P. D., Dobson, A., McClintock, C., Dunn, S., Leonard, D. dan Shaw, J. (2005). Diabetes mellitus and serum carotenoids: findings of a population-based study in Queensland, Australia 1 – 3. *The American Journal of Clinical Nutrition* **82**(3): 685–693.
- Cui, Y., Lu, Z., Bai, L., Shi, Z., Zhao, W. dan Zhao, B. (2007). Beta-Carotene induces apoptosis and up-regulates peroxisome proliferator-activated receptor gamma expression and reactive oxygen species production in MCF-7 cancer cells. *European Journal of Cancer* **43**(17): 2590–2601. doi:10.1016/j.ejca.2007.08.015.

- Dai, J., Kim, S. M., Shin, I., Kim, J. D., Lee, H. Y., Shin, W. C. dan Kim, J. (2014). Preparation and stability of fucoxanthin-loaded microemulsions. *Journal of Industrial and Engineering Chemistry* **20**(4): 2103–2110. doi:10.1016/j.jiec.2013.09.039.
- Dayrit, F. M., Buenafe, O. E. M., Chainani, E. T., Vera, I. M. S. De, Dimzon, I. K. D., Gonzales, E. G. dan Santos, J. E. R. (2007). Standards for essential composition and quality factors of commercial virgin coconut oil and its differentiation from RBD coconut oil and copra oil. *Philippine Journal of Science* **136**(2): 119–129.
- de Paz, E., Martín, Á., Bartolomé, A., Largo, M. dan Cocero, M. J. (2014). Development of water-soluble  $\beta$ -carotene formulations by high-temperature, high-pressure emulsification and antisolvent precipitation. *Food Hydrocolloids* **37**: 14–24. doi:10.1016/j.foodhyd.2013.10.011.
- de Paz, E., Martín, Á., Mateos, E. dan Cocero, M. J. (2013). Production of water-soluble  $\beta$ -carotene micellar formulations by novel emulsion techniques. *Chemical Engineering and Processing: Process Intensification* **74**: 90–96. doi:10.1016/j.cep.2013.09.004.
- de Quirós, A. R. B., dan Costa, H. S. (2006). Analysis of carotenoids in vegetable and plasma samples: A review. *Journal of Food Composition and Analysis* **19**(2-3): 97–111. doi:10.1016/j.jfca.2005.04.004
- Deming, D. M. dan Erdman, J. W. (1999). Mammalian carotenoid absorption and metabolism. *Pure and Applied Chemistry* **71**(12): 2213–2223.
- Deming, D. M., Baker, D. H., dan Erdman, J. W. (2002<sup>a</sup>). The relative vitamin A value of 9-*cis*  $\beta$ -carotene is less and that of 13-*cis*  $\beta$ -carotene may be greater than the accepted 50% that of *all trans*  $\beta$ -carotene in Gerbils. *The Journal of Nutrition* **132**: 2709–2712.
- Deming, D. M., Boileau, T. W. M., Heintz, K. H., Atkinson, C. A., dan Erdman, J. W. (2002<sup>b</sup>). Carotenoids: Linking Chemistry, Absorption, and Metabolism to Potential Roles in Human Health and Disease. Dalam: Cadenas, E. and Packer, L. (ed). *Handbook of Antioxidants*. Chapter 10. Second Edition. Revised and Expanded. Marcel Dekker, Inc. New York.
- Deming, D. M., Teixeira, S. R., dan Erdman, J. W. (2002<sup>c</sup>). *All-trans*  $\beta$ -carotene appears to be more bioavailable than 9-*cis* or 13-*cis*  $\beta$ -carotene in Gerbils given single oral doses of each isomer. *The Journal of Nutrition* **132**: 2700–2708.

- Djuikwo, V. N., Ejoh, R. A., Gouado, I., Mbofung, C. M., dan Tanumihardjo, S. A. (2011). Determination of major carotenoids in processed tropical leafy vegetables indigenous to africa. *Food and Nutrition Sciences* **2**: 793–802.
- Donhowe, E. G. dan Kong, F. (2014). Beta-carotene: digestion, microencapsulation, and *in vitro* bioavailability. *Food Bioprocessing and Technology* **7**: 338 – 354. doi:10.1007/s11947-013-1244-z.
- Donsi, F., Sessa, M., Mediouni, H., Mgaidi, A., dan Ferrari, G. (2011). Encapsulation of bioactive compounds in nanoemulsion-based delivery systems. *Procedia Food Science* **1**: 1666–1671. doi:10.1016/j.profoo.2011.09.246
- During, A. dan Harrison, E. H. (2005). An *in vitro* model to study the intestinal absorption of carotenoids. *Food Research International* **38** (8-9): 1001–1008. doi:10.1016/j.foodres.2004.07.013.
- During, A. dan Harrison, E. H. (2006). Digestion and Intestinal Absorption of Dietary Carotenoids and Vitamin A. Dalam: Leonard, R. J. (ed). *Physiology of the Gastrointestinal Tract*, Chapter 68, p: 1735–1748. Fourth Edition. Academic Press. New York.
- During, A., Hussain, M. M., Morel, D. W., dan Harrison, E. H. (2002). Carotenoid uptake and secretion by CaCo-2 cells:  $\beta$ -carotene isomer selectivity and carotenoid interactions. *Journal of Lipid Research* **43**: 1086–1095. doi:10.1194/jlr.M200068-JLR200.
- Dutta, D., Chaudhuri, U. R., dan Chakraborty, R. (2005). Structure, health benefits, antioxidant property and processing and storage of carotenoids. *African Journal of Biotechnology* **4**(13): 1510–1520.
- Erdman, J. W., Thatcher, A. J., Hofmann, N. E., Lederman, J. D., Block, S. S., Lee, C. M., dan Mokady, S. (1998). All-trans  $\beta$ -carotene is absorbed preferentially to 9-cis  $\beta$ -carotene, but the latter accumulates in the tissues of domestic ferrets (*Mustela putorius puro*). *The Journal of Nutrition* **128**: 2009–2013.
- Ekesa, B., Poulaert, M., Davey, M. W., Kimiywe, J., den Bergh, I. Van, Blomme, G. dan Dhuique-mayer, C. (2012). Bioaccessibility of provitamin A carotenoids in bananas (*Musa spp.*) and derived dishes in African countries. *Food Chemistry* **133**: 1471–1477. doi:10.1016/j.foodchem.2012.02.036.
- Failla, M. L., Chitchumroonchokchai, C., dan Ishida, B. K. (2008<sup>a</sup>). *In vitro* micellarization and intestinal cell uptake of cis isomers of lycopene exceed those of all-trans lycopene. *The Journal of Nutrition* **138**: 482–486.

- Failla, M. L., Huo, T. dan Thakkar, S. K. (2008<sup>b</sup>). In vitro screening of relative bioaccessibility of carotenoids from foods. *Asia Pacific Journal Clinical Nutrition* **17**(SI): 200–203.
- Failla, M. L., Thakkar, S. K., dan Kim, J. Y. (2009). In vitro bioaccessibility of  $\beta$ -carotene in orange fleshed sweet potato (*Ipomoea batatas*, Lam.). *Journal of Agricultural and Food Chemistry* **57**(22): 10922–10927. doi:10.1021/jf900415g.
- Fanun, M. (2010). Formulation and characterization of microemulsions based on mixed nonionic surfactants and peppermint oil. *Journal of Colloid and Interface Science* **343**: 496–503. doi:10.1016/j.jcis.2009.12.008.
- Fanun, M. (2012). Microemulsions as delivery systems. *Current Opinion in Colloid and Interface Science* **17**: 306–313. doi:10.1016/j.cocis.2012.06.001.
- Fernández-García, E., Carvajal-Lérida, I. dan Pérez-Gálvez, A. (2009). In vitro bioaccessibility assessment as a prediction tool of nutritional efficiency. *Nutrition Research* **29**(11): 751–760. doi:10.1016/j.nutres.2009.09.016.
- Fernández-García, E., Carvajal-Lérida, I., Jarén-Galán, M., Garrido-Fernández, J., Pérez-Gálvez, A. dan Hornero-Méndez, D. (2012). Carotenoids bioavailability from foods: From plant pigments to efficient biological activities. *Food Research International* **46**(2): 438–450. doi:10.1016/j.foodres.2011.06.007.
- Fernández-García, E., Rincon, F. dan Perez-Galvez, A. (2008). Developing an emulsifier system to improve the bioaccessibility of carotenoids. *Journal of Agricultural and Food Chemistry* **56**(21): 10384–10390. doi:10.1021/jf801910y.
- Ferruzi, M. G. dan Schwartz, S. J. (2004). Methodology for Assessment of Carotenoid Levels in Blood Plasma and Plasma Fraction. Dalam: Krinsky, N. I., Mayne, S. T., and Seis, H. (ed). *Carotenoids in Health and Disease*. Chapter 4, p: 85 – 104. Marcel Decker Inc., New York.
- Flanagan, J. dan Singh, H. (2006). Microemulsions: a potential delivery system for bioactives in food. *Critical Reviews in Food Science and Nutrition* **46**(3): 221–237. doi:10.1080/10408690590956710.
- Fletcher, P. D. I. dan Suhling, K. (1998). Interactions between weakly charged oil-in-water microemulsion droplets. *Langmuir* **14**: 4065–4069.
- Forgiarini, A., Esquena, J., Gonzales, C., dan Solans, C. (2001). Formation of nano-emulsions by low-energy emulsification methods at constant temperature. *Langmuir* **17**: 2076–2083.

- Fu, X., Huang, B., dan Feng, F. (2007). Shelf life of fresh noodles as affected by the food grade monolaurin microemulsion system. *Journal of Food Process Engineering* **31**(5): 619–627.
- Furr, H. C. dan Clark, R. M. (1997). Intestinal absorption and tissue distribution of carotenoids. *The Journal of Nutritional Biochemistry* **8**(7): 364–377. doi:10.1016/S0955-2863(97)00060-0.
- Garrett, D. A., Failla, M. L., Sarama, R. J. dan Craft, N. (1999). Accumulation and retention of micellar  $\beta$ -carotene and lutein by Caco-2 human intestinal cells. *The Journal of Nutritional Biochemistry* **28**(99): 573–581.
- Garti, N., Shevachman, M., dan Shani, A. (2004). Solubilization of lycopene in jojoba oil microemulsion. *Journal of the American Oil Chemists' Society* **81**(9): 873–877.
- Golding, M., Wooster, T. J., Day, L., Xu, M., Lundin, L., Keogh, J. dan Clifton, P. (2011). Impact of gastric structuring on the lipolysis of emulsified lipids. *Soft Matter* **7**(7): 3513–3523. doi:10.1039/c0sm01227k.
- Goni, I., Serrano, J. dan Saura-Calixto, F. (2006). Bioaccessibility of  $\beta$ -carotene, lutein, and lycopene from fruits and vegetables. *Journal of Agricultural and Food Chemistry* **54**(15): 5382–5387. doi:10.1021/jf0609835.
- Gonnet, M., Lethuaut, L. dan Boury, F. (2010). New trends in encapsulation of liposoluble vitamins. *Journal of Controlled Release* **146**(3): 276–290. doi:10.1016/j.jconrel.2010.01.037.
- Granado-Lorencio, F., López-López, I., Herrero-Barbudo, C., Blanco-Navarro, I., Cofrades, S., Pérez-Sacristán, B., Delgado-Pando, G. dan Jiménez-Colmenero, F. (2010). Lutein-enriched frankfurter-type products: Physicochemical characteristics and lutein in vitro bioaccessibility. *Food Chemistry* **120**(3): 741–748. doi:10.1016/j.foodchem.2009.11.005.
- Granado-Lorencio, F., Olmedilla-Alonso, B., Herrero-Barbudo, C., Pérez-Sacristán, B., Blanco-Navarro, I., dan Blazquez-Garcia, S. (2007). Comparative in vitro bioaccessibility of carotenoids from relevant contributors to carotenoid intake. *Journal of Agricultural and Food Chemistry* **55**(15): 6387–6394. doi:10.1021/jf070301t.
- Gunstone, F. D., Harwood, J. L. and Dijkstra, A. J. (2007). *The Lipid Handbook with CD-ROM*. 3rd ed. CRC Press, New York.
- Gurak, P. D., Mercadante, A. Z., González-Miret, M. L., Heredia, F. J. dan Meléndez-Martínez, A. J. (2014). Changes in antioxidant capacity and colour associated with the formation of  $\beta$ -carotene epoxides and oxidative cleavage

- derivatives. *Food Chemistry* **147**: 160–169.  
doi:10.1016/j.foodchem.2013.09.106.
- Hedren, E., Diaz, V. dan Svanberg, U. (2002). Estimation of carotenoid accessibility from carrots determined by an *in vitro* digestion method. *European Journal of Clinical Nutrition* **56**: 425–430.
- Henry, L. K., Catignani, G. L. dan Schwartz, S. J. (1998). Oxidative degradation kinetics of lycopene, lutein, and 9-*cis* and *all-trans*  $\beta$ -carotene. *Journal of the American Oil Chemists' Society* **75**(7): 823–829
- Herrera, M. L. (2012). Nano and Micro Food Emulsions. Dalam: Herrera, M. L. *Analytical Techniques for Studying the Physical Properties of Lipid Emulsions*, Chapter 2, p: 7 – 14. Springer Briefs in Food, Health, and Nutrition 3. New York.
- Heurtault, B., Saulnier, P., Pech, B., Proust, J.-E., dan Benoit, J.-P. (2003). Physico-chemical stability of colloidal lipid particles. *Biomaterials* **24**(23): 4283–4300. doi:10.1016/S0142-9612(03)00331-4
- Holden, J. M., Eldridge, A. L., Beecher, G. R., Buzzard, I. M., Bhagwat, S., Davis, C. S., Douglass, L. W., Gebhardt, S., Haytowitz, D., dan Schakel, S. (1999). Carotenoid content of U.S. foods: An update of the database. *Journal of Food Composition and Analysis* **12**(3): 169–196. doi:10.1006/jfca.1999.0827.
- Hornero-Méndez, D. dan Mínguez-Mosquera, M. I. (2007). Bioaccessibility of carotenes from carrots: Effect of cooking and addition of oil. *Innovative Food Science and Emerging Technologies* **8**: 407–412. doi:10.1016/j.ifset.2007.03.014.
- Hou, Z., Gao, Y., Yuan, F., Liu, Y., Li, C. dan Xu, D. (2010). Investigation into the physicochemical stability and rheological properties of beta-carotene emulsion stabilized by soybean soluble polysaccharides and chitosan. *Journal of Agricultural and Food Chemistry* **58**(15): 8604–11. doi:10.1021/jf1015686.
- Hou, Z., Liu, Y., Lei, F., dan Gao, Y. (2014). Investigation into the *in vitro* release properties of  $\beta$ -carotene in emulsions stabilized by different emulsifiers. *LWT - Food Science and Technology* **59**(2): 867–873. doi:10.1016/j.lwt.2014.07.045.
- Hsu, J.-P. dan Nacu, A. (2003). Behavior of soybean oil-in-water emulsion stabilized by nonionic surfactant. *Journal of Colloid and Interface Science* **259**(2): 374–381. doi:10.1016/S0021-9797(02)00207-2.

- Hu, M., Li, Y., Decker, E. A., dan McClements, D. J. (2010). Role of calcium and calcium-binding agents on the lipase digestibility of emulsified lipids using an in vitro digestion model. *Food Hydrocolloids* **24**(8): 719–725. doi:10.1016/j.foodhyd.2010.03.010.
- Huang, Q., Yu, H. dan Ru, Q. (2010). Bioavailability and delivery of nutraceuticals using nanotechnology. *Journal of Food Science* **75**(1): R50–R57. doi:10.1111/j.1750-3841.2009.01457.x.
- Hughes, D. A. (2001). Dietary carotenoids and human immune function. *Nutrition* **17**(10): 823–827. doi:10.1016/S0899-9007(01)00638-4.
- Huo, T., Ferruzzi, M. G., Schwartz, S. J. dan Failla, M. L. (2007). Impact of fatty acyl composition and quantity of triglycerides on bioaccessibility of dietary carotenoids. *Journal of Agricultural and Food Chemistry* **55**(22): 8950–8957. doi:10.1021/jf071687a.
- Hur, S. J., Decker, E. A. dan McClements, D. J. (2009). Influence of initial emulsifier type on microstructural changes occurring in emulsified lipids during in vitro digestion. *Food Chemistry* **114**(1): 253–262. doi:10.1016/j.foodchem.2008.09.069.
- Hur, S. J., Joo, S. T., Lim, B. O., Decker, E. A. dan McClements, J. D. (2011). Impact of salt and lipid type on in vitro digestion of emulsified lipids. *Food Chemistry* **126**(4): 1559–1564. doi:10.1016/j.foodchem.2010.12.003.
- Izquierdo, P., Feng, J., Esquena, J., Tadros, T. F., Dederen, J. C., Garcia, M. J., Azemar, N., dan Solans, C. (2005). The influence of surfactant mixing ratio on nano-emulsion formation by the pit method. *Journal of Colloid and Interface Science* **285**(1): 388–94. doi:10.1016/j.jcis.2004.10.047.
- Jaswir, I., Kobayashi, M., Koyama, T., Kotake-nara, E., dan Nagao, A. (2012). Antioxidant behaviour of carotenoids highly accumulated in HepG2 cells. *Food Chemistry* **132**(2): 865–872. doi:10.1016/j.foodchem.2011.11.053.
- Jo, Y., dan Kwon, Y. (2014). Characterization of  $\beta$ -Carotene Nanoemulsions Prepared by Microfluidization Technique. *Food Science and Biotechnology* **23**(1): 107–113. doi:10.1007/s10068-014-0014-7.
- Johnson, E. J. (2002). Human Studies on Bioavailability and Serum Response of Carotenoids. Dalam: Cadenas, E. dan Packer, L. (ed). *Handbook of Antioxidants*. Chapter 14. Second Edition. Revised and Expanded. Marcel Dekker, Inc. New York.
- Johnson, E. J., Qin, J., Krinsky, N. I., dan Russell, R. M. (1997). Ingestion by men of a combined dose of beta-carotene and lycopene does not affect the

absorption of beta carotene but improve that of lycopene. *The Journal of Nutrition* **127**(9): 1833–1837.

Kabak, B. dan Ozbey, F. (2012). Assessment of the bioaccessibility of aflatoxins from various food matrices using an in vitro digestion model, and the efficacy of probiotic bacteria in reducing bioaccessibility. *Journal of Food Composition and Analysis* **27**(1): 21–31. doi:10.1016/j.jfca.2012.04.006.

Kean, E., Hamaker, B. dan Ferruzzi, M. (2008). Carotenoid bioaccessibility from whole grain and degermed maize meal products. *Journal of Agricultural and Food Chemistry* **56**(21): 9918–9926. doi:10.1021/jf8018613.

Khoo, H.-E., Prasad, K. N., Kong, K., Jiang, Y. dan Ismail, A. (2011). Carotenoids and Their Isomers: Color Pigments in Fruits and Vegetables. *Molecules* **16**: 1710–1738. doi:10.3390/molecules16021710.

Kidmose, U., Christensen, L. P., Agili, S. M., dan Thilsted, S. H. (2007). Effect of home preparation practices on the content of provitamin A carotenoids in coloured sweet potato varieties (*Ipomoea batatas* Lam.) from Kenya. *Innovative Food Science and Emerging Technologies* **8**(3): 399–406. doi:10.1016/j.ifset.2007.03.025.

Kim, Y. J., Kim, Y. A. dan Yokozawa, T. (2009). Protection against oxidative stress, inflammation, and apoptosis of high-glucose-exposed proximal tubular epithelial cells by astaxanthin. *Journal of Agricultural and Food Chemistry* **57**(19): 8793–8797. doi:10.1021/jf9019745.

Knockaert, G., Pulissery, S. K., Colle, I., Van Buggenhout, S., Hendrickx, M. dan Loey, A. V. (2012). Lycopene degradation, isomerization and in vitro bioaccessibility in high pressure homogenized tomato puree containing oil: effect of additional thermal and high pressure processing. *Food Chemistry* **135**(3): 1290–1297. doi:10.1016/j.foodchem.2012.05.065.

Kobayashi, M. dan Sakamoto, Y. (1999). Singlet oxygen quenching ability of astaxanthin esters from the green alga *Haematococcus pluvialis*. *Biotechnology Letters* **21**: 265–269.

Kono, H., Fujii, H., Ishii, K., Hosomura, N. dan Ogiku, M. (2010). Dietary medium-chain triglycerides prevent chemically induced experimental colitis in rats. *Translational Research* **155**(3): 131–141. doi:10.1016/j.trsl.2009.08.011.

Kotake-Nara, E. dan Nagao, A. (2011). Absorption and metabolism of xanthophylls. *Marine Drugs* **9**(6): 1024–37. doi:10.3390/md9061024.

- Kotake-Nara, E. dan Nagao, A. (2012). Effects of mixed micellar lipids on carotenoid uptake by human intestinal Caco-2 cells. *Bioscience, Biotechnology, and Biochemistry* **76**(5): 875–882. doi:10.1271/bbb.110777.
- Krinsky, N. I. dan Johnson, E. J. (2005). Carotenoid actions and their relation to health and disease. *Molecular Aspects of Medicine* **26**: 459 – 516.
- Kumar, A., Kushwaha, V. and Sharma, P. K. (2014). Pharmaceutical microemulsion: Formulation, characterization and drug deliveries across skin. *International Journal of Drug Development and Research* **6**(1): 1–21.
- Lamaallam, S., Bataller, H., Dicharry, C., dan Lachaise, J. (2005). Formation and stability of miniemulsions produced by dispersion of water/oil/surfactants concentrates in a large amount of water. *Colloids and Surfaces A: Physicochemical and Engineering Aspects* **270-271**: 44–51. doi:10.1016/j.colsurfa.2005.05.035.
- Lemmens, L., Van Buggenhout, S., Van Loey, A. M. dan Hendrickx, M. E. (2010). Particle size reduction leading to cell wall rupture is more important for the  $\beta$ -carotene bioaccessibility of raw compared to thermally processed carrots. *Journal of Agricultural and Food Chemistry* **58**(24): 12769–12776. doi:10.1021/jf102554h.
- Li, Y., Hu, M. dan McClements, D. J. (2011<sup>a</sup>). Factors affecting lipase digestibility of emulsified lipids using an in vitro digestion model: Proposal for a standardised pH-stat method. *Food Chemistry* **126**: 498–505. doi:10.1016/j.foodchem.2010.11.027.
- Li, Y., Hu, M., Du, Y., Xiao, H. dan McClements, D. J. (2011<sup>b</sup>). Control of lipase digestibility of emulsified lipids by encapsulation within calcium alginate beads. *Food Hydrocolloids* **25**(1): 122–130. doi:10.1016/j.foodhyd.2010.06.003.
- Li, Y., Zheng, J., Xiao, H., dan McClements, D. J. (2012). Nanoemulsion-based delivery systems for poorly water-soluble bioactive compounds: Influence of formulation parameters on Polymethoxyflavone crystallization. *Food Hydrocolloids* **27**(2): 517–528. doi:10.1016/j.foodhyd.2011.08.017.
- Liaaen-Jensen, S. (2004). Basic Carotenoid Chemistry. Dalam: Krinsky, N. I., Mayne, S. T., dan Seis, H. (ed). *Carotenoids in Health and Disease*. Chapter 1, p: 1–30. Marcel Decker Inc., New York.
- Liang, R., Shoemaker, C. F., Yang, X., Zhong, F. dan Huang, Q. (2013). Stability and bioaccessibility of  $\beta$ -carotene in nanoemulsions. *Journal of Agricultural and Food Chemistry* **61**(6): 1249–1257. doi:10.1021/jf303967f.

- Liu, S. C., Lin, J. T., dan Yang, D. J. (2009). Determination of cis- and trans-  $\alpha$ - and  $\beta$ -carotenoids in Taiwanese sweet potatoes (*Ipomoea batatas* (L.) Lam.) harvested at various times. *Food Chemistry* **116**: 605–610.
- Liu, Y., Hou, Z., Lei, F., Chang, Y. dan Gao, Y. (2012). Investigation into the bioaccessibility and microstructure changes of  $\beta$ -carotene emulsions during *in vitro* digestion. *Innovative Food Science and Emerging Technologies* **15**: 86–95. doi:10.1016/j.ifset.2012.04.002.
- Low, J. W., Mary Arimond, M., Nadia Osman, N., Benedito Cunguara, B., Filipe Zano, F., dan David Tschirley, D. (2007). A food-based approach introducing orange-fleshed sweet potatoes increased vitamin A intake and serum retinol concentrations in young children in rural mozambique. *The Journal of Nutrition* **137**: 1320–1327.
- Lv, F. F., Li, N., Zheng L. Q. dan Tung, C.H (2006). Studies on the stability of the chloramphenical in the microemulsion free of alcohols. *European Journal of Pharmaceutics and Biopharmaceutics* **62**: 288–94.
- Ma, L. dan Lin, X.-M. (2010). Effects of lutein and zeaxanthin on aspects of eye health. *Journal of the Science of Food and Agriculture* **90**(1): 2–12. doi:10.1002/jsfa.3785.
- Maeda, H., Hosokawa, M., Sashima, T., Funayama, K. dan Miyashita, K. (2005). Fucoxanthin from edible seaweed, *Undaria pinnatifida*, shows antiobesity effect through UCP1 expression in white adipose tissues. *Biochemical and Biophysical Research Communications* **332**(2): 392–397. doi:10.1016/j.bbrc.2005.05.002.
- Maiani, G., Castón, M. J. P., Catasta, G., Toti, E., Cambrodón, I. G., Bysted, A., Granado-Lorencio, F., Olmedilla-Alonso, B., Knuthsen, P., Valoti, M., Böhm, V., Mayer-Miebach, E., Behnsilian, D. dan Schlemmer, U. (2009). Carotenoids: actual knowledge on food sources, intakes, stability and bioavailability and their protective role in humans. *Molecular Nutrition and Food Research* **53**: S194–218. doi:10.1002/mnfr.200800053.
- Mao, L., Xu, D., Yang, J., Yuan, F., Gao, Y. dan Zhao, J. (2009). Effects of Small and Large Molecule Emulsifiers on the Characteristics of  $\beta$ -Carotene Nanoemulsions Prepared by High Pressure Homogenization. *Food Technology and Biotechnology* **47**(3): 336–342.
- Mao, Y., Dubot, M., Xiao, H. dan McClements, D. J. (2013). Interfacial engineering using mixed protein systems: emulsion-based delivery systems for encapsulation and stabilization of  $\beta$ -carotene. *Journal of Agricultural and Food Chemistry* **61**(21): 5163–5169. doi:10.1021/jf401350t.

- Marciani, L., Wickham, M., Singh, G., Bush, D., Pick, B., Cox, E., Fillery-Travis A., Faulks R., Marsden C., Gowland P. A., dan Spiller, R. C. (2007). Enhancement of intragastric acid stability of a fat emulsion meal delays gastric emptying and increases cholecystokinin release and gallbladder contraction. *American Journal of Physiology. Gastrointestinal and Liver Physiology* **292**(6): G1607–1613. doi:10.1152/ajpgi.00452.2006.
- Mason, T. G., Wilking, J. N., Meleson, K., Chang, C. B., dan Graves, S. M. (2006). Nanoemulsions: formation, structure, and physical properties. *Journal of Physics: Condensed Matter* **18**(41): R635–R666. doi:10.1088/0953-8984/18/41/R01.
- McClements, D. J. (2005). *Food Emulsions: Principles, Practice, and Techniques* (Second Edi.). Boca Raton, Florida: CRC Press.
- McClements, D. J. (2010). Emulsion design to improve the delivery of functional lipophilic components. *Annual Review of Food Science and Technology* **1**: 241–269. doi:10.1146/annurev.food.080708.100722.
- McClements, D. J. (2012<sup>a</sup>). Crystals and crystallization in oil-in-water emulsions: implications for emulsion-based delivery systems. *Advances in Colloid and Interface Science* **174**: 1–30. doi:10.1016/j.cis.2012.03.002.
- McClements, D. J. (2012<sup>b</sup>). Nanoemulsions versus microemulsions: Terminology, differences, and similarities Nanoemulsions versus microemulsions: terminology, differences, and similarities. *Soft Matter* **8**(6): 1729–1729. doi:10.1039/C2SM06903B.
- McClements, D. J. (2015). Enhancing nutraceutical bioavailability through food matrix design. *Current Opinion in Food Science* **4**: 1–6. doi:10.1016/j.cofs.2014.12.008.
- McClements, D. J. dan Li, Y. (2010). Structured emulsion-based delivery systems: Controlling the digestion and release of lipophilic food components. *Advances in Colloid and Interface Science* **159**(2): 213–228. doi:10.1016/j.cis.2010.06.010.
- McClements, D. J dan Rao, J. (2011). Food-grade nanoemulsions: formulation, fabrication, properties, performance, biological fate, and potential toxicity. *Critical Reviews in Food Science and Nutrition* **51**(4): 285–330. doi:10.1080/10408398.2011.559558.
- McClements, D. J., Decker, E. A., Park, Y., dan Weiss, J. (2009). Structural design principles for delivery of bioactive components in nutraceuticals and functional foods. *Critical Reviews in Food Science and Nutrition* **49**(6): 577–606. doi:10.1080/10408390902841529.

- McClements, D. J., Decker, E. A. dan Weiss, J. (2007). Emulsion-based delivery systems for lipophilic bioactive components. *Journal of Food Science* **72**(8): R109–R124. doi:10.1111/j.1750-3841.2007.00507.x.
- Mills, J. P., Tumuhimbise, G. A., Jamil, K. M., Thakkar, S. K., Failla, M. L., dan Tanumihardjo, S. A. (2009). Sweet potato  $\beta$ -carotene bioefficacy is enhanced by dietary fat and not reduced by soluble dietary intake in mongolian gerbils. *The Journal of Nutrition* **139**(1): 44–50.
- Moeller, S. M., Jacques, P. F. dan Blumberg, J. B. (2000). The Potential Role of Dietary Xanthophylls in Cataract and Age-Related Macular Degeneration. *Journal of the American College of Nutrition* **19**(5): 522S–527S.
- Mortensen, A., dan Skibsted, L. H. (2000). Kinetics and Mechanism of the Primary Steps of Degradation of Carotenoids by Acid in Homogeneous Solution. *Journal of Agricultural and Food Chemistry* **48**(2): 279–286. doi:10.1021/jf9904620.
- Mu, H. dan Høy, C. (2004). The digestion of dietary triacylglycerols. *Progress in Lipid Research* **43**(2): 105–133. doi:10.1016/S0163-7827(03)00050-X.
- Mueller, L. dan Boehm, V. (2011). Antioxidant activity of  $\beta$ -carotene compounds in different in vitro assays. *Molecules* **16**(2): 1055–1069. doi:10.3390/molecules16021055.
- Muller, L., Frohlich, K., dan Bohm, V. (2011). Comparative antioxidant activities of carotenoids measured by ferric reducing antioxidant power (FRAP), ABTS bleaching assay ( $\alpha$ TEAC), DPPH assay and peroxy radical scavenging assay. *Food Chemistry* **129**(1): 139–148. doi:10.1016/j.foodchem.2011.04.045.
- Mun, S., Decker, E. A. dan McClements, D. J. (2007). Influence of emulsifier type on in vitro digestibility of lipid droplets by pancreatic lipase. *Food Research International* **40**(6): 770–781. doi:10.1016/j.foodres.2007.01.007.
- Mun, S., Kim, Y.-R. dan McClements, D. J. (2015). Control of  $\beta$ -carotene bioaccessibility using starch-based filled hydrogels. *Food Chemistry* **173**: 454–461. doi:10.1016/j.foodchem.2014.10.053.
- Nagao, A. 2009. Absorption and Function of Dietary Carotenoids. Dalam: Yoshikawa T (ed): *Food Factors for Health Promotion* Volume 61, p 55–63. Forum Nutrition. Basel, Karger.
- Nagao, K. dan Yanagita, T. (2010). Medium-chain fatty acids : Functional lipids for the prevention and treatment of the metabolic syndrome. *Pharmacological Research* **61**: 208–212. doi:10.1016/j.phrs.2009.11.007.

- Neves, M. A., Ribeiro, H. S., Kobayashi, I. dan Nakajima, M. (2008). Encapsulation of lipophilic bioactive molecules by microchannel emulsification. *Food Biophysics* **3**: 126–131. doi:10.1007/s11483-008-9056-9.
- Nik, A. M., Corredig, M. dan Wright, A. J. (2010). Changes in WPI-stabilized emulsion interfacial properties in relation to lipolysis and  $\beta$ -carotene transfer during exposure to simulated gastric–duodenal fluids of variable composition. *Food Digestion* **1**(1): 14–27. doi:10.1007/s13228-010-0002-1.
- Nik, A. M., Wright, A. J. dan Corredig, M. (2011). Micellization of beta-carotene from soy-protein stabilized oil-in-water emulsions under in vitro conditions of lipolysis. *Journal of the American Oil Chemists' Society* **88**(9): 1397–1407. doi:10.1007/s11746-011-1806-z.
- O'Connell, O. F., Ryan, L., dan O'Brien, N. M. (2007). Xanthophyll carotenoids are more bioaccessible from fruits than dark green vegetables. *Nutrition Research* **27**(5): 258–264. doi:10.1016/j.nutres.2007.04.002.
- O'Sullivan, L., Galvin, K., Aherne, S. A., dan O'Brien, N. M. (2010). Effects of cooking on the profile and micellarization of 9-cis-, 13-cis-and all-trans- $\beta$ -carotene in green vegetables. *Food Research International* **43**(4): 1130–1135. doi:10.1016/j.foodres.2010.02.012.
- O'Sullivan, L., Ryan, L., Aherne, S. A. dan O'Brien, N. M. (2008). Cellular transport of lutein is greater from uncooked rather than cooked spinach irrespective of whether it is fresh, frozen, or canned. *Nutrition Research* **28**(8): 532–538. doi:10.1016/j.nutres.2008.05.011.
- Olson, J. A. (1994). Absorption, transport, and metabolism of carotenoids in humans. *Pure and Applied Chemistry* **66**(5): 1011–1016.
- Paul, B. K. dan Moulik, S. P. (2001). Uses and applications of microemulsions. *Current Science* **80**(8): 990 – 1001.
- Pavan, V., Sancho, R. A. S., dan Pastore, G. M. (2014). The effect of in vitro digestion on the antioxidant activity of fruit extracts (*Carica papaya*, *Artocarpus heterophyllus* and *Annona marcgravii*). *LWT - Food Science and Technology* **59**(2): 1247–1251. doi:10.1016/j.lwt.2014.05.040.
- Pinzi, S., Gandía, L. M., Arzamendi, G., Ruiz, J. J., dan Dorad, M. M. (2011). Influence of vegetable oils fatty acid composition on reaction temperature and glycerides conversion to biodiesel during transesterification. *Bioresource Technology* **102**: 1044–1050.

- Piorkowski, D. T. dan McClements, D. J. (2014). Beverage emulsions : Recent developments in formulation, production, and applications. *Food Hydrocolloids* **42**: 5–41. doi:10.1016/j.foodhyd.2013.07.009.
- Poulaert, M., Borel, P., Caporiccio, B., Gunata, Z., dan Dhuique-Mayer, C. (2012). Grapefruit Juices impair the bioaccessibility of  $\beta$ -carotene from orange-fleshed sweet potato but not its intestinal uptake by caco-2 cells. *Journal of Agricultural and Food Chemistry* **60**: 685–691. doi:10.1021/jf204004c.
- Qian, C., dan McClements, D. J. (2011). Formation of nanoemulsions stabilized by model food-grade emulsifiers using high-pressure homogenization: Factors affecting particle size. *Food Hydrocolloids* **25**(5): 1000–1008. doi:10.1016/j.foodhyd.2010.09.017
- Qian, C., Decker, E. A., Xiao, H. dan McClements, D. J. (2012<sup>a</sup>). Physical and chemical stability of  $\beta$ -carotene-enriched nanoemulsions: Influence of pH , ionic strength , temperature , and emulsifier type. *Food Chemistry* **132**(3): 1221–1229. doi:10.1016/j.foodchem.2011.11.091.
- Qian, C., Decker, E. A., Xiao, H. dan McClements, D. J. (2012<sup>b</sup>). Nanoemulsion delivery systems: influence of carrier oil on  $\beta$ -carotene bioaccessibility. *Food Chemistry* **135**(3): 1440–1447. doi:10.1016/j.foodchem.2012.06.047.
- Ramos, M. J., Fernández, C. M., Casas, A., Rodríguez, L., dan Pérez, A. (2009). Influence of fatty acid composition of raw materials on biodiesel properties. *Bioresource Technology* **100**(1): 261–268. doi:10.1016/j.biortech.2008.06.039.
- Rao, J. dan McClements, D. J. (2011<sup>a</sup>). Food-grade microemulsions, nanoemulsions and emulsions: Fabrication from sucrose monopalmitate and lemon oil. *Food Hydrocolloids* **25**(6): 1413–1423. doi:10.1016/j.foodhyd.2011.02.004.
- Rao, J. dan McClements, D. J. (2011<sup>b</sup>). Formation of flavor oil microemulsions, nanoemulsions and emulsions: influence of composition and preparation method. *Journal of Agricultural and Food Chemistry* **59**: 5026–5035. doi:10.1021/jf200094m.
- Rao, J. dan McClements, D. J. (2012). Food-grade microemulsions and nanoemulsions: Role of oil phase composition on formation and stability. *Food Hydrocolloids* **29**(2): 326 – 334. [doi:10.1016/j.foodhyd.2012.04.008](https://doi.org/10.1016/j.foodhyd.2012.04.008).
- Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M. dan Rice-Evans, C. (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology and Medicine* **26**: 1231–1237.

- Reboul, E., Richelle, M., Elios, P., Desmoulins-Malezet, C., Pirisi, V. dan Borel, P. (2006). Bioaccessibility of carotenoids and vitamin E from their main dietary sources. *Journal of Agricultural and Food Chemistry* **54**(23): 8749–8755. doi:10.1021/jf061818s.
- Reboul, E., Thap, S., Tourniaire, F., Andre, M., Juhel, C., Morange, S., Amirot, M-J., Lairon, D., dan Borel, P. (2007). Differential effect of dietary antioxidant classes (carotenoids, polyphenols, vitamins C and E) on lutein absorption. *British Journal of Nutrition* **97**(3): 440–446. doi: 10.1017/S0007114507352604
- Reis, P., Miller, R., Leser, M. dan Watzke, H. (2009). Lipase-catalyzed reactions at interfaces of two-phase systems and microemulsions. *Applied Biochemistry and Biotechnology* **158**(3): 706–721. doi:10.1007/s12010-008-8354-5.
- Respati, E., Sabarella, Susanti, A. A., Noviati, Nantoro, P., Ekanantari, dan Megawaty. (2010). *Kelapa Sawit*. Dalam: Taufik Y, Nuryati L, Respati E (ed). *Outlook Komoditas Pertanian Perkebunan..* Bab 2, hal: 5 – 22 Pusat Data dan Informasi Pertanian Kementerian Pertanian.
- Rodriguez-Amaya, D. B., Kimura, M., Godoy, H. T., dan Amaya-Farfan, J. (2008). Updated Brazilian database on food carotenoids: Factors affecting carotenoid composition. *Journal of Food Composition and Analysis* **21**(6): 445– 463. doi:10.1016/j.jfca.2008.04.001.
- [Roohinejad, S., Middendorf, D., Burritt, D. J., Bindrich, U., Everett, D. W., dan Oey, I. \(2014\). Capacity of natural  \$\beta\$ -carotene loaded microemulsion to protect Caco-2 cells from oxidative damage caused by exposure to H<sub>2</sub>O<sub>2</sub>. \*Food Research International\* \*\*66\*\*: 469–477. doi:10.1016/j.foodres.2014.10.012](#)
- Roohinejad, S., Oey, I., Wen, J., Je, S., Everett, D. W. dan Burritt, D. J. (2015). Formulation of oil-in-water  $\beta$ -carotene microemulsions : Effect of oil type and fatty acid chain length. *Food Chemistry* **174**: 270–278. doi:10.1016/j.foodchem.2014.11.056.
- Saad, M. A. (2002). *Solubility and Stability of Natural Food Colorants in Microemulsions*. Dissertation. Institute of Food Technology, University of Bonn, Germany.
- Sahoo, S., Pani, N. R. dan Sahoo, S. K. (2014). Microemulsion based topical hydrogel of sertaconazole: Formulation, characterization and evaluation. *Colloids and Surfaces B: Biointerfaces* **120**: 193–199. doi: [10.1016/j.colsurfb.2014.05.022](#)

- Sakai, S., Sugawara, T., Matsubara, K. dan Hirata, T. (2009). Inhibitory effect of carotenoids on the degranulation of mast cells via suppression of antigen-induced aggregation of high affinity IgE receptors. *The Journal of Biological Chemistry* **284**(41): 28172–28179. doi:10.1074/jbc.M109.001099.
- Salvia-Trujillo, L., Qian, C., Martín-Belloso, O. dan McClements, D. J. (2013<sup>a</sup>). Modulating  $\beta$ -carotene bioaccessibility by controlling oil composition and concentration in edible nanoemulsions. *Food Chemistry* **139**(1-4): 878–884. doi:10.1016/j.foodchem.2013.02.024.
- Salvia-Trujillo, L., Qian, C., Martín-Belloso, O. dan McClements, D. J. (2013<sup>b</sup>). Influence of particle size on lipid digestion and  $\beta$ -carotene bioaccessibility in emulsions and nanoemulsions. *Food Chemistry* **141**(2): 1472–1480. doi:10.1016/j.foodchem.2013.03.050.
- Salvia-Trujillo, L., Rojas-Graü, M. A., Soliva-Fortuny, R. dan Martín-Belloso, O. (2013<sup>c</sup>). Effect of processing parameters on physicochemical characteristics of micro fluidized lemongrass essential oil-alginate nanoemulsions. *Food Hydrocolloids* **30**: 401–407. doi:10.1016/j.foodhyd.2012.07.004.
- Santini, A., Romano, R., Meca, G., Raiola, A., dan Ritieni, A. (2014). Antioxidant Activity and Quality of Apple Juices and Puree After in vitro Digestion. *Journal of Food Research* **3**(4): 41–50. doi:10.5539/jfr.v3n4p41.
- Sarkar, A., Goh, K. K. T., dan Singh, H. (2009). Colloidal stability and interactions of milk-protein-stabilized emulsions in artificial saliva. *Food Hydrocolloids* **23**(5): 1270 – 1278. doi:10.1016/j.foodhyd.2008.09.008.
- Sarkar, A., Horne, D. S. dan Singh, H. (2010). Pancreatin-induced coalescence of oil-in-water emulsions in an in vitro duodenal model. *International Dairy Journal* **20**(9): 589–597. doi:10.1016/j.idairyj.2009.12.007.
- Sato, Y., Akiyama, H., Matsuoka, H., Sakata, K., Nakamura, R., Ishikawa, S., Inakuma, T., Totsuka, M., Sugita-Konishi, Y., Ebisawa, M. dan Teshima, R. (2010). Dietary carotenoids inhibit oral sensitization and the development of food allergy. *Journal of Agricultural and Food Chemistry* **58**: 7180–7186. doi:10.1021/jf100519x.
- Schieber, A. dan Carle, R. (2005). Occurrence of carotenoid cis-isomers in food: Technological, analytical, and nutritional implications. *Trends in Food Science and Technology* **16**(9): 416–422. doi:10.1016/j.tifs.2005.03.018.
- Schubert, H. dan Engel, R. (2004). Product and formulation engineering of emulsions. *Chemical Engineering Research and Design* **82**(9):1137–1143. doi:10.1205/cerd.82.9.1137.44154.

- Sesso, H. D., Buring, J. E., Norkus, E. P., dan Gaziano, J. M. (2004). Plasma lycopene, other carotenoids, and retinol and the risk of cardiovascular disease in women. *The American Journal of Clinical Nutrition* **79**: 47–53.
- Sharoni, Y., Danilenko, M. dan Levy, J. (2000). Molecular mechanisms for the anticancer activity of the carotenoid lycopene. *Drug Development Research* **50**: 448–456. doi:10.1002/1098-2299(200007/08)50:3/4<448::AID-DDR28>3.0.CO;2-U.
- Shi, J., Xue, S. J., Wang, B., Wang, W., Ye, X. dan Quek, S. Y. (2015). Optimization of formulation and influence of environmental stresses on stability of lycopene-microemulsion. *LWT - Food Science and Technology* **60**(2): 999–1008. doi:10.1016/j.lwt.2014.10.066.
- Silva, H. D., Cerqueira, M. A., Souza, B. S. W., Ribeiro, C., Avide, M. C., Quintas, M. A. C., Coimbra, J. S. R., Carneiro-da-Cunha, M. G., dan Vicente, A. A. (2011). Nanoemulsions of b-carotene using a high-energy emulsification–evaporation technique. *Journal of Food Engineering* **102**(2): 130–135. doi:10.1016/j.jfoodeng.2010.08.005
- Sólyom, K., Maier, C., Weiss, J., Cocero, M. J., Mato, R. B., Carle, R., dan Schweiggert, R. (2014). Structure–response relationship of carotenoid bioaccessibility and antioxidant activity as affected by the hydroxylation and cyclization of their terminal end groups. *Food Research International* **66**: 107–114. doi:10.1016/j.foodres.2014.09.004.
- Spornath, A., Yaghmur, A., Aserin, A., Hoffman, R. E., dan Garti, N. (2002). Food-grade microemulsions based on nonionic emulsifiers: media to enhance lycopene solubilization. *Journal of Agricultural and Food Chemistry* **50**(23): 6917–6922. doi: 10.1021/jf025762n.
- Spornath, A., Yaghmur, A., Aserin, A., Hoffman, R. E., dan Garti, N. (2003). Self-diffusion nuclear magnetic resonance, microstructure transitions, and solubilization capacity of phytosterol and cholesterol in Winsor IV food-grade microemulsions. *Journal of Agricultural and Food Chemistry* **51**(8): 2359–2364. doi: 10.1021/jf025937t.
- Stahl, W. dan Sies, H. (2003). Antioxidant activity of carotenoids. *Molecular Aspects of Medicine* **24**(6): 345–351. doi:10.1016/S0098-2997(03)00030-X.
- Stahl, W. dan Sies, H. (2005). Bioactivity and protective effects of natural carotenoids. *Biochimica et Biophysica Acta* **1740**(2): 101–107. doi:10.1016/j.bbadis.2004.12.006.

- Stefanovich, A. F dan Karel, M. (1982). Kinetics of beta-carotene degradation at temperatures typical of air drying of foods. *Journal of Food Processing and Preservation* **6**(4): 227–242.
- Stinco, C., Fernandez-Vazquez, R., Escudero-Gilete, M., Heredia, F. J., Melendez-Martinez, A. J. dan Vicario, I. M. (2012). Effect of orange juice's processing on the color, particle size, and bioaccessibility of carotenoids. *Journal of Agricultural and Food Chemistry* **60**(6): 1447 – 1455. doi: 10.1021/jf2043949.
- St-Onge, M.-P. dan Jones, P. J. H. (2002). Physiological effects of medium-chain triglycerides: potential of obesity. *The Journal of Nutrition* **132**: 329–332.
- Svelander, C. A, Lopez-Sanchez, P., Pudney, P. D. A, Schumm, S. dan Alminger, M. A G. (2011). High pressure homogenization increases the in vitro bioaccessibility of  $\alpha$ - and  $\beta$ -carotene in carrot emulsions but not of lycopene in tomato emulsions. *Journal of Food Science* **76**(9): H215–H225. doi:10.1111/j.1750-3841.2011.02418.x.
- Sy, C., Gleize, B., Dangles, O., Landrier, J.-F., Veyrat, C. C., dan Borel, P. (2012). Effects of physicochemical properties of carotenoids on their bioaccessibility, intestinal cell uptake, and blood and tissue concentrations. *Molecular Nutrition & Food Research* **56**(9): 1385–1397. doi:10.1002/mnfr.201200041
- Tadros, T., Izquierdo, P. dan Solans, J. E. (2004). Formation and stability of nano-emulsions. *Advances in Colloid and Interface Science* **108**: 303–318. doi:10.1016/j.cis.2003.10.023.
- Tan, C. dan Nakajima, M. (2005).  $\beta$ -Carotene nanodispersions: preparation, characterization and stability evaluation. *Food Chemistry* **92**(4): 661–671. doi:10.1016/j.foodchem.2004.08.044.
- Tangsathitkulchai, C., Sittichaitaweekul, Y., dan Tangsathitkulchai, M. (2004). Temperature effect on the viscosities of palm oil and coconut oil blended with diesel oil. *Journal of the American Oil Chemists' Society* **81**(4): 401–405
- Tapiero, H., Townsend, D. M. dan Tew, K. D. (2004). The role of carotenoids in the prevention of human pathologies. *Biomedicine and Pharmacotherapy* **58**(2): 100–110. doi:10.1016/j.biopha.2003.12.006.
- Teow, C. C., Truong, V. D., McFeeters, R. F., Thompson, R. L., Pecota, K. V., dan Yencho, G. C. (2007). Antioxidant activities, phenolic and  $\beta$ -carotene contents of sweet potato genotypes with varying flesh colours. *Food Chemistry* **103**: 829–838. doi:10.1016/j.foodchem.2006.09.033.

- Thurnham, D. I. (2007). Bioequivalence of  $\beta$ -carotene and retinol. *Journal of the Science of Food and Agriculture* **87**(1): 13–39. doi:10.1002/jsfa.
- Tomlins, K., Owori, C., Bechoff, A., Menya, G., dan Westby, A. (2012). Relationship among the carotenoid content, dry matter content and sensory attributes of sweet potato. *Food Chemistry* **131**(1): 14–21. doi:10.1016/j.foodchem.2011.07.072.
- Torcello-Gómez, A., Maldonado-Valderrama, J., de Vicente, J., Cabrerizo-Vílchez, M. A., Gálvez-Ruiz, M. J., dan Martín-Rodríguez, A. (2011). Investigating the effect of surfactants on lipase interfacial behaviour in the presence of bile salts. *Food Hydrocolloids* **25**(4): 809–816. doi:10.1016/j.foodhyd.2010.09.007.
- Tsuji, H., Kasai, M., Takeuchi, H., Nakamura, M., Okazaki, M. dan Kondo, K. (2001). Human Nutrition and Metabolism Dietary Medium-Chain Triacylglycerols Suppress Accumulation of Body Fat in a Double-Blind, Controlled Trial in Healthy Men and Women. *The Journal of Nutrition* **131**: 2853–2859.
- Tyssandier, V., Lyan, B. dan Borel, P. (2001). Main factors governing the transfer of carotenoids from emulsion lipid droplets to micelles. *Biochimica et Biophysica Acta* **1533**(3): 285–292. doi:10.1016/S1388-1981(01)00163-9.
- Unlu, N. Z., Bohn, T., Clinton, S. K, dan Schwartz, S. J. (2005). Carotenoid absorption from salad and salsa by humans is enhanced by the addition of avocado or avocado oil. *The Journal of Nutrition* **135**(3): 431 – 436.
- Van Buggenhout, S., Alminger, M., Lemmens, L., Colle, I., Knockaert, G., Moelants, K., Van Loey, A. dan Hendrickx, M. (2010). In vitro approaches to estimate the effect of food processing on carotenoid bioavailability need thorough understanding of process induced microstructural changes. *Trends in Food Science and Technology* **21**(12): 607–618. doi:10.1016/j.tifs.2010.09.010.
- Van Jaarsveld, P. J., Faber, M., Tanumihardjo, S. A., Nestel, P., Lombard, C. J., dan Benade, A. J. S. (2005).  $\beta$ -Carotene-rich orange-fleshed sweet potato improves the vitamin A status of primary school children assessed with the modified-relative-dose-response test. *The American Journal of Clinical Nutrition* **81**(5): 1080 –1087.
- Van Jaarsveld, P. J., Maraisa, D. W., Harmsea, E., Nestel, P., dan Rodriguez-Amaya, D. B. (2006). Retention of b-carotene in boiled, mashed orange-fleshed sweet potato. *Journal of Food Composition and Analysis* **19**(4): 321–329. doi:10.1016/j.jfca.2004.10.007.

- Veda, S., Platel, K. dan Srinivasan, K. (2007). Varietal Differences in the Bioaccessibility of  $\beta$ -Carotene from Mango (*Mangifera indica*) and Papaya (*Carica papaya*) Fruits. *Journal of Agricultural and Food Chemistry* **55**(19): 7931–7935. doi: 10.1021/jf0712604.
- Verrijssen, T. A. J., Smeets, K. H. G., Christiaens, S., Palmers, S., Loey, A. M. V. dan Hendrickx, M. E. (2015). Relation between *in vitro* lipid digestion and  $\beta$ -carotene bioaccessibility in  $\beta$ -carotene-enriched emulsions with different concentrations of L -  $\alpha$ -phosphatidylcholine. *Food Research International* **67**: 60–66. doi:10.1016/j.foodres.2014.10.024.
- Versantvoort, C. H. M., Oomen, A. G., Van de Kamp, E., Rempelberg, C. J. M. dan Sips, A. J. A. M. (2005). Applicability of an *in vitro* digestion model in assessing the bioaccessibility of mycotoxins from food. *Food and Chemical Toxicology* **43**(1): 31–40. doi:10.1016/j.fct.2004.08.007.
- Vieira, S. M., Theodoro, K. H. dan Gloria, M. B. A. (2007). Profile and levels of bioactive amines in orange juice and orange soft drink. *Food Chemistry* **100**(3): 895–903. doi:10.1016/j.foodchem.2005.10.050.
- Vinarov, Z., Petkova, Y., Tcholakova, S., Denkov, N., Stoyanov, S., Pelan, E. dan Lips, A. (2012<sup>a</sup>). Effects of emulsifier charge and concentration on pancreatic lipolysis. 1. In the absence of bile salts. *Langmuir: The ACS Journal of Surfaces and Colloids* **28**(21): 8127–8139. doi:10.1021/la300366m.
- Vinarov, Z., Tcholakova, S., Damyanova, B., Atanasov, Y., Denkov, N. D., Stoyanov, S. D., Pelan, E. dan Lips, A. (2012<sup>b</sup>). Effects of emulsifier charge and concentration on pancreatic lipolysis: 2. Interplay of emulsifiers and biles. *Langmuir: The ACS Journal of Surfaces and Colloids* **28**(33): 12140–12150. doi:10.1021/la301820w.
- Voutilainen, S., Nurmi, T., Mursu, J. dan Rissanen, T. H. (2006). Carotenoids and cardiovascular health. *The American Journal of Clinical Nutrition* **83**(6): 1265–1271.
- Wang, P., Liu, H., Mei, X., Nakajima, M. dan Yin, L. (2012). Preliminary study into the factors modulating Bioavailability of  $\beta$ -carotene micelle formation in dispersions using an *in vitro* digestion model. *Food Hydrocolloids* **26**(2): 427–433. doi:10.1016/j.foodhyd.2010.11.018.
- Werner, S. dan Böhm, V. (2011). Bioaccessibility of carotenoids and vitamin e from pasta: evaluation of an *in vitro* digestion model. *Journal of Agricultural and Food Chemistry* **59**(4): 1163–1170. doi:10.1021/jf103892y.

- Wong, M. L., Timms, R. E., dan Goh, E. M. (1988). Colorimetric determination of total tocopherols in palm oil, olein and stearin. *Journal of the American Oil Chemists Society* **65**(2): 258 – 261.
- Xia, Z., McClements, D. J., dan Xiao, H. (2014). Nutraceutical nanoemulsions: influence of physical states of  $\beta$ -carotene (crystalized versus dissolved) on bioaccessibility. *The FASEB journal* **28**(1): Supplement 645.13. doi: 10.1096/fj.1530-6860.
- Xu, D., Wang, X., Jiang, J., Yuan, F., dan Gao, Y. (2012). Impact of whey protein – Beet pectin conjugation on the physicochemical stability of  $\beta$ -carotene emulsions. *Food Hydrocolloids* **28**(2): 258–266. doi:10.1016/j.foodhyd.2012.01.002.
- Xu, D., Wang, X., Jiang, J., Yuan, F., Decker, E. A. dan Gao, Y. (2013). Influence of pH, EDTA, a-tocopherol, and WPI oxidation on the degradation of  $\beta$ -carotene in WPI-stabilized oil-in-water emulsions. *LWT - Food Science and Technology* **54**(1): 236–241. doi: 10.1016/j.lwt.2013.05.029.
- Yang, Y. dan McClements, D. J. (2013). Vitamin E bioaccessibility: influence of carrier oil type on digestion and release of emulsified  $\alpha$ -tocopherol acetate. *Food Chemistry* **141**(1): 473–81. doi:10.1016/j.foodchem.2013.03.033.
- Yang, Y., Marshall-Breton, C., Leser, M. E., Sher, A. A. dan McClements, D. J. (2012). Fabrication of ultrafine edible emulsions: Comparison of high-energy and low-energy homogenization methods. *Food Hydrocolloids* **29**: 398–406. doi:10.1016/j.foodhyd.2012.04.009.
- Yi, J., Li, Y., Zhong, F. dan Yokoyama, W. (2014). The physicochemical stability and in vitro bioaccessibility of beta-carotene in oil-in-water sodium caseinate emulsions. *Food Hydrocolloids* **35**: 19–27. doi:10.1016/j.foodhyd.2013.07.025.
- Yi, J., Zhang, Y., Liang, R., Zhong, F., dan Ma, J. (2015). Beta-carotene chemical stability in nanoemulsions was improved by stabilized with beta-lactoglobulin – catechin conjugates through free radical method. *Journal of Agricultural and Food Chemistry* **63**: 297–303. doi:10.1021/jf5056024.
- Yin, L-J., Chu, B-S., Kobayashi, I., dan Nakajima, M. (2009). Performance of selected emulsifiers and their combinations in the preparation of b-carotene nanodispersions. *Food Hydrocolloids* **23**(6): 1617–1622. doi: 10.1016/j.foodhyd.2008.12.005.
- Yonekura, L. dan Nagao, A. (2007). Intestinal absorption of dietary carotenoids. *Molecular Nutrition and Food Research* **51**(1): 107 – 115. doi: 10.1002/mnfr.200600145.

- Yuan, Y., Gao, Y., Zhao, J. dan Mao, L. (2008). Characterization and stability evaluation of  $\beta$ -carotene nanoemulsions prepared by high pressure homogenization under various emulsifying conditions. *Food Research International* **41**(1): 61–68. doi:10.1016/j.foodres.2007.09.006.
- Zeb, A. dan Murkovic, M. (2013). Pro-oxidant effects of  $\beta$ -carotene during thermal oxidation of edible oils. *Journal of the American Oil Chemists' Society* **90**(6): 881–889. doi:10.1007/s11746-013-2221-4
- Zhang, H., Lu, Z., Wang, S., Shen, Y., Feng, F. dan Zheng, X. (2008). Development and antifungal evaluation of a food-grade U-type microemulsion. *Journal of Applied Microbiology* **105**: 993–1001. doi:10.1111/j.1365-2672.2008.03824.x.
- Zhang, H., Shen, Y, Weng, P., Zhao, G. Feng, F., dan Zheng, X. (2009). Antimicrobial activity of a food-grade fully dilutable microemulsion against *Escherichia coli* and *Staphylococcus aureus*. *International Journal of Food Microbiology* **135**(3): 211–215. doi:10.1016/j.ijfoodmicro.2009.08.015.
- Zhou, H., Zhao, X., Johnson, E. J., Lim, A., Sun, E., Yu, J., Zhang, Y., Liu, X., Snellingen, T., Shang, F. dan Liu, N. (2011). Serum carotenoids and risk of age-related macular degeneration in a chinese population sample. *Investigative Ophthalmology and Visual Science* **52**(7): 4338–4344. doi:10.1167/iovs.10-6519.
- Ziani, K., Fang, Y. dan McClements, D. J. (2012). Encapsulation of functional lipophilic components in surfactant-based colloidal delivery systems: vitamin E, vitamin D, and lemon oil. *Food Chemistry* **134**(2): 1106–1112. doi:10.1016/j.foodchem.2012.03.027.