UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdelkareem, E. K., Karine,, M., Claude G., Francoise, Q., and Daniel, B., 2008, Design of stable nanoporous hybrid chitosan/titania as cooperative bifunctional catalysts, *Chem. Mater.*, 20, 2198–2204

Akpan, U. G., and Hameed, B. H., 2009, Parameter affecting the photocatalytic degradation of dyes using TiO_2-based photocatalyst, *J. Hazard.Mater.*, 170, 520–529

Ahmad, Z., and Sarwar, M. I., 1997, Preparation and properties of hybrid organic-inorganic composites prepared from Poly(phenylene terephthalamide) and titania, *Polym.* 38, 17, 4523–4529

Ahmad, Z., and Sarwar, M.I., 2000, Preparation and properties of polyamide–titania nanocomposites, *J. Sol-Gel Sci. Techno*., 44, 41–46

Alves, N.M., Manoa, J. F., Chitosan derivatives obtained by chemical modifications for biomedical and environmental applications, *Int. J. Biol. Macromol.*, 43, 401–414

Almquist, C., and Bishwas, P., 2002, Role of synthesis method and particle size of nanostructured TiO_2 on its photocactivity, *J. Catal.*, 212, 145-156

Amornrat, L., Keiichi, N., Kozo, O., and Kenji, O., 2004, Plausible molecular and crystal structures of chitosan/HI type II salt, *Carbohyd. Res.*, 339, 835–843

Andayani, W., dan Sumartono, A., 2007, TiO_2 and TiO_2/Active carbon photocatalysts immobilized on titanium plates, *Indo. J. Chem.*, 7, 3, 238–241

Andrea, A. H., Silvio, L. P. D., Jordana, R. R., Flavio, A. P., Edilson, V. B., and Eder, C. L., 2008, Methylene blue immobilized on cellulose acetate with titanium dioxide: An application as sensor for ascorbic acid, *J. Braz. Chem. Soc.* 19, 5-11

Angela, W., Walid, A.D., Hanhua L., Yau Shan S., The effect of aging and precursor concentrationon room-temperature synthesis of nanocrystalline anatase TiO_2, *Mater. Letters*, 2014, 117, 82-85

Annadurai, G., Juang, R.S., Lee, D.J., 2002, Use of cellulose-based wastes for adsorption of dyes from aqueous solutions, *J. Hazard Mater*. 10, 92, 263-74

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Anuar, K., and Marc, P., 2012, Reinforced materials based on chitosan, TiO_2 and Ag composit, *Polym*., 4, 590–599

Banfield, J. F., and Zhang H., 2001, Nanoparticles in the environment. *Rev. Mineral. Geochem.*, 44, 1-58

Barka, N., Assabbanel A. N., Dussaud, Y., and Ait I., 2008, Photocatalytic degradation of metil orange with immobilizied TiO_2 nanoparticles: effect of pH and some inorganic anion, *Phys. Chem. News*,41, 85-88

Bleuzen, A., Barboux-Doeuff, Flaud, C., and Sanches, P., 1994, Rheological study of titanium oxide based gels, *Mater. Res. Bull*., 29, 1223-1232

Buraidah, M. H., Teo S., Yusuf, M. M., Noor, M. Z., and Kufian, M. A., 2011, TiO_2/Chitosan-NH_4I (+I_2)-BMII-based dye-sensitized solar cells with anthocyanin dyes extracted from black rice and red cabbage, *Eur. Polym. J.*, 36, 89 – 94 Article ID 273683, 11 pages doi:10.1155/2011/273683

Camelia, O., Victor, C., and Gabriel, P., 2008, Investigation of nanocrystals using tem micrograph and electron diffraction, *Rom. Journ. Phys*., Vol. 53, No. 1–2, 223–230

Chang Sung, L., Jeong Ho, R., Do-Hwan, K., Sung-Yong, C., and Won-Chun, O., 2010, Reaction morphology and the effect of pH on the preparation of TiO_2 nanoparticles by a sol-gel method, *J. Ceram. Process. Res.*Vol. 11, No. 6, 736-741

Chukwuocha, E.O, Onyeaju, M.C., 2012, Effect of Quantum Confinement on The Wavelength of CdSe, ZnS And GaAs Quantum Dots (Qds), *Intl. J. Sci. Tech. Res*., 1, 7, 2277-8616

Chen, Y., Kan Wang, Liping, L., 2004, Photodegradation of dye pollutants on silica gel supported TiO_2 particles under visible light irradiation, *J. Photochem. Photobiol. A: Chem*., 163, 281-287

Cheewita, S., Avinash, J. P., Ravinash, K. K., Sumpun, W. S. M., 2009, Fabrication of ice-templated macroporous TiO_2–chitosan scaffolds for photocatalytic applications, *J. Mater. Chem.*, 19, 8478–8483

Colón, G., and Hidalgo, J.A., 2001, Photocatalytic deactivation of commercial TiO_2 samples during simultaneous photoreduction of Cr(VI) and photooxidation of salicylic acid, *J.Photochem. Photobiol. A*.,138, 79–85

Cordero-Arias, L., Cabanas-Polo, S., Haoxiang, G., Gilabert, J., Sanchez, E., and Roether, J. A., Virtanene and Boccaccinia A. R., 2013, Electrophoretic deposition

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

of nanostructured-TiO_2/chitosan composite coatings on stainless steel, *DOI: 10.1039/c3ra40535d RSC* advances

Chun He., Ya Xiong and Xi Hai, Z., 2002, A novel regeneration method of Cu(0)-deposited TiO_2 photocatalytic film: Air-assisted electrochemical oxidation, *Chinese Chem. Lett.*, 13, 11, 1127 – 1130

David, B., 2007, Self cleaning titania polyurethane composites, *Monograph Thesis*, Master of Engeneering Science, Univ. Of Western Ontario London, Canada

Doeuff S, Henry M., and Sanchez, C., 1990, Sol-gel synthesis and characterization of titanium oxo-acetate polymers, *Mat. Res. Bul*., 25, 1519 – 1529

Dorofeev, G. A., Streletskii, Povstugar, A. N., Protasov, I. V., and Elsukov, A. V., 2012, Determination of nanoparticle sizes by X-Ray diffraction, *Colloid J*., 74, 6, 675-685

Dorian, A. H., Charles, C. S., 2011, Review of the anatase to rutile phase transformation, *Mater. Sci*, 46, 855–874

Dunbar, P., Birnie IIIa, and Norbert, J. B., 1999, ^{1}H and ^{13}C NMR observation of the reaction of acetic acid with isopropoxide, *Mater. Chem. Physics*, 59, 26 – 35

Ephrem, O. C., Michael, C. O., Taylor, S. T. 2012, Theoretical Studies on the Effect of Confinement on Quantum Dots Using the Brus Equation, *World J.Condensed Matter Physics*, 2, 96-100

Esam, A. E., Elham, S. E., and Azizah, M., 2010, Characterization of chitosan in acetic acid: rheological and thermal studies, *Turk. J. Chem*., 34, 47 – 56

Fajriati, I., Rusdi, M., 2015, Preparasi campuran TiO_2-kitosan film untuk fotodegradasi metil orange, *Proceeding Seminar Nasional Kimia dan Pendidikan Kimia* (SNKPK 2015), Universitas Negeri Semarang, 104-107

Françoise, Q., Romain, V., Francesco Di, R., 2008, Aerogel materials from marine polysaccharides, *New J. Chem.*,32, 1300-1310

García, M.F., Wang, X., Belver, C., Rodriguez, J., 2007, Anatase-TiO_2 Nanomaterials: Morphological/Size Dependence of the Crystallization and Phase Behavior Phenomena, *J. Phys. Chem. C*, 2007, 111 (2), pp 674–682. DOI: 10.1021/jp065661i

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Guibal, E., 2005, Heterogeneous catalysis on chitosan-based materials: a Review, *Prog. Polym. Sci*. 30, 71–109

Guettai, N., and Ait Amar, 2005, Photocatalytic oxidation of methyl orange in presence of titanium dioxide in aqueous suspension. Part II: Kinetics study, *Desalination,* 185, 439 – 448

Guivarch, E., Stephane, T., Claude, L., and Mehmet, A. O., 2003, Degradation of azo dyes in water by electro-fenton process, *Environ. Chem. Lett., 1:38*–44

Gunlazuardi, J., dan Thahjanto, T.R., 2001, Preparasi lapisan tipis TiO_2 sebagai fotokatalis: keterkaitan antara ketebalan dan aktivitas fotokatalis, *Makara*, Jurnal Penelitian Universitas Indonesia, Vol 5, 2, Seri Sains, Desember, 81-91

Gurusamy, A., 2002, Adsorption of Basic Dye on Strongly Chelating Polymer: Batch Kinetics Studies, *Iranian Polymer. J.*, Vol 2, 4, 1026-1265

Habib M.P., Woo Young K., Kwang-Deog J., Oh-Shim J., 2005, A chemical route to room-temperature synthesis of nanocrystalline TiO_2 thin films, *Appl. Surface Sci*., 246, 72–76

Hassen, T., Moncef, K., Olfa, H., dan Mohamed, K., 2013, Titanium Dioxide Mediated Photodegradation of Methyl Orange by Ultraviolet Light, *Toxicol. Environ. Chem.* Vol. 95, No. 4, 543–558

Hagfeldt, A., and Grätzel, M., 1995, Light-Induced Redox Reactions inNanocrystalline Systems. *Chemical. Review*, 95, 49-68.

Herrmann, J. M., 2005, Heterogeneous Photocatalysis: State of the Art and Present Applications*, Top. Catal., Vol. 34, Nos. 1–4*

Herrmann, J.M., 1999, Heterogeneous photocatalysis: fundamentals and applications to the removal of various types of aqueous pollutants, *Catal. Today*, 53, 115–129

Hernández-Perez, Maubert, A. M., Luis Rendón, Patricia, S., Herrera-Hernández, H., Díaz-Barriga, A., Garibay, F. Zv., Eduardo, P., and González-Reyes, 2012, Ultrasonic Synthesis: Structural, Optical and Electrical Correlation of TiO_2 Nanoparticles, *Int. J. Electrochem. Sci.,* 7, 8832 – 8847

Hoffmann, M. R., Martin, S. T., Choi, W., and Bahnemann, D. W., 1995, Environmental Aplication of Semiconductor Photocatalysis, *J. Chem. Rev*., 95,1, 69-96.

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Hosseingholi, M., Pazouki, A. H., and Aboutalebi, S. H., 2011, Room Temperature Synthesis of Nanocrystalline Anatase Sols and Preparation of Uniform NanostructuredTiO_2 Thin Films: Optical and Structural Properties, *J. Appl. Phys*. 44,(8pp) doi:10.1088/0022-3727/44/5/055402

Huguenin, F., Valtencir, Z., Antonio, J.F., Ernesto, R., and Osvaldo, N.O., 2005, Layer by Layer Hybrid Films Incorporating WO_3, TiO_2 and Chitosan, *Chem. Mater*. 17, 6739 – 6745

Huaming, Y., Ke Zhang, Rongrong, S., Xianwei Li, Xiao, D., and Yongmei, Y., 2006, Sol–Gel Synthesis of TiO_2 Nanoparticles and Photocatalytic Degradation of Methyl Orange in Aqueous TiO_2 Suspensions, *J. Alloy Compd.*, 413, 302–306

Ingolf, K., Oliver T., Sabine, T., Hannes, R., Bernd Grünler, Steffen, H., Maik, S., Michael, M., and Stefan, S., 2011, Functional Mesoporous Aluminosilicate Nanoparticles as Host Material to Fabricate Photo-Switchable Polymer Films Show Affiliations, *J. Mater. Chem.*,21, 5083-5088

Inger, M.N., Volda, K. M., Eric, G., and Olav, S., 2003, Binding of ions to chitosan—selectivity studies, *Carbohyd. Polym*, 54, 471–477

Jayakumar, R., Roshni, R., Divyarania, V. V., Chennazhia, K. P., Tamurab, H., and Naira, S. V., 2011, Fabrication of Chitin–Chitosan/nano TiO_2-Composite Scaffolds for Tissue Engineering Applications, *Int. J. Bio. Macromol.*, 48, 336–344

Janus, M., Ewelina, K. N., Antoni, M. W., 2011, Determination of the Photocatalytic Activity of TiO_2 with High Adsorption Capacity, *React. Kinet. Mech. Cat*, 103, 279 – 278

Jeong Ah, C., Muga Vithal, and Chan, B., 2009, Morphological and Phase Evolution of TiO_2 Nanocrystals Prepared from Peroxotitanate Complex Aqueous Solution: Influence of Acetic Acid, *J. Solid State Chem*. 182, , 749 –756

Jun, Z., Yupeng, Z., Yinkai, L., and Chunxu Pan, 2011, Photocatalytic and Degradation Mechanisms of Anatase TiO_2: a HRTEM Study, *Catal. Sci. Technol*., 1, 273–278

Jonathan, D. C., Susan, E. D., and Andrea, M. D., 2006, Evaluation of Copper Speciation and Water Quality Factors that Affect Aqueous Copper Tasting Response, *Senses*, 31: 689–697

Kabra, K., Rubina, C., Rameshwar, L. S., 2004, Treatment of Hazardous Organic and Inorganic Compounds through Aqueous-Phase Photocatalysis: A Review, *Ind. Eng. Chem. Res*., 43, 7683-7696

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Kabra, K., Rubina, C., Rameshwar, L. S., 2008, Solar photocatalytic removal of Cu(II), Ni(II), Zn(II) and Pb(II): Speciation modeling of Metal–Citric Acid Complexes, *J. Hazard. Mater.*, 155, 4, 424–432

Kaihong, Q., and John, H. X., 2010, Room Temperature Synthesis of Single-Phase Anatase TiO_2 by Aging and its Self-Cleaning Properties, *Appl. Mater. Inter.*, 2, 12, 3479 – 3485

Kasetsart, J., Kheamrutai, T., Pichet, L., and Boonlaer, G., 2008, Phase Characterization of TiO_2 Powder by XRD and TEM, *Nat. Sci*., 42 : 357 – 361

Murugan, K., 2010, Tata N. Rao, Ashutosh S. Gandhi, B.S. Murty, Effect of aggregation of methylene blue dye on TiO_2 surface in self cleaning studies. *Catalyst. Com*. 11, 518–521

Dai, Hao, C., Tianyaou, P., Dingning, K., and Huabing, Y., 2007, Photocatalytic Degradation of Methyl Orange in Aqueous Suspension of Mesoporous Titania Nanoparticle, *Chemosphere*, 69, 1361-1367

Khezrianjoos, H.D., and Revanasiddappa, 2012, Langmuir-Hinshelwood Kinetic Expression for the Photocatalytic Degradation of Metanil Yellow Aqueous Solutions by ZnO Catalyst, *Chem. Sci. J.*, CSJ-85

Kumirska, J., Czerwicka, M., Kaczynski, Z., Bychowska, A., Brzozowski, K., Thoming, J., and Stepnowski, P., 2010, Application of Spectroscopic Methods for Structural Analysis of Chitin and Chitosan, *Mar. Drugs*., 8, 5, 1567-1636

Lachheb, H.,Eric, P., Houas, A., Ksibi, M., Elimame, E., Herrmann, J.M., 2002, Photocatalytic degradation of various types of dyes (Alizarin S, Crocein Orange G, Methyl Red, Congo Red, Methylene Blue) in water by UV-irradiated titania, *App. Catal.B: Environ*. 39, 75–90

Linsebigler, A.L., Lu G., and Yates, Jr. J.T., 1995, Photocatalysis on TiO_2 Surfaces: Principles, Mechanisms, and Selected Results. *Chem. Rev*., 95, 735-758

Ling, C., Yee, Y., and Eng, H.S., 2011. Removal of A Cationic Dye using Deacetylated Chitin (Chitosan). *J. Appl. Sci., 11: 1445-1448.*

Madhusudan, R., Sunkara, V. M., and Ramachandra, R. A., 2002, Bandgap Studies on Anatase Titanium Dioxide Nanoparticles, *Mater. Chem. Phys.*, 78, 239–245

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Maria, V. D., Alessia, S., and Elena, S., 2012, Cr(VI) Photocatalytic Reduction: Effects of Simultaneous Organics Oxidation and of Gold Nanoparticles Photodeposition on TiO_2, *J. Hazar. Mater.*,211– 212, 188– 195

Madrazo, A, O,. David, L., Trombotto S, L., Peniche-Covas, C., Domard A., 2010, Kinetics study of the solid-state acid hydrolysis of chitosan: evolution of the crystallinity and macromolecular structure, *Biomacromol*., 11, 5,1376-86. DOI: 10.1021/bm1001685

Marcelo, R., 2001, *Studies of Photochemical Kinetic of the Methylene Blue with Reductants*, Thesis, Dept of Chemistry, University of Karachi Pakistan

Maryam, H. Z., 2011, Synthesis of TiO_2 Nanoparticles by Microemulsion/Heat Treated Methods andPphotodegradation of Methylene Blue, *J. Inorg. Organomer Polym*., 21, 81 – 90

Matthews, F.L., and Rawling, RD., 1993, Composite Material Engineering and Science, Imperial Collegeof Science, Technology and Medicine, London, UK

Mehri-Saddat, Ekrami-Kakhki, Mozhgan Khorosani, and Meissam Noroozifar, 2011, Platinum Nanoparticles Self-Assembled onto Chitosan Membrane as Anode for Direct Methanol Fuel cell, *J. Appl. Electrochem*., 41, 527 – 534

Morten, S. E., Erik, G., Søgaard, 2010, Sol–gel reactions of titanium alkoxides and water: influence of pH and alkoxy group on cluster formation and properties of the resulting products, *J. Sol-Gel Sci. Technol*., 53, 485–497

Monshi, A. M., and Mohammad, R. F., 2012. Modified Scherrer Equation to Estimate More Accurately Nano-Crystallite Size Using XRD. *World Journal of Nano Science and Engineering (WJNSE)*, 2, 154-160

Mohammad, A. B., Hamed, E., Nasser, M., Mohammad S., 2011, Sol-Gel Low-temperature Synthesis of Stable Anatase-type TiO_2 Nanoparticles Under Different Conditions and its Photocatalytic Activity, *Photochem. Photobiol*., 87, 1002–1008

Murphy, A.B., 2007, Band-gap determination from diffuse reflectance measurements ofsemiconductor films, and application to photoelectrochemicalwater-splitting, *Solar Energy Materials & Solar Cells*, 91, 1326–1337

Nawi, M.A, Sabar, S., Jawad, A.H., Wan Ngah, W.S., 2010, Adsorption of Reactive Red 4 by Immobilized Chitosan on Glass Plates: Towards the Design of Immobilized TiO_2–ChitosanSynergistic Photocatalyst-Adsorption Bilayer System, *Biochem. Eng. J.*, 49, 317–325

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Nawi, M.A., Jawad, A. H., Sabar, S, Wan Ngah, W.S., 2011, Photocatalytic-Oxidation of Solid State Chitosan by Immobilized Bilayer Assembly of TiO_2–Chitosan Under a Compact Household Fluorescent Lamp Irradiation, *Carbohyd. Polym.*, 83, 1146–1152

Nawi, M.A., and Sabar, S., Photocatalytic Decolourisation of Reactive Red 4 Dye by an Immobilised TiO_2/Chitosan Layer by Layer System, 2012, *J. Colloid Inter. Sci.*, 372, 80–87

Niederberger, N, and Pinna, N., 2009, *Metal oxide nanoparticles in organic solvent, synthesis, assembly and application*: Chapter 2. Aqueous and Nonaqueous Sol-Gel Chemistry, Spinger

Niancai, C., Richard, A. W., Mu, P., Shichun, M., Liza, R., Shik, C. T., and Frank, M., 2010, One-Step Growth of 3–5nm Diameter Palladium Electrocatalyst in a Carbon Nanoparticle–Chitosan Host and Characterization for Formic Acid Oxidation, *Electrochim. Acta*, 55, 6601–6610

Niu, X., Li S., Chu, H. and Zhou, J., 2011, Preparation, Characterization of Y^{3+} - doped TiO_2 Nanoparticles and their Photocatalytic Activities for Methyl Orange Degradation, *J. Rare Earths,* Vol. 29, No. 3, 225 – 22

Nguyen, T. D., Eun, W. S., 2011, Morphological Effect of TiO_2 Catalyst on Photocatalytic Degradation of Methylene Blue, *J. Ind. Eng. Chem.*, 17, 397-400

Nogueira, R.F.P., and Jardim, W.F., 1993, Photodegradation of Methylene Blue Using Solar Light and Semiconductor (TiO_2), *J. Chem. Ed.*, 70, 10, 861-862

Okuyama, K., Noguchi, K., Miyazawa, T., Tui, T., and Ogawa, K., 1997, Molecular and Crystal Structural of Hydrated Chitosan, *J. Bio Macromol*, 30, 5849 – 5855

Okuyama, K., Noguchi, K., Hanafusa, T., Tui, T., and Ogawa, K., 1999, Structural Study of Anhydrous Tendon Chitosan Obtained via Chitosan/Acetic Complex, *J. Bio Macromol*, 26, 285-293

Okuyama, K., Noguchi, K., Kanenari, M., Egawa, T., Osawa, K., and Ogawa, K., 2000, Structural Diversity of Chitosan and Its Complexes, *J. Carbohydr. Polym*, 41, 237-247

Ommeaymen, S., Feng, Z., Ali, R. D., Erfan, K., Yudong, H., 2014, Precursor and Reaction Time Effects in Evaluation of Photocatalytic Properties of TiO_2

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Nanoparticles Synthesized via Low Temperature, *Int. J. Electrochem. Sci.*, 9, 3068 – 3077

Ozerin, A. N., Zelenetskii, A. N., Akopova, T. A., Pavlova-Verevkina, O. B., Ozerina, L. A., and Kechek'yan, S. A., 2006, Nanocomposites Based on Modified Chitosan and Titanium Oxide, *Polym. Sci.*, Ser. A, Vol. 48, No. 6, pp. 638–643.

Pandiangan, D.K., dan Simanjuntak, W., 2013, Transesterification of coconut oil using dimethyl carbonated and TiO_2/SiO_2 heterogeneous catalyst, *Indo. J. Chem.*, 13, 1, 47–52

Parra, R. M. S., Góes, M. S., Castro, E. L. and Varela, J. A., 2008, Reaction Pathway to the Synthesis of Anatase via the Chemical Modification of Titanium Isopropoxide with Acetic A/cid, *Chem. Mater., 20,* 143–150

Ponton, S., and Barboux-Doeuff, Sanchez, C., 1999, Rheology of Titanium Oxide Based Gels: Determination of Gelation Time Versus Temperature, *Colloids Surfaces A.*, 162, 177–192

Phonthammachai, N., Chairassameewong, T., Gulari, T., Wongkasemjit, S., 2003, Structural and rheological aspect of mesoporous nanocrystalline TiO_2 synthesized via sol–gel process, *Micropor. Mesopor. Mater*. 66, 261–271

Prairie, M.N., Lindsey, R., Bertha, M.S., Sheryl, L.M., 1993, An investigation of titanium dioxide photocatalysis for the treatment of water contaminated with metals and organic chemicals, *Environ. Sci. Technol.*, 27, 9, 1776–1782

Rekasa, A., Trenczek-Z., and Zakrzewskab, 2008, Importance of the Band Gap Energy and Flat Band Potential for Application of Modified TiO_2 Photoanodes in Water Photolysis, *J. Power Sources*, 181, Issue 1, 15 June, 46–55

Raju, K., and Marshal, D., 2008, Electrochemical Studies of Novel Chitosan/TiO_2 Bioactive Electrode for Biosensing Application, *Electrochem. Comm.* 10, 263 – 267

Ralph, W. M., 1989, Photocatalytic Oxidation and Adsorpstion of Methylene Blue on Thin Film of Near-Ultraviolet-Illuminated TiO_2, *J. Chem. Soc., Faraday Trans. I.*, 85, 1291 – 1302

Rouquerol, J., Rouquerol, F., Kenneth, S., 2007, *Adsorpstion by powders and porous solids: Chapter 7 Assessment of mesoporosity*, Elsevier Copyright, 204-206

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Santen, R.A., Leeuwen, PWNM., Moulijn, J.A., Averil, B.A., 1999, *Catalysis: An Integrated Approach*, Netherland Institute for Catalysis Research, Amsterdam

Silva, M.A., Andrea, C. K., Theo, G.K., 2012, Modelling natamycin release from alginate/chitosan active films, *Int. J. Food Sci. Tech*., 47, 740–746

Sugimoto, T., Zhao, X., Anda, M., 2002, Synthesis of uniform anatase TiO_2 nanoparticle by sol gel methods. Solution chemistry of $Ti(OH)_6^{(4-n)}$ complexes, *J. Coll. Interf. Sci*., 252, 339-346

Sharif, S., Masoud A., Sadrnezhad, S.K., 2011, Gel–sol synthesis and aging effect on highly crystalline anatase nanopowder, *Bull. Mater. Sci*., 34, 6, 1189–1195

Sagheer, F.A., and Merchant, 2011, Visco-Elastic Properties of Chitosan–Titania Nano-Composites, *Carbohyd. Polym.*, 85, 356–362

Sagheer, F.A., and Muslim, S., 2010, Thermal and Mechanical Properties of Chitosan/SiO_2 Hybrid Composites, *J. Nanomater.*, Article ID 490679, 7 pages, DOI: 10.1155/2010/490676

Schimdt, H., Johnchker, G., Goedicke, M., and Mennig, 2000, The Sol-Gel Process as a Basic Technology for Nanoparticles – Dispersed Inorganic-Organic Composites, *J. Sol Gel Sci*. Tech. 19, 39–51

Schmuhl, R., Krieg, H. M., and Keizer, K., 2001, Adsorption of Cu(II) and Cr(VI) ions by chitosan: Kinetics andequilibrium studies,*Water SA*, Vol. 27. 1

Shan, W., Yi, H., Minyan, Z., Yongsheng, W., Siping, H., and Yuanzi, G., 2011, Synthesis of MS (M=Zn, Cd and Pb)–Chitosan Nanocomposite Film Via Simulating Biomineralization Method, *Adv. Polym. Tech.*, Vol. 30, No. 4, 269–275

Sergio, V., Juan, M. M., and Gloria, R., 2010, Study of the Bandgap of Synthesized Titanium Dioxide Nanoparticles Using the Sol Gel Method and a Hydrothermal Treatment, *The Open Material Science Journal*, 4, 9 – 14

Shapovalov, V. I., 2010, Nanopowders and Film of Titanium Oxide for Photocatalysis: Review, *Glass Phys. Chem.*, 36, 2, 121 – 157

Sing, K.S.W., Everett, D.H., Haul, R.A.W., Moscou, L., Pierotti, R.A., Rouquérol, J., and Siemieniewska, T., 1985, Reporting Physisorption Data for Gas/Solid Systems with Special Reference to the Determination of Surface Area and Porosity, *Pure Appl. Chem.* 57, 603–619

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Stroyuk, A. L., Kryukov, A.I., and Kuchmi, 2005, Quantum Size Effect in Semiconductor Photocatalysis, *Theoritical and Experimental Chemistry*, 41(4), 207 – 228

Shu-quan, C., Bin K., Yao-dong, D., Hong-xu, Z. and Da, C., 2011, One-Step Fabrication of Biocompatible Chitosan Coated ZnS and ZnS: Mn^{2+}Quantum Dots via a Gradiation Route, *Nanoscale Res. Lett.*, 6, 591

Su, H., Li, Q., Tianwei, T., 2006, Double-Functional Characteristics of a Surface Molecular Imprinted Adsorbent With Immobilization of Nano-TiO_2, *J. Chem. Technol. Biotechnol*. 81: 1797-1802

Su, H., Li, Q., Tianwei, T.,, 2008, Synthesis of Ion-Imprinted Chitosan – TiO_2 Adsorbent and Multi-functional Performances, *Biochem. Eng. J.*. 38, 212-218

Su, H., Xiaolei, Z., Qiang, L., Xin, Z., Kai, L., and Anzan, C., 2010, Simultaneous Removal of Metal Ions and Methyl Orange by Combined SelectiveAdsorption dan Photocatalysis, *AIChE, Environmental Progress & Sustainable Energy* (Vol.00, No.00) DOI 10.1002

Su, H., Wang, L.J and Tianwei, T., 2002, Adsorption of Heavy Metal Ionsby Adsorbent From Waste Mycelium Chitin. *Chin. J. Chem. Eng.*, 10:650–652

Su, H., Enzan, C., and Tianwei, T., 2010, Antimicrobial Properties of Silver Nanoparticles Synthesized by Bioaffinity Adsorption Coupled with TiO_2Photocatalysis, *J. Chem. Technol. Biotechnol*., 86: 421–427

Su, H., Tingting, Q., Tianwei, T., 2011, The Bactericidal and Mildew-Proof Activity of a TiO_2–Chitosan Composite, *J.Photochem. Photobiol. A: Chem.*, 218, 130–136

Suwanchawalit, A., Patil, J., Ravinash, K. K., Sumpun, W., and Stephen, M., 2009, Fabrication of Ice-Templated Macroporous TiO_2–Chitosan Scaffolds for Photocatalytic Applications, *J. Mater. Chem*., 19, 8478–8483

Tae, Y. K., Yeon, H. L., and Kyung, H. P., 2005, A Study of Photocatalysis of TiO_2 Coated onto Chitosan Beads and Activated Carbon, *Res. Chem. Intermed*., 31, 4 – 6, 343 – 358

Tao, Y., Jun, P., Shilei, Y., Bin, T., and Longbao, Z., 2007, Tensile Strength Optimization and Characterization of Chitosan/TiO_2 Hybrid Film, *Mater. Sci. Eng. B*; 138, 84–89

Tao, Y.., Lianbin, Y., Jun, P., Yaoming, W., Bin, T., 2009, Removal of Pb(II) from Aqueous Solution on Chitosan/TiO_2 Hybrid Film, *J. Hazard. Mater.* 161, 718-722

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Vijay, K. M., and Meena, R.C., 2010, Studies on Photodegradation of Methyl Orange in Aqueous Solution using Immobilized Dowex-11 photocatalyst, *J. Ind. Council Chem*., Vol. 27, No. 2, 180-184

Visurraga, J.D., Melendrez, M.F., Garzia, A., Paulraj, M., dan Cardenas, G., 2010, Semitransparent Chitosan–TiO_2 Nanotubes Composite Film for Food Package Applications, *J. Appl. Polym. Sci*., 116, 3503 – 3515

Wade, J., 2005, *An Investigation of TiO_2-$ZnFe_2O_4$ Nanocomposites for Visible Light Photocatalysis*, Ph.D Thesis, Department of Electrical Engineering, College of Engineering, University of South Florida

Waldemar, M., 2011, Chitin, Chitosan, Oligosaccharides and Their Derivatives: X-Ray Diffraction Studies of Chitin, Chitosan, and Their Derivatives, Edited by Se-Kwon Kim CRC Press, Taylor & Francis Group, New York

Wahyuni, E.T., 2003, Synthesis of Iron Oxide Nanoparticle in the Zeolite-NaY Structure, *Disertasi*, Univ. Gadjah Mada, Yogyakarta

Wahyuni, E.T., Hidayat, N.A., An-Nisa H.F., Nurhayati, S., 2008, Pengaruh asam oksalat dan malonat terhadap fotoreduksi ion Cu(II) yang terkatalisis TiO_2, *J. Manusia* Lingkungan, 15, 1, 10-15

Wahyuni, E.T., Kunarti, E.S., and Mudasir, 2010, Preparation of TiO_2-Resin Nanocomposite by Ion Exchange as Photocatalyst for Mercury Removal by Photoreduction Method, *J. Ion Exchange*, Vol. 21, No. 3. Pp. 304 – 309, ISSN. 1884-3360

Wahyuni, E.T., Nurul Hidayat Aprilita, Husnul Hatimah,Afifah Maya Wulandari, and Mudasir, 2011, Removal of Toxic Metal in Wastewater by Photocatalytic Methods, *Proceeding of The 3th Conference on Environmental Pollution and Human Health*, London, 21-25 November 2011

Weiwei, Z., Shougang, C., Shuaiqin, Y., and Yansheng, Y., 2007, Experimental and Theoritical Investigation of the pH Effect on the Titania Phase Transformation during the Sol-Gel Rrocess, *J. Crystal Growth*, 308, 122 – 129

Weon, D. L., Hosun, L., Ha, N. C., and Woo, S. S., 2009, Advances in Chitosan Material and its Hybrid Derivatives: A Review, *The Open Biomaterials Journal,* 1, 10-20

Wijaya, K., Kunarti, S. E., and Fatimah, I., 2006, Utilisasi TiO_2 – Zeolit dan Sinar UV untuk Fotodegradasi Zat Warna Congo Red, *Jurnal Teknoin*, 11, 3, 199 – 209

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Wong, A., Szeto, Y.S., Cheung, W.H., and McKayb, G., 2004, Adsorption of acid dyes on chitosan—equilibrium isotherm analyses, *Process Biochemistry*, 39, 693–702

Wynetta, S., and John, R. S., 1979, Study of Monomer-Dimer Equilibrium of MB in Aqueous Solution, *J. Phys.Chem*, Vol 83. N0 12.

Xiaobo, C., and Samuel, S. M., 2007, Titanium Dioxide Nanomaterials: Synthesis, Properties, Modifications and Applications, *Chem. Rev*., 107, 2891 – 2896

Xiliang, N., Shuping, Z., Gloria, M., dan Karl, S., 2009, Doping of TiO_2 Polymorphs for Altered Optical and Photocatalytic Properties, *Int`l. J. Photoenergy*., Article ID 294042, doi.org/10.1155/2009/294042

Yasuhiro, S., Yoshitsune, S., Daisuke, I., and Takayuki, H., 2009, Effect of Substrate Polarity on Photocatalytic Activity of Titanium Dioxide Particles Embedded in Mesoporous Silica, *J. Catalyst.*, 264, 175 – 183

Yanasigawa, K., and Ovenstone, J., 1999, Crystallization of Anatase from Amorphous Titania Using the Hydrothermal Technique: Effects of Starting Material and Temperature, *J. Phys. Chem*., B, 7781-7787

Yanrong, Z., Jian, W., Youqing, K., 2010, A Novel Approach of Prepring TiO_2 Film at Low Temperature and Its Application in Photocatalytic Degradation of Methyl Orange, *J. Hazard.Mater.*, 177, 750 – 754

Yuanhua, H., Franz, G., Muthupandian, A., 2011, The Mechanism of Sonophotocatalytic Degradation of Methyl Orange and Its Products in Aqueous Solutions, *Ultrason. Sonochem.*, 18, 974–980

Yuvaraj, H., and Jae-Jin, S., 2013, Multifunctional Chitosan-Copper Oxide Hybrid Material:Photocatalytic and Antibacterial Activities, *Int. J. Photoenergy*, Article ID 245646, 8 pages, doi.org/10.1155/2013/245646

Zhang, X., Xiaolei, Z., and Haijia, S., 2011, Degradation Characteristic of TiO_2-Chitosan Adsorbent on Rhodamin B and Purification of Industrial wastewater, *Korean J. Chem. Eng*., 28 (5), 1241 – 1246

Zhang, H., Wang, L.L., 2010, Study on the Properties of Woolen Fabric Treated with Chitosan/TiO_2 Sol, *The Journal of The Textile Institute*, 101, 9, 842 – 848

UNIVERSITAS
GADJAH MADA
Sintesis Nanokomposit TiO2-kitosan sebagai Fotokatalis untuk Fotodegradasi Zat Warna dan Fotoreduksi Logam Berat
IMELDA FAJRIATI, Prof. Drs. Mudasir, M.Eng., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhao, X., Gang, X., Xin, Z., Su, H., and Tianwei, T., 2010, The Effect of Ni^{2+} and Cu^{2+} on the Photocatalytic Degradation of Dyes by the Chitosan–TiO_2 Complex, *Appl. Biochem. Biotechnol.* DOI 10.1007/s12010-011-9407-8

Zhao, L., Jiang, C., and Wanyin, Z., 2009, Preparataion and HHL-7702 Cell Functionality of Titania/Chitosan Composite Scaffolds, *J. Mater. Sci: Mater. Med.*, 20, 949 – 967

Zhu, H., Ru, J., and Yongqian, F., 2012, Effective Photocatalytic Decolorization of Methyl Orange Utilizing TiO_2/ZnO/Chitosan Nanocomposite Film Under Simulated Solar Irradiation, *Desalination*, 286, 41 – 48

Zainal, Z., Chong, Y. L., Anuar, K., Hussein, M. Z., and Azah, N. Y., 2007, Photoelectrochemical Degradation of Methyl Orange UsingTiO_2/Ti Films Prepared via Sol-Gel Technique, *Acta Chim. Slov.54*, 166–174

Zainal, Z., Lee Kong, Hussein, M. Z., Abdul, H. A., and Imad, R., 2009, Characterization of TiO_2–Chitosan/Glass Photocatalyst for The Removal of Monoazo Dye via Photodegradation – Adsorption Process, *J. Hazard. Mater.*, 164, 138-145

Zubieta, C.E., Paula, V.M., Carina, L., Mariana, D., Olga, P., and Pablo, C.S., 2008, Reactive Dyes Remotion by Porous TiO_2–Chitosan Material, *J. Hazard. Mater.* 152, 765-777