

## DAFTAR PUSTAKA

- Ada, S., Seckin, D., Budakoglu, I., & Ozdemir, F. 2002. Treatment of uremic pruritus with narrowband ultraviolet B phototherapy: an open pilot study. *J Am Acad Dermatol*, 53(1), 149–51.
- Berneburg, M., Rocken, M., & Benedix, F. 2005. Phototherapy with narrowband vs broadband UVB. *Acta Derm Venereol*, 85(2), 98–108.
- Bulat, V., Dediol, I., Ljubicic, I., & Bradi, L. 2011. The mechanisms of action of phototherapy in the treatment of the most common dermatoses. *Coll Antropol*, 35(Suppl 2), 147–51.
- Chen, S. 2012. Pruritus. *Dermatol Clin*, 30(2), 309–21.
- Chen, Y., Chiu, W., & Wu, M. 2006. Therapeutic effect of topical gamma-linolenic acid on refractory uremic pruritus. *Am J Kidney Dis*, 48(1), 69–76.
- Darso, U., Scharein, E., Bromm, B., & Ring, J. 1997. Skin testing of the pruritogenic activity of histamine and cytokines (interleukin-2 and tumour necrosis factor- $\alpha$ ) at the dermal-epidermal junction. *Br J Dermatol*, 137(3), 415–7.
- Dogra, S., & Kanwar, A. 2004. Narrow band UVB phototherapy in dermatology. *Indian J Dermatol Venereol Leprol*, 70(4), 205–9.
- Etter, L., & Myers, S. 2002. Pruritus in systemic disease: mechanisms and management. *Dermatol Clin*, 20(3), 459–72.
- Fallahzadeh, M., Roozbeh, J., Geramizadeh, B., & Namazi, M. 2011. Interleukin-2 serum levels are elevated in patients with uremic pruritus: a novel finding with practical implications. *Nephrol Dial Transplant*, 26(10), 3338–44.
- Feramisco, J., Berger, T., & Steinhoff, M. 2010. Innovative management of pruritus. *Dermatol Clin*, 28(3), 467–78.
- Gabay, C. 2006. Interleukin-6 and chronic inflammation. *J Arthritis Res & Ther*, 8, 1–6.
- Gilchrest, B. 1979. Ultraviolet phototherapy of uremic pruritus. *Int J Dermatol*, 18(9), 741–8.
- Girndt, M., Sester, U., Kaul, H., & Kohler, H. 1998. Production of proinflammatory regulatory monokines in hemodialysis patients shown at a single-cell level. *J Am Soc Nephrol*, 9(9), 1689–96.

- Greaves, MW. 2010. Pathogenesis and treatment of pruritus. *J Curr Allergy Asthma Rep*, 10, 236-42.
- Jones, SA., Horiuchi, S., Topley, N., Yamamoto, N., Fuller GM. 2001. The soluble interleukin-6 receptor: mechanism of production and implications in disease. *FASEB J*, 15, 43-58.
- Khopkar, U., & Pande, S. 2007. Etiopathogenesis of pruritus due to systemic causes: implications for treatment. *Indian J Dermatol Venereol Leprol*, 73(4), 215-7.
- Kimmel, M., Alscher, D., Dunst, R., Braun, N., Machleidt, C., Kiefer, T., Stulten, C., Kuip, H., Pauli-Magnus, C., Raub, U., Kuhlmann, U., & Mettang, T. 2006. The role of micro-inflammation in the pathogenesis of uraemic pruritus in haemodialysis patients. *Nephrol Dial Transplant*, 21(3), 749-55.
- Kimmel, P., Phillips, T., Phillips, E., & Bosch, J. 1990. Effect of renal replacement therapy on cellular cytokine production in patients with renal disease. *Kidney Int*, 38(1), 129-35.
- Kishimoto, T. 2010. IL-6: from its discovery to clinical applications. *J International Immunology*, 22, 347-52.
- Ko, M., Yang, J., Wu, H., Hu, F., Chen, S., Tsai, P., Jee, S., & Chiu, H. 2011. Narrowband ultraviolet B phototherapy for patients with refractory uraemic pruritus: a randomized controlled trial. *Br J Dermatol*, 165(3), 633-9.
- Krajnik, M., & Zylicz, Z. 2001. Pruritus in advanced internal diseases pathogenesis and treatment. *Neth J Med*, 58(1), 27-40.
- Krutmann, J., & Morita, A. 1999. Mechanisms of ultraviolet (UV) B and UVA phototherapy. *J Investig Dermatol Symp Proc*, 4(1), 70-2.
- Kurban, M., Boueiz, A., & Kibbi, A. 2008. Cutaneous manifestations of chronic kidney disease. *Clin Dermatol*, 26(3), 255-64.
- Kuypers, D. 2009. Skin problems in chronic kidney disease. *Nat Clin Pract Nephrol*, 5(3), 157-70.
- Levey, A., Eckardt, K., Tsukamoto, Y., Levin, A., Coresh, J., Rossert, J., Zeeuw, D., Hostetter, T. H., Lameire, N., & Eknoyan, G. 2005. Definition and classification of chronic kidney disease: a position statement from Kidney Disease: Improving Global Outcomes (KDIGO). *Kidney Int*, 67(6), 2089-100.
- Lin, H., Liu, Y., Liu, J., Chou, C., Yang, Y., Kuo, H., Huang, C. 2008. Uremic pruritus, cytokines, and polymethylmethacrylate artificial kidney. *Artif Organs J*, 32, 468-72.

- Luger, A., Kovarik, J., Stummvoll, H., Urbanska, A., & Luger, T. 1987. Blood - membrane interaction in hemodialysis leads to increased cytokine production. *Kidney Int*, 32(1), 84–8.
- Makhlough, A., Ala, S., Haj-Heydari, Z., Kashi, Z., & Bari, A. 2010. Topical capsaicin therapy for uremic pruritus in patients on hemodialysis. *Iran J Kidney Dis*, 4(2), 137–40.
- Manenti, L., Tansinda, P., & Vaglio, A. 2009. Uraemic pruritus: clinical characteristics, pathophysiology and treatment. *Drugs*, 69(3), 251–63.
- Metz, M., & Stander, S. 2010. Chronic pruritus – pathogenesis, clinical aspects and treatment. *J Eur Acad Dermatol Venereol*, 24(11), 1249–60.
- Patel, T., Freedman, B., & Yosipovitch, G. 2007. An update on pruritus associated with CKD. *Am J Kidney Dis*, 50(1), 11–20.
- Pauli-Magnus, C., Klumpp, S., Alscher, D., Kuhlmann, U., & Mettang, T. 2000. Short-term efficacy of tacrolimus ointment in severe uremic pruritus. *Periton Dialysis Int*, 20(6), 802–9.
- Pertosa, G., Grandaliano, G., Gesualdo, L., & Schena, F. 2000. Clinical relevance of cytokine production in hemodialysis. *Kidney Int*, 58(Suppl 76), 104–11.
- Phan, N. Q., Blome, C., Fritz, S., Gerss, J., Reich, A., Ebata, T., Augustin, M., Szepletowski, J. C., & Stander, S. 2012. Assessment of pruritus intensity: prospective study on validity and reliability of the visual analogue scale, numerical rating scale and verbal rating scale in 471 patients with chronic pruritus. *Acta Derm Venereol*, 92(5), 502–7.
- Reddy, SR., Patel, TV., Armstrong, AW., Singh, AK. 2007. Uremic pruritus. *J Kidney Int*, 72, 373-7.
- Reich, A., Heisig, M., Phan, N. Q., Taneda, K., Takamori, K., Takuechi, S., Furue, M., Blome, C., Augustin, M., Stander, S., & Szepletowski, J. C. 2012. Visual analogue scale evaluation of the instrument for the assessment of Pruritus. *Acta Derm Venereol*, 92(5), 497–501.
- Reamy, BV., & Bunt, CW. 2011. A diagnostic approach to pruritus. *American Family Physician*, 84, 195-202.
- Rysz, J., Banach, M., Cialkowska-Rysz, A., Stolarek, R., Barylski, M., Drozd, J., & Okonski, P. 2006. Blood serum levels of IL-2, IL-6, IL-8, TNF- and IL-1 in patients on maintenance hemodialysis. *Cell Mol Immunol*, 3(2), 151–4.

- Shultz, B., & Roenigk, H. 1980. Uremic pruritus treated with ultraviolet light. *JAMA*, 243(18), 1836–7.
- Sigmundsdottir, H., Johnston, A., Gudjonsson, J., & Valdimarsson, H. 2005. Narrowband – UVB irradiation decreases the production of pro-inflammatory cytokines by stimulated T cells. *Arch Dermatol Res*, 297(1), 39–42.
- Twycross, R., Greaves, M., Handwerker, H., Jones, E., Libretto, S., Szepietowski, J., & Zyllicz, Z. 2003. Itch: scratching more than the surface. *QJM*, 96(1), 7–26.
- Verdy, Radiono, S., Budiyanto, A. 2015. Pengaruh fototerapi narrowband ultraviolet B terhadap kadar interleukin-2 serum pasien pruritus uremia yang menjalani hemodialisis rutin. Thesis, Ilmu Kesehatan Kulit dan Kelamin Fakultas Kedokteran Universitas Gadjahmada.
- Wahlgren, C., Linder, M., Hagermark, O., & Scheynius, A. 1995. Itch and inflammation induces by intradermally injected interleukin-2 in atopic dermatitis patients and healthy subjects. *Arch Dermatol Res*, 287(6), 572–80.
- Wang, H., & Yosipovitch, G. 2010. New insights into the pathophysiology and treatment of chronic itch in patients with end-stage renal disease, chronic liver disease and lymphoma. *Int J Dermatol*, 49(1), 1–11.
- Williams, IF., Rich, BE., Kupper, TS. 2012. Cytokines. In Wolff, K., Goldsmith, LA., Katz, SI., Gilchrest, BA., Paller, AS., Leffel, DJ. *Fitzpatrick's Dermatology in General Medicine 8<sup>th</sup>ed*. New Yoerk: Mc Graw Hill co, 11, 115-27.
- Yosipovitch, G. 2003. Pruritus. *Curr Probl Dermatol*, 15(4), 143–64.
- Yosipovitch, G., Zucker, I., Boner, G., Gafter, U., Shapira, Y., & David, M. 2001. A questionnaire for the assessment of pruritus: validation in uremic patients. *Acta Derm Venereol*, 81(2), 108–11.
- Young, T., Patel, T., Camacho, F., Clark, A., Freedman, I., Kaur, M., Fountain, J., Williams, L. L., Yosipovitch, G., & Fleischer, A. B. 2009. A pramoxine-based anti-itch lotion is more effective than a control lotion for the treatment of uremic pruritus in adult hemodialysis patients. *J Dermatolog Treat*, 20(2), 76–81.
- Zamauskaite, A., Perez-cruz, I., Yaqoob, M., Madrigal, J., & Cohen, S. 1999. Effect of renal dialysis therapy modality on T cell cytokine production. *Nephrol Dial Transplant*, 14(1), 49–55.