

TABLE OF CONTENTS

COVER	i
ENDORSEMENT LETTER	ii
APPROVAL SHEET	iii
DECLARATION LETTER	iv
FOREWORD	v
TABLE OF CONTENTS	viii
LIST OF TABLES	x
LIST OF FIGURES	xi
ABSTRACT	xii
CHAPTER I INTRODUCTION	14
1.1 Background	14
1.2 Objective	16
CHAPTER II LITERATURE REVIEW AND HYPOTHESIS	17
2.1 Oil Palm Empty Fruit Bunch as Feedstock for Anaerobic Digestion	17
2.2 Dry Anaerobic Digestion.....	21
2.2.1 Hydrolysis	23
2.2.2 Acidogenesis	25
2.2.3 Acetogenesis	25
2.2.4 Methanogenesis.....	26
2.3 Process Parameters of Dry Anaerobic Digestion	27
2.3.1 Total solid content.....	28
2.3.2 Substrate to inoculum ratio	28
2.3.3 Carbon to nitrogen ratio	28
2.3.4 Temperature	29
2.3.5 pH.....	31
2.3.6 Cellulolytic enzyme	31
2.4 Hypothesis	32
CHAPTER III MATERIAL AND METHOD	33
3.1 Materials	33
3.1.1 Inoculum	33
3.1.2 Oil palm empty fruit bunch	33
3.1.3 Enzyme	33

3.1.4 Chemicals	34
3.2 Research Equipment.....	34
3.3 Time and Location of Research.....	35
3.4 Research Procedure	35
3.4.1 Sample and inoculum preparation	35
3.4.2 Anaerobic digestion.....	35
3.4.3 Monitoring and analysis	38
3.5 Data Analysis	39
CHAPTER IV RESULT AND DISCUSSION.....	40
4.1 Characterization of Oil Palm Empty Fruit Bunch.....	40
4.2 Effect of Substrate to Inoculum Ratio at Psychrophilic Conditions	41
4.3 Effect of Substrate to Inoculum Ratio at Thermophilic conditions.....	43
4.4 Effect of Total Solid Content at Psychrophilic Conditions.....	44
4.5 Effect of Total Solid Content at Thermophilic Conditions	45
4.6 Effect of Cellulases Addition at Psychrophilic Conditions.....	47
4.7 Effect of Cellulases Addition at Thermophilic Conditions	49
CHAPTER V CONCLUSION	51
5.1 Conclusion.....	51
5.2 Future Work	52
REFERENCES.....	53
APPENDICES	61

LIST OF TABLES

Table 2.1. Advantages and disadvantages of Dry Anaerobic Digestion and Liquid Anaerobic Digestion	22
Table 2.2. Dry Anaerobic Digestion Vs Liquid Anaerobic Digestion.....	22
Table 2.3. Bacteria participating in hydrolysis (Deublein and Angelika, 2008)...	24
Table 2.4. Acetogenic bacteria (Deublein and Angelika, 2008).....	26
Table 3.1. Composition of oil palm empty fruit bunch and inoculums with addition of water (modification of Abbassi-Guendouz <i>et al</i> , 2012).	37
Table 4.1. Characterization of Oil Palm Empty Fruit Bunch.....	40
Table 4.2. Composition of Oil Palm Empty Fruit Bunch Before and After Dry Anaerobic Digestion With TS Content of 21% and S/I Ratio of 1 at 23°C	50

LIST OF FIGURES

Figure 2.1. Oil Palm Empty Fruit Bunch (OPEFB).....	18
Figure 2.2. Pretreatment Illustration	20
Figure 2.3. Main steps and pathways of dry anaerobic digestion process (Batstone, 2002)	23
Figure 3.1. Flow Diagram of Dry Anaerobic Digestion	36
Figure 4.1. Accumulated methane production of different S/I ratios at 23°C and TS 21%.....	42
Figure 4.2. Accumulated methane production of different S/I ratios at 55°C and TS 30%.....	43
Figure 4.3. Accumulated methane production of different TS content at 23°C and S/I ratio of 2	44
Figure 4.4. Accumulated methane production of different TS content at 55°C and S/I ratio of 2	45
Figure 4.5. Accumulated methane production of different TS content & S/I ratio in the effect of the cellulases addition at temperature 23°C.....	47
Figure 4.6. Concentration of Hydrogen (H ₂) of different TS content & S/I ratio in the effect of the cellulases addition at temperature 23°C.....	48
Figure 4.7. Accumulated methane production of different TS content & S/I ratio in the effect of the cellulases addition at temperature 55°C.....	46