

DAFTAR PUSTAKA

- Anonim, 2006. Management of patients with dementia A national clinical guideline Clinical Practice Guidelines [WWW Document]. Guidel. Cent. URL <https://www.guidelinecentral.com/summaries/management-of-patients-with-dementia-a-national-clinical-guideline/> (accessed 8.18.15)
- Abbott, L.F., Blum, K.I., 1996. Functional significance of long-term potentiation for sequence learning and prediction. *Cereb. Cortex*. 6, 406–416.
- Adibhatla, R.M., Hatcher, J.F., 2005. Cytidine 5-Diphosphocholine (CDP-Choline) in Stroke and Other CNS Disorders. *Neurochem. Res.* 30, 15–23.
- Adibhatla, R.M., Hatcher, J.F., 2002. Citicoline mechanisms and clinical efficacy in cerebral ischemia. *J. Neurosci. Res.* 70, 133–139.
- Agrawal, R., Mishra, B., Tyagi, E., Nath, C., Shukla, R., 2010. Effect of curcumin on brain insulin receptors and memory functions in STZ (ICV) induced dementia model of rat. *Pharmacol. Res.* 61, 247–252.
- Ahlemeyer, B., Beier, H., Semkova, I., Schaper, C., Kriegelstein, J., 2000. S-100 protects cultured neurons against glutamate- and staurosporine-induced damage and is involved in the antiapoptotic action of the 5 HT1A-receptor agonist, Bay x 3702. *Brain Res.* 858, 121–128.
- Ahmad, R., Ali, A.M., Israf, D.A., Ismail, N.H., Shaari, K., Lajis, N.H., 2005. Antioxidant, radical-scavenging, anti-inflammatory, cytotoxic and antibacterial activities of methanolic extracts of some Hedyotis species. *Life Sci.* 76, 1953–1964.
- Aldridge, W.N., Brown, A.W., Brierley, J.B., Verschoyle, R.D., Street, B.W., 1981. Brain damage due to trimethyltin compounds. *Lancet* 2, 692–693.
- Alessandri, B., FitzGerald, R.E., Schaeppi, U., Krinke, G.J., Classen, W., 1994. The use of an unbaited tunnel maze in neurotoxicology: I. Trimethyltin-induced brain lesions. *Neurotoxicology* 15, 349–357.
- Ali, E.H.A., Arafa, N.M.S., 2011. Comparative protective action of curcumin, memantine and diclofenac against scopolamine-induced memory dysfunction. *Fitoterapia* 82, 601–608.
- Ali, S.F., LeBel, C.P., Bondy, S.C., 1992. Reactive oxygen species formation as a biomarker of methylmercury and trimethyltin neurotoxicity. *Neurotoxicology* 13, 637–648.
- Alnemri, E.S., Livingston, D.J., Nicholson, D.W., Salvesen, G., Thornberry, N.A., Wong, W.W., Yuan, J., 1996. Human ICE/CED-3 protease nomenclature. *Cell* 87, 171.
- Alrawaiq, N.S., Abdullah, A., 2014. A Review of Antioxidant Polyphenol Curcumin and its Role in Detoxification. *Int. J. Pharm Tech Res.* 6, 280–289.
- Alvarez-Sabin, J., Román, G.C., 2011. Citicoline in vascular cognitive impairment and vascular dementia after stroke. *Stroke* 42, S40–S43.
- Alvarez, X.A., Mouzo, R., Pichel, V., Pérez, P., Laredo, M., Fernández-Novoa, L., Corzo, L., Zas, R., Alcaraz, M., Secades, J.J., Lozano, R., Cacabelos, R., 1999. Double-blind placebo-controlled study with citicoline in APOE genotyped Alzheimer's disease patients. Effects on cognitive performance,

- brain bioelectrical activity and cerebral perfusion. *Exp. Clin. Pharmacol.* 21, 633–644.
- Alvin V. and Terry Jr., 2009. Spatial Navigation (Water Maze) Tasks, in: Buccafusco, J.J. (Ed.), *Methods of Behavior Analysis in Neuroscience, Frontiers in Neuroscience*. CRC Press, Boca Raton (FL).
- Alzheimer's Association, 2011. 2011 Alzheimer's disease facts and figures. *Alzheimers Dement. J. Alzheimers Assoc.* 7, 208–244.
- Andersen, P., 2007. *The Hippocampus Book*. Oxford University Press, USA.
- Anderson, J.R., 2013. *Language, Memory, and Thought*. Psychology Press.
- Ansari, M.A., Roberts, K.N., Scheff, S.W., 2008. Oxidative stress and modification of synaptic proteins in hippocampus after traumatic brain injury. *Free Radic. Biol. Med.* 45, 443–452.
- Araújo, C.C., Leon, L.L., 2001. Biological activities of *Curcuma longa* L. *Mem. Inst. Oswaldo Cruz* 96, 723–728.
- Arendt, T., 2009. Synaptic degeneration in Alzheimer's disease. *Acta Neuropathol.* (Berl.) 118, 167–179.
- Asami, S., Manabe, H., Miyake, J., Tsurudome, Y., Hirano, T., Yamaguchi, R., Itoh, H., Kasai, H., 1997. Cigarette smoking induces an increase in oxidative DNA damage, 8-hydroxydeoxyguanosine, in a central site of the human lung. *Carcinogenesis* 18, 1763–1766.
- Ashok, B.T., Ali, R., 1999. The aging paradox: free radical theory of aging. *Exp. Gerontol.* 34, 293–303.
- Avci, G., Kadioglu, H., Sehirli, A.O., Bozkurt, S., Guclu, O., Arslan, E., Muratli, S.K., 2012. Curcumin protects against ischemia/reperfusion injury in rat skeletal muscle. *J. Surg. Res.* 172, e39–46.
- Awasthi, H., Tota, S., Hanif, K., Nath, C., Shukla, R., 2010. Protective effect of curcumin against intracerebral streptozotocin induced impairment in memory and cerebral blood flow. *Life Sci.* 86, 87–94.
- Bagchi, D., Kuszynski, C., Balmoori, J., Bagchi, M., Stohs, S.J., 1998. Hydrogen peroxide-induced modulation of intracellular oxidized states in cultured macrophage J774A.1 and neuroactive PC-12 cells, and protection by a novel grape seed proanthocyanidin extract. *Phytother. Res.* 12, 568–571.
- Bahorun, T., Soobrattee, M., Luximon-Ramma, V., Aruoma, O., 2006. Free Radicals and Antioxidants in Cardiovascular Health and Disease. *Internet J. Med. Updates* 1, 25–41.
- Balaban, C.D., O'Callaghan, J.P., Billingsley, M.L., 1988. Trimethyltin-induced neuronal damage in the rat brain: comparative studies using silver degeneration stains, immunocytochemistry and immunoassay for neuronotypic and gliotypic proteins. *Neuroscience* 26, 337–361.
- Bala, K., Gautam, N., Paul, B., 2006. *Pythium rhizo-oryzae* sp. nov. isolated from paddy fields: taxonomy, ITS region of rDNA, and comparison with related species. *Curr. Microbiol.* 52, 102–107.
- Bala, K., Tripathy, B.C., Sharma, D., 2006. Neuroprotective and anti-ageing effects of curcumin in aged rat brain regions. *Biogerontology* 7, 81–89.
- Baldeiras, I., Santana, I., Proença, M.T., Garrucho, M.H., Pascoal, R., Rodrigues, A., Duro, D., Oliveira, C.R., 2008. Peripheral oxidative damage in mild

- cognitive impairment and mild Alzheimer's disease. *J. Alzheimers Dis.* 15, 117–128.
- Bär, A., Van Ommen, B., Timonen, M., 1995. Metabolic disposition in rats of regular and enzymatically depolymerized sodium carboxymethylcellulose. *Food Chem. Toxicol.* 33, 901–907.
- Barnes, L.L., Schneider, J.A., Boyle, P.A., Bienias, J.L., Bennett, D.A., 2006. Memory complaints are related to Alzheimer disease pathology in older persons. *Neurology* 67, 1581–1585.
- Barrett, K.E., Barman, S.M., Boitano, S., Brooks, H.L., 2009. *Ganong's Review of Medical Physiology*, 23 ed. McGraw-Hill Medical.
- Bastianetto, S., Ramassamy, C., Doré, S., Christen, Y., Poirier, J., Quirion, R., 2000. The Ginkgo biloba extract (EGb 761) protects hippocampal neurons against cell death induced by beta-amyloid. *Eur. J. Neurosci.* 12, 1882–1890.
- Batish, D.R., Singh, H.P., Setia, N., Kaur, S., Kohli, R.K., 2006. 2-Benzoxazolinone (BOA) induced oxidative stress, lipid peroxidation and changes in some antioxidant enzyme activities in mung bean (*Phaseolus aureus*). *Plant Physiol. Biochem.* 44, 819–827.
- Bayer, S.A., 1985. Neuron production in the hippocampus and olfactory bulb of the adult rat brain: addition or replacement? *Ann. N. Y. Acad. Sci.* 457, 163–172.
- Beason-Held, L.L., Rosene, D.L., Killiany, R.J., Moss, M.B., 1999. Hippocampal formation lesions produce memory impairment in the rhesus monkey. *Hippocampus* 9, 562–574.
- Begum, A.N., Jones, M.R., Lim, G.P., Morihara, T., Kim, P., Heath, D.D., Rock, C.L., Pruitt, M.A., Yang, F., Hudspeth, B., Hu, S., Faull, K.F., Teter, B., Cole, G.M., Frautschy, S.A., 2008. Curcumin structure-function, bioavailability, and efficacy in models of neuroinflammation and Alzheimer's disease. *J. Pharmacol. Exp. Ther.* 326, 196–208.
- Bengmark, S., 2006. Curcumin, an atoxic antioxidant and natural NFkappaB, cyclooxygenase-2, lipooxygenase, and inducible nitric oxide synthase inhibitor: a shield against acute and chronic diseases. *J. Parenter. Enteral Nutr.* 30, 45–51.
- Bertoni-Freddari, C., Fattoretti, P., Caselli, U., Paoloni, R., Meier-Ruge, W., 1995. Vitamin E deficiency as a model of precocious brain aging: assessment by X-ray microanalysis and morphometry. *Scanning Microsc.* 9, 289–302.
- Bild, W., Ciobica, A., Padurariu, M., Bild, V., 2012. The interdependence of the reactive species of oxygen, nitrogen, and carbon. *J. Physiol. Biochem.* 69, 147–154.
- Billingsley, M. I., Yun, J., Reese, B. e., Davidson, C. e., Buck-Koehntop, B. a., Veglia, G., 2006. Functional and structural properties of stannin: Roles in cellular growth, selective toxicity, and mitochondrial responses to injury. *J. Cell. Biochem.* 98, 243–250.

- Birben, E., Sahiner, U.M., Sackesen, C., Erzurum, S., Kalayci, O., 2012. Oxidative Stress and Antioxidant Defense. *World Allergy Organ. J.* 5, 9–19.
- Bishnoi, M., Chopra, K., Kulkarni, S.K., 2008. Protective effect of Curcumin, the active principle of turmeric (*Curcuma longa*) in haloperidol-induced orofacial dyskinesia and associated behavioural, biochemical and neurochemical changes in rat brain. *Pharmacol. Biochem. Behav.* 88, 511–522.
- Bizon, J.L., LaSarge, C.L., Montgomery, K.S., McDermott, A.N., Setlow, B., Griffith, W.H., 2009. Spatial reference and working memory across the lifespan of male Fischer 344 rats. *Neurobiol. Aging* 30, 646–655.
- Block, G., Dietrich, M., Norkus, E.P., Morrow, J.D., Hudes, M., Caan, B., Packer, L., 2002. Factors associated with oxidative stress in human populations. *Am. J. Epidemiol.* 156, 274–285.
- Bolton, M.M., Lo, D.C., Sherwood, N.T., 2000. Long-term regulation of excitatory and inhibitory synaptic transmission in hippocampal cultures by brain-derived neurotrophic factor. *Prog. Brain Res.* 128, 203–218.
- Borson, S., Frank, L., Bayley, P.J., Boustani, M., Dean, M., Lin, P.-J., McCarten, J.R., Morris, J.C., Salmon, D.P., Schmitt, F.A., Stefanacci, R.G., Mendiondo, M.S., Peschin, S., Hall, E.J., Fillit, H., Ashford, J.W., 2013. Improving dementia care: The role of screening and detection of cognitive impairment. *Alzheimers Dement.* 9, 151–159.
- Boyer, I.J., 1989. Toxicity of dibutyltin, tributyltin and other organotin compounds to humans and to experimental animals. *Toxicology.* 55, 253–298.
- Braak, H., Braak, E., 1995. Staging of alzheimer's disease-related neurofibrillary changes. *Neurobiol. Aging.* 16, 271–278.
- Braga, M.E.M., Leal, P.F., Carvalho, J.E., Meireles, M.A.A., 2003. Comparison of yield, composition, and antioxidant activity of turmeric (*Curcuma longa* L.) extracts obtained using various techniques. *J. Agric. Food Chem.* 51, 6604–6611.
- Brandeis, R., Brandys, Y., Yehuda, S., 1989. The use of the Morris Water Maze in the study of memory and learning. *Int. J. Neurosci.* 48, 29–69.
- Broadbent, N.J., Squire, L.R., Clark, R.E., 2004. Spatial memory, recognition memory, and the hippocampus. *Proc. Natl. Acad. Sci. U. S. A.* 101, 14515–14520.
- Brookmeyer, R., Johnson, E., Ziegler-Graham, K., Arrighi, H.M., 2007. Forecasting the global burden of Alzheimer's disease. *Alzheimers Dement. J. Alzheimers Assoc.* 3, 186–191.
- Brown, A.W., Aldridge, W.N., Street, B.W., Verschoyle, R.D., 1979. The behavioral and neuropathologic sequelae of intoxication by trimethyltin compounds in the rat. *Am. J. Pathol.* 97, 59–82.
- Buck, B.A., Mascioni, A., Cramer, C.J., Veglia, G., 2004. Interactions of alkyltin salts with biological dithiols: dealkylation and induction of a regular beta-turn structure in peptides. *J. Am. Chem. Soc.* 126, 14400–14410.

- Buck-Koehntop, B.A., Mascioni, A., Buffy, J.J., Veglia, G., 2005. Structure, Dynamics, and Membrane Topology of Stannin: A Mediator of Neuronal Cell Apoptosis Induced by Trimethyltin Chloride. *J. Mol. Biol.* 354, 652–665.
- Budson, A.E., Price, B.H., 2005. Memory dysfunction. *N. Engl. J. Med.* 352, 692–699.
- Bushnell, P.J., Angell, K.E., 1992. Effects of trimethyltin on repeated acquisition (learning) in the radial-arm maze. *Neurotoxicology* 13, 429–441.
- Butterfield, D.A., Castegna, A., Lauderback, C.M., Drake, J., 2002. Evidence that amyloid beta-peptide-induced lipid peroxidation and its sequelae in Alzheimer's disease brain contribute to neuronal death. *Neurobiol. Aging* 23, 655–664.
- Caamaño, J., Gómez, M.J., Franco, A., Cacabelos, R., 1994. Effects of CDP-choline on cognition and cerebral hemodynamics in patients with Alzheimer's disease. *Exp. Clin. Pharmacol.* 16, 211–218.
- Cacabelos, R., Caamaño, J., Gómez, M.J., Fernández-Novoa, L., Franco-Maside, A., Alvarez, X.A., 1996. Therapeutic Effects of CDP-Choline in Alzheimer's Disease-Cognition, Brain Mapping, Cerebrovascular Hemodynamics, and Immune Factors. *Ann. N. Y. Acad. Sci.* 777, 399–403.
- Calleo, J., Stanley, M., 2008. Anxiety disorders in later life: Differentiated diagnosis and treatment strategies. *Psychiatr. Times* 25, 24–27.
- Ceriello, A., 2008. Possible role of oxidative stress in the pathogenesis of hypertension. *Diabetes Care* 31 Suppl 2, S181–184.
- Chainani-Wu, N., 2003. Safety and anti-inflammatory activity of curcumin: a component of tumeric (*Curcuma longa*). *J. Altern. Complement. Med.*, 161–168.
- Chang, L.W., 1986. Neuropathology of trimethyltin: a proposed pathogenetic mechanism. *Fundam. Appl. Toxicol.* 6, 217–232.
- Chang, L.W., Tiemeyer, T.M., Wenger, G.R., McMillan, D.E., 1983. Neuropathology of trimethyltin intoxication. III. Changes in the brain stem neurons. *Environ. Res.* 30, 399–411.
- Chattopadhyay, I., Biswas, K., Bandyopadhyay, U., Banerjee, R.K., 2004. Turmeric and curcumin: biological actions and medicinal applications. *Curr. Sci.* 87, 44–53.
- Chauhan, D.P., 2002. Chemotherapeutic potential of curcumin for colorectal cancer. *Curr. Pharm. Des.* 8, 1695–1706.
- Cheeseman, K.H., Slater, T.F., 1993. An introduction to free radical biochemistry. *Br. Med. Bull.* 49, 481–493.
- Cheung, T.H., Cardinal, R.N., 2005. Hippocampal lesions facilitate instrumental learning with delayed reinforcement but induce impulsive choice in rats. *BMC Neurosci.* 6, 1–24.
- Chew, B.P., Park, J.S., 2004. Carotenoid action on the immune response. *J. Nutr.* 134, 257S–261S.
- Christen, Y., 2000. Oxidative stress and Alzheimer disease. *Am. J. Clin. Nutr.* 71, 621S–629S.

- Clerici, W.J., 1996. Effects of superoxide dismutase and U74389G on acute trimethyltin-induced cochlear dysfunction. *Toxicol. Appl. Pharmacol.* 136, 236–242.
- Cole, G.M., Teter, B., Frautschy, S.A., 2007. Neuroprotective effects of curcumin. *Adv. Exp. Med. Biol.* 595, 197–212.
- Colucci, L., Bosco, Amenta, Fasanaro, Ziello, Rea, 2012. Effectiveness of nootropic drugs with cholinergic activity in treatment of cognitive deficit: a review. *J. Exp. Pharmacol.* 163.
- Cook, L.L., Stine, K.E., Reiter, L.W., 1984. Tin distribution in adult rat tissues after exposure to trimethyltin and triethyltin. *Toxicol. Appl. Pharmacol.* 76, 344–348.
- Corvino, V., Geloso, M.C., Cavallo, V., Guadagni, E., Passalacqua, R., Florenzano, F., Giannetti, S., Molinari, M., Michetti, F., 2005. Enhanced neurogenesis during trimethyltin-induced neurodegeneration in the hippocampus of the adult rat. *Brain Res. Bull.* 65, 471–477.
- Craig, L.A., Hong, N.S., Kopp, J., McDonald, R.J., 2009. Selective lesion of medial septal cholinergic neurons followed by a mini-stroke impairs spatial learning in rats. *Exp. Brain Res.* 193, 29–42.
- Crespo, J.A., Sturm, K., Saria, A., Zernig, G., 2006. Activation of Muscarinic and Nicotinic Acetylcholine Receptors in the Nucleus Accumbens Core Is Necessary for the Acquisition of Drug Reinforcement. *J. Neurosci.* 26, 6004–6010.
- Darreh-Shori, T., Almkvist, O., Guan, Z.Z., Garlind, A., Strandberg, B., Svensson, A.-L., Soreq, H., Hellström-Lindahl, E., Nordberg, A., 2002. Sustained cholinesterase inhibition in AD patients receiving rivastigmine for 12 months. *Neurology.* 59, 563–572.
- Dávalos, A., Castillo, J., Álvarez-Sabín, J., Secades, J.J., Mercadal, J., López, S., Cobo, E., Warach, S., Sherman, D., Clark, W.M., others, 2002. Oral Citicoline in Acute Ischemic Stroke An Individual Patient Data Pooling Analysis of Clinical Trials. *Stroke* 33, 2850–2857.
- Davidson, C.E., Reese, B.E., Billingsley, M.L., Yun, J.K., 2004. Stannin, A Protein That Localizes to the Mitochondria and Sensitizes NIH-3T3 Cells to Trimethyltin and Dimethyltin Toxicity. *Mol. Pharmacol.* 66, 855–863.
- Davis, H.P., Baranowski, J.R., Pulsinelli, W.A., Volpe, B.T., 1987. Retention of reference memory following ischemic hippocampal damage. *Physiol. Behav.* 39, 783–786.
- Dejneka, N.S., Patanow, C.M., Polavarapu, R., Toggas, S.M., Kyle Krady, J., Billingsley, M.L., 1997. Localization and characterization of stannin: relationship to cellular sensitivity to organotin compounds. *Neurochem. Int.* 31, 801–815.
- Devore, E.E., Grodstein, F., van Rooij, F.J.A., Hofman, A., Stampfer, M.J., Witteman, J.C.M., Breteler, M.M.B., 2010. Dietary antioxidants and long-term risk of dementia. *Arch. Neurol.* 67, 819–825.
- Dhalla, N.S., Temsah, R.M., Netticadan, T., 2000. Role of oxidative stress in cardiovascular diseases. *J. Hypertens.* 18, 655–673.

- Dhanasekaran, M., Holcomb, L.A., Hitt, A.R., Tharakan, B., Porter, J.W., Young, K.A., Manyam, B.V., 2009. Centella asiatica extract selectively decreases amyloid beta levels in hippocampus of Alzheimer's disease animal model. *Phytother. Res.* 23, 14–19.
- Dickinson, D.A., Iles, K.E., Zhang, H., Blank, V., Forman, H.J., 2003. Curcumin alters EpRE and AP-1 binding complexes and elevates glutamate-cysteine ligase gene expression. *FASEB J.* 17, 473–475.
- Dohare, P., Garg, P., Jain, V., Nath, C., Ray, M., 2008. Dose dependence and therapeutic window for the neuroprotective effects of curcumin in thromboembolic model of rat. *Behav. Brain Res.* 193, 289–297.
- Dong, L., Wang, W., Wang, F., Stoner, M., Reed, J.C., Harigai, M., Samudio, I., Kladde, M.P., Vyhldal, C., Safe, S., 1999. Mechanisms of Transcriptional Activation of bcl-2 Gene Expression by 17 -Estradiol in Breast Cancer Cells. *J. Biol. Chem.* 274, 32099–32107.
- Dopp, E., Hartmann, L.M., von Recklinghausen, U., Florea, A.M., Rabieh, S., Shokouhi, B., Hirner, A.V., Obe, G., Rettenmeier, A.W., 2007. The cyto- and genotoxicity of organotin compounds is dependent on the cellular uptake capability. *Toxicology* 232, 226–234.
- D'Orlando, K.J., Sandage, B.W., 1995. Citicoline (CDP-choline): mechanisms of action and effects in ischemic brain injury. *Neurol. Res.* 17, 281–284.
- Drapeau, E., Mayo, W., Aurousseau, C., Moal, M.L., Piazza, P.-V., Abrous, D.N., 2003. Spatial memory performances of aged rats in the water maze predict levels of hippocampal neurogenesis. *Proc. Natl. Acad. Sci.* 100, 14385–14390.
- Dringen, R., 2000. Metabolism and functions of glutathione in brain. *Prog. Neurobiol.* 62, 649–671.
- Dröge, W., 2002. Free Radicals in the Physiological Control of Cell Function. *Physiol. Rev.* 82, 47–95.
- Dut, R., Dizdar, E.A., Birben, E., Sackesen, C., Soyer, O.U., Besler, T., Kalayci, O., 2008. Oxidative stress and its determinants in the airways of children with asthma. *Allergy* 63, 1605–1609.
- Duvernoy, H.M., 2005. *The Human Hippocampus: Functional Anatomy, Vascularization and Serial Sections with MRI*. Springer Science & Business Media.
- Dyer, R.S., Walsh, T.J., Wonderlin, W.F., Bercegeay, M., 1982. The trimethyltin syndrome in rats. *Neurobehav. Toxicol. Teratol.* 4, 127–133.
- Earley, B., Burke, M., Leonard, B.E., 1992. Behavioural, biochemical and histological effects of trimethyltin (TMT) induced brain damage in the rat. *Neurochem. Int.* 21, 351–366.
- Earley, B., Burke, M., Leonard, B.E., 1992. Behavioural, biochemical and histological effects of trimethyltin (TMT) induced brain damage in the rat. *Neurochem. Int.* 21, 351–366.
- Ekuta, J.E., Hikal, A.H., Matthews, J.C., 1998. Toxicokinetics of trimethyltin in four inbred strains of mice. *Toxicol. Lett.* 95, 41–46.

- El-Demerdash, F.M., Yousef, M.I., Radwan, F.M.E., 2009. Ameliorating effect of curcumin on sodium arsenite-induced oxidative damage and lipid peroxidation in different rat organs. *Food Chem. Toxicol.* 47, 249–254.
- Evans, J.G., Wilcock, G., Birks, J., 2004. Evidence-based pharmacotherapy of Alzheimer's disease. *Int. J. Neuropsychopharmacol.* 7, 351–369.
- Eybl, V., Kotyzova, D., Koutensky, J., 2006. Comparative study of natural antioxidants - curcumin, resveratrol and melatonin - in cadmium-induced oxidative damage in mice. *Toxicology* 225, 150–156.
- Fang, Y.-Z., Yang, S., Wu, G., 2002. Free radicals, antioxidants, and nutrition. *Nutrition* 18, 872–879.
- Farghaly, A. A., & Abo-Zeid, M. A. (2009). Evaluation of the antimutagenic effect of vitamin C against DNA damage and cytotoxicity induced by trimethyltin in mice. *Nat. Sci.* 7(12), 1e7.
- Farmer, E.E., Mueller, M.J., 2013. ROS-Mediated Lipid Peroxidation and RES-Activated Signaling. *Annu. Rev. Plant Biol.* 64, 429–450.
- Ferri, C.P., Prince, M., Brayne, C., Brodaty, H., Fratiglioni, L., Ganguli, M., Hall, K., Hasegawa, K., Hendrie, H., Huang, Y., Jorm, A., Mathers, C., Menezes, P.R., Rimmer, E., Scazufca, M., 2005. Global prevalence of dementia: a Delphi consensus study. *The Lancet* 366, 2112–2117.
- Fiacco, T.A., Rosene, D.L., Galler, J.R., Blatt, G.J., 2003. Increased density of hippocampal kainate receptors but normal density of NMDA and AMPA receptors in a rat model of prenatal protein malnutrition. *J. Comp. Neurol.* 456, 350–360.
- Finaud, J., Lac, G., Filaire, E., 2006. Oxidative stress : relationship with exercise and training. *Sports Med. Auckl. NZ* 36, 327–358.
- Finkbeiner, S., 2000. CREB Couples Neurotrophin Signals to Survival Messages. *Neuron* 25, 11–14. 1
- Florea, A.-M., Dopp, E., Obe, G., Rettenmeier, A.W., 2004. Genotoxicity of organometallic species, in: Hirner, P.D.A.V., Emons, P.D.H. (Eds.), *Organic Metal and Metalloid Species in the Environment. Springer Berlin Heidelberg*, 205–219.
- Floresco, S.B., Braaksma, D.N., Phillips, A.G., 1999. Thalamic-cortical-striatal circuitry subserves working memory during delayed responding on a radial arm maze. *J. Neurosci.* 19, 11061–11071.
- Forbes-McKay, K.E., Venneri, A., 2005. Detecting subtle spontaneous language decline in early Alzheimer's disease with a picture description task. *Neurol. Sci.* 26, 243–254.
- Frautschy, S.A., Hu, W., Kim, P., Miller, S.A., Chu, T., Harris-White, M.E., Cole, G.M., 2001. Phenolic anti-inflammatory antioxidant reversal of Abeta-induced cognitive deficits and neuropathology. *Neurobiol. Aging* 22, 993–1005.
- Froemke, R.C., Merzenich, M.M., Schreiner, C.E., 2007. A synaptic memory trace for cortical receptive field plasticity. *Nature* 450, 425–429.
- Fujiwara, H., Tabuchi, M., Yamaguchi, T., Iwasaki, K., Furukawa, K., Sekiguchi, K., Ikarashi, Y., Kudo, Y., Higuchi, M., Saido, T.C., Maeda, S., Takashima, A., Hara, M., Yaegashi, N., Kase, Y., Arai, H., 2009. A

- traditional medicinal herb *Paeonia suffruticosa* and its active constituent 1,2,3,4,6-penta-O-galloyl- β -D-glucopyranose have potent anti-aggregation effects on Alzheimer's amyloid proteins in vitro and in vivo. *J. Neurochem.* 109, 1648–1657.
- Fukui, K., Omoi, N.-O., Hayasaka, T., Shinnkai, T., Suzuki, S., Abe, K., Urano, S., 2002. Cognitive impairment of rats caused by oxidative stress and aging, and its prevention by vitamin E. *Ann. N. Y. Acad. Sci.* 959, 275–284.
- Gabbita, S.P., Lovell, M.A., Markesbery, W.R., 1998. Increased Nuclear DNA Oxidation in the Brain in Alzheimer's Disease. *J. Neurochem.* 71, 2034–2040.
- Galati, G., Sabzevari, O., Wilson, J.X., O'Brien, P.J., 2002. Prooxidant activity and cellular effects of the phenoxyl radicals of dietary flavonoids and other polyphenolics. *Toxicology* 177, 91–104.
- Gandhi, S., Abramov, A.Y., 2012. Mechanism of Oxidative Stress in Neurodegeneration. *Oxid. Med. Cell. Longev.*, e428010.
- Gawel, S., Wardas, M., Niedworok, E., Wardas, P., 2004. Malondialdehyde (MDA) as a lipid peroxidation marker. *Wiad. Lek. Wars. Pol.* 1960 57, 453–455.
- Geloso, M.C., Corvino, V., Michetti, F., 2011. Trimethyltin-induced hippocampal degeneration as a tool to investigate neurodegenerative processes. *Neurochem. Int.* 58, 729–738.
- Geloso, M.C., Giannetti, S., Cenciarelli, C., Budoni, M., Casalbore, P., Maira, G., Michetti, F., 2007. Transplantation of foetal neural stem cells into the rat hippocampus during trimethyltin-induced neurodegeneration. *Neurochem. Res.* 32, 2054–2061.
- Geloso, M.C., Vercelli, A., Corvino, V., Repici, M., Boca, M., Haglid, K., Zelano, G., Michetti, F., 2002. Cyclooxygenase-2 and *Caspase 3* Expression in Trimethyltin-Induced Apoptosis in the Mouse Hippocampus. *Exp. Neurol.* 175, 152–160.
- Genestra, M., 2007. Oxyl radicals, redox-sensitive signalling cascades and antioxidants. *Cell. Signal.* 19, 1807–1819.
- Giacobini, E., Spiegel, R., Enz, A., Veroff, A.E., Cutler, N.R., 2002. Inhibition of acetyl- and butyryl-cholinesterase in the cerebrospinal fluid of patients with Alzheimer's disease by rivastigmine: correlation with cognitive benefit. *J. Neural Transm.* 109, 1053–1065.
- Gilbert, D.L., 2000. Fifty years of radical ideas. *Ann. N. Y. Acad. Sci.* 899, 1–14.
- Giri, R.K., Rajagopal, V., Kalra, V.K., 2004. Curcumin, the active constituent of turmeric, inhibits amyloid peptide-induced cytochemokine gene expression and CCR5-mediated chemotaxis of THP-1 monocytes by modulating early growth response-1 transcription factor. *J. Neurochem.* 91, 1199–1210.
- Good, M.A., 2002. Spatial memory and hippocampal function: Where are we now? *Psicologica* 23, 109–138.
- Greilberger, J., Koidl, C., Greilberger, M., Lamprecht, M., Schroecksnadel, K., Leblhuber, F., Fuchs, D., Oettl, K., 2008. Malondialdehyde, carbonyl

proteins and albumin-disulphide as useful oxidative markers in mild cognitive impairment and Alzheimer's disease. *Free Radic. Res.* 42, 633–638.

- Grieb, P., Gadamski, R., Wojda, R., Janisz, M., 2000. CDP-choline, but not cytidine, protects hippocampal CA1 neurones in the gerbil following transient forebrain ischaemia. *Folia Neuropathol.* 39, 141–145.
- Grieb, P., Rejdak, R., 2002. Pharmacodynamics of citicoline relevant to the treatment of glaucoma. *J. Neurosci. Res.* 67, 143–148.
- Grotto, D., Maria, L.S., Valentini, J., Paniz, C., Schmitt, G., Garcia, S.C., Pomblum, V.J., Rocha, J.B.T., Farina, M., 2009. Importance of the lipid peroxidation biomarkers and methodological aspects FOR malondialdehyde quantification. *Quím. Nova* 32, 169–174.
- Gunasekar, P., Li, L., Prabhakaran, K., Eybl, V., Borowitz, J.L., Isom, G.E., 2001. Mechanisms of the Apoptotic and Necrotic Actions of Trimethyltin in Cerebellar Granule Cells. *Toxicol. Sci.* 64, 83–89.
- Gundersen, H.J.G., 1977. Notes on the estimation of the numerical density of arbitrary profiles: the edge effect. *J. Microsc.* 111, 219–223.
- Gundersen, H.J.G., Jensen, E.B., 1987. The efficiency of systematic sampling in stereology and its prediction*. *J. Microsc.* 147, 229–263.
- Gupta, Y.K., Briyal, S., Sharma, M., 2009. Protective effect of curcumin against kainic acid induced seizures and oxidative stress in rats. *Indian J. Physiol. Pharmacol.* 53, 39–46.
- Gurr, M.I., James, A.T., 1980. *Lipid Biochemistry: An Introduction*. Springer Netherlands, Dordrecht.
- Guyton, A.C., Hall, J.E., 2001. *Pocket Companion to Textbook of Medical Physiology*. W.B. Saunders.
- Guyton, A., Hall, J.E., 2011. *Textbook of Medical Physiology*. Pa.: Saunders/Elsevier, Philadelphia.
- Haass, C., Selkoe, D.J., 2007. Soluble protein oligomers in neurodegeneration: lessons from the Alzheimer's amyloid β -peptide. *Nat. Rev. Mol. Cell Biol.* 8, 101–112.
- Halliwell, B., 2006. Reactive Species and Antioxidants. Redox Biology Is a Fundamental Theme of Aerobic Life. *Plant Physiol.* 141, 312–322.
- Hariri, A.R., Goldberg, T.E., Mattay, V.S., Kolachana, B.S., Callicott, J.H., Egan, M.F., Weinberger, D.R., 2003. Brain-derived neurotrophic factor val66met polymorphism affects human memory-related hippocampal activity and predicts memory performance. *J. Neurosci.* 23, 6690–6694.
- Harry, G.J., Goodrum, J.F., Krigman, M.R., Morell, P., 1985. The use of synapsin I as a biochemical marker for neuronal damage by trimethyltin. *Brain Res.* 326, 9–18.
- Harry, G.J., Lefebvre d'Hellencourt, C., 2003. Dentate Gyrus: Alterations that Occur with Hippocampal Injury. *Neurotoxicology* 24, 343–356.
- Harry, G.J., McPherson, C.A., Wine, R.N., Atkinson, K., d'Hellencourt, C.L., 2003. Trimethyltin-induced neurogenesis in the murine hippocampus. *Neurotox. Res.* 5, 623–627.

- Harry, G.J., Sills, R., Schlosser, M.J., Maier, W.E., 2001. Neurodegeneration and glia response in rat hippocampus following nitro-L-arginine methyl ester (L-NAME). *Neurotox. Res.* 3, 307–319.
- Hattori, N., Ohta, S., Sakamoto, T., Mishima, S., Furukawa, S., 2011. Royal jelly facilitates restoration of the cognitive ability in trimethyltin-intoxicated mice. *Evid.-Based Complement. Altern. Med.* 165968.
- Haxaire, C., Turpin, F.R., Potier, B., Kervern, M., Sinet, P.-M., Barbanel, G., Mothet, J.-P., Dutar, P., Billard, J.-M., 2012. Reversal of age-related oxidative stress prevents hippocampal synaptic plasticity deficits by protecting D-serine-dependent NMDA receptor activation. *Aging Cell* 11, 336–344. x
- Hensley, K., Hall, N., Subramaniam, R., Cole, P., Harris, M., Aksenov, M., Aksenova, M., Gabbita, S.P., Wu, J.F., Carney, J.M., Lovell, M., Markesbery, W.R., Butterfield, D.A., 1995. Brain Regional Correspondence Between Alzheimer's Disease Histopathology and Biomarkers of Protein Oxidation. *J. Neurochem.* 65, 2146–2156.
- Huang, Y.Q., Wang, X., Li, C., Liu, L., 2000. Clinical significance of nitric oxide level, esophageal pH and esophageal dynamic changes in diabetic patients. *WORLD Chin. J. Dig.* 8, 374–376.
- Imfeld, P., Bodmer, M., Schuerch, M., Jick, S.S., Meier, C.R., 2013. Risk of incident stroke in patients with Alzheimer disease or vascular dementia. *Neurology* 10-1212.
- Inoue, M., Sato, E.F., Nishikawa, M., Park, A.-M., Kira, Y., Imada, I., Utsumi, K., 2003. Mitochondrial Generation of Reactive Oxygen Species and its Role in Aerobic Life. *Curr. Med. Chem.* 10, 2495–2505.
- Ishrat, T., Hoda, M.N., Khan, M.B., Yousuf, S., Ahmad, M., Khan, M.M., Ahmad, A., Islam, F., 2009. Amelioration of cognitive deficits and neurodegeneration by curcumin in rat model of sporadic dementia of Alzheimer's type (SDAT). *Eur. Neuropsychopharmacol. J.* 19, 636–647.
- Ishrat, T., Khan, M.B., Hoda, M.N., Yousuf, S., Ahmad, M., Ansari, M.A., Ahmad, A.S., Islam, F., 2006. Coenzyme Q10 modulates cognitive impairment against intracerebroventricular injection of streptozotocin in rats. *Behav. Brain Res.* 171, 9–16.
- Jacotte-Simancas, A., Costa-Miserachs, D., Coll-Andreu, M., Torras-Garcia, M., Borlongan, C.V., Portell-Cortés, I., 2015. Effects of voluntary physical exercise, citicoline, and combined treatment on object recognition memory, neurogenesis, and neuroprotection after traumatic brain injury in rats. *J. Neurotrauma* 32, 739–751.
- Jakubowska-Do ru, E., Gümü ba , U., Kara, F., 2003. Individual variation in the spatial reference and working memory assessed under allothetic and idiothetic orientation cues in rat. *Acta Neurobiol. Exp. (Warsz.)* 63, 17–23.
- Jana, N.R., Dikshit, P., Goswami, A., Nukina, N., 2004. Inhibition of proteasomal function by curcumin induces apoptosis through mitochondrial pathway. *J. Biol. Chem.* 279, 11680–11685.
- Jaques, J.A. dos S., Rezer, J.F.P., Carvalho, F.B., da Rosa, M.M., Gutierrez, J.M., Gonçalves, J.F., Schmutz, R., de Baires, A.V., Mazzanti, C.M., Rubin,

- M.A., Schetinger, M.R.C., Leal, D.B.R., 2012. Curcumin protects against cigarette smoke-induced cognitive impairment and increased acetylcholinesterase activity in rats. *Physiol. Behav.* 106, 664–669.
- Javed, H., Khan, M.M., Ahmad, A., Vaibhav, K., Ahmad, M.E., Khan, A., Ashafaq, M., Islam, F., Siddiqui, M.S., Safhi, M.M., Islam, F., 2012. Rutin prevents cognitive impairments by ameliorating oxidative stress and neuroinflammation in rat model of sporadic dementia of Alzheimer type. *Neuroscience* 210, 340–352.
- J, C., Mj, G., A, F., R, C., 1994. Effects of CDP-choline on cognition and cerebral hemodynamics in patients with Alzheimer's disease. *Methods Find. Exp. Clin. Pharmacol.* 16, 211–218.
- JECFA, 1990. *Toxicological Evaluation of Certain Food Additives*. WHO, Geneva.
- Jenkins, S.M., Barone, S., 2004. The neurotoxicant trimethyltin induces apoptosis via *caspase* activation, p38 protein kinase, and oxidative stress in PC12 cells. *Toxicol. Lett.* 147, 63–72.
- Jenner, P., 2003. Oxidative stress in Parkinson's disease. *Ann. Neurol.* S36–38.
- Ji, D., Wilson, M.A., 2007. Coordinated memory replay in the visual cortex and hippocampus during sleep. *Nat. Neurosci.* 10, 100–107.
- Joanna Sekita-Krzak, I.Z.-L., 2003. Neuroprotective effect of ACTH (4-9) in degeneration of hippocampal nerve cells caused by dexamethasone: Morphological, immunocytochemical and ultrastructural studies. *Acta Neurobiol. Exp.* 63, 1–8.
- Jovanovic, J.N., Benfenati, F., Siow, Y.L., Sihra, T.S., Sanghera, J.S., Pelech, S.L., Greengard, P., Czernik, A.J., 1996. Neurotrophins stimulate phosphorylation of synapsin I by MAP kinase and regulate synapsin I-actin interactions. *Proc. Natl. Acad. Sci.* 93, 3679–3683.
- Jung, E.-Y., Lee, M.-S., Ahn, C.J., Cho, S.-H., Bae, H., Shim, I., 2013. The Neuroprotective Effect of Gugijihwang-Tang on Trimethyltin-Induced Memory Dysfunction in the Rat. *Evid.-Based Complement. Altern. Med.*, 542081.
- Jurenka, J.S., 2009. Anti-inflammatory properties of curcumin, a major constituent of *Curcuma longa*: a review of preclinical and clinical research. *Altern. Med. Rev. J. Clin. Ther.* 14, 141–153.
- Kalpana, C., Menon, V.P., 2004. Modulatory effects of curcumin on lipid peroxidation and antioxidant status during nicotine-induced toxicity. *Pol. J. Pharmacol.* 56, 581–586.
- Kandel, E.R., Schwartz, J.H., Jessell, T.M., Siegelbaum, S.A., Hudspeth, A.J., 2013. *Principles of Neural Science*. McGraw Hill Professional.
- Kasparová, S., Brezová, V., Valko, M., Horecký, J., Mlynárik, V., Liptaj, T., Vancová, O., Ulicná, O., Dobrota, D., 2005. Study of the oxidative stress in a rat model of chronic brain hypoperfusion. *Neurochem. Int.* 46, 601–611.
- Kassed, C.A., Butler, T.L., Navidomskis, M.T., Gordon, M.N., Morgan, D., Pennypacker, K.R., 2003. Mice expressing human mutant presenilin-1

- exhibit decreased activation of NF-kappaB p50 in hippocampal neurons after injury. *Brain Res. Mol. Brain Res.* 110, 152–157.
- Kato, M., Kamigaito, M., Sawamoto, M., Higashimura, T., 1995. Polymerization of Methyl Methacrylate with the Carbon Tetrachloride/Dichlorotris-(triphenylphosphine)ruthenium(II)/Methylaluminum Bis(2,6-di-tert-butylphenoxide) Initiating System: Possibility of Living Radical Polymerization. *Macromolecules* 28, 1721–1723.
- Kelly, Á., Laroche, S., Davis, S., 2003. Activation of Mitogen-Activated Protein Kinase/Extracellular Signal-Regulated Kinase in Hippocampal Circuitry Is Required for Consolidation and Reconsolidation of Recognition Memory. *J. Neurosci.* 23, 5354–5360.
- Kelly, M.R., Xu, J., Alexander, K.E., Loo, G., 2001. Disparate effects of similar phenolic phytochemicals as inhibitors of oxidative damage to cellular DNA. *Mutat. Res. Repair* 485, 309–318.
- Kharrazi, H., Vaisi-Raygani, A., Rahimi, Z., Tavalani, H., Aminian, M., Pourmotabbed, T., 2008. Association between enzymatic and non-enzymatic antioxidant defense mechanism with apolipoprotein E genotypes in Alzheimer disease. *Clin. Biochem.* 41, 932–936.
- Khopkar, S.M., 2003. *Konsep Dasar Kimia Analitik*. UI Press, Jakarta.
- Khuwaja, G., Khan, M.M., Ishrat, T., Ahmad, A., Raza, S.S., Ashafaq, M., Javed, H., Khan, M.B., Khan, A., Vaibhav, K., Safhi, M.M., Islam, F., 2011. Neuroprotective effects of curcumin on 6-hydroxydopamine-induced Parkinsonism in rats: behavioral, neurochemical and immunohistochemical studies. *Brain Res.* 1368, 254–263.
- Knight, J.A., 2000. Review: Free radicals, antioxidants, and the immune system. *Ann. Clin. Lab. Sci.* 30, 145–158.
- Koczyk, D., 1996. How does trimethyltin affect the brain: facts and hypotheses. *Acta Neurobiol. Exp.* 56, 587–596.
- Koda, T., Kuroda, Y., Ueno, Y., Kitadate, K., Imai, H., 2008. Protective effects of buckwheat hull extract against experimental hippocampus injury induced by trimethyltin in rats. *Nihon Eiseigaku Zasshi Jpn. J. Hyg.* 63, 711–716.
- Korbo, L., Ladefoged, O., Lam, H.R., Ostergaard, G., West, M.J., Arlien-Søborg, P., 1996. Neuronal loss in hippocampus in rats exposed to toluene. *Neurotoxicology* 17, 359–366.
- Krupinski, J., Ferrer, I., Barrachina, M., Secades, J.J., Mercadal, J., Lozano, R., 2002. CDP-choline reduces pro-caspase and cleaved caspase-3 expression, nuclear DNA fragmentation, and specific PARP-cleaved products of caspase activation following middle cerebral artery occlusion in the rat. *Neuropharmacology* 42, 846–854.
- Kuhad, A., Chopra, K., 2007. Curcumin attenuates diabetic encephalopathy in rats: behavioral and biochemical evidences. *Eur. J. Pharmacol.* 576, 34–42.
- Kumar, A., Dogra, S., Prakash, A., 2009. Neuroprotective Effects of *Centella asiatica* against Intracerebroventricular Colchicine-Induced Cognitive Impairment and Oxidative Stress. *Int. J. Alzheimer's Dis.* 2009, e972178.

- Kumar, D., Mishra, P.K., Anand, A.V.K., Agrawal, P.K., Mohapatra, R., 2012. Isolation, synthesis and pharmacological evaluation of some novel curcumin derivatives as anticancer agents. *J. Med. Plants Res.* 6(14), 2880-2884.
- Latini, L., Geloso, M.C., Corvino, V., Giannetti, S., Florenzano, F., Viscomi, M.T., Michetti, F., Molinari, M., 2010. Trimethyltin intoxication up-regulates nitric oxide synthase in neurons and purinergic ionotropic receptor 2 in astrocytes in the hippocampus. *J. Neurosci. Res.* 88, 500–509.
- Lattanzi, W., Corvino, V., Di Maria, V., Michetti, F., Geloso, M.C., 2013. Gene Expression Profiling as a Tool to Investigate the Molecular Machinery Activated during Hippocampal Neurodegeneration Induced by Trimethyltin (TMT) Administration. *Int. J. Mol. Sci.* 14, 16817–16835.
- Lee, C.-L., Kuo, T.-F., Wang, J.-J., Pan, T.-M., 2007. Red mold rice ameliorates impairment of memory and learning ability in intracerebroventricular amyloid beta-infused rat by repressing amyloid beta accumulation. *J. Neurosci. Res.* 85, 3171–3182.
- Lee, H.S., 2006. Antiplatelet property of *Curcuma longa* L. rhizome-derived ar-turmerone. *Bioresour. Technol.* 97, 1372–1376.
- Lim, G.P., Chu, T., Yang, F., Beech, W., Frautschy, S.A., Cole, G.M., 2001. The curry spice curcumin reduces oxidative damage and amyloid pathology in an Alzheimer transgenic mouse. *J. Neurosci.* 21, 8370–8377.
- Lin, H.Q., Ho, M.T., Lau, L.S., Wong, K.K., Shaw, P.C., Wan, D.C.C., 2008. Anti-acetylcholinesterase activities of traditional Chinese medicine for treating Alzheimer's disease. *Chem. Biol. Interact.* 175, 352–354.
- Linnarsson, S., Björklund, A., Ernfors, P., 1997. Learning Deficit in BDNF Mutant Mice. *Eur. J. Neurosci.* 9, 2581–2587.
- Li, S., Yuan, W., Deng, G., Wang, P., Yang, P., Aggarwal, B., 2011. *Chemical composition and product quality control of turmeric (Curcuma longa L.)*. Faculty Publications. Paper 1.
- Liu, S.X., Athar, M., Lippai, I., Waldren, C., Hei, T.K., 2001. Induction of oxyradicals by arsenic: Implication for mechanism of genotoxicity. *Proc. Natl. Acad. Sci. USA.* 58, 76–87.
- Lu, Y., Wang, R., Cicha, M., Chapleau, M., Abboud, F., 2014. Transient acidosis induces a preconditioning chloride conductance that protects mouse nodose neurons from NMDA-induced apoptosis (1132.13). *FASEB J.* 28, 1132–13.
- Lynch, M.A., 2004. Long-term potentiation and memory. *Physiol. Rev.* 84, 87–136.
- Manns, J.R., Hopkins, R.O., Reed, J.M., Kitchener, E.G., Squire, L.R., 2003. Recognition Memory and the Human Hippocampus. *Neuron* 37, 171–180.
- Markesbery, W.R., 1997. Oxidative Stress Hypothesis in Alzheimer's Disease. *Free Radic. Biol. Med.* 23, 134–147.
- Mark, R.J., Lovell, M.A., Markesbery, W.R., Uchida, K., Mattson, M.P., 2002. A Role for 4-Hydroxynonenal, an Aldehydic Product of Lipid Peroxidation,

- in Disruption of Ion Homeostasis and Neuronal Death Induced by Amyloid β -Peptide. *J. Neurochem.* 68, 255–264.
- Mark, R.J., Pang, Z., Geddes, J.W., Uchida, K., Mattson, M.P., 1997. Amyloid β -Peptide Impairs Glucose Transport in Hippocampal and Cortical Neurons: Involvement of Membrane Lipid Peroxidation. *J. Neurosci.* 17, 1046–1054.
- Martín-Aragón, S., Benedí, J.M., Villar, A.M., 1997. Modifications on antioxidant capacity and lipid peroxidation in mice under fraxetin treatment. *J. Pharm. Pharmacol.* 49, 49–52.
- Martín-Aragón, S., Bermejo-Bescós, P., Benedí, J., Felici, E., Gil, P., Ribera, J.M., Villar, Á.M., 2008. Metalloproteinase's Activity and Oxidative Stress in Mild Cognitive Impairment and Alzheimer's Disease. *Neurochem. Res.* 34, 373–378.
- Mattson, M.P., 1995. Free radicals and disruption of neuronal ion homeostasis in AD: A role for amyloid β -peptide? *Neurobiol. Aging* 16, 679–682.
- Maviel, T., Durkin, T.P., Menzaghi, F., Bontempi, B., 2004. Sites of Neocortical Reorganization Critical for Remote Spatial Memory. *Science* 305, 96–99.
- McCord, J.M., 2000. The evolution of free radicals and oxidative stress. *Am. J. Med.* 108, 652–659.
- McGleenon, B.M., Dynan, K.B., Passmore, A.P., 1999. Acetylcholinesterase inhibitors in Alzheimer's disease. *Br. J. Clin. Pharmacol.* 48, 471–480.
- Meck, W.H., Church, R.M., Matell, M.S., 2013. Hippocampus, time, and memory--a retrospective analysis. *Behav. Neurosci.* 127, 642–654.
- Mega, M.S., Cummings, J.L., Fiorello, T., Gornbein, J., 1996. The spectrum of behavioral changes in Alzheimer's disease. *Neurology.* 46, 130–135.
- Merry, B.J., 2002. Molecular mechanisms linking calorie restriction and longevity. *Int. J. Biochem. Cell Biol.* 34, 1340–1354.
- Miki, T., Satriotomo, I., Li, H.-P., Matsumoto, Y., Gu, H., Yokoyama, T., Lee, K.-Y., Bedi, K.S., Takeuchi, Y., 2005. Application of the physical disector to the central nervous system: estimation of the total number of neurons in subdivisions of the rat hippocampus. *Anat. Sci. Int.* 80, 153–162.
- Miller, D.B., O'Callaghan, J.P., 1984. Biochemical, functional and morphological indicators of neurotoxicity: effects of acute administration of trimethyltin to the developing rat. *J. Pharmacol. Exp. Ther.* 231, 744–751.
- Miquel, J., Bernd, A., Sempere, J.M., Diaz-Alperi, J., Ramirez, A., 2002. The curcuma antioxidants: pharmacological effects and prospects for future clinical use. A review. *Arch. Gerontol. Geriatr.* 34, 37–46.
- Mk, U., Mn, R., 1995. Inhibition of nitrite induced oxidation of hemoglobin by curcuminoids. *Pharm.* 50, 490–492.
- Moriguchi, S., Tanaka, T., Tagashira, H., Narahashi, T., Fukunaga, K., 2013. Novel nootropic drug sunifiram improves cognitive deficits via CaM kinase II and protein kinase C activation in olfactory bulbectomized mice. *Behav. Brain Res.* 242, 150–157.
- Morita, M., Ishida, N., Uchiyama, K., Yamaguchi, K., Itoh, Y., Shichiri, M., Yoshida, Y., Hagihara, Y., Naito, Y., Yoshikawa, T., Niki, E., 2012. Fatty

- liver induced by free radicals and lipid peroxidation. *Free Radic. Res.* 46, 758–765.
- Moser, M.-B., Moser, E.I., 1998. Distributed Encoding and Retrieval of Spatial Memory in the Hippocampus. *J. Neurosci.* 18, 7535–7542.
- Mu, J.S., Li, W.P., Yao, Z.B., Zhou, X.F., 1999. Deprivation of endogenous brain-derived neurotrophic factor results in impairment of spatial learning and memory in adult rats. *Brain Res.* 835, 259–265.
- Müller, T., 2007. Rivastigmine in the treatment of patients with Alzheimer’s disease. *Neuropsychiatr. Dis. Treat.* 3, 211–218.
- Mundy, W.R., Freudenrich, T.M., 2006. Apoptosis of cerebellar granule cells induced by organotin compounds found in drinking water: involvement of MAP kinases. *Neurotoxicology* 27, 71–81.
- Munoz, U., Castilla-Cortazar, I., 2012. Protection Against Oxidative Stress and “IGF-I Deficiency Conditions,” in: El-Missiry, M.A. (Ed.), *Antioxidant Enzyme*. InTech.
- Murray, A.R., Kisin, E., Leonard, S.S., Young, S.H., Kommineni, C., Kagan, V.E., Castranova, V., Shvedova, A.A., 2009. Oxidative stress and inflammatory response in dermal toxicity of single-walled carbon nanotubes. *Toxicology* 257, 161–171.
- Musalmah, Rusdiah RJ, Noor Aini AH, 2009. Induction of DNA damage and cell death by Beta Amyloid Peptide and its modification by Tocotrienol Rich Fraction (TRF). *Med. Health* 4, 8–15.
- Mutlu-Türko lu, U., Ilhan, E., Oztezcın, S., Kuru, A., Aykaç-Toker, G., Uysal, M., 2003. Age-related increases in plasma malondialdehyde and protein carbonyl levels and lymphocyte DNA damage in elderly subjects. *Clin. Biochem.* 36, 397–400.
- Myhrer, T., 2003. Neurotransmitter systems involved in learning and memory in the rat: a meta-analysis based on studies of four behavioral tasks. *Brain Res. Rev.* 41, 268–287.
- Nemanic, S., Alvarado, M.C., Bachevalier, J., 2004. The Hippocampal/Parahippocampal Regions and Recognition Memory: Insights from Visual Paired Comparison versus Object-Delayed Nonmatching in Monkeys. *J. Neurosci.* 24, 2013–2026.
- Noland, E.A., Taylor, D.H., Bull, R.J., 1982. Monomethyl- and trimethyltin compounds induce learning deficiencies in young rats. *Neurobehav. Toxicol. Teratol.* 4, 539–544.
- O’callaghan, J.P., Niedzwiecki, D.M., Means, J.C., 1989. Variations in the neurotoxic potency of trimethyltin. *Brain Res. Bull.* 22, 637–642.
- Ogita, K., Nishiyama, N., Sugiyama, C., Higuchi, K., Yoneyama, M., Yoneda, Y., 2005. Regeneration of granule neurons after lesioning of hippocampal dentate gyrus: evaluation using adult mice treated with trimethyltin chloride as a model. *J. Neurosci. Res.* 82, 609–621.
- Ogita, K., Nitta, Y., Watanabe, M., Nakatani, Y., Nishiyama, N., Sugiyama, C., Yoneda, Y., 2004. In vivo activation of c-Jun N-terminal kinase signaling cascade prior to granule cell death induced by trimethyltin in the dentate gyrus of mice. *Neuropharmacology* 47, 619–630.

- O'Keefe, J., Nadel, L., 1979. Précis of O'Keefe & Nadel's The hippocampus as a cognitive map. *Behav. Brain Sci.* 2, 487–494.
- Okello, E.J., Savelev, S.U., Perry, E.K., 2004. In vitro anti-beta-secretase and dual anti-cholinesterase activities of *Camellia sinensis* L. (tea) relevant to treatment of dementia. *Phytother. Res. PTR* 18, 624–627.
- Ono, K., Hasegawa, K., Naiki, H., Yamada, M., 2004. Curcumin has potent anti-amyloidogenic effects for Alzheimer's beta-amyloid fibrils in vitro. *J. Neurosci. Res.* 75, 742–750.
- Opacka, J., Sparrow, S., 1985. Nephrotoxic effect of trimethyltin in rats. *Toxicol. Lett.* 27, 97–102.
- Panetta, J.A., Clemens, J.A., 1994. Novel Antioxidant Therapy for Cerebral Ischemia-Reperfusion Injury. *Ann. N. Y. Acad. Sci.* 723, 239–245.
- Pan, R., Qiu, S., Lu, D., Dong, J., 2008. Curcumin improves learning and memory ability and its neuroprotective mechanism in mice. *Chin. Med. J. (Engl.)* 121, 832–839.
- Pappolla, M.A., Sos, M., Omar, R.A., Bick, R.J., Hickson-Bick, D.L.M., Reiter, R.J., Efthimiopoulos, S., Robakis, N.K., 1997. Melatonin Prevents Death of Neuroblastoma Cells Exposed to the Alzheimer Amyloid Peptide. *J. Neurosci.* 17, 1683–1690.
- Paramasivam, M., Poi, R., Banerjee, H., Bandyopadhyay, A., 2009. High-performance thin layer chromatographic method for quantitative determination of curcuminoids in *Curcuma longa* germplasm. *Food Chem.* 113, 640–644.
- Paravicini, T.M., Touyz, R.M., 2008. NADPH Oxidases, Reactive Oxygen Species, and Hypertension Clinical implications and therapeutic possibilities. *Diabetes Care* 31, S170–S180.
- Parisi, V., Coppola, G., Centofanti, M., Oddone, F., Angrisani, A.M., Ziccardi, L., Ricci, B., Quaranta, L., Manni, G., 2008. Evidence of the neuroprotective role of citicoline in glaucoma patients. *Prog. Brain Res.* 173, 541–554.
- Park, C., Moon, D.-O., Choi, I.-W., Choi, B.T., Nam, T.-J., Rhu, C.-H., Kwon, T.K., Lee, W.H., Kim, G.-Y., Choi, Y.H., 2007. Curcumin induces apoptosis and inhibits prostaglandin E(2) production in synovial fibroblasts of patients with rheumatoid arthritis. *Int. J. Mol. Med.* 20, 365–372.
- Park, E.J., Jeon, C.H., Ko, G., Kim, J., Sohn, D.H., 2000. Protective effect of curcumin in rat liver injury induced by carbon tetrachloride. *J. Pharm. Pharmacol.* 52, 437–440.
- Park, H.-J., Shim, H.S., Choi, W.K., Kim, K.S., Bae, H., Shim, I., 2011. Neuroprotective Effect of *Lucium chinense* Fruit on Trimethyltin-Induced Learning and Memory Deficits in the Rats. *Exp. Neurobiol.* 20, 137–143.
- Partadiredja, G., Bedi, K.S., 2010. Undernutrition during the gestation and suckling periods does not cause any loss of pyramidal neurons in the CA2-CA3 region of the rat hippocampus. *Nutr. Neurosci.* 13, 102–8.
- Patanow, C.M., Day, J.R., Billingsley, M.L., 1997. Alterations in hippocampal expression of SNAP-25, GAP-43, stannin and glial fibrillary acidic protein

- following mechanical and trimethyltin-induced injury in the rat. *Neuroscience* 76, 187–202.
- Patterson, S.L., Abel, T., Deuel, T.A.S., Martin, K.C., Rose, J.C., Kandel, E.R., 1996. Recombinant BDNF Rescues Deficits in Basal Synaptic Transmission and Hippocampal LTP in BDNF Knockout Mice. *Neuron* 16, 1137–1145.
- Pavlakovi , G., Kane, M.D., Eyer, C.L., Kanthasamy, A., Isom, G.E., 1995. Activation of protein kinase C by trimethyltin: relevance to neurotoxicity. *J. Neurochem.* 65, 2338–2343.
- Perluigi, M., Joshi, G., Sultana, R., Calabrese, V., De Marco, C., Coccia, R., Cini, C., Butterfield, D.A., 2006. In vivo protective effects of ferulic acid ethyl ester against amyloid-beta peptide 1-42-induced oxidative stress. *J. Neurosci. Res.* 84, 418–426.
- Pham-Huy, L.A., He, H., Pham-Huy, C., 2008. Free Radicals, Antioxidants in Disease and Health. *Int. J. Biomed. Sci. IJBS* 4, 89–96.
- Philbert, M.A., Billingsley, M.L., Reuhl, K.R., 2000. Mechanisms of Injury in the Central Nervous System. *Toxicol. Pathol.* 28, 43–53.
- Ploughman, M., 2008. Exercise is brain food: the effects of physical activity on cognitive function. *Dev. Neurorehabilitation* 11, 236–240.
- Porter, N., Landfield, P.W., 1998. Stress hormones and brain aging: adding injury to insult? *Nat. Neurosci.* 1, 3–4.
- Powers, S.K., Jackson, M.J., 2008. Exercise-induced oxidative stress: cellular mechanisms and impact on muscle force production. *Physiol. Rev.* 88, 1243–1276.
- Pramila, B., Kalaivani, P., Barathidasan, R., Saravana Babu, C., 2015. Combination of Citicoline and L-NAME Restores Neurological Functions, Reverts Biochemical Alterations and Reduces Neuronal Damage in Transient Focal Cerebral Ischemic Rats. *Indian J. Sci. Technol.* 8, 804.
- Praticò, D., Uryu, K., Leight, S., Trojanoswki, J.Q., Lee, V.M.-Y., 2001. Increased Lipid Peroxidation Precedes Amyloid Plaque Formation in an Animal Model of Alzheimer Amyloidosis. *J. Neurosci.* 21, 4183–4187.
- Priller, C., Bauer, T., Mitteregger, G., Krebs, B., Kretschmar, H.A., Herms, J., 2006. Synapse formation and function is modulated by the amyloid precursor protein. *J. Neurosci.* 26, 7212–7221.
- Prince, M. and Jackson, J., 2009, Alzheimer's Disease International World Alzheimer Report, in: Prince, M. and Jackson, J., (Eds.), *Alzheimer's Disease International*, 1-96, Alzheimer's Disease International, London.
- Priya Rajan, S., Mohanan, P.V., 2013. *Curcumin and its derivatives as Antioxidants and DNA Intercalators*. Cochin University Of Science And Technology.
- Prusky, G.T., Douglas, R.M., Nelson, L., Shabanpoor, A., Sutherland, R.J., 2004. Visual memory task for rats reveals an essential role for hippocampus and perirhinal cortex. *Proc. Natl. Acad. Sci. U. S. A.* 101, 5064–5068.
- Purves, D., Augustine, G.J., Fitzpatrick, D., Hall, W.C., Lamantia, A.S., McNamara, J.O., Williams, S.M., 2004. *Neuroscience*. Sinauer Associates.

- Qiu, C., De Ronchi, D., Fratiglioni, L., 2007. The epidemiology of the dementias: an update. *Curr. Opin. Psychiatry* 20, 380–385.
- Quincozes-Santos, A., Bobermin, L.D., Tramontina, A.C., Wartchow, K.M., Tagliari, B., Souza, D.O., Wyse, A.T.S., Gonçalves, C.-A., 2014. Oxidative stress mediated by NMDA, AMPA/KA channels in acute hippocampal slices: neuroprotective effect of resveratrol. *Toxicol. In Vitro* 28, 544–551.
- Rahman, K., 2007. Studies on free radicals, antioxidants, and co-factors. *Clin. Interv. Aging* 2, 219–236.
- Rains, G.D., 2001. *Principles of human neuropsychology*. McGraw-Hill.
- Ramírez-Tortosa, M.C., Mesa, M.D., Aguilera, M.C., Quiles, J.L., Baró, L., Ramirez-Tortosa, C.L., Martinez-Victoria, E., Gil, A., 1999. Oral administration of a turmeric extract inhibits LDL oxidation and has hypocholesterolemic effects in rabbits with experimental atherosclerosis. *Atherosclerosis* 147, 371–378.
- Rao, A.M., Hatcher, J.F., Dempsey, R.J., 2000. Lipid alterations in transient forebrain ischemia: possible new mechanisms of CDP-choline neuroprotection. *J. Neurochem.* 75, 2528–2535.
- Rasmussen, H.B., Christensen, S.B., Kvist, L.P., Karazmi, A., 2000. A simple and efficient separation of the curcumins, the antiprotozoal constituents of *Curcuma longa*. *Planta Med.* 66, 396–398.
- Redish, A.D., Touretzky, D.S., 1998. The Role of the Hippocampus in Solving the Morris Water Maze. *Neural Comput.* 10, 73–111.
- Ren, Y., Houghton, P., Hider, R.C., 2006. Relevant activities of extracts and constituents of animals used in traditional Chinese medicine for central nervous system effects associated with Alzheimer's disease. *J. Pharm. Pharmacol.* 58, 989–996.
- Resendes, A.R., Majó, N., Segalés, J., Espadamala, J., Mateu, E., Chianini, F., Nofrarias, M., Domingo, M., 2004. Apoptosis in normal lymphoid organs from healthy normal, conventional pigs at different ages detected by TUNEL and cleaved *caspase-3* immunohistochemistry in paraffin-embedded tissues. *Vet. Immunol. Immunopathol.* 99, 203–213.
- Richardson, J.A., Burns, D.K., 2002. Mouse models of Alzheimer's disease: a quest for plaques and tangles. *ILAR J.* 43, 89–99.
- Riley, P.A., 1994. Free radicals in biology: oxidative stress and the effects of ionizing radiation. *Int. J. Radiat. Biol.* 65, 27–33.
- Ringman, J.M., Frautschy, S.A., Cole, G.M., Masterman, D.L., Cummings, J.L., 2005. A potential role of the curry spice curcumin in Alzheimer's disease. *Curr. Alzheimer Res.* 2, 131–136.
- Robertson, D.G., Gray, R.H., LaIglesia, F.A.D., 1987. Quantitative Assessment of Trimethyltin Induced Pathology of the Hippocampus. *Toxicol. Pathol.* 15, 7–17.
- Roy, A., Agrawal, A.K., Husain, R., Dubey, M.P., Seth, P.K., 1999. Cholinergic and serotonergic alterations in the rat hippocampus following trimethyltin exposure and fetal neural transplantation. *Neurosci. Lett.* 259, 173–176.

- Sano, M., Ernesto, C., Thomas, R.G., Klauber, M.R., Schafer, K., Grundman, M., Woodbury, P., Growdon, J., Cotman, C.W., Pfeiffer, E., Schneider, L.S., Thal, L.J., 1997. A controlled trial of selegiline, alpha-tocopherol, or both as treatment for Alzheimer's disease. *N. Engl. J. Med.* 336, 1216–1222.
- Sayre, L.M., Smith, M.A., Perry, G., 2001. Chemistry and biochemistry of oxidative stress in neurodegenerative disease. *Curr. Med. Chem.* 8, 721–738.
- SCF, 1992. *Minutes of the 84th Meeting of the Scientific Committee for Food*. Brussel (III/3472/92-EN).
- Schuff, N., Woerner, N., Boreta, L., Kornfield, T., Shaw, L.M., Trojanowski, J.Q., Thompson, P.M., Jack, C.R., Weiner, M.W., Alzheimer's Disease Neuroimaging Initiative, 2009. MRI of hippocampal volume loss in early Alzheimer's disease in relation to ApoE genotype and biomarkers. *Brain J. Neurol.* 132, 1067–1077.
- Scoville, W.B., Milner, B., 2000. Loss of Recent Memory After Bilateral Hippocampal Lesions. *J. Neuropsychiatry Clin. Neurosci.* 12, 103–a.
- Sharma, M., Manoharlal, R., Puri, N., Prasad, R., 2010. Antifungal curcumin induces reactive oxygen species and triggers an early apoptosis but prevents hyphae development by targeting the global repressor TUP1 in *Candida albicans*. *Biosci. Rep.* 30, 391–404.
- Shin, E.-J., Suh, S.K., Lim, Y.K., Jhoo, W.-K., Hjelle, O.P., Ottersen, O.P., Shin, C.Y., Ko, K.H., Kim, W.-K., Kim, D.S., Chun, W., Ali, S., Kim, H.-C., 2005. Ascorbate attenuates trimethyltin-induced oxidative burden and neuronal degeneration in the rat hippocampus by maintaining glutathione homeostasis. *Neuroscience* 133, 715–727.
- Shub, D., Kunik, M., 2009. Psychiatric comorbidity in persons with dementia: assessment and treatment strategies. *Psychiatr. Times* 26, 32–36.
- Shuto, M., Higuchi, K., Sugiyama, C., Yoneyama, M., Kuramoto, N., Nagashima, R., Kawada, K., Ogita, K., 2009. Endogenous and Exogenous Glucocorticoids Prevent Trimethyltin From Causing Neuronal Degeneration of the Mouse Brain In Vivo: Involvement of Oxidative Stress Pathways. *J. Pharmacol. Sci.* 110, 424–436.
- Siswonoto, S., 2008. Hubungan Kadar Malondialdehid Plasma dengan Keluaran Klinis Stroke Iskemik Akut (*masters*). Program Pasca Sarjana Universitas Diponegoro.
- Smith, M.J., Kwok, J.B.J., McLean, C.A., Kril, J.J., Broe, G.A., Nicholson, G.A., Cappai, R., Hallupp, M., Cotton, R.G.H., Masters, C.L., Schofield, P.R., Brooks, W.S., 2001. Variable phenotype of Alzheimer's disease with spastic paraparesis. *Ann. Neurol.* 49, 125–129.
- Smith, T.E., Hull, J.W., Israel, L.M., Willson, D.F., 2000. Insight, Symptoms, and Neurocognition in Schizophrenia and Schizoaffective Disorder. *Schizophr. Bull.* 26, 193–200.
- Snoeijs, N.J., Penninks, A.H., Seinen, W., 1987. Biological activity of organotin compounds--an overview. *Environ. Res.* 44, 335–353.

- Snoeijs, N.J., van Iersel, A.A., Penninks, A.H., Seinen, W., 1986. Triorganotin-induced cytotoxicity to rat thymus, bone marrow and red blood cells as determined by several in vitro assays. *Toxicology* 39, 71–83.
- Song, E.K., Cho, H., Kim, J.S., Kim, N.Y., An, N.H., Kim, J.A., Lee, S.H., Kim, Y.C., 2001. Diarylheptanoids with free radical scavenging and hepatoprotective activity in vitro from *Curcuma longa*. *Planta Med.* 67, 876–877.
- Sreejayan, null, Rao, M.N., 1997. Nitric oxide scavenging by curcuminoids. *J. Pharm. Pharmacol.* 49, 105–107.
- Sreejayan, null, Rao, M.N., 1994. Curcuminoids as potent inhibitors of lipid peroxidation. *J. Pharm. Pharmacol.* 46, 1013–1016.
- Standring, S., 2005. Gray's Anatomy, 39th Edition: The Anatomical Basis of Clinical Practice. *Am. J. Neuroradiol.* 26, 2703–2704.
- Stankovic, I., 2004. *Curcumin, Chemical and Technical Assessment*. 61st JECFA CTA© FAO 1, 1–8.
- Stanton, M.E., 1991. Neonatal exposure to triethyltin disrupts olfactory discrimination learning in preweanling rats. *Neurotoxicol. Teratol.* 13, 515–524.
- Stanton, P.K., Bramham, C., Scharfman, H.E., 2006. *Synaptic Plasticity and Transsynaptic Signaling*. Springer Science & Business Media.
- Steffenach, H.-A., Sloviter, R.S., Moser, E.I., Moser, M.-B., 2002. Impaired retention of spatial memory after transection of longitudinally oriented axons of hippocampal CA3 pyramidal cells. *Proc. Natl. Acad. Sci. U. S. A.* 99, 3194–3198.
- Sterio, D.C., 1984. The unbiased estimation of number and sizes of arbitrary particles using the disector. *J. Microsc.* 134, 127–136.
- Stewart, J.T., 2007. Psychiatric and Behavioral Manifestations of Vascular Dementia. *Am. J. Geriatr. Cardiol.* 16, 165–170.
- Subramaniam, R., Koppal, T., Green, M., Yatin, S., Jordan, B., Drake, J., Butterfield, D.A., 1998. The Free Radical Antioxidant Vitamin E Protects Cortical Synaptosomal Membranes from Amyloid -Peptide(25-35) Toxicity But Not from Hydroxynonenal Toxicity: Relevance to the Free Radical Hypothesis of Alzheimer's Disease. *Neurochem. Res.* 23, 1403–1410.
- Sultana, R., Ravagna, A., Mohammad-Abdul, H., Calabrese, V., Butterfield, D.A., 2005. Ferulic acid ethyl ester protects neurons against amyloid beta-peptide(1-42)-induced oxidative stress and neurotoxicity: relationship to antioxidant activity. *J. Neurochem.* 92, 749–758.
- Sunanda BPV, L.K., 2014. Sunanda BPV, Latha K, Rammohan B, Uma Maheswari MS, Surapaneni Krishna Mohan. Evaluation of the Neuroprotective Effects of Curcumin (Turmeric) Against Scopolamine Induced Cognitive Impairment in Mice. *Int. J. Pharmacogn. and Phytochem. Res.* 6(1); 133-136.
- Sun, Y., 1990. Free radicals, antioxidant enzymes, and carcinogenesis. *Free Radic. Biol. Med.* 8, 583–599.

- Surojanametakul, V., Satmalee, P., Saengprakai, J., Siliwan, D., Wattanasiritham, L., 2010. Preparation of curcuminoid powder from turmeric root (*Curcuma Longa* Linn) for food ingredient Use. *Kasetsart J. (Nat Sci)* 44, 123–30.
- Sutherland, R.J., Whishaw, I.Q., Kolb, B., 1983. A behavioural analysis of spatial localization following electrolytic, kainate- or colchicine-induced damage to the hippocampal formation in the rat. *Behav. Brain Res.* 7, 133–153.
- Swann, J.W., Brady, R.J., Martin, D.L., 1989. Postnatal development of GABA-mediated synaptic inhibition in rat hippocampus. *Neuroscience* 28, 551–561.
- Takasaki, K., Uchida, K., Fujikawa, R., Nogami, A., Nakamura, K., Kawasaki, C., Yamaguchi, K., Morita, M., Morishita, K., Kubota, K., Katsurabayashi, S., Mishima, K., Fujiwara, M., Iwasaki, K., 2011. Neuroprotective effects of citidine-5-diphosphocholine on impaired spatial memory in a rat model of cerebrovascular dementia. *J. Pharmacol. Sci.* 116, 232–237.
- Tanaka, Y., Minematsu, K., Hirano, T., Hayashida, K., Yamaguchi, T., 1994. Effects of CDP-choline on dynamic changes in LCBF and cognitive function in demented subjects--an H2 15O-PET study. *Rinsh Shinkeigaku Clin. Neurol.* 34, 877–881.
- Tang, Y., Nyengaard, J.R., 2004. Length estimation of nerve fibers in human white matter using IUR sections. *Quant. Methods Neurosci. Neuroanat. Approach N. Y. Oxf. Univ. Press P* 249–263.
- Tariq, M., Ahmad, M., Moutaery, K.A., Deeb, S.A., 2008. Pentoxifylline ameliorates lithium-pilocarpine induced status epilepticus in young rats. *Epilepsy Behav.* 12, 354–365.
- Thompson, T.A., Lewis, J.M., Dejneka, N.S., Severs, W.B., Polavarapu, R., Billingsley, M.L., 1996. Induction of apoptosis by organotin compounds in vitro: neuronal protection with antisense oligonucleotides directed against stannin. *J. Pharmacol. Exp. Ther.* 276, 1201–1216.
- Tortora, G.J., Derrickson, B., 2006. *Principles of Anatomy and Physiology*. 11th ed.. Wiley.
- Traywick, L., 2007. *Dementia*. University of Arkansas.
- Turner, P.R., O'Connor, K., Tate, W.P., Abraham, W.C., 2003. Roles of amyloid precursor protein and its fragments in regulating neural activity, plasticity and memory. *Prog. Neurobiol.* 70, 1–32.
- Unnikrishnan, M.K., Rao, M.N., 1995. Inhibition of nitrite induced oxidation of hemoglobin by curcuminoids. *Pharm.* 50, 490–492.
- Uygur, E.E., Arslan, M., 2010. Effects of chronic stress on cognitive functions and anxiety related behaviors in rats. *Acta Physiol. Hung.* 97, 297–306.
- Valko, M., Rhodes, C.J., Moncol, J., Izakovic, M., Mazur, M., 2006. Free radicals, metals and antioxidants in oxidative stress-induced cancer. *Chem. Biol. Interact.* 160, 1–40.
- Varadarajan, S., Kanski, J., Aksenova, M., Lauderback, C., Butterfield, D.A., 2001. Different mechanisms of oxidative stress and neurotoxicity for Alzheimer's A beta(1--42) and A beta(25--35). *J. Am. Chem. Soc.* 123, 5625–5631.

- Vasudevan, M., Parle, M., 2009. Antiamnesic potential of *Murraya koenigii* leaves. *Phytother. Res.* 23, 308–316.
- Verdon, C.-M., Fossati, P., Verny, M., Dieudonn, B., Teillet, L., Nadel, J., 2007. Social Cognition: An Early Impairment in Dementia of the Alzheimer Type: *Alzheimer Dis. Assoc. Disord.* 21, 25–30.
- Viviani, B., Corsini, E., Pesenti, M., Galli, C.L., Marinovich, M., 2001. Trimethyltin-activated cyclooxygenase stimulates tumor necrosis factor-release from glial cells through reactive oxygen species. *Toxicol. Appl. Pharmacol.* 172, 93–97.
- Walsh, T.J., Gallagher, M., Bostock, E., Dyer, R.S., 1982a. Trimethyltin impairs retention of a passive avoidance task. *Neurobehav. Toxicol. Teratol.* 4, 163–167.
- Walsh, T.J., Miller, D.B., Dyer, R.S., 1982b. Trimethyltin, a selective limbic system neurotoxicant, impairs radial-arm maze performance. *Neurobehav. Toxicol. Teratol.* 4, 177–183.
- Wang, Q., Sun, A.Y., Simonyi, A., Jensen, M.D., Shelat, P.B., Rottinghaus, G.E., MacDonald, R.S., Miller, D.K., Lubahn, D.E., Weisman, G.A., Sun, G.Y., 2005. Neuroprotective mechanisms of curcumin against cerebral ischemia-induced neuronal apoptosis and behavioral deficits. *J. Neurosci. Res.* 82, 138–148.
- Wang, T., Xie, K., Lu, B., 1995. Neurotrophins promote maturation of developing neuromuscular synapses. *J. Neurosci.* 15, 4796–4805.
- Wang, X., Cai, J., Zhang, J., Wang, C., Yu, A., Chen, Y., Zuo, Z., 2008. Acute trimethyltin exposure induces oxidative stress response and neuronal apoptosis in *Sebastiscus marmoratus*. *Aquat. Toxicol. Amst. Neth.* 90, 58–64.
- Wang, X., Michaelis, E.K., 2010. Selective neuronal vulnerability to oxidative stress in the brain. *Front. Aging Neurosci.* 2, 1–13.
- Weiner, M.W., Veitch, D.P., Aisen, P.S., Beckett, L.A., Cairns, N.J., Green, R.C., Harvey, D., Jack, C.R., Jagust, W., Liu, E., Morris, J.C., Petersen, R.C., Saykin, A.J., Schmidt, M.E., Shaw, L., Siuciak, J.A., Soares, H., Toga, A.W., Trojanowski, J.Q., Alzheimer's Disease Neuroimaging Initiative, 2012. The Alzheimer's Disease Neuroimaging Initiative: a review of papers published since its inception. *Alzheimers Dement. J. Alzheimers Assoc.* 8, S1–68.
- Weinert, B.T., Timiras, P.S., 2003. Invited review: Theories of aging. *J. Appl. Physiol. Bethesda Md* 1985 95, 1706–1716.
- Wenk, G.L., 2003. Neuropathologic changes in Alzheimer's disease. *J. Clin. Psychiatry* 64 Suppl 9, 7–10.
- West, M.J., 2012. Estimating object number in biological structures. *Cold Spring Harb. Protoc.* 2012, 1049–1066.
- Whittington, D.L., Woodruff, M.L., Baisden, R.H., 1989. The time-course of trimethyltin-induced fiber and terminal degeneration in hippocampus. *Neurotoxicol. Teratol.* 11, 21–33.
- Wickens, A.P., 2001. Ageing and the free radical theory. *Respir. Physiol.* 128, 379–391.

- Wijayakusuma, H.M., Hembing, Dalimartha, Setiawan, dan Wirian, A.S., 1992, *Tanaman berkhasiat obat di Indonesia: kunyit, Curcuma longa* Linn (Jiang Huang), Jilid 4, 93-94, Pustaka Kartini, Jakarta.
- Willcox, J.K., Ash, S.L., Catignani, G.L., 2004. Antioxidants and prevention of chronic disease. *Crit. Rev. Food Sci. Nutr.* 44, 275–295.
- Wilson, I.A., Ikonen, S., Gureviciene, I., McMahan, R.W., Gallagher, M., Eichenbaum, H., Tanila, H., 2004. Cognitive Aging and the Hippocampus: How Old Rats Represent New Environments. *J. Neurosci.* 24, 3870–3878.
- Wimo, A., Jönsson, L., Bond, J., Prince, M., Winblad, B., Alzheimer Disease International, 2013. The worldwide economic impact of dementia 2010. *Alzheimers Dement. J. Alzheimers Assoc.* 9, 1–11.e3.
- Wimo, A., Winblad, B., Aguero-Torres, H., von Strauss, E., 2003. The magnitude of dementia occurrence in the world. *Alzheimer Dis. Assoc. Disord.* 17, 63–67.
- Winship, K.A., 1988. Toxicity of tin and its compounds. *Adverse Drug React. Acute Poisoning Rev.* 7, 19–38.
- Wu, A., Ying, Z., Gomez-Pinilla, F., 2006. Dietary curcumin counteracts the outcome of traumatic brain injury on oxidative stress, synaptic plasticity, and cognition. *Exp. Neurol.* 197, 309–17.
- Wuryastuti, H., 2000. The Influence of Dietary Protein and Fats on Plasma Lipids in Sprague-Dawley Rats. *Indones. Food Nutr. Prog.* 7, 37–41.
- Wyss, J.M., Chambless, B.D., Kadish, I., van Groen, T., 2000. Age-related decline in water maze learning and memory in rats: strain differences. *Neurobiol. Aging* 21, 671–681.
- Xu, Y., Lin, D., Li, S., Li, G., Shyamala, S.G., Barish, P.A., Vernon, M.M., Pan, J., Ogle, W.O., 2009. Curcumin reverses impaired cognition and neuronal plasticity induced by chronic stress. *Neuropharmacology* 57, 463–471.
- Yang, F., Lim, G.P., Begum, A.N., Ubada, O.J., Simmons, M.R., Ambegaokar, S.S., Chen, P.P., Kaye, R., Glabe, C.G., Frautschy, S.A., Cole, G.M., 2005. Curcumin inhibits formation of amyloid beta oligomers and fibrils, binds plaques, and reduces amyloid in vivo. *J. Biol. Chem.* 280, 5892–5901.
- Ying, S.-W., Futter, M., Rosenblum, K., Webber, M.J., Hunt, S.P., Bliss, T.V.P., Bramham, C.R., 2002. Brain-Derived Neurotrophic Factor Induces Long-Term Potentiation in Intact Adult Hippocampus: Requirement for ERK Activation Coupled to CREB and Upregulation of Arc Synthesis. *J. Neurosci.* 22, 1532–1540.
- Yoshino, M., Haneda, M., Naruse, M., Htay, H.H., Tsubouchi, R., Qiao, S.L., Li, W.H., Murakami, K., Yokochi, T., 2004. Prooxidant activity of curcumin: copper-dependent formation of 8-hydroxy-2'-deoxyguanosine in DNA and induction of apoptotic cell death. *Toxicol. In Vitro* 18, 783–789.
- Young, I.S., McEneny, J., 2001. Lipoprotein oxidation and atherosclerosis. *Biochem. Soc. Trans.* 29, 358–362.
- Yu, J., Liu, C., Zhang, X., Han, J., 2005. Acupuncture improved cognitive impairment caused by multi-infarct dementia in rats. *Physiol. Behav.* 86, 434–441.

- Zafrilla, P., Mulero, J., Xandri, J.M., Santo, E., Caravaca, G., Morillas, J.M., 2006. Oxidative Stress in Alzheimer Patients in Different Stages of the Disease. *Curr. Med. Chem.* 13, 1075–1083.
- Zhang, L., Li, L., Prabhakaran, K., Borowitz, J.L., Isom, G.E., 2006. Trimethyltin-induced apoptosis is associated with upregulation of inducible nitric oxide synthase and Bax in a hippocampal cell line. *Toxicol. Appl. Pharmacol.* 216, 34–43.
- Zhao, B., Li, X., He, R., Cheng, S., Wenjuan, X., 1989. Scavenging effect of extracts of green tea and natural antioxidants on active oxygen radicals. *Cell Biophys.* 14, 175–185.
- Zhao, J., Yu, S., Zheng, W., Feng, G., Luo, G., Wang, L., Zhao, Y., 2009. Curcumin Improves Outcomes and Attenuates Focal Cerebral Ischemic Injury via Antiapoptotic Mechanisms in Rats. *Neurochem. Res.* 35, 374–379.
- Zhu, X., Lee, H.-G., Casadesus, G., Avila, J., Drew, K., Perry, G., Smith, M.A., 2005. Oxidative imbalance in Alzheimer's disease. *Mol. Neurobiol.* 31, 205–217.
- Zola, S.M., Squire, L.R., Teng, E., Stefanacci, L., Buffalo, E.A., Clark, R.E., 2000. Impaired Recognition Memory in Monkeys after Damage Limited to the Hippocampal Region. *J. Neurosci.* 20, 451–463.