

DAFTAR PUSTAKA

- Aarts, M.-J., de Vries, S. I., van Oers, H. A., & Schuit, A. J. (2012). Outdoor play among children in relation to neighborhood characteristics: a cross-sectional neighborhood observation study. *International Journal of Behavioral Nutrition and Physical Activity*, 9(1), 98. <http://doi.org/10.1186/1479-5868-9-98>
- Aarts, M.-J., Wendel-Vos, W., van Oers, H. A. M., van de Goor, I. A. M., & Schuit, A. J. (2010). Environmental Determinants of Outdoor Play in Children. *American Journal of Preventive Medicine*, 39(3), 212–219. <http://doi.org/10.1016/j.amepre.2010.05.008>
- Addesa, D. D., Addezio, L. D., Martone, D., Censi, L., Scanu, A., Cairella, G., Menghetti, E. (2010). Dietary Intake and Physical Activity of Normal Weight and Overweight / Obese Adolescents. *Hindawi International Journal of Pediatrics*, 2010, 13–15. <http://doi.org/10.1155/2010/785649>
- Alexander, R. (2010). Introduction to Human Behavior in the Social Environment. In *Human Behavior in the Social Environment A Macro, National, and International Perspective*. USA: Sage Publication Inc.
- Alisyahbana, A. (2010). Masalah Jakarta Dalam Perspektif Nasional. In *Diskusi Nasional Pembangunan Jakarta Dalam Perspektif Nasional*. Jakarta: BAPPENAS/ Kementerian PPN. Retrieved from <http://www.bappenas.go.id/berita-dan-siaran-pers/features/diskusi-nasional-pembangunan-jakarta-dalam-perspektif-nasional/>
- Anggraini, S. (2008). *Faktor Risiko Obesitas Pada Anak Taman Kanak- Kanak Di Kota Bogor. Program*. Institut Pertanian Bogor.
- Arora, C. (2009). *Child Nutrition* (First). Jaipur: ABD Publisher.
- Azwar, S. (2012). *Reliabilitas dan Validitas* (IV). Yogyakarta: Pustaka Pelajar.
- Baker, J., LW, O., & Sorensen, T. (2007). Childhood body-mass index and the risk of coronary heart disease in adulthood. *N Engl J Med*, 357, 2329–37.
- Balitbangkes. (2010). *Riset Kesehatan Dasar (RISKESDAS) 2010*. Jakarta: Departemen Kesehatan RI.
- Balitbangkes. (2013). *Riset Kesehatan Dasar (RISKESDAS) 2013*. Jakarta: Departemen Kesehatan RI.
- Banks, J., Berkman, L., Glymour, M., Smith, J. P., & Avendano, M. (2010). Do Cross-Country Variations in Social Integration and Social Interactions Explain Differences in Life Expectancy in Industrialized Countries? In E. M. Crimmins, S. H. Preston, & B. Cohen (Eds.), *International Differences in Mortality at Older Ages : Dimension and Sources* (pp. 217–256). Wahington DC: The National Academies Press.

- Bartuska, T. J. (2007). The Built Environment: Definition and Scope. In *The Built Environment: A Collaborative Inquiry Into Design and Planning, 2nd Edition* (2nd ed., p. 424). Hoboken, New Jersey: John Wiley and Sons Inc.
- Baum, F. E., Ziersch, A. M., Zhang, G., & Osborne, K. (2009). Do perceived neighbourhood cohesion and safety contribute to neighbourhood differences in health? *Health & Place*, 15(4), 925–934. <http://doi.org/10.1016/j.healthplace.2009.02.013>
- Bauman, A. E., Reis, R. S., Sallis, J. F., Wells, J. C., Loos, R. J. F., & Martin, B. W. (2012). Correlates of physical activity: why are some people physically active and others not? *Lancet*, 380(9838), 258–71. [http://doi.org/10.1016/S0140-6736\(12\)60735-1](http://doi.org/10.1016/S0140-6736(12)60735-1)
- Bennett, S., Woods, T., Liyanage, W. M., & Smith, D. L. (1991). A Simplified General Method for Cluster-Sample Surveys of Health in Developing Countries. *World Health Statistics Quarterly*, 44(3), 98–106. Retrieved from <http://www.who.int/iris/handle/10665/47585#sthash.SELaoYMH.dpuf>
- Berkman, L. F. (2010). Social Networks and Health. In *Ageing and health: from evidence to policy*. Geneva: WHO.
- Black, J. L., Macinko, J., Dixon, L. B., & Fryer, G. E. (2010). Neighborhoods and obesity in New York City. *Health & Place*, 16(3), 489–499. <http://doi.org/10.1016/j.healthplace.2009.12.007>
- BPS, BAPPENAS, & UNFPA. (2013). *Proyeksi Penduduk Indonesia Indonesia Population Projection 2010-2035*. Jakarta-Indonesia: Badan Pusat Statistik.
- BPS DIY. (2013). *Daerah Istimewa Yogyakarta dalam Angka tahun 2013*. Yogyakarta: Badan Pusat Statistik D.I Yogyakarta.
- Bringolf-Isler, B., Grize, L., Mäder, U., Ruch, N., Sennhauser, F. H., & Braun-Fahrlander, C. (2010). Built environment, parents' perception, and children's vigorous outdoor play. *Preventive Medicine*, 50(5-6), 251–6. <http://doi.org/10.1016/j.yjmed.2010.03.008>
- Brockman, R., Jago, R., & Fox, K. R. (2010). The contribution of active play to the physical activity of primary school children. *Preventive Medicine*, 51(2), 144–7. <http://doi.org/10.1016/j.yjmed.2010.05.012>
- Brown, J. E., S., J., Isaacs, U., Krinke, B., Lechtenberg, E., Murtaugh, M. A., ... Wooldridge, N. H. (2011). *Nutrition through the life cycles* (Fourth). USA: Cengage Learning.
- Burdette, H. L., S, M., Whitaker, R. C., & H, M. P. (2004). Neighborhood playgrounds, fast food restaurants, and crime: relationships to overweight in low-income preschool children. *Preventive Medicine*, 38, 57–63. <http://doi.org/10.1016/j.yjmed.2003.09.029>

- Burdette, H. L., & Whitaker, R. C. (2005). Resurrecting Free Play in Young Children Looking Beyond Fitness and Fatness to Attention, Affiliation, and Affect. *Arch Pediatr Adolesc Med*, *159*, 46–50.
- Carver, A., Timperio, A., & Crawford, D. (2008). Playing it safe : The influence of neighbourhood safety on children ' s physical activity — A review. *Health and Place*, *14*, 217–227. <http://doi.org/10.1016/j.healthplace.2007.06.004>
- Carver, A., Timperio, A., Hesketh, K., & Crawford, D. (2010). Are children and adolescents less active if parents restrict their physical activity and active transport due to perceived risk? *Social Science & Medicine (1982)*, *70*(11), 1799–805. <http://doi.org/10.1016/j.socscimed.2010.02.010>
- Casey, R., Oppert, J., Weber, C., Charreire, H., Salze, P., Badariotti, D., ... Simon, C. (2014). Determinants of childhood obesity : What can we learn from built environment studies? *Food Quality and Preference*, *31*, 164–172. <http://doi.org/10.1016/j.foodqual.2011.06.003>
- Cawley, J., Frisvold, D., & Meyerhoefer, C. (2013). The impact of physical education on obesity among elementary school children. *Journal of Health Economics*, *32*(4), 743–55. <http://doi.org/10.1016/j.jhealeco.2013.04.006>
- CDC. (2007). Sampling Instructions. In *Reproductive Health Matters*. Atlanta: Centers for Disease Control and Prevention, Department of Health and Human Services.
- Cerin, E., Saelens, B. E., Sallis, J. F., & Frank, L. D. (2006). Neighborhood Environment Walkability Scale: validity and development of a short form. *Medicine and Science in Sports and Exercise*, *38*(9), 1682–91. <http://doi.org/10.1249/01.mss.0000227639.83607.4d>
- Chan, C. M. S., Deave, T., & Greenhalgh, T. (2010). Obesity in Hong Kong Chinese preschool children: where are all the nurses? *Journal of Pediatric Nursing*, *25*(4), 264–73. <http://doi.org/10.1016/j.pedn.2009.02.019>
- Cheng, T. O. (2014). China ' s epidemic of child obesity : An ounce of prevention is better than a pound of treatment. *International Journal of Cardiology*, *172*(1), 1–7. <http://doi.org/10.1016/j.ijcard.2013.12.250>
- Christian, H., Giles-corti, B., Knuiiman, M., Timperio, A., & Foster, S. (2011). The influence of the built environment , social environment and health behaviors on body mass index . Results from RESIDE. *Preventive Medicine*, *53*(1-2), 57–60. <http://doi.org/10.1016/j.ypmed.2011.05.004>
- Cleland, V., Ball, K., Hume, C., Timperio, A., King, A. ., & Crawford, D. (2010). Individual, social and environmental correlates of physical activity among women living in socioeconomically disadvantaged neighbourhoods. . *Social Science & Medicine*, *70*(12), 2011–8.
- Cleland, V., Crawford, D., & Baur, L. (2008). A prospective examination of children's time spent outdoors, objectively measured physical activity and overweight. *Int J Obes*, *32*, 1685–1693.

- Cole, T. J., Bellizzi, M. C., Flegal, K. M., & Dietz, W. H. (2000). Establishing a standard definition for child overweight and obesity worldwide: international survey. *BMJ*, *320*(table 1), 1–6.
- Colley, R. C., Garrigué, D., Janssen, I., Craig, C. L., Clarke, J., & Tremblay, M. S. (2011). Physical activity of Canadian children and youth: accelerometer results from the 2007 to 2009 Canadian Health Measures Survey. *Health Reports*, *22*(1), 1–10. Retrieved from www.statcan.gc.ca
- Cradock, A. L., Kawachi, I., Colditz, G. a., Gortmaker, S. L., & Buka, S. L. (2009). Neighborhood social cohesion and youth participation in physical activity in Chicago. *Social Science and Medicine*, *68*(3), 427–435. <http://doi.org/10.1016/j.socscimed.2008.10.028>
- Cutumisu, N., & Spence, J. C. (2009). Exploring associations between urban environments and children ' s physical activity : Making the case for space syntax. *Journal of Science and Medicine in Sport*, *12*, 537–538. <http://doi.org/10.1016/j.jsams.2008.09.002>
- Dahl, A., Stigsdotter, U. K., & Cosco, N. G. (2012). Urban Forestry & Urban Greening Adults ' motivation for bringing their children to park playgrounds. *Urban Forestry & Urban Greening*, *11*(4), 396–405. <http://doi.org/10.1016/j.ufug.2012.06.002>
- Davies, D. S., Burns, H., McBride, M., & Jewell, T. (2011). *Start active, stay active. A report on physical activity for health from the four home countries' Chief Medical Officers. Strategy*. London: Department of Health, Physical Activity, Health Improvement and Protection. Retrieved from www.dh.gov.uk
- Day, K., Alfonzo, M., Chen, Y., Guo, Z., & Lee, K. K. (2013). Overweight , obesity , and inactivity and urban design in rapidly growing Chinese cities. *Health & Place*, *21*, 29–38. <http://doi.org/10.1016/j.healthplace.2012.12.009>
- De Vries, S. I., Bakker, I., Van Mechelen, W., & Hopman-Rock, M. (2007). Determinants of Activity-friendly Neighborhoods for Children: Results From the SPACE Study. *Am J Health Promot*, *21*(4), 312–316. <http://doi.org/10.4278/0890-1171-21.4s.312>
- Department of Health. (2009). *Change4Life Marketing Strategy in Support of Healthy Weight, Healthy Lives. Health (San Francisco)*. London: DH Publication. Retrieved from www.dh.gov.uk/publications
- Dietz, W. H. (1998). Health Consequences of Obesity in Youth: Childhood Predictors of Adult Disease. *Pediatrics*, *101*, 518–515.
- Ding, D., & Gebel, K. (2012). Built environment , physical activity , and obesity : What have we learned from reviewing the literature. *Health & Place*, *18*(1), 100–105. <http://doi.org/10.1016/j.healthplace.2011.08.021>
- Dinkes DIY. (2012). *Profil Kesehatan Provinsi D.I Yogyakarta tahun 2011*. Yogyakarta: Dinas Kesehatan Provinsi D.I Yogyakarta.

- Dinkes DIY. (2013). *Profil Kesehatan Daerah Istimewa Yogyakarta Tahun 2012*. DI Yogyakarta: Dinas Kesehatan Provinsi D.I Yogyakarta.
- Dinkes Prov DIY. (2009). *Rencana Strategis Dinas Kesehatan Provinsi DIY Tahun 2009 – 2013. Program*. Yogyakarta, Indonesia: Dinas Kesehatan Provinsi D.I Yogyakarta.
- Dinkes Prov DIY. (2014). *Profil Kesehatan D.I Yogyakarta tahun 2013*. Yogyakarta: Dinas Kesehatan Provinsi D.I Yogyakarta.
- Direktorat Bina Gizi. Keputusan Menteri Kesehatan Republik Indonesia Tentang Standar Antropometri Penilaian Status Gizi Anak, Pub. L. No. 1995/MENKES/SK/XII/2010 (2011). Indonesia.
- Direktorat Bina Gizi. (2012). *Pedoman Pencegahan dan Penanggulangan Kegemukan dan Obesitas pada Anak Sekolah*. Jakarta: Kementerian Kesehatan RI.
- Dirjen Bina Gizi dan KIA. (2012). *Pedoman Pencegahan dan Penanggulangan Kegemukan dan Obesitas pada Anak Sekolah*. Jakarta: Kementerian Kesehatan RI.
- Djaja, K. (2014). Urbanisasi dan Perencanaan Kota Berbasis Kependudukan. In *Seminar Ilmiah Kependudukan “Kependudukan untuk Pembangunan Pasca 2015.”* Bandung: BKKBN.
- Dunton, G. F., Kaplan, J., Wolch, J., Jerrett, M., & Reynolds, K. D. (2009). Physical environmental correlates of childhood obesity : a systematic review. *Obesity Reviews*, 10, 393–402. <http://doi.org/10.1111/j.1467-789X.2009.00572.x>
- Dwyer, G. M., Hardy, L. L., Peat, J. K., & Baur, L. A. (2011). The validity and reliability of a home environment preschool-age physical activity questionnaire (Pre-PAQ). *International Journal of Behavioral Nutrition and Physical Activity*, 1–14.
- Earls, F. J., Brooks-Gunn, J., Raudenbush, S. W., & Sampson., R. J. (1999). *Project on Human Development in Chicago Neighborhoods: Community Survey, 1994-1995*. (A. Arbor, Ed.). Boston: Harvard Medical School. <http://doi.org/ICPSR02766-v3>
- Feng, J., Glass, T. a, Curriero, F. C., Stewart, W. F., & Schwartz, B. S. (2010). The built environment and obesity: a systematic review of the epidemiologic evidence. *Health & Place*, 16(2), 175–90. <http://doi.org/10.1016/j.healthplace.2009.09.008>
- Ferreira, I., van der Horst, K., Wendel-Vos, W., Kremers, S., van Lenthe, F. J., & Brug, J. (2007). Environmental correlates of physical activity in youth ? a review and update. *Obesity Reviews*, 8(2), 129–154. <http://doi.org/10.1111/j.1467-789X.2006.00264.x>

- Forsyth, A., Oakes, J. M., Schmitz, K. H., & Hearst, M. (2007). Does Residential Density Increase Walking and Other Physical Activity? *Urban Studies*, 44(4), 679–697.
- Foster, S., Knuiman, M., Hooper, P., Christian, H., & Giles-Corti, B. (2014). Do changes in residents' fear of crime impact their walking? Longitudinal results from RESIDE. *Preventive Medicine*, 62, 161–166.
- Foster, S., Villanueva, K., Wood, L., Christian, H., & Giles-corti, B. (2014). The impact of parents' fear of strangers and perceptions of informal social control on children's independent mobility. *Health & Place*, 26, 60–68. <http://doi.org/10.1016/j.healthplace.2013.11.006>
- Frank, L. D., Saelens, B. E., Powell, K. E., & Chapman, J. E. (2007). Stepping towards causation: do built environments or neighborhood and travel preferences explain physical activity, driving, and obesity? *Social Science & Medicine* (1982), 65(9), 1898–914. <http://doi.org/10.1016/j.socscimed.2007.05.053>
- Frank, L., Kerr, J., Chapman, J., & Sallis, J. F. (2007). Urban form relationships with walk trip frequency and distance among youth. *American Journal of Health Promotion*, 21(4), 305–311.
- Franzini, L., Elliott, M. N., Cuccaro, P., Schuster, M., Gilliland, M. J., & Grunbaum, J. A. (2009). Influences of Physical and Social Neighborhood Environments on Children's Physical Activity and Obesity. *American Journal of Public Health*, 99(2), 271–278. <http://doi.org/10.2105/AJPH.2007.128702>
- Franzini, L., Taylor, W., Elliott, M. N., Cuccaro, P., Tortolero, S. R., Janice Gilliland, M., Schuster, M. a. (2010). Neighborhood characteristics favorable to outdoor physical activity: Disparities by socioeconomic and racial/ethnic composition. *Health & Place*, 16(2), 267–274. <http://doi.org/10.1016/j.healthplace.2009.10.009>
- Freedman, D. S., Mei, Z., Srinivasan, S. R., Berenson, G. S., & Dietz, W. H. (2007). Cardiovascular risk factors and excess adiposity among children and adolescent : the Bogalusa heart study. *Pediatrics*, 150, 12–17.
- Gama, A., Mour, I., & Padez, C. (2013). Perceptions of neighborhood environments and childhood obesity: Evidence of harmful gender inequities among Portuguese children. *Health & Place*, 19, 69–73. <http://doi.org/10.1016/j.healthplace.2012.10.005>
- Gill, T. (2010). *Nothing Ventured... Balancing risks and benefits in the outdoors. Prevention*. England: English Outdoor Council.
- Gleave, J., & Cole-Hamilton, I. (2012). *A world without play : A literature review. Russell The Journal Of The Bertrand Russell Archives* (Revised Ja). London: Play England. Retrieved from www.playengland.org.uk

- Gordon-Larsen, P., Nelson, M. ., Page, P. H., & Popkin, B. . B. M. (2006). Inequality in the built environment underlies key health disparities in physical activity and obesity. *Pediatrics*, *117*(2), 417–424. <http://doi.org/10.1542/peds.2005-0058>
- Grafova, I. B. (2008). Overweight children: assessing the contribution of the built environment. *Preventive Medicine*, *47*(3), 304–8. <http://doi.org/10.1016/j.ypmed.2008.04.012>
- Ha, A. (2007). Obesity and its association with diets and sedentary life style among children in Seoul, Korea: compliance with dietary references intakes for Korean food guides. *Nutrition Research and Practise*, *1*(3), 212–217.
- Haese, S. D., Timperio, A., Veitch, J., Cardon, G., Dyck, D. Van, & Salmon, J. (2013). Neighborhood perceptions moderate the association between the family environment and children ' s objectively assessed physical activity. *Health & Place*, *24*, 203–209. <http://doi.org/10.1016/j.healthplace.2013.09.012>
- Haines, J., Ortega-altamirano, D., Power, E., Taveras, E. M., & Gonz, M. A. (2011). Obesity Determinants in Mexican Preschool Children : Parental Perceptions and Practices Related to Feeding and Physical Activity Guadalupe Rodr. *International Journal*, *42*, 532–539. <http://doi.org/10.1016/j.arcmed.2011.10.006>
- Han, J. C., Lawlor, D. a, & Kimm, S. Y. S. (2010). Childhood obesity. *Lancet*, *375*(9727), 1737–48. [http://doi.org/10.1016/S0140-6736\(10\)60171-7](http://doi.org/10.1016/S0140-6736(10)60171-7)
- Handy, S. L., Boarnet, M. G., Ewing, R., & Killingsworth, R. E. (2002). How the Built Environment Affects Physical Activity Views from Urban Planning. *Am J Prev Med*, *23*(02).
- Harpham, T., Grant, E., & Thomas, E. (2002). Measuring social capital within health surveys : key issues. *Health Policy And Planning*, *17*(1), 106–111.
- Hatami, M., Nasir, M., Taib, M., Jamaluddin, R., Abu, H., Djazayery, A., ... Nazari, M. (2014). Dietary factors as the major determinants of overweight and obesity among Iranian adolescents . A cross-sectional study. *Appetite*, *82*, 194–201. <http://doi.org/10.1016/j.appet.2014.07.026>
- Haughton, L., Kreuter, M. W., & Subramanian, S. V. (2006). Social Environment and Physical activity : A review of concepts and evidence. *Social Science & Medicine*, *63*, 1011–1022. <http://doi.org/10.1016/j.socscimed.2006.03.012>
- Hill, P. L., Weston, S. J., & Jackson, J. J. (2014). Connecting social environment variables to the onset of major specific health outcomes. *Psychology & Health*, *29*(7), 753–767. <http://doi.org/10.1080/08870446.2014.884221>

- Hjorth, M. F., Chaput, J., Ritz, C., Dalskov, S., Andersen, R., Astrup, A., ... Sjo, A. (2014). Fatness predicts decreased physical activity and increased sedentary time , but not vice versa : support from a longitudinal study in 8- to 11-year-old children. *International Journal of Obesity*, (November 2013), 959–965. <http://doi.org/10.1038/ijo.2013.229>
- Hodges, E. A., Msn, C. S., Msn, S. T., & Berry, D. (2013). Promoting Physical Activity in Preschoolers to Prevent Obesity : A Review of the Literature. *Journal of Pediatric Nursing*, 28(1), 3–19. <http://doi.org/10.1016/j.pedn.2012.01.002>
- Hong, L., Ahmed, A., McCunniff, M., Overman, P., & Mathew, M. (2008). Obesity and dental caries in children aged 2-6 years in the United States: National Health and Nutrition Examination Survey 1999-2002. *Journal of Public Health Dentistry*, 68(4), 227–33. <http://doi.org/10.1111/j.1752-7325.2008.00083.x>
- Hulst, A. Van, Gauvin, L., Kestens, Y., & Barnett, T. A. (2013). Neighborhood built and social environment characteristics : a multilevel analysis of associations with obesity among children and their parents. *International Journal of Obesity*, 37(10), 1328–1335. <http://doi.org/10.1038/ijo.2013.81>
- IAP. (2009). *Indonesia Most Liveable City Index 2011*. (B. Djonoputro, I. Prasetyo, T. A. Argo, D. Muljanto, & D. Muttaqin, Eds.) *Ikatan Ahli Perencanaan Indonesia*. Jakarta: Ikatan Ahli Perencanaan Indonesia.
- Institute of Medicine. (2003). *The Future Of The Public's Health In The 21st Century. Population (English Edition)*. Washington DC: National Academies of Press.
- Institute of Medicine. (2009). *Local Government Actions to Prevent Childhood Obesity. Public Health*. Washington DC: National Academies Press. Retrieved from www.iom.edu/obesitylocalgov.
- Jahari, A. (2004). *Penilaian Status Gizi Berdasarkan Antropometri*. Bogor.
- James, P., Berrigan, D., Hart, J. E., Hipp, J. A., Hoehner, C. M., Kerr, J., ... Laden, F. (2014). Effects of buffer size and shape on associations between the built environment and energy balance. *Health & Place*, 27, 162–170. <http://doi.org/10.1016/j.healthplace.2014.02.003>
- Janssen, I., & Leblanc, A. (2010). Systematic review of the health benefits of physical activity and fitness in school-aged children and youth. *Int J Behav Nutr Phys Activity*, 7, 40.
- Johnson, B. A., Go, J. E., Selva, M., & Sallis, J. F. (2004). Violent crime and outdoor physical activity among inner-city youth. *Preventive Medicine*, 39(5), 876–81. <http://doi.org/10.1016/j.jpmed.2004.03.019>
- Kasjono, H. S., & Yasril. (2009). *Teknik Sampling Untuk Penelitian Kesehatan*. Sleman: Graha Ilmu.

- Kelvin, Lord. (2009). Work Group I: Measures of the Food and Physical. *AMEPRE*, 36(4S), S166–S170. <http://doi.org/10.1016/j.amepre.2009.01.006>
- Kim, D., Subramanian, S. V., & Kawachi, I. (2008). Social Capital and Physical Health. In *Social Capital and Health* (X). New York: Springer.
- Kimbro, R. T., Brooks-Gunn, J., & McLanahan, S. (2011). Young children in urban areas: links among neighborhood characteristics, weight status, outdoor play, and television watching. *Social Science & Medicine* (1982), 72(5), 668–76. <http://doi.org/10.1016/j.socscimed.2010.12.015>
- Koirala, M., Khatri, R. B., Khanal, V., & Amatya, A. (2015). Prevalence and factors associated with childhood overweight / obesity of private school children in Nepal. *Obesity Research & Clinical Practice*, 9(3), 220–227. <http://doi.org/10.1016/j.orcp.2014.10.219>
- Kritsotakis, G., & Gamarnikow, E. (2004). What is social capital and how does it relate to health? *International Journal of Nursing Studies*, 41, 43–50. [http://doi.org/10.1016/S0020-7489\(03\)00097-X](http://doi.org/10.1016/S0020-7489(03)00097-X)
- Krizek, K. J. (2003). Operationalizing Neighborhood Accessibility for Land Use-Travel Behavior Research and Regional Modeling. *Journal of Planning Education and Research*, 22(3), 270–287. <http://doi.org/10.1177/0739456X02250315>
- Kumanyika, S., & Cooper, M. E. (2008). Abstracts , 7th International Diabetes Federation Western Pacific Region Congress Wellington , New Zealand , March 30 – April 3 , 2008. *Diabetes & Metabolism*, 79, 8227.
- Kumanyika, S. K., Jeffery, R. W., Morabia, A., Ritenbaugh, C., & Antipatis, V. J. (2002). Obesity prevention : the case for action. *International Journal of Obesity*, 26, 425–436.
- Kumanyika, S. K., Taylor, W. C., Grier, S. A., Lassiter, V., Lancaster, K. J., Morssink, C. B., & Renzaho, A. M. N. (2012). Community energy balance : A framework for contextualizing cultural influences on high risk of obesity in ethnic minority populations. *Preventive Medicine*, 55(5), 371–381. <http://doi.org/10.1016/j.ypmed.2012.07.002>
- Lavin Fueyo, J., Totaro Garcia, L. M., Mamondi, V., Pereira Alencar, G., Florindo, A. A., & Berra, S. (2015). Neighborhood and family perceived environments associated with children’s physical activity and body mass index. *Preventive Medicine*, 82, 35–41. <http://doi.org/10.1016/j.ypmed.2015.11.005>
- Lee, H. (2012). The role of local food availability in explaining obesity risk among young school-aged children. *Social Science & Medicine*, 74(8), 1193–1203. <http://doi.org/10.1016/j.socscimed.2011.12.036>

- Lee, H., Tamminen, K. A., Clark, A. M., Slater, L., Spence, J. C., & Holt, N. L. (2015). A meta-study of qualitative research examining determinants of children's independent active free play. *The International Journal of Behavioral Nutrition and Physical Activity*, 12(1), 5. <http://doi.org/10.1186/s12966-015-0165-9>
- Lucas, B. L., & Feucht, S. A. (2008). Nutrition in Childhood. In *Krause's Food, Nutrition, and Diet Therapy*. (12c ed., pp. 222–244). Canada: Saunders.
- Ma, Y., Chen, T., Wang, D., Liu, M., He, Q., & Dong, G. (2011). Prevalence of Overweight and Obesity Among Preschool Children from Six Cities of Northeast China. *Archives of Medical Research*, 42(7), 633–640. <http://doi.org/10.1016/j.arcmed.2011.10.011>
- Malik, V. S., Willett, W. C., & Hu, F. B. (2013). Global obesity: trends, risk factors and policy implications. *Nat Rev Endocrinol*, 9(1), 13–27. <http://doi.org/10.1038/nrendo.2012.199>
- Malnick, S. D. H., & Knobler, H. (2006). The medical complications of obesity. *Quarterly Journal Of Medicine*, 99, 565–579. <http://doi.org/10.1093/qjmed/hcl085>
- Marino, A. J., Fletcher, E. N., Whitaker, R. C., & Anderson, S. E. (2012). Amount and environmental predictors of outdoor playtime at home and school: A cross-sectional analysis of a national sample of preschool-aged children attending Head Start. *Health & Place*, 18(6), 1224–1230. <http://doi.org/10.1016/j.healthplace.2012.08.004>
- Marvicsin, D., & Danford, C. a. (2013). Parenting efficacy related to childhood obesity: comparison of parent and child perceptions. *Journal of Pediatric Nursing*, 28(5), 422–9. <http://doi.org/10.1016/j.pedn.2012.11.004>
- Mckinnon, R. A., Orleans, C. T., Kumanyika, S. K., Haire-joshu, D., Krebs-smith, S. M., Finkelstein, E. A., ... Ballard-barbash, R. (2009). Considerations for an Obesity Policy. *AMEPRE*, 36(4), 351–357. <http://doi.org/10.1016/j.amepre.2008.11.017>
- Miller, R. M., & Ginsburg, K. R. (2012). The Importance of Play in Promoting Healthy Child Development and Maintaining Strong Parent-Child Bond : Focus on Children in Poverty abstract. *Pediatrics*, 129(1), 204–213. <http://doi.org/10.1542/peds.2011-2953>
- Mistry, S. K., & Puthussery, S. (2015). Risk factors of overweight and obesity in childhood and adolescence in South Asian countries: a systematic review of the evidence. *Public Health*, 129(3), 200–209. <http://doi.org/10.1016/j.puhe.2014.12.004>
- Moore, S. (2010). Social Networks , Social Capital and Obesity : A Literature Review. In L. Dube, A. Bechara, A. Dagher, A. Drewnowski, J. LeBel, P. James, & R. Y. Yada (Eds.), *Obesity Prevention: The Role of Brain and Society on Individual Behavior* (1st ed., pp. 673–686). London: Academic

Press.

- Mozaffari, H., & Nabaei, B. (2007). Obesity and related risk factors. *Indian J Pediatr*, 74(3), 265–267. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/17401265>
- Mushtaq, M. U., Gull, S., Shahid, U., Shafique, M. M., Abdullah, H. M., Shad, M. A., & Siddiqui, A. M. (2011). Family-based factors associated with overweight and obesity among Pakistani primary school children. *BMC Pediatrics*, 11(1), 114. <http://doi.org/10.1186/1471-2431-11-114>
- Nader, P. R., Brien, M. O., Houts, R., Bradley, R., Belsky, J., Crosnoe, R., ... Early, H. D. (2006). Identifying Risk for Obesity in Early Childhood. *Pediatrics*, 118(3), 594–601. <http://doi.org/10.1542/peds.2005-2801>
- Newby, P., Weismayer C, Akesson, A., Tucker, K., & Wolk, A. (2006). Longitudinal changes in food patterns predict changes in weight and body mass index and the effects are greatest in obese women. *J Nutr.*, 136(10), 2580–2587.
- Ng, M., Fleming, T., Robinson, M., Thomson, B., Graetz, N., Margono, C., ... Yatsuya, H. (2014). Global , regional , and national prevalence of overweight and obesity in children and adults during 1980 – 2013 : a systematic analysis for the Global Burden of Disease Study 2013. *Lancet*, 384, 766–81. [http://doi.org/10.1016/S0140-6736\(14\)60460-8](http://doi.org/10.1016/S0140-6736(14)60460-8)
- No, F. H., Martinez, R., & Chacra, W. (2007). Outdoor exercise reduces the risk of hypovitaminosis D in the obese. 2007;103:679–681. *J Steroid Biochem Mol Biol.*, 103, 679–681.
- Nurdyanti, Y. (2013). *Aktivitas fisik anak usia pra sekolah dalam hubungannya dengan obesitas di kota yogyakarta*. Universitas Gadjah Mada.
- Ohri-vachaspati, P., Lloyd, K., Delia, D., Tulloch, D., & Yedidia, M. J. (2013). A closer examination of the relationship between children ' s weight status and the food and physical activity environment. *Preventive Medicine*, 57(3), 162–167. <http://doi.org/10.1016/j.ypmed.2013.05.009>
- Onis, M. De, Blossner, M., & Borghi, E. (2010). Global prevalence and trends of overweight and obesity among preschool children 1–4. *American Journal of Clinical Nutrition*, 92, 1257–1264. <http://doi.org/10.3945/ajcn.2010.29786.1>
- Oreskovic, N. M., Kuhlthau, K. A., Romm, D., & Perrin, J. M. (2009). Built Environment and Weight Disparities Among Children in High- and Low-Income Towns. *Academic Pediatrics*, 9(5), 315–321. <http://doi.org/10.1016/j.acap.2009.02.009>
- Pampang, E. (2007). *Asupan energi, aktivitas fisik, persepsi orang tua, dan obesitas siswa SMP di Kota Yogyakarta*. Universitas Gadjah Mada.
- Pastadita, I. K. R. (2011). *Faktor Risiko Obesitas Antenatal Dan Postnatal Pada Anak 2 - 5 Tahun Di Kodya Yogyakarta*. Universitas Gadjah Mada. UGM.

- Perkins, J. M., Subramanian, S. V., & Christakis, N. A. (2015). Social networks and health : A systematic review of sociocentric network studies in low- and middle-income countries. *Social Science & Medicine*, *125*, 60–78. <http://doi.org/10.1016/j.socscimed.2014.08.019>
- Po'e, E. K., Heerman, W. J., Mistry, R. S., & Barkin, S. L. (2013). Growing Right Onto Wellness (GROW): a family-centered, community-based obesity prevention randomized controlled trial for preschool child-parent pairs. *Contemporary Clinical Trials*, *36*(2), 436–49. <http://doi.org/10.1016/j.cct.2013.08.013>
- Poortinga, W. (2006). Perceptions of the environment, physical activity, and obesity. *Social Science & Medicine*, *63*(11), 2835–46. <http://doi.org/10.1016/j.socscimed.2006.07.018>
- Pouliou, T., & Elliott, S. J. (2010). Individual and socio-environmental determinants of overweight and obesity in Urban Canada. *Health & Place*, *16*(2), 389–398. <http://doi.org/10.1016/j.healthplace.2009.11.011>
- Proper, K. I., Cerin, E., Brown, W. J., & Owen, N. (2007). Sitting time and socio-economic differences in overweight and obesity. *International Journal of Obesity (2005)*, *31*, 169–176. <http://doi.org/10.1038/sj.ijo.0803357>
- Puska, P., Nishida, C., & Porter, D. (2003). Obesity and Overweight. *Global Strategy On Diet, Physical Activity And Health*. Geneva: WHO Media Centre. Retrieved from http://www.who.int/gho/ncd/risk_factors/overweight/en/
- Ramachandran, A., & Snehalatha, C. (2010). Rising burden of obesity in Asia. *Journal of Obesity*, *2010*. <http://doi.org/10.1155/2010/868573>
- Reilly, J. (2008). Physical activity, sedentary behaviour and energy balance in the preschool child: opportunities for early obesity prevention. . 2008;67:317–325. *Proc Nutr Soc*, *67*, 317–325.
- Rennie, K. L., Johnson, L., & Jebb, S. a. (2005). Behavioural determinants of obesity. *Best Practice & Research Clinical Endocrinology & Metabolism*, *19*(3), 343–358. <http://doi.org/10.1016/j.beem.2005.04.003>
- Roemling, C., & Qaim, M. (2012). Obesity trends and determinants in Indonesia. *Appetite*, *58*(3), 1005–1013. <http://doi.org/10.1016/j.appet.2012.02.053>
- Roemmich, J. N., Beeler, J. E., & Johnson, L. (2014). A microenvironment approach to reducing sedentary time and increasing physical activity of children and adults at a playground. *Preventive Medicine*, *62*, 108–112. <http://doi.org/10.1016/j.ympmed.2014.01.018>
- Rosenberg, D., Ding, D., Sallis, J. F., Kerr, J., Norman, G. J., Durant, N., ... Saelens, B. E. (2009). Neighborhood Environment Walkability Scale for Youth (NEWS-Y): Reliability and relationship with physical activity. *Preventive Medicine*, *49*(2-3), 213–218. <http://doi.org/10.1016/j.ympmed.2009.07.011>

- Rossner, S. (2012). Overweight and Obesity. In J. Mann & A. S. Trusweel (Eds.), *Essentials of Human Nutrition* (Fourth, pp. 267–285). New York: Oxford University Press.
- Ruijsbroek, A., Droomers, M., Groenewegen, P. P., Hardyns, W., & Stronks, K. (2015). Social safety , self-rated general health and physical activity : Changes in area crime , area safety feelings and the role of social cohesion. *Health & Place, 31*, 39–45. <http://doi.org/10.1016/j.healthplace.2014.10.008>
- Saelens, B. E., Sallis, J. F., Black, J. B., & Chen, D. (2003). Neighborhood-Based Differences in Physical Activity: An Environment Scale Evaluation. *American Journal of Public Health, 93*(9), 1552–1558.
- Sallis, J. F., & Glanz, K. (2006). The Role of Built Environments in Physical Activity, Eating, and Obesity in Childhood. *Future of Children, 16*(1), 89–108.
- Sallis, J. F., Kerr, J., Carlson, J. A., Norman, G. J., Saelens, B. E., Durant, N., & Ainsworth, B. E. (2010). Evaluating a Brief Self-Report Measure of Neighborhood Environments for Physical Activity Research and Surveillance : Physical Activity Neighborhood Environment Scale (PANES). *Journal of Physical Activity and Health, 7*, 533–540.
- Samad, T. (2012). Indonesia's Urban Development Towards Inclusive and Sustainable Economic Growth. In K. P. Perkotaan (Ed.), *Kebijakan dan Implementasinya: Setahun Pelaksanaan MP3EI*. Indonesia: Universitas Indonesia.
- Sartika, R. A. D. (2011). Faktor Risiko Obesitas Pada Anak 5-15 Tahun Di Indonesia. *Makara, Kesehatan, 15*(1), 37–43.
- Schwartz, M. B., & Puhl, R. (2003). Childhood obesity : a societal problem to solve. *Obesity Reviews, 4*, 57–71.
- Singh, A. S., Mulder, C., Twisk, J. W. R., Mechelen, W. Van, & Chinapaw, M. J. M. (2008). Tracking of childhood overweight into adulthood :, (ii), 474–488. <http://doi.org/10.1111/j.1467-789X.2008.00475.x>
- Singh, G. K., Kogan, M. D., Dyck, P. C. Van, & Siahpush, M. (2008). Racial / Ethnic , Socioeconomic , and Behavioral Determinants of Childhood and Adolescent Obesity in the United States : Analyzing Independent and Joint Associations. *Childhood A Global Journal Of Child Research, (1)*. <http://doi.org/10.1016/j.annepidem.2008.05.001>
- Singh, S. K., Kapoor, D., Goyal, R., Rastogi, A., Kumar, S., & Mishra, O. P. (2007). Childhood obesity : Contributing factors and consequences in Indian children. *Diabetes, 1*, 167–172. <http://doi.org/10.1016/j.dsx.2007.05.007>
- Sothorn, M. S. (2004). Obesity prevention in children: physical activity and nutrition. *Nutrition (Burbank, Los Angeles County, Calif.), 20*(7-8), 704–8.

<http://doi.org/10.1016/j.nut.2004.04.007>

- Stafford, M., Cummins, S., Ellaway, A., Sacker, A., Wiggins, R. D., & Macintyre, S. (2007). Pathways to obesity : Identifying local , modifiable determinants of physical activity and diet. *Social Science & Medicine*, *65*, 1882–1897. <http://doi.org/10.1016/j.socscimed.2007.05.042>
- Stone, M. R., & Faulkner, G. E. J. (2014). Outdoor play in children: associations with objectively-measured physical activity, sedentary behavior and weight status. *Preventive Medicine*, *65*, 122–7. <http://doi.org/10.1016/j.ypmed.2014.05.008>
- Stone, M. R., Rowlands, A. V., & Eston, R. G. (2009). Characteristics of the activity pattern in normal weight and overweight boys. *Preventive Medicine*, *49*(2-3), 205–208. <http://doi.org/10.1016/j.ypmed.2009.06.012>
- Story, M., Giles-corti, B., Yaroch, A. L., Cummins, S., Frank, L. D., Huang, T. T., & Lewis, L. B. (2009). Work Group IV : Future Directions for Measures of the Food and Physical Activity Environments. *AMEPRE*, *36*(4S), S182–S188. <http://doi.org/10.1016/j.amepre.2009.01.008>
- Sutherland, E. R. (2008). Obesity and Asthma. *Immunology And Allergy Clinics Of North America*, *28*(3), 1–11.
- Tandon, P., Grow, H. M., Couch, S., Glanz, K., Sallis, J. F., Frank, L. D., & Saelens, B. E. (2014). Physical and social home environment in relation to children’s overall and home-based physical activity and sedentary time. *Preventive Medicine*, *66*, 39–44. <http://doi.org/10.1016/j.ypmed.2014.05.019>
- Tanofsky-kraff, M., Adler-wailes, D. C., & Brady, S. (2006). Orthopedic Complications of Overweight in Children and Adolescents. *Pediatrics*, *117*(6), 2167–2174.
- Thompson, D. R., Obarzanek, E., Franko, D. L., Barton, B. A., Morrison, J., Biro, F. M., ... Striegel-Moore, R. H. (2007). Childhood Overweight and Cardiovascular Disease Risk Factors: The National Heart, Lung, and Blood Institute Growth and Health Study. *Childhood A Global Journal Of Child Research*.
- Tjiptoherijanto, P. (1999). Urbanisasi dan Pengembangan Kota di Indonesia. In *Masalah Metropolitan : Sebuah Tantangan Global yang Harus Ditanggapi oleh Anggota Parlemen dari Segi Peradaban Kota dan Demokrasi I*. Jakarta: BKSAP-DPR RI.
- Tolbert, R., Brooks-gunn, J., & Mclanahan, S. (2011). Young children in urban areas : Links among neighborhood characteristics , weight status , outdoor play , and television watching. *Social Science & Medicine*, *72*(5), 668–676. <http://doi.org/10.1016/j.socscimed.2010.12.015>
- Tremblay, L., & Rinaldi, C. M. (2010). The prediction of preschool children’s weight from family environment factors: gender-linked differences. *Eating Behaviors*, *11*(4), 266–75. <http://doi.org/10.1016/j.eatbeh.2010.07.005>

- Troiano, R., & Berrigan, D. (2008). Physical activity in the United States measured by accelerometer. *Medicine & Science In Sports & Exercise*, *40*(1), 181–188.
- Trustwell, A. S. (2003). *ABC of NUTRITION. Nutrition* (Fourth). London: BMJ Books.
- Van Dyck, D., Cardon, G., Deforche, B., & De Bourdeaudhuij, I. (2011). Do adults like living in high-walkable neighborhoods? Associations of walkability parameters with neighborhood satisfaction and possible mediators. *Health & Place*, *17*(4), 971–7. <http://doi.org/10.1016/j.healthplace.2011.04.001>
- Veitch, J., Bagley, S., Ball, K., & Salmon, J. (2006). Where do children usually play? A qualitative study of parents' perceptions of influences on children's active free-play. *Health & Place*, *12*(4), 383–93. <http://doi.org/10.1016/j.healthplace.2005.02.009>
- Veitch, J., Salmon, J., & Ball, K. (2010). Individual , social and physical environmental correlates of children ' s active free-play : a cross- sectional study. *International Journal of Behavioral Nutrition and Physical Activity*, *7*(11), 1–11. Retrieved from <http://www.ijbnpa.org/content/7/1/11>
- Villanueva, K., Giles-corti, B., Bulsara, M., McCormack, G. R., Timperio, A., Middleton, N., ... Trapp, G. (2012). How far do children travel from their homes ? Exploring children ' s activity spaces in their neighborhood. *Health & Place*, *18*(2), 263–273. <http://doi.org/10.1016/j.healthplace.2011.09.019>
- Wahyu, G. G. (2009). *Obesitas Pada Anak*. Jakarta: Bentang Pustaka.
- Watanabe, M., Nakamura, K., Fukuda, Y., & Takano, T. (2006). Association of parental and children behaviors with the health status of preschool children. *Preventive Medicine*, *42*(4), 297–300. <http://doi.org/10.1016/j.ypmed.2006.01.001>
- Whitlock, E. P., Williams, S. B., Gold, R., Smith, P. R., & Shipman, S. A. (2005). Screening and Interventions for Childhood Overweight : A Summary of Evidence for the US Preventive Services Task Force. *Pediatrics*, *116*(1), 125–144. <http://doi.org/10.1542/peds.2005-0242>
- WHO. (2003). *Creating an Environment for Emotional and Social Well-Being An important responsibility of a Health-Promoting and Child Friendly School. Health (San Francisco)*. Geneva, Switzerland: World Health Organization.
- WHO. (2008). Module C: interpreting growth indicators. In *Training course on child growth assessment*. Geneva, Switzerland: World Health Organization.
- WHO. (2011). *WHO Anthro for personal computers, version 3.2.2 : Software for assessing growth and development of the world's children. World Health*. Geneva: WHO. Retrieved from (<http://www.who.int/childgrowth/software/en/>).
- Widiyanto, D., & Rijanta, R. (2013). Lingkungan Kota Layak Anak (Child-Friendly City) Berdasarkan Persepsi Orangtua Di Kota Yogyakarta. *Bumi*

- Lestari Journal of Environment*, 12(2), 211–216.
- Wofford, L. G. (2008). Systematic Review of Childhood Obesity Prevention. *Obesity*, 23(1). <http://doi.org/10.1016/j.pedn.2007.07.006>
- Wolch, J., Jerrett, M., Reynolds, K., McConnell, R., Chang, R., Dahmann, N., ... Berhane, K. (2011). Childhood obesity and proximity to urban parks and recreational resources : A longitudinal cohort study. *Health & Place*, 17(1), 207–214. <http://doi.org/10.1016/j.healthplace.2010.10.001>
- Wolch, J. R., Byrne, J., & Newell, J. P. (2014). Urban green space , public health , and environmental justice : The challenge of making cities “ just green enough .” *Landscape and Urban Planning*, 125, 234–244. <http://doi.org/10.1016/j.landurbplan.2014.01.017>
- Yen, I. H., & Syme, S. L. (1999). The social environment and health: a discussion of the epidemiologic literature. *Annu Rev Public Health*, 20, 287–308.
- Yolahumaroh. (2013). *Faktor Sosial Determinan, Pola Makan Dan Aktifitas Fisik Terhadap Kejadian Obesitas Pada Anak Sekolah Dasar Kelas Iv Dan V Di Kecamatan Tampan Kota Pekanbaru*. Tidak diterbitkan, Yogyakarta.
- Zenk, S. N., & Powell, L. M. (2008). US secondary schools and food outlets. *Health & Place*, 14(2), 336–46. <http://doi.org/10.1016/j.healthplace.2007.08.003>
- Zhang, Y., Zhao, J., & Chu, Z. (2014). Prevalence of overweight and obesity among children and adolescents is associated with urbanization in Shandong , China ☆. *International Journal of Cardiology*, 1–2. <http://doi.org/10.1016/j.ijcard.2014.07.222>
- Ziersch, A. M., Baum, F. E., Macdougall, C., & Putland, C. (2005). Neighbourhood life and social capital : the implications for health. *Social Science & Medicine*, 60, 71–86. <http://doi.org/10.1016/j.socscimed.2004.04.027>