



## DAFTAR PUSTAKA

- Aamri, F. E., Padilla, D., Acosta, F., Caballero, M.J., Roo, J., Bravo, J., Vivas, J. dan Real, F. 2010. First report of *Streptococcus iniae* in red porgy (*Pagrus pagrus*, L.). *Journal of Fish Diseases*. **33**: 901-905.
- Amanu, S., Fikar, M., dan Barmara, R. 2015. Detection of *Edwarsiella tarda* from African catfish (*Clarias gariepinus*) by Agar Gel Precipitation (AGP) method in Jambi.
- Anonim, 2005. *Streptococciosis*. The Center for Food Security and Public Health. May, 2005. Available at :<http://www.cfsph.iastate.edu/Factsheets/pdfs>.
- Anonim 2006. Bacterial disease. Korea- Us. Aquaculture <http://www.lib.noaa.gov/korea/diseases/bacterial.html>.
- Anonim, 2010a. *Streptococcus iniae*. [http://en.wikipedia.org/wiki/Streptococcus\\_iniae](http://en.wikipedia.org/wiki/Streptococcus_iniae)
- Anonim, 2010b. Metode Standar Pemeriksaan HPIK Golongan Bakteri *Streptococcus iniae*. Pusat Karantina Ikan, Jakarta. 1-120
- Anonim, 2013. Hasil Pemantauan HPI/HPIK BKIPM Tahun 2013. Jakarta. p.3
- Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K., Walter, P. 2002. *Molecular Biology of the Cell*. Edisi ke-4. Garland Science: New York
- Austin,B., and D. A. Austin.1999. Bacterial Fish Pathogens.Disease of Farmed and Wild Fish.4<sup>th</sup>Edition.Springer, Praxis Publishing. Chchester, UK. 99-106.
- Agnew, W., dan Barnes, A.C. 2007. *Streptococcus iniae*: an aquatic pathogen of global veterinary significance and a challenging candidate for reliable vaccination. *Vet. Microbiol.* **122** : 1–15
- Al-Harbi, A.H. 2011. Molecular characterization of *Streptococcus iniae* isolated from hybrid tilapia (*Oreochromis niloticus* x *O. aureus*). *Aquaculture*. **312** : 15-18
- Ausubel, F.M., Brent, R., Kingston, R.E., Moore, D.D., Sideman, J., Smith, J., dan Struhl, K. 1987. Current Protocols in Molecular Biology. Wiley, New York. 35-40



- Barrow, G.I. dan Feltham, R.K.A. 1993. Cowan and Steel's Manual for the Identification of Medical Bacteria. 3<sup>rd</sup> Edition. Cambridge University Press, UK.
- Bauer, A.W., Kirby, W.M.M., Sherris, J.C., dan Truck, M. 1966. Antibiotic susceptibility testing by standardized single disk method. *Amir.J. Clin. Pathol.* **45** : 493 – 496
- Bellati, J.A. 1993. Imunologi. Bacterial Fish Pathogens. Disease in Farmed and wild Fish. John Wiley and Sons. Chichester. 364.
- Berridge, B.R., Fuller, J.D., de Azavedo, J., Low, D.E., Bercovier, H., dan Frelier, F. 1998. Development of a specific nested oligonucleotide PCR primer for *S. iniae* 16s-23s ribosomal DNA intergenic spacer. *Journal of Clinical Microbiology*. **36** : 2778-2781.
- Bottger, E. C., 1996. Approaches for identification of microorganisms, *ASM News*, **62** : 247-250
- Bromage, E.S., Thomas, A., & Owens, L. 1999. *Streptococcus iniae* a bacterial infection in barramundi *Lates calcarifer*. *Diseases of Aquatic Organisms*. **36** : 177-181.
- Brooks, I., Gober, A.E. 2004. Eradication of *Streptococcus pneumoniae* in the Nasopharyngeal Flora of Children with Acute Otitis Media after Amoxicillin-Clavulanate Therapy. *Antimicrob Agents Chemother*. **48** (4): 1419–1421.
- Buller NB. 2004. Bacteria from Fish and other Aquatic Animals: A Practical Identification Manual. CABI Publishing, Cambridge.37-162.
- Bullock, G.L., H.M. Stuckey, P.K. Chen. 1974. Corynebacterial kidney disease of salmonids : Growth and serological studies on causative bacterium. *Applied Microbiology*. **28** : 811-814.
- Carter, G.R. 1990. Diagnostic procedures in veterinary bacteriology and mycology. 5th ed. Academic Press, San Diego, Calif. 620p.
- Coenye, T., Vandamme, P. 2003. Intragenomic heterogeneity between multiple 16S ribosomal RNA operons in sequenced bacterial genomes. *FEMS Microbiol.Lett.* **228** (1): 45–49
- Darwish, A.M., dan Griffin, B.R. 2002. Study shows oxytetracycline controls *Streptococcus* in tilapia. *Global Aquaculture Advocate*. **5**: 34-35
- David, B.D., Renato. 1990. Microbiology 4<sup>th</sup>. London : Tippicoll company.



- Dodson, S.V., Maurer,J.J., danShotts, E. B. 1999. Biochemical and molecular typing of *Streptococcus iniae* isolated from fish and human cases. *Journal of Fish Diseases.* **22 (5)** : 331–336.
- Duremdez, R., A. Al-Marzouk, J.A. Qasem, A. Al-Harbi and H. Gharabally, 2004. Isolation of *Streptococcus agalactiae* from cultured of silver pomfret, *Pampusargenteus* (Euphrasen), in Kuwait. *J.Fish. Dis.* **27** : 307–310.
- Eldar, A., Bejerano, Y., danBercovier, H. 1994.*Streptococcus shiloian* and *Streptococcus difficile*, two new streptococcal species causing a meningoencephalitis in fish. *Currrent Microbiology.* **28**:139-143.
- Eldar, A., Shaprio, O., Bejerano, Y., danBercovier. 1995. Vaccination with whole cell vaccine and bacterial protein extracts protects tilapia against *S. difficile*meningoencephaltis. *Vaccine.* **13** :867-870.
- Eldar, A., Horovitz, A., danBercovier, H. 1997.Development of a vaccine against *S. iniae*infection in farmed rainbow trout. *Veterinary Immunology and Immunopatholog.* **56**:175-183.
- Evans, J.J., Klesius, P.H., Gilbert, P.M., Shoemaker, C.A., Al-Sarawi, M.A., Landsberg J., Durendez, R., Al-Marzouk, A., dan Al-Zenki, S. 2002. Characterization of β-hemolytic *Streptococcus agalactiae*in cultured sea bream *Sparusauratus* L. and wild mullet *Liza klunzingeri*, in Kuwait. *J. Fish Dis.* **25** : 505 - 513
- Evans, J.J., Pasnik, D.J., Klesius, P.H., dan Al-Ablani, S. 2006. First report of *Streptococcus agalactiae* and *Lactococcus garviae* from wild bottlenose dolphin (*Tursiops truncates*). *Journal of Wildlife Diseases.* **45**:561-569.
- Fadaeifard, F., Raissy, M., Momtaz, H., dan Sahedi, R. 2011.Detection of *Streptococcus iniae* by Polymerase chain reaction in rainbow trout (*Oncorhynchus mykiss*) in West Iran. *African Journal of Microbiology Research.* **5 (26)** : 4722-4724.
- Fadaeifard, F., Momtaz, H., Rahimi, E., dan Mirzakhani, A. 2012. Detection of *Streptococcus iniae* and *Lactococcus garvieae* by multiplex polymerase chain reaction (PCR) in some rainbow trout farms of Iran. *African Journal of Biotechnology,* **11(2)** : 260-263.
- Facklam, R., Elliott, J., Shewmaker, L., danReingold, A. 2005. Identification and characterization of sporadic isolates of *Streptococcus iniae* isolated from humans. *J. Clin. Microbiol.* **43** : 933-937.



Fatchiyah, Arumingtyas, E.L., Widyarti, S., Rahayu, S. 2011. Biologi Molekuler – Prinsip Dasar Analisis. PT. Penerbit Erlangga. Ciracas – Jakarta. 1-185.

Ferguson, H.W., Morales, J.A., dan Ostland, V.E. 1994. *Streptococciosis* in aquarium fish. *Dis. Aquat. Org.* **19**: 1-6.

Figueiredo, H.C.P., Nobrega Netto, L., Leal, C.A.G., Pereira, U.P., Mian, G.F. 2012. *Streptococcus iniae* outbreaks in braziliannile tilapia (*Oreochromis niloticus L.*) farms. *JournalMicrobiol.* **43(2)** : 576-580.

Firdaus, A. 2004. Pengaruh pemberian Vitamain C dalam percobaan immunoprofilaksis terhadap infeksi bakteri *S. iniae* pada ikan nila (*Oreochromis niloticus L.*). Tesis. IPB. Bogor.

Garvey, J.S., Cremer, N.E., dan Susdrorf. D.H. 1977. Methods in Immunology. Third Edition. W. A Benjamin, Inc, Canada. ISBN 0-8053-3125-X.

Ghittino, C., Latini, M., Agnetti, F., Panzieri, C., Lauro, L., Ciappelloni, R. and Petracca, G. 2003. Emerging pathologies in aquaculture: effects on production and food safety. *Vet Res Commun.* **27 (1)** : 471–479

Goh, S.H., Driedger, D., Gillett S. 1998. *Streptococcus iniae*, a human and animal pathogen: specific identification by the chaperonin 60 gene identification method. *J. of Clinical Microbiology.* **36 (7)** : 2164–2166.

Gyles, C.L., Prescott, J.F., Songer, J.G., dan Thoen, C.O. 2004. Pathogenesis of Bacterial Infections in Animals, 4th Edition. Blackwell Publishing. Canada. 51-74.

Halt, J.G., Crieg, N.R., Smith, P.H.A., Staley, J.T., and Williams, S.T. 1994. *Bergey's Manual of Determinative Bacteriology*. 9<sup>th</sup> Edition. William & Wilkins. Baltimore, Maryland, USA.

Hardi, E. H., Sukenda, Harris , E., Lusiastuti, A. M. 2008. Toksisitas Produk Ekstrasellular (ECP) *Streptococcus agalactiae* Ikan Nila (*Oreochromisniloticus*). *Jurnal Natur Indonesia.* **13 (3)** : 187-199.

Hardi, E.H. 2011. Kandidat Vaksin Potensial *Streptococcus agalactiae* untuk mencegah Penyakit *Streptococciosis* pada Ikan Nila (*Oreochromis niloticus*). Disertasi Pasca Sarjana Bogor. IPB.

Hawke, J.P., 2000. Bacterial Disease Agents :dalam : *Encyclopedia of Aquaculture*, R.R. Stickney (ed.). Texas Sea Grant Collage Program Bryan, Texas. 69-97.

Holmes, F.O. 1948. Bergey's Manual of Determinative Bacteriology. Pp 160.



Hoshina, T., Sano, T., & Marimoto, Y. 1958. A *Streptococcus* pathogenic to fish. *Journal of Tokyo University Fisheries*. **44** : 57-58.

Inglish, V., Roberts, R.J. and Bromage, N.R. 1993, *Streptococcal Infections*. In- *Bacterial Diseases of fish*. New York: Halsted.196-197.

Justice C.F. Baiano and Andrew C. Barnes, 2009.Towards Control of *Streptococcus iniae**Emerging Infectious Diseases*.**15 (12)** : 1891 - 1896.

Kawamura, Y., Itoh, Y., Mishima, N., Ohkusu, K., Kasai, H. and Ezaki, T. 2005. High genetic similarity of *Streptococcus agalactiae* and *Streptococcus difficile*. *International Journal of Systematic Evolutionary Microbiology*, **55** : 961-965.

Kitao, T., T. Aoki, and K. Iwata. 1979. Epidemiological study on streptococcosis of cultured yellowtail (*Seriola quinqueradiata*)--I.Distribution of *Streptococcus* sp. in seawater and muds around yellowtail farms. *Bull. Jpn. Soc. Sci. Fish.* **45 (5)**:567-572.

Klesius, P.H., Shoemaker, C.A. and Evans, J.J. 2000. Efficacy of single and combined *Streptococcus iniae* isolate vaccine administered by intraperitoneal and intramuscular routes in tilapia (*Oreochromis niloticus*). *Aquaculture*. **155** : 237-246

Klesius. P.H., Evans, J.J., Shoemaker, C.A., Yeh, H., Goodwin, A.E., Adams, A., & Thompson K. 2006. Rapid detection and identification of *S. iniae* using a monoclonal antibody based indirect flourescent antibody technique. *Aquaculture*, **258** :180-186

Klesius, P.H., Shoemaker, C.A., & Evans, J.J. 2008. Streptococcus: A worldwide fish health problem. *8th International Symposium on Tilapia in Aquaculture*.Cairo. 83-107.

Kusuda, R. dan Kimura, H. 1982. Studies on the pathogenesis of Streptococcal infection in cultured yellowtail, *Seriola* spp.: Effect of the cell free culture on experimental streptococcal infection. *Journal of Fish Diseases*. **2** : 501-510.

Kusuda, R danF. Salati, 1999. *Enterococcus seriolicida* and *Streptococcus iniae* dalam : *Fish Disease and Disorder*, Viral, Bacterial and Fungal Infections, P.T.K. Woo and D.W. Bruno (ed.) 3. CABI Pub. New York. 479-521.



Lau SK, Woo PC, TseH, Leung KW, Wong SS, Yuen KY. 2003. Invasive *Streptococcus iniae* infections outside North America. *Journal of Clinical Microbiology*. **41** (3): 1004–9.

Lau, S.K.P., Woo, P.C.Y., Luk, W.-K., Fung, A.M.Y., Hui, W.-T., Fong, A.H.C., Chow, C.-W., Wong, S.S.Y., Yuen, K.-Y., 2006. Clinical isolates of *Streptococcus iniae* from Asia are more mucoid and beta-hemolytic than those from North America. *Diagn. Microbiol. Infect. Dis.* **54** : 177 - 181.

Lahav D, Eyngor M, Hurvitz A, Ghittino C, Lublin A, Eldar A. 2004. *Streptococcus iniae* type II infections in rainbow trout *Oncorhynchus mykiss*. *Disease of Aquatic Organisms* **62** (1–2): 177–180.

Lehman, K.B., and Neumann, 1896. R. Atlas und Grundriss der Bakteriologie und Lehrbuch der speziellen bakteriologischen Diagnositk. 1st Ed. J.F. Lehmann, Munchen. [No PubMed record available.]

Maryadi, H. 2009. Studi Perkembangan Gejala Klinis dan Patologi pada IKan Kerapu Macan (*Epinephelus fuscoguttatus*) yang Diinfeksi dengan *Streptococcus iniae*. LaporanTesis. Sekolah Pasca Sarjana. IPB.1-71.

Mata, A.I., Gibello, A., Casamayor, A., Blanco, M.M., Domínguez, L. and Fernández-Garayzábal, J.F. 2004. Multiplex PCR assay for detection of bacterial pathogens associated with warm-water streptococcosis in fish. *Applied and Environmental Microbiology*. **70** :3183-3187.

Mauel, M.J., Miller, P.L., Fraizer, K.S and Hines, M.E., 2<sup>nd</sup>. 2002. Bacterial pathogens isolated from cultured Bullfrog (*Ranacastesbeiana*). *Journal of Veterinary Diagnostic Investigation* **14** : 431 – 433.

Miyazaki. T., S.S. Kobota, N. Kaige , T. Miyashita. 1984. A histopathological study of Streptococcal Disease in Tilapia. *Fish Pathology* **19** (3):167 – 172.

Munasir, Z. 2001. Respons Imun Terhadap Infeksi Bakteri. *Sari Pediatri* **2** (4) : 193 – 197

Nakamura, Y. 1982. Doxycycline. *Fish Pathology*, **17** : 67-76

Neely, M.N., Pfeifer, J.D., Caparon, M., 2002. Streptococcus–zebrafish model of bacterial pathogenesis. *J. Infect. Immun.* **70** : 3904–3914.

Neli. 2010. <http://neli1390.blogspot.co.id/2010/03/16s-rrna.html>

Nomoto, R., Munasinghe, L. I., Jin, D. H., Shimahara, Y., Yasuda, H., Nakamura, A., Misawa, N., Itami, T. dan Yoshida, T. 2004. Lancefield group C



*Streptococcus dysgalactiae* infection responsible for fish mortalities in Japan. *J Fish Dis* **27** : 679–686

Ohnishi, K., Jo, Y., 1981. Studies on streptococcal infection in pond cultured fishes Characteristics of a beta-hemolytic *Streptococcus* isolated from cultured Ayu and Amago in 1977–1978. *Fish Pathol.* **16** : 63–67

Pang, T., Levine, M.M., Ivanof, B. 1997. In the third Asia Pasific Symposium on typhoid fever and other Salmonellosis. Bali – Indonesia.

Pelczar dan Chan. 2005. Dasar – dasar Mikrobiologi 2. Jakarta : UI Press.

Pardede Sudung O. 2009. Streptokokus dan Patogenesis Glomerulonefritis Akut Pasca streptokokus. *Sari Pediatri*. 11 No. 1

Park Y.K., Nho S.W., Shin G.W., Park S.B., Jang H.B., Cha I.S., Ha M.A., Kim Y.R., Dalvi R.S., Kang B.J. and Jung T.S. 2009. Antibiotic susceptibility and resistance of *Streptococcus iniae* and *Streptococcus parauberis* isolated from olive flounder (*Paralichthys olivaceus*). *Veterinary Microbiology*. **136** : 76-81

Perera, R.P., Collins, M.D., Johnson, S.K. and Lewis, D.H. 1994. *Streptococcus iniae* associated with mortality of *Tilapia niloticax* *T. aurea*. *Journal Aquatic Animal Health*. **6** : 335-340.

Perera, R.P., and Johson, S.K. 1997. *Streptococcus iniae* associated with mortality of *Tillapia nilotica* x *T.aureus* hybrids. *Journal of Aquatic Animal Health*. **6 (4)** : 335-340.

Perera, R. P., Fiske, R. A. Johnson, S. K. 1998. Histopathology of hybrid tilapias infected with a biotype of *Streptococcus iniae*. *J Aquat Anim Health*. **10** : 294–299.

Pier, G.B., Madin, S.H., 1976. *Streptococcus iniae* sp. nov., a beta hemolytic *streptococcus* isolated from an Amazon freshwater dolphin, *Inia geoffrensis*. *Int. J. Syst. Bacteriol.* **26** : 545–553

Pier GB, Madin SH, Alnakeeb S. 1978. “Isolation and characterization of a 2<sup>nd</sup> isolate of *Streptococcus iniae*. *International Journal os Systematic Bacteriology*. **28 (2)** : 311-314.

Plumb, J.A., Schachte, J.H., Gaines, J.L., Peltier, W., &Carrol, B. 1974. *Streptococcus* sp. from marine fishes along the Alabama and northwest Florida coast of the Gulf of Mexico. *Transactions of the American Fisheries Society*. **103**: 358-361.



Plumb J.A., 2002. A guide to integrated Management of Warm-water and cool water Fish disease in the Great Lake Basin. Great Lake Fishery Commision Project. *Completion Report*. 19-25.

Qasem, J.A., Al-Zenki, S., Al-Marzouk, A. 2010. Identification and Characteristization of *Streptococcus agalactiae* Isolates using 16S rRNA Sequensing and Cellular Fatty Acid Composition Analysis. *Pakistan Journal of Biological Science* **13 (1)** : 9-15.

Raissy, M., Zandi, S., Ahmadi, A., Foroutan, M.S., Fadaeifard, F. 2012. Experimental evaluation of pathogenicity of *Streptococcus iniae* in Silver Shark and Rainbow Shark. *African Journal of Microbiology Research*. **6 (14)** :3560 - 3563

Resang. A.A., 1984. Patologi khusus Veteriner. Ed. Ke-2. Denpasar.N.V. Percetakan. Bali. Hal 81-87.

Roach, J.C., Levett, P.N., dan Lavoie, M.C. 2006. Identification of *S. iniae* by commercial bacterial identification systems. *Journal of Microbiological Methods*. **67** : 20-26.

Robert, R.J. 2001. *Fish Pathology*. 3nd. Saunders, Philadelphia.

Robinson, J. A. and Meyer, F. P. 1966. Streptococcal fish pathogen. *Journal of Bacteriology*. **92** : 512.

Russo. R., H. Michell, RPE Yanong. 2006. *Aquaculture* **256** : 105-110.

Sakai, M., Atsuka, S, & Kobayashi, M. 1986. A streptococcal disease of cultured jacopever, *Sebastes schlegeli*, *Suisanzoshoku*, **34** :171-177.

Salvador, R; Müller, E.E.; Leonhardt, J.H.; Pretto-Giordano, L.G.; Dias, J.A.; Freitas, J.C. and Moreno, A.M. 2003, Isolamento de *Streptococcus* spp de tilápis do Nilo (*Oreochromis Niloticus*) e qualidade da água de tanques redenaRegião Norte do Estado do Paraná, Brasil. *Semina: Ciências Agrárias*. **24** : 35-42.

Salvador, R.; Müller, E.E.; Freitas, J.C.; Leonhardt, J.H.; Pretto-Giordano, L.G. and Dias, J.A. 2005. Isolation and characterization of *Streptococcus* spp. group B in Nile tilapia (*Oreochromis niloticus*) reared in hapas nets and earth nurseries in the northern region of Parana State, Brazil. *Ciência Rural*, **35** : 1374-1378

Shiomitsu, K., R. Kusuda, H. Osuga, and M. Munekiyo. 1980. Studies on chemotherapy of fish disease with erythromycin--II. Its clinical studies



against streptococcal infection in cultured yellowtails. *Fish Pathol.* **15(1)**:17-23

Smith, H.A. and Jones, T.C. 1961. *Veterinary Pathology*, Lea and Febinger, Philadelphia. 884.

Stoffregen DA, Backman SC, Perham RE, Bowser PR, Babish JG. 1996. "Initial disease report of *Streptococcus iniae* infection in hybrid striped (sunshine) bass and successful therapeutic intervention with the fluoroquinolone antibacterial enrofloxacin". *Journal of the World Aquaculture Society.* **27 (4)**: 420.

Suanyuk, N., Sukkasame, N., Tanmark, N., Yoshida, T., Itami,T., Thune, R.L., Tantikitti, C. and Supamattaya, K. 2010. *Streptococcus iniae* infection in cultured Asian sea bass (*Latescalcarifer*) and red tilapia (*Oreochromis* spp.) in southern Thailand. *Songklanakarin Journal of Science and Technology.* **32** :341-348.

Sulyok E. 2004. Acute proliferative glomerulonephritis. Dalam: Avner ED, Harmon WE, Niaudet P. *Pediatric nephrology*. Edisi ke-5. Philadelphia: Lippincott Williams and Wilkins.601-613

Suprapto, H.T., Hara, T., Nakai.K.,Muroga. 1996. Purification of Lethal toxin of Edwardsiellatarda. *Fish Patology*, **31 (4)** : 203-207

Supriyadi, H., Effendie, J., dan Bastiawan,D. 2002. Penyebaran Penyakit *Streptococciosis* pada Beberapa Pusat Budidaya Ikan Air Tawar. Laporan teknis. Balai Riset Perikanan Budidaya Air Tawar. Bogor. 1- 6.

Taniguchi, M. 1982. Influence of food condition on artificial peroral infection of yellowtail streptococciosis. *Bulletin of the Japanese Society of Scientific Fisheries*, **48 (12)** : 1721-3.

Tauhid.2009. Efektivitas Pemberian Vaksin pada *Streptococcus* spp. pada ikan nila (*Oreochromis niloticus*) Melalui Teknik Perendaman untuk Mencegah Penyakit *Streptococciosis*. Laporan Penelitian Hibah Penelitian Bagi Peneliti dan Perekarya Departemen Kelautan dan Perikanan. Bali Riset Perikanan Budidaya Air Tawar Pusat Riset Perikanan Budidaya. Departemen Kelautan dan Perikanan.

Thomson, R.G. 1978. *General Veterinary Pathology*, W.B Sounders Company, Philadelphia, London, Toronto. 102

Toranzo, A.E., A.M. Baya, B.S. Roberson, J.L. Barja, D.J. Grimes, F.M. Hetrick. 1987. Specificity of slide agglutination test for detecting bacterial fish pathogens. *Aquaculture* **61(2)** : 81 – 97.



- Todd JK. 2004. Streptococcal infections. Dalam: Gershon AA, Hotez PJ, Katz SL, penyunting. Krugman's infectious diseases of children. Edisi ke-11. Philadelphia: Mosby Inc.641-654.
- Trewavas, E. 1982. *Tilapias*: Taxonomy and Speciation, in R.S.V. Pullin and R.H. Lowe Mc Connel. The Biology and Culture of Tilapia. International Center for living Aquatic Resources Management. Manila.
- Utami., D. T. 2013. Aktivitas aktibakteri ekstrak buah kapulaga (*Amomum compactum* Soland ex. Maton) terhadap *E. coli* dan *Streptococcus pyogenes*. Tesis. Fakultas Teknologi. Universitas Atmajaya. Yogyakarta.
- Vandepitte, J. , Verhaegan, J. Engbaek, K. Rohner, P., Piot, P., and Heock, C.G. 2003. Uji Serologis. In : *Basic Laboratory Procedures InClinical Bacteriology*, second Ed. World Health Organization.123-138.
- Varvarigos, P. 2001. Gram positive cocci-bacteria, *Micrococcaceae*, *Streptococcaceae*, causing systemic disease in intensively farmed fish. December.Varvarigose.Athens, Greece.
- Weinstein, M.R., Litt, M., Kertesz, D.A., Wyper, P., Rose, D., Coulter, M., Mc Geer, A., Facklam, R., Ostach, C., Willey, B.M., Borczyk, A., Low, D.E., 1997. Invasive infections due to a fish pathogen, *Streptococcus iniae*.*N. Engl. J. Med.* **337** :589–594.
- Whiley RA, Hardie JM .2009.Genus I. *Streptococcus* Rosenbach 1884.Bergey's Manual of Systematic Bacteriology: Vol 3: The Firmicutes (2nd ed.). Springer.655–711.
- Woese, C. R.,George. E. F. 1977. Phylogenetic structure of the prokaryotic domain : The primary kingdoms. *Proceedings of the National Academy of Sciences* **74 (11)**:5088–5090
- Yanong, R. P. E and R. Francis-Floyd, 2002.*Streptococcal Infections of Fish.Circular FA-57*.University of Florida IFAS Cooperative Extension Service.5 pp. <http://edis.ifas.ufl.edu/FA090>.
- Yanong, R.P.E., Curtis, E.W., Simmons, R., Bhattaram, V.A., Gopalakrishnan, V.A., Ketabi, N., Nagaraja, N.V., Derendorf, H. 2005. Pharmacokinetic studies of florfenicol in koi carp and three-spot gourami *Trichogastertrichopterus* after oral and intramuscular treatment. *J. Aquat. Anim. Health.* **17** : 129–137.
- Yuasa, K., Kitancharoen, N., Kataoka, Y., Al-Murbat, F.A. 1999. *Streptococcus iniae*, the causative agent of mass mortality in rabbit fish *Siganus canaliculatus* in Bahrain. *J. Aquat. Anim. Health.* **11**: 87– 93.



UNIVERSITAS  
GADJAH MADA

IDENTIFIKASI *Streptococcus agalactiae* DAN *Streptococcus iniae* PADA IKAN NILA (*Oreochromis sp.*) DI

INDONESIA BERDASARKAN FENOTIP, GENOTIP DAN ANTIGENIK

TITIS CANDRA DEWI, Prof. drh. Kurniasih, MV.Sc, Ph.D ; Dr. drh. Surya Amanu, MS ; Dr. drh. Bambang Sutrisno, M

Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zlotkin A, Hershko H, Eldar A. 1998. "Possible transmission of *Streptococcus iniae* from wild fish to cultured marine fish". *Applied and Environmental Microbiology*. **64** (10): 4065–67.