

DAFTAR PUSTAKA

- Anonim, 1995, *Clinical Pharmacology bab 10*, The Merck Manual of Geriatric, http://www.merck.com/mrkshared/mmg/front/contrib_jsp, diakses pada tanggal, 20 September 2011
- Anonim, 1998, *The Silent Epidemic*, <http://www.ascp.com/medhelp/silentepic.shtml>, diakses pada tanggal, 20 September 2011
- Anonim, 2003, *Pedoman Rencana Aksi Nasional untuk Kesejahteraan Lanjut Usia*, Depsos RI, Jakarta
- Anonim, 2006, *Pedoman Pelayanan Farmasi (Tata Laksana Terapi Obat) Untuk Pasien Geriatri*, Depkes RI, Jakarta
- Baker, G.R., Norton, P.G., Flintoft, V., Blais, R., Brown, A., Cox, J., Etchells, E., Ghali, W.A., Hébert, P., Majumdar, S.R., O'Beirne, M., Palacios-Derflinger, L., Reid, R.J., Sheps, .S., Tamblyn, R., 2004, The Canadian Adverse Events Study: the incidence of adverse events among hospital patients in Canada, *Canadian Medical Association Journal*, May 25;170(11):1678-86
- Berenbeim, D.M., 2002, *Polypharmacy: overdosing on good intentions*, *Manag Care* 1-5
- Biswal, S., 2014, Proton Pump Inhibitors and Risk for Clostridium difficile Associated Diarrhea Sasmita Biswal, *Biomed Journals*, Jul-Aug;37(4):178-83

- Cahir .C., Fahey .T., Teeling .M., Teljeur .C., Feely .J., and Bennett .K., 2010, Potentially inappropriate prescribing and cost outcomes for older people: a national population study, *Br. J. Clin. Pharmacol*, 69, 543–552
- Cipolle, R.J., Strand, L.M., and Morley, P.C., 1998, *Pharmaceutical Care Practice*, 75, 82-83. 88-90. 115-117, McGraw-Hill, New York
- Conejos, M.M., Sánchez C.M., and Delgado S.E ., 2010, Potentially inappropriate drug prescription in subjects across health care settings, *EGeriatr. Med.* 1, 9–14
- Cruickshank, J.M., 2003, *Beta-Blockers and Diabetes: The Bad Guys Come Good, Cardiovascular Drugs and Therapy*, United Kingdom, 16 457-470
- Ehsani, J.P., Jackson, T., and Duckett, S., 2006, The incidence and cost of adverse events in Victorian hospitals 2003-04, *MJA*; 551-555
- Fonseca, V.A., 2010, Effects of beta-blockers on glucose and lipid metabolism, *Curr Med Res Opin*, Mar;26(3):615-29
- Shakibaei, F., Gholamrezaei, A., Alikhani, M., and Talaeizadeh, K., 2010, Serum Sodium Changes in Fluoxetine Users at Different Age Groups. *Iran J Psychiatry*, 5:3:113-116
- Gallagher, P., and O’Mahony, D., “STOPP (Screening Tool of Older Persons’ Potentially Inappropriate Prescriptions): Application to Acutely Ill Elderly Patients and Comparison with Beers’ Criteria.” *Age and Ageing* 37, no. 6 (2008): 673–79.

Hamilton, Hilary, J., Gallagher, P.F., and O'Mahony, D., "Inappropriate Prescribing and Adverse Drug Events in Older People." *BMC Geriatrics* 9, no. 1 (2009): 5.

Jacob, S., and Spinler, SA., 2006, Hyponatremia associated with selective serotonin-reuptake inhibitors in older adults, *Ann Pharmacother*, 40(9):1618-22

Jamal, S., Hestining, P., dan Raharni, 2000, Karakteristik Lansia yang Dirawat Di Rumah Sakit Kelas A dan B, *Buletin Penelitian Kesehatan*, 28 (1) 2000;369-376

Kemenkes, 2013, Buletin Jendela Data dan Informasi Kesehatan Semester I : Gambaran Kesehatan Lanjut Usia di Indonesia, *Pusat Data dan Informasi Kementerian Kesehatan RI*, hal 2-3

Klotz, U., Avant, G.R., Hoyumba, A., 1975, The effect of age and liver disease on the disposition and elimination of diazepam in adult man. *J Clin Invest* 55, (2) 347 – 359

Lüllmann, H., Ziegler, A., Mohr, K., and Bieger D., 2000, *Color Atlas of Pharmacology*, Thieme, New York, USA

Lund, B., Carnahan .R., Egge .J., Chrischilles .E., and Kaboli .P., 2010, Inappropriate prescribing predicts adverse drug events in older adults, *Ann. Pharmacother*, 44, 957–963

National Kidney Foundation Kidney Disease Outcomes Quality, 2006, *Clinical Practice Guidelines on Hypertension and Antihypertensive Agents in Chronic Kidney Disease, Guidelines 12: Use of Diuretics in CKD*,

(http://www.kidney.org/professionals/KDOQI/guidelines_bp/guide_12.htm, diakses pada tanggal 15 Januari 2013)

- May, P.S.L., and Bernard, M.Y.C., 2012, The use of STOPP/START criteria as a screening tool for assessing the appropriateness of medications in the elderly population, *Clin. Pharmacol*, 5(2), 187–197
- Olson K.R. 1997, *Poisoning & Drug Overdose*, 5th ed., Apleton & Lange, Norwalk
- Page, R.L., Linnebur, S.A., Bryant, L.L., and Ruscin, J.M., 2010, Inappropriate Prescribing in the Hospitalized Elderly Patient: Defining the Problem, Evaluation tools, and Possible Solutions, *Clinical Intervention in Aging* 2010:5 75-87, Dove Medical Press Ltd
- Paterniti, S., Dufalco., Alperovitch., 2002, Longterm benzodiazepine use and cognitive decline in the elderly: The epidemiology of vaskuler aging study, *J Clin Psychopharmacology*, 22 (3); 285 – 293
- Pita, F.S., Lombardía, C.M., Orozco,V.D., Gil, G.V., 2011, Clinical manifestations of elderly patients with digitalis intoxication in the emergency department, *Arch Gerontol Geriatr*, Sep-Oct; 53(2): e106-10.
- Pyszka, L.L., Seys, R.T.M., and Milhans, S.M., 2010, Identification of inappropriate prescribing in geriatrics at a Veterans Affairs hospital using STOPP/START screening tools, *Consult Pharm*, Jun;25(6):365-73
- Semla, T. P., Beizer, J.L., and Higbee, M., 2002, *Geriatric Dosage Handbook: Monitoring Clinical Recommendations and OBRA Guidelines*, 7th Edition, Lexi-Comp inc, Ohio, USA

Setianto, B., 2005, Pengetahuan Fisik Usia Lanjut, diakses tanggal 10 Juli 2008

(<http://www.pjnhk.go.id/berita-artikel>).

Singh, J.M., Palda, V.A., Stanbrook, M.B., Chapman, K.R., 2002, Corticosteroid Therapy for Patients With Acute Exacerbations of Chronic Obstructive Pulmonary Disease, *Arch Intern Med*, 162:2527-2536, American Medical Association.

Spinewine, A., Schmader, K.E., Barber, N., 2007, Appropriate prescribing in elderly people: how well can it be measured and optimised?, *Lancet* 370, 173–184

Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, M., dan Setiati, S., 2006, *Buku Ajar: Ilmu Penyakit Dalam Jilid III, Edisi IV, 1335 – 1451*, Pusat Penerbitan Ilmu Penyakit Dalam FKUI, Jakarta

Ulrika, G., Anna, A., Margareta, H.U., Claes, M., Maria, B., Hakan, M., and Dan, H., 2013, Effects of Pharmacists' Interventions on Appropriateness of Prescribing and Evaluation of the Instruments' (MAI, STOPP and STARTs') Ability to Predict Hospitalization — *Analyses from a Randomized Controlled Trial*, Volume8;Issue5;1-7

Wahab, M.S., Nyfort, H., Karin., Kowalski., Stefan, R., 2012, Inappropriate prescribing in hospitalised Australian elderly as determined by the STOPP criteria, *International Journal of Clinical Pharmacy* 34.6 : 855-62.

Walker, R., and Edwards, C., 2003, *Clinical Pharmacy and Therapeutics*, 3rd Edition, Churchill Livingstone, Philadelphia.

Yancy, C.W., Jessup, M., Bozkurt, B., Butler, J., Casey, D.E. Jr., Drazner, M.H., Fonarow, G.C., Geraci, S.A., Horwich, T., Januzzi, J.L., Johnson, M.R., Kasper, E.K., Levy, W.C., Masoudi, F.A., McBride, P.E., McMurray, J.J., Mitchell, J.E., Peterson, P.N., Riegel, B., Sam, F., Stevenson, L.W., Tang, W.H., Tsai, E.J., Wilkoff, B.L., 2013, ACCF/AHA guideline for the management of heart failure, *Circulation*, Oct 15;128(16):e240-327.