

DAFTAR PUSTAKA

- Altman, G.H., Diaz, F., Jakuba, C., 2003, The Silk Proteins, Sericin and Fibroin in Silkworms, *Journal of Biomaterials*, Vol. 24, pp. 401-416.
- Ananta, D. P., 2015, *Optimasi Komposisi Campuran Hydroxyapatite-Sericin dan Bioplastik Sebagai Biokomposit Untuk Memperoleh Untuk Memperoleh Waktu Pengeringan Tercepat Dan Kuat Mekanik Tertinggi*, Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Aramwit, P., Kanokpanont, S., Nakpheng, T., Srichana, T., 2010, The Effect of Sericin from Various Extraction Methods on Cell Viability and Collagen Production, *International Journal of Molecular Sciences*, ISSN 1422-0067.
- Aran, A., 2007, *Manufacturing Properties of Engineering Materials*, <http://www2.isikun.edu.tr/personel/ahmet.aran>, diakses dalam jaringan pada 10 September 2015.
- Ariono, D., Fajrinia, L., Julyana, R., Manullang, 2007, Sifat Reologi Larutan Tapioka, *Jurnal Teknik Kimia Indonesia*, Vol. 6, No. 2, pp. 602-608.
- Ashby, M. F., 1998, *Engineering Materials*, 2nd ed., Butterworth-Heinemann. Oxford.
- Billote, W.G., 2003, *Ceramics Biomaterial in The Biomedical Engineering Handbook*, 2nd ed., CRC Press, Washington D.C.
- Bird, R.B., Stewart, W.E., Lightfoot, E.N., 1960, *Transport Phenomena*, John Willey & Sons Inc., New York.

- Brock, J.M., Montero, M., Odell, D., Roundy, S., 2000, *Fused Deposition Modeling (FDM) Material Properties Characterization*, http://ode11.com/publications/sme_rp_2001.pdf diakses dalam jaringan pada 25 Juni 2015.
- Callister, W. D. Jr., 2001, *Fundamentals of Materials Science and Engineering*, John Wiley & Sons Inc., New York.
- Callister, W.D. Jr., and Rethwisch, D.G., 2010, *Materials Science and Engineering An Introduction*, 8th ed., Wiley, USA.
- Cooper, K., 2001, *Rapid Prototyping Technology Selection and Application*, Marcel Dekker Inc., New York.
- Davis, H.E., Leach, J.K., 2008, Hybrid and Composite Biomaterials in Tissue Engineering, *Multifunctional Biomaterials and Device*, pp.1-26.
- Du, C., Cui, F.Z., Feng, Q.L., Zhu, X.D., de Groot, K., 2000, Tissue Response to Nano-Hydroxyapatite/Collagen Composite Implants in Marrow Cavity, *Journal of Biomedical Material*, Vol. 42, pp. 540-548.
- Ezeoha, S. L., Ezenwanne, J. N., 2013, Production of Biodegradable Plastic Packaging Film from Cassava Starch, *IOSR Journal of Engineering (IOSRJEN)*, Vol. 3, pp. 14 – 20.
- Fabiani, C., Pizzichini, M., Spadoni, M., Zeddita, G., 1996, *Treatment of waste Water From Silk Degumming Processes for Protein Recovery and Water Reuse*. Desalination, pp. 105:1-9.
- Fauzi, A., 2010, *Uji Kandungan Protein Sericin Kokon Antheraea sp. (Famili Saturnidae)*, Skripsi, Program Studi Biologi, Fakultas Sains dan Teknologi, Universitas Islam Negeri Sunan Kalijaga, Yogyakarta.

- Gibson, I., Rosen, D. W., Stucker, B., 2010, *Additive Manufacturing Technologies Rapid Prototyping to Direct Digital Manufacturing*, Springer.
- González-Gutiérrez, J., Partal, García-Morales, M. P., Gallegos, C., 2010, *Effect of Processing on the Viscoelastic, Tensile and Optical Properties of Albumen/Starch-based Bioplastics*, Elsevier.
- Haesung, Y., Lee, K.H., 2013, *Preparation and Characterization of Silk Sericin/Glycerol/Graphene Oxide Nanocomposite Film, Fibers and Polymers*, Vol.14, No.12, pp. 2111 – 2116.
- Hafidz, R., 2014, *Evaluasi Laju Aliran Volumetrik Material Pasta Silika-Bioplastik Pada Sistem Pengumpanan Ekstrusi Ulir Tunggal Mesin Printer Tiga Dimensi*. Skripsi, Universitas Gadjah Mada, Yogyakarta.
- He, D., Ferraz, M.P., Monteiro, F.J., Manuel, M.J., 2008, Hydroxyapatite nanoparticles: A Review of Preparation Methodologies. *Journal of Applied Biomaterials & Biomechanics*, Vol 2, pp. 74-80.
- Hench, L.W., 2013, *An Introduction to Bioceramics*. Imperial College Press London.
- Hendianto, P.S., 2015, *Optimasi Campuran Biokomposit [Bioplastik /Hidroksiapatit/Serisin] Untuk Mendapatkan Kuat Mekanik Tertinggi Dan Profil Biodegradasi*. Skripsi. Teknik Industri. Universitas Gadjah Mada.
- Kim, J., Dohyung, L., Kim, Y.H., Koh, K., Lee, M.H., Han, I., Lee, S.J., Park, J.C., 2011, A Comparative Study of the Physical and Mechanical Properties of Porous Hydroxyapatite Scaffolds Fabricated by Solid Freeform Fabrication and Polymer Replication Method, *International*

Journal Of Precision Engineering And Manufacturing ,Vol. 12, No. 4,
pp. 695-701.

Kroese-Deutman, H.C., Spauwen, P.H.M., dan Jansen, A.J., 2005, Influence of RGD-loaded Titanium Implants on Bone Formation in vivo, *Journal of Materials Processing Technology*, Vol. 209, pp.4654–4661.

Kuhn, H., 2000, *Mechanical Testing and Evaluation*, ASM Handbook, Vol. 8, ASM International, Ohio

Lezaja, M., Veljovic, D. N., Jokic, B.M., Cvijovic-Alagic, I., Zrilic, M.M., Miletic, V., 2013, *Effect of hydroxyapatite spheres, whiskers, and nanoparticles on mechanical properties of a model BisGMA/TEGDMA composite initially and after storage*, *Journal of Biomedical Materials Research part B: Applied Biomaterials*.

Lu, X., Lee . Y., Yang. S., Y. Hao, Evans, R.G., Parini, C.G., 2010, Solvent-based Paste Extrusion Solid Freeforming, *Journal of the European Ceramic Society 30*, Elseiver, pp.1–10.

Marcincinova, L.N., Kuric, I., 2012, *Basic and Advanced Materials for Fused Deposition Modeling Rapid Prototyping Technology*, *Manufacture and Industrial Engineering 11(1)*, pp. 24-27.

Mason, M.S., Huang, T., Landers, R.G., Leu, M.C., dan Hilmas, G.E., 2009, Aqueous-based extrusion of high solids loading ceramic pastes: Process modeling and control. *Journal of Material Processing Technology*, vol 209, pp. 2946-2957.

Mason, M.S., Huang, T., Landers, R.G., Leu, M.C., Hilmas, G.E., dan Hayes, M.W., 2007, *Aqueous-Based Extrusion Fabrication of Ceramics on*

Demand, Proceedings of Solid Freeform Fabrication Symposium, Austin, TX, pp. 124-134.

Michler, G.H., 2008, *Electron Microscopy of Polymers*, Springer Laboratory, Springer, Berlin, pp. 87-120.

Miguel, C., Pires. I., Gouveia. B., Rodrigues. J., 2011, Structural Evaluation of Scaffolds Prototypes Produced by Three-dimensional Printing, *International Journal Advance Manufacturing Technology*, Springer.

Mondal, M., Trivedy, K., Kumar, S.N., 2007, *The Silk Proteins, Sericin and Fibroin in Silkworm, Bombyx mori Linn: A Review*, Caspian J. Env. Sci., 5(2), pp. 63-76.

Padamwar, M.N., Pawar, A.P., 2004, Silk Sericin and its application ; a review, *Journal of Scientific and Industrial Research*, Vol.63, pp. 323-329.

Park, J.C., 2011, A Comparative Study of the Physical and Mechanical Properties of Porous Hydroxyapatite Scaffolds Fabricated by Solid Freeform Fabrication and Polymer Replication Method, *International Journal Of Precision Engineering And Manufacturing*, Vol. 12, No. 4, pp. 695-701.

Pilla, S., 2011, *Handbook of Bioplastics and Biocomposites Engineering Applications*, Scrivener Publishing LLC, Salem, Massachusetts.

Pujiyanto, E., Tontowi. A.E., Wildan. M.W., Siswomihardjo, W., 2012, Porous Hydroxyapatite–Zirconia Composites Prepared by Powder Deposition and Pressureless Sintering, *Advanced Materials Research*, Vol. 445, Trans Tech Publications, Switzerland, pp. 463-468.

- Ramakrishna, S., Zheng, M.H., G.K. Kumar., A.W. Batchelor., J.Mayer., 2004, *An Introduction to Biocomposites Series on Biomaterials and Bioengineering*, Vol. 1, Imperial College Press. London.
- Richart, O., Descamps. M., Liebetrau. A., dalam Sopyan. I., Mel. M., Ramesh. S., Khalid. K.A., 2007, Porous hydroxyapatite for artificial bone applications, *Science and Technology of Advanced Materials* 8, Elsevier.
- Schwartz, M.M., 1984, *Composite Manual Handbook*, McGraw Hill Inc., New York, USA.
- Sedyono, J., Tontowi, A.E., Ana, I. D., 2007, Fabrikasi Dan Karakterisasi XRD Hidroksiapatit Dari Gypsum Alam Kulon Progo. *Seminar Nasional Perkembangan Riset Dan Teknologi ke 13*, Universitas Gadjah Mada. Yogyakarta.
- Song, Y., Zheng, Q., dan Lai, Z., 2008, Properties of Thermo-Molded Gluten/Glycerol/Silica Composites, *Chinese Journal of Polymer Science*, vol. 26, no. 5, pp. 631 – 638.
- Sunarintyas, S., Yustisia, Y., Tontowi, A.E., 2011, Efek Aplikasi Serisin Pada Hidroksiapatit Terhadap Perlekatan Sel Osteoblas, *Jurnal TeknoSains*.
- Sundaram, J., Durance, T.D., Wang, R., 2008, Porous Scaffold of Gelatin-Starch with Nanohydroxyapatite Composite Processed via Novel Microwave Vacuum drying, *Acta Biomaterialia*, pp. 932-942.
- Tontowi, A.E., Perkasa. P.D., Mahulauw. A., Erizal., 2014, *Experimental Study on NanoBiocomposite of [nHA/Bioplastic] for Building a Porous Block Scaffold*, NANOCON, Pune India.

Tontowi, A.E., Shafiqy. D.I., Triyono. J., 2015, Study On A Layered Photo Composite Of Hydroxyapatite-Bioplastic-Camphorquinone Composed By Response Surface Method, *International Journal of Applied Engineering Research*, Vol. 10, Research India Publications.

Triyono, J., Tontowi, A.E., Widowati, S., Rochmadi, 2011, Characterization of Hydroxyapatite Based Photo Bio-composites Material As Bone Substitute Material, *International Conference and Exhibition on Sustainable Energy and Advanced Materials (ICE SEAM 2011)*, Solo, Indonesia, October 3-4.

Vallet-Regi, M., 2001, Ceramics for medical applications, *Journal of Chemical Society*, Dalton Trans, Cambridge, pp. 97-107.

William, D.F., 1987, Definition in Biomaterials, *Proceeding of Consensus Conference of The European Society for Biomaterials*, Vol. 4, Chester, England, Elsevier.

Zhang, S., Cao, X.Y., Ma, Y.M., Ke, Y.C., Zhang, J.K., and Wang, F.S., 2011, *The effects of Particle Size and Content on the Thermal Conductivity and Mechanical Properties of Al₂O₃/High density Polyethylene (HDPE) Composites*, eXPRESS Polymer Letters, pp. 581-590.

Zhou, W., Apkarian, R., Wang. Z.L., Joy. D., 2007, *Scanning Microscopy for Nanotechnology*, Springer, New York, pp. 1-40.