

DAFTAR PUSTAKA

- AirBus Defence & Space. 2014. *TerraSAR-X Image Product Guide Basic and Enhanced Radar Satellite Imagery*. Astrium. Germany.
- Asdak, C. 2010. *Hidrologi Dan Pengelolaan Daerah Aliran Sungai*. Gadjah Mada University Press. Yogyakarta.
- Ayalew, L., dan H. Yamagishi. 2005. The application of GIS-based logistic regression for landslide susceptibility mapping in the Kakuda-Yahiko Mountains, Central Japan. *J.Geomorphology*. 65, 15–31.
- Beven K.J., dan M.J. Kirkby. 1979. A physically based variable contributing area model of basin hydrology. *Hydrol. Sci. Bull.*, 24, 43–69.
- BPBD Kabupaten Situbondo. 2013. *Laporan Kejadian Bencana*. BPBD. Situbondo.
- Chau, K.W., C.L. Wu, dan Y.S. Li. 2005. Comparison of several flood forecasting models in Yangtze River. *J. Hydrol. Eng.* 10, 485–491.
- Danoedoro, P. 2012. *Pengantar Penginderaan Jauh Digital*. Penerbit Andi. Yogyakarta.
- Ditjen Penataan Ruang Departemen PU. 2012. *Pedoman Pengendalian Pemanfaatan Ruang di Kawasan Rawan Bencana Banjir*.
- Fortin, J.P., R. Turcotte., S. Massicotte., R. Moussa., J. Fitzback., dan J.P. Villeneuve. 2001. Distributed watershed model compatible with remote sensing and GIS data. II: Application to Chaudière watershed. *J. Hydrol. Eng.* 6, 100–108.
- Jaafari, A., A. Najafi., H.R. Pourghasemi., J. Rezaeian., dan A. Sattarian. 2014. GIS-based frequency ratio and index of entropy models for landslide susceptibility assessment in the Caspian forest, northern Iran. *Int J Environ.Sci.Technol.* 10, 1007-1017.
- Kia, M.B., S. Pirasteh., B. Pradhan., A.R. Mahmud., W.N.A. Sulaiman., dan A. Moradi. 2012. An artificial neural network model for flood simulation

- using GIS: Johor River Basin, Malaysia. *J. Environ. Earth Sci.* 67, 251–264.
- Lee, S. 2005. Application of logistic regression model and it's validation for landslide susceptibility mapping using GIS and remote sensing data. *Int J Remote Sens.*, 26, 1477–1491.
- Lee, M.J., dan J.E. Kang., S. Jeon. 2012. Application of frequency ratio model and validation for predictive flooded area susceptibility mapping using GIS. *IEEE Int. Geosci. Remote Sens. Symp. (IGARSS)*. IEEE, 895–898.
- Lee, S., dan B. Pradhan. 2007. Landslide hazard mapping at Selangor, Malaysia using frequency ratio and logistic regression models. *J.Landslides* 4, 33–41.
- Lillesand, T.M., dan R.W. Kiefer. 1999. *Remote Sensing And Image Interpretation*. Jhon Wiley & Sons. New York.
- Li, X.H., Q. Zhang., M. Shao., dan Y.L. Li. 2012. A comparison of parameter estimation for distributed hydrological modelling using automatic and manual methods. *Adv. Mater. Res.* 356, 2372–2375.
- Liu, Y.B., dan F. De Smedt. 2004. *WetSpa extension, a GIS-based hydrologic model for flood prediction and watershed management*. Department of Hydrology and Hydraulic Engineering, Vrije Universiteit Brussel. Brussels.
- Merz, B., A.H. Thielen., dan M. Gocht. 2007. *Flood Risk Mapping at the Local Scale: Concepts and Challenges, Flood Risk Management in Europe*. Springer, Netherlands.
- Mahyat, S.T., B. Pradhan., dan N.J. Mustafa. 2013. Spatial prediction of flood susceptible areas using rule based decision tree (DT) and a novel ensemble bivariate and multivariate statistical models in GIS. *J. Hydrol. Eng.* 504, 69–79.
- Matori, A.N. 2012. Detecting Flood susceptible areas using GIS-based analytic hierarchy process. In: *International Conference on Future Environment and Energy*, Singapore.

- Moore, I.D., R.B. Grayson., dan A.R. Ladson. 1991. Digital terrain modelling: A review of hydrological, geomorphological and biological applications. *Hydrological Processes*, 5, 3-30.
- Philip, C.T., dan A.J.S. George. 2008. Fedosov observables on constant curvature manifolds and the Klein–Gordon equation. *J.of Geometry and Physics*. 10, 1016-1028.
- Pradhan, B., dan M.F. Buchroithner. 2010. Comparison and validation of landslide susceptibility maps using an artificial neural network model for three test areas in Malaysia. *J. Environ. Eng Geoscience*. 16, 107–126.
- Pradhan, B., dan A.M. Youssef. 2011. A 100-year maximum flood susceptibility mapping using integrated hydrological and hydrodynamic models: Kelantan River Corridor, Malaysia. *J.Flood risk*. 4, 189–202.
- Sartohadi, J., Suratman., Jamulya., dan I.S.D. Nur. 2013. *Pengantar Geografi Tanah*. Pustaka Pelajar. Yogyakarta.
- Selao, A., 2008. Pemanfaatan Citra Landsat 7 ETM⁺ Multitemporal Dan Sistem Informasi Geografis Untuk Evaluasi Daerah Rentan Banjir (Kasus di DAS Tallo Provinsi Sulawesi Selatan). *Thesis*. Universitas Gadjah Mada. Yogyakarta.
- Shirzadi, A., L. Saro., O.H. Joo., dan K. Chapi. 2012. A GIS-based logistic regression model in rock-fall susceptibility mapping along a mountainous road: Salavat Abad case study, Kurdistan, Iran. *J.Nat. Hazards* 64, 1639–1656.
- Simarmata. 1983. *definition of models*. (page ix-xii)
- Sugiyono. 2002. *Metode Penelitian Administrasi*. Penerbit CV Alfabeta. Bandung.
- Sutanto. 2013. *Metode Penelitian Penginderaan Jauh*. Penerbit Ombak. Yogyakarta.
- Sutanto. 1986. *Penginderaan Jauh I*. Gadjah Mada University Press. Yogyakarta.
- Sutanto. 1987. *Penginderaan Jauh II*. Gadjah Mada University Press. Yogyakarta.
- Swain, P.H., dan S.M. Davis. 1978. *Remote Sensing : The Quantitative Approach*. Mc-Graw-Hill Co. New York.

- Tilmant, A., M. Vanclooster., L. Duckstein., dan E. Persoons. 2002. Comparison of fuzzy and nonfuzzy optimal reservoir operating policies. *J. Water Resour. Plan. Manage.* 128, 390–398.
- UURI No.24 Tahun 2007. Tentang Penanggulangan Bencana. Republik Indonesia.
- Walker, S.H., D.B. Duncan. 1967. Estimation of the probability of an event as a function of several independent variables. *Biometrika.* 54, 167–178.
- Zadeh, L.A. 1965. Fuzzy Sets. *Information and Control.* 8, 338 – 353.