

DAFTAR PUSTAKA

- Abercrombie, R.E, 1997, Near-Surface Attenuation and Site Effects from Comparison of Surface and Deep Borehole Recording, *Bulletin of the Seismological Society of America*, Vol.87, No. 3, pp.731-744.
- Aki, K., dan P. G. Richards, 2002, *Quantitative Seismology – Second Edition*, University Science Books, Sausalito.
- Anonim, 2010, Peta Indeks Risiko Bencana Gempa di Provinsi Bali, Badan Nasional Penanggulangan Bencana, Jakarta.
- Anonim, Disaster Case Report : Indonesia/Bali Earthquake, Office of U.S Foreign Disaster Assistance, Washington.
- Arai, H., dan Tokimatsu, K., 2004, S-wave Velocity Profiling by Inversion of Microtremor H/V Spectrum. *Bulletin of the Seismological Society of America*, 94(1), 54-63.
- Broptopuspito, K.S, Tiar P., dan Ferry M.W., 2006, Percepatan Getaran Tanah Maksimum Daerah Istimewa Yogyakarta 1943-2006, *J. Geofisika*, 2006/1.
- Daryono, 2011, Identifikasi Sesar Naik Belakang Busur (*Back arc Thrust*) Daerah Bali Berdasarkan Seismisitas dan Solusi Bidang Sesar, Artikel Kebumihan, Badan Meteorologi Klimatologi dan Geofisika, www.bmg.go.id, 5 Januari 2011.
- Dejong, J.T, 2007, Site Characterization-Guidelines for Estimation v_s Based on In-Situ Test, University of California, Davis.
- Fauzia, N.U, 2014, Estimasi Karakteristik Dinamis Tapak lokal untuk Kebencanaan Gempabumi berdasarkan Analisis HVSR dan Analisis SPAC di Kota Pacitan , *Tesis*, Program Studi S2 Ilmu Fisika Jurusan Fisika FMIPA UGM, Yogyakarta.
- Fukushima, Y., dan Tanaka, T., 1990, A New Attenuation Relation for Peak Horizontal Acceleration of Strong Earthquake Ground Motion in Japan, *Bull of the seismological society of America. Soc. Am.*, 80, 757-783.
- Hadiwidjojo, M.M., H. Samodra dan T.C Amin, 1998, *Peta Geologi Lembar Bali, Nusatenggara*, Direktorat Jendral Geologi dan Sumberdaya Mineral, Departemen Pertambangan dan Energi.

- Handayani, L., Mulyadi, D., Dadan, D., Wardhana, dan Wawan H. Nur, 2009, *Percepatan Pergerakan Tanah Maksimum Daerah Cekungan Bandung: Studi Kasus Gempa Sesar Lembang*. JSDG Vol 19.
- Harlianto, B., 2013, Pemetaan Percepatan Getaran Tanah Maksimum, Indeks Kerentanan Seismik Tanah, *Ground Shear Strain*, dan Ketebalan Lapisan Sedimen Untuk Mitigasi Bencana Gempabumi di Kabupaten Bengkulu Utara, Tesis, Program Studi S2 Ilmu Fisika, Jurusan Fisika FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Hartati, L., 2014, Pemetaan Tingkat Resiko Gempabumi Daerah Liwa dan Sekitarnya Berdasarkan Pengukuran Mikrotremor, Tesis, Program Studi S2 Ilmu Fisika, Jurusan Fisika FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Herak, M. (2008). Model HVSR : a Matlab tool to model horizontal-to-vertical spectral ratio of ambient noise. *Computers and Geosciences* 34, 1514–1526.
- Isihara, K., 1982, Evaluation of Soil Properties for Use in Earthquake Response Analysis. *Proc. Int. Symp. On Numerical Model in Geomech*, 237-259.
- Konno, K., dan Ohmachi, T., 1998. Ground Motion Characteristics Estimated From Spectral Ratio Between Horizontal To Vertical Components Of Microtremor, *Bulletin of the Seismological of America*, 88, 1, 228-241.
- Kramer, S.L., 1996, *Geotechnical Earthquake Engineering*, Prentice-Hall International Series, New Jersey.
- Lee, V.W., dan Trifunac, M.D., 2010, Should Average Shear Wave Velocity in Top 30 m of Soil be Used To Describe Seismic Amplification?, *Soil Dynamics and Earthquake Engineering* 30 (2010) 1250–1258.
- Marjiyono, 2010, Estimasi Karakteristik Dinamik Tanah Dari Data Mikrotremor Studi Kasus Wilayah Kota Bandung, Tesis, Program Studi Geofisika Terapan, ITB, Bandung.
- Matsuoka, M., Wakamatsu W., Fujimoto K., Midorikawa S., 2006, Average Shear-Wave Mapping Using Japan Engineering Geomorphologic Classification Map, *Structural Eng./Earthquake Eng.*, JSCE, Vol.23, No.1, 57s-68s.
- Meidji, I.U., 2014, Kajian Karakteristik Dinamika Tanah Terhadap Resiko Kerawanan Seismik dan Dampaknya Terhadap Rencana Tata Ruang Wilayah di

Kota Mataram Bagian Timur, *Tesis*, Program Studi S2 Ilmu Fisika Jurusan Fisika FMIPA UGM, Yogyakarta.

Mirzaoglu, M., and Dykmen, U., 2003, *Application of Microtremor to Seismic Microzoning Procedure*, *Journal of The Balkan Geophysical Society*, Vol. 6 No.3.

Nakamura, Y, 1989, A Method for Dynamic Characteristic Estimation of Subsurface using Microtremor on the Ground Surface, *QR Railway Technical Research Institute*, 30, 1, 25-33.

Nakamura, Y, 1997, Seismic Vulnerability Indices for Ground And Structures Using Microtremor, *World Congress on Railway Research, Florence*, Nov. 1997.

Nakamura, Y, 2000, Clear Identification of Fundamental Idea of Nakamura's Technique and its Applications, *Proc XII World Conf. Earthquake Engineering*, New Zealand, 2656.

Nakamura, Y., T. Sato, dan M. Nishinaga, 2000, Local Site Effect of Kobe Based on Microtremor Measurement. *Proceeding of the Sixth International Conference on Seismic Zonation EERI*, Palm Springs California.

Nakamura, Y. 2008. On The H/V Spectrum. *The 14th World Conference on Earthquake Engineering*, Beijing, China.

Parolai, S., Bormann, P dan Milkert, C., 2001. *Assessment of the natural frequency of the sedimentary cover in the Cologne area (Germany) using noise measurements*, *Journal of Earthquake Engineering* , Vol. 5, pp 541– 564.

Prabowo, N, 2014, Pemetaan Daerah Rawan Rekahan Tanah Berdasarkan Analisis Mikrotremor di Kotamadya Denpasar dan Kabupaten Badung, Bali, Tesis, Program Studi S2 Ilmu Fisika, Jurusan Fisika FMIPA, Universitas Gadjah Mada, Yogyakarta.

Robert, J.C., dan Asten, M.W., 2008. Resolving a Velocity Inversion at The Geotechnical Scale Using The Microtremor (Passive Seismic) Survey Method. *J. Exploration Geophysics*, 35, 14-18.

Sesame, 2004, Guidelines for the implementation of the H/V spectral ratio technique on ambient vibration measurements and interpretation, *SESAME European Research Project*, European Commision-Research General Directorate.

- Sengara, I.W., E.K. Kertapati, dan I.G. Mahardika, 2010, Seismic Hazard Assessment in Denpasar-Bali, *The Regional Workshop on Best Practices in Disaster Mitigation*, 320-328.
- Seht, M.I, dan J. Wohlenberg. 1999. Microtremor Used To Map Thickness Of Soil. *Bulletin of the Seismological Society of America*, 89, 1, 250-259.
- Shearer, P.M, 2009, *Introduction To Seismology ; Second Edition*, Cambridge University Press, New York.
- SNI 1726:2012, 2012, Tata Cara Perencanaan Ketahanan Gempa untuk Struktur Bangunan Gedung dan Non Gedung, Badan Standarisasi Nasional, Jakarta.
- Sungkono dan B.J. Santosa, 2011, Karakterisasi Kurva Horizontal to Vertical Spectral Ratio: Kajian Literatur dan Pemodelan. *Jurnal Neutrino*, 4, 1.
- Tokimatsu, K., Miyadera, Y., Kuwayama, S., Determination of Shear Wave Velocity Structures from Spectrum Analyses of Short Period Microtremor, *Earthquake Engineering, Tenth World Conference Balkema, Rotterdam, ISBN 90 54100605*
- Tuladhar, R., Cuong, N.N.H., and Yamasaki, F., 2004, *Seismic Microzonation of Hanoi, Vietnam Using Microtremor Observations*, Paper No. 2539, 13th World Conference on Earthquake Engineering, Vancouver, B.C., Canada.
- Vorgelegt, V, 2004, Damage Potential of Seismic Ground Motion Considering Local Site Effects, Dissertation, Institute of Structural Engineering, Bauhaus-University Weimar.
- Waluyo, 1996, *Seismologi*, Lab. Geofisika, Program Studi Teknik Geofisika, FMIPA, UGM, Yogyakarta.
- Waluyo, 2013, *Analisis Runtun Waktu*, Program Studi Teknik Geofisika, FMIPA, UGM, Yogyakarta.
- Wair, BR., dan Dejong, J, T., 2012, Guidelines for estimation of shear wave velocity profiles, *Pacific Earthquake Engineering Research Center Headquarters*, University of California.
- Widodo, P, 2012, *Seismologi Teknik dan Rekayasa Kegempaan*, Pustaka Pelajar, Yogyakarta.

Wathelet, M., D. Jongmans, dan M. Ohrnberger, 2004, Surface-Wave Inversion Using a Direct Search Algorithm and Its Application to Ambient Vibration Measurements, *J. Near Surface Geophysics*, 211-221.

<http://www.denpasarkota.go.id>