

REFERENCES

- Abad, M.J., Bedoya, L.M. and Bermejo, P., 2011, Marine compounds and their antimicrobial activities, *Science against microbial pathogens: communicating current research and technological advances*, 51, 1293-1306.
- Addis, M.F., Cappuccinelli, R., Tedde, V., Pagnozzi, D., Viale, I., Meloni, M., Salati, F., Roggio, T. and Uzzau, S., 2010. Influence of *Moraxella* sp. colonization on the kidney proteome of farmed gilthead sea breams (*Sparus aurata*, L.), *Proteome science*, 8, 50-50.
- Araki, T., Matsunaga, S. and Fusetani, N., 2005, Koshikamide A₂, a cytotoxic linear undecapeptide isolated from a marine sponge of *Theonella* sp. , *Bioscience, biotechnology, and biochemistry*, 69, 1318-1322.
- Araki, T., Matsunaga, S., Nakao, Y., Furihata, K., West, L., Faulkner, D.J. and Fusetani, N., 2008, Koshikamide B, a cytotoxic peptide lactone from a marine sponge *Theonella* sp. , *The Journal of organic chemistry*, 73, 7889-7894.
- Attaway, D.H. and Zaborsky, O.R. eds., 2013. Pharmaceutical and bioactive natural products (Vol. 1). Springer Science & Business Media, New York.
- Battershill, C.N., Jaspars, M. and Long, P.F., 2005, Marine biodiscovery: new drugs from the ocean depths.
- Bewley, C.A., Holland, N.D. and Faulkner, D.J., 1996, Two classes of metabolites from *Theonella swinhoei* are localized in distinct populations of bacterial symbionts, *Experientia*, 52, 716-722.
- Blunt, J.W. and Munro, M.H. eds., 2007, *Dictionary of marine natural products with CD-ROM*, CRC Press.
- Boykin, D.W., 2012, Applications of ¹⁷ONMR Spectroscopy to natural products Chemistry, *Studies in natural products chemistry*, Vol. 37, Philadelphia.
- Braithwaite, A. and Smith, J.F., 2012, *Chromatographic methods*. Springer Science & Business Media.
- Chohan, Z.H., Arif, M., Shafiq, Z., Yaqub, M. and Supuran, C.T., 2006, In vitro antibacterial, antifungal & cytotoxic activity of some isonicotinoylhydrazide Schiff's bases and their cobalt (II), copper (II), nickel (II) and zinc (II) complexes, *Journal of enzyme inhibition and medicinal chemistry*, 21, 95-103.
- Cragg, G.M. and Newman, D.J., 2001, Natural product drug discovery in the next millennium, *Pharmaceutical biology*, 39,8-17.
- Cragg, G.M., Newman, D.J. and Snader, K.M., 1997, Natural products in drug discovery and development, *Journal of natural products*, 60, 52-60.
- Davies, J. and Davies, D., 2010, Origins and evolution of antibiotic resistance, *Microbiology and Molecular Biology Reviews*, 74, 417-433.

- De Rosa, S., Mitova, M., De Caro, S. and Tommonaro, G., 2002, New Peptide from a Bacterium Associated with Marine Sponge *Ircinia muscarum*, *In Biodiversity* , 335-340.
- Erdogan, I., Tanaka, J.I. and Higa, T., 2000, Two cyclic hexapeptides from the marine sponge *Theonella cupola*. *FABAD J. Pharm. Sci.*, 25,7-10.
- Festa, C., De Marino, S., Sepe, V., Monti, M.C., Luciano, P., D'Auria, M.V., Débitus, C., Bucci, M., Vellecco, V. and Zampella, A., 2009, Perthamides C and D, two new potent anti-inflammatory cyclopeptides from a Solomon Lithistid sponge *Theonella swinhoei*, *Tetrahedron*, 65, 10424-10429.
- Grant, R.E., 1836, *The Encyclopedia of Anatomy and Physiology*, *Sherwood, Gilbert and Piper, London*.
- Guo, J.K., Chiang, C.Y., Lu, M.C., Chang, W.B. and Su, J.H., 2012, 4-Methylenesterols from a Sponge *Theonella swinhoei*, *Marine drugs*, 10, 1536-1544.
- Haefner, B., 2003, Drugs from the deep: marine natural products as drug candidates, *Drug discovery today*, 8, 536-544.
- Hayek, S.A., Gyawali, R. and Ibrahim, S.A., 2013, Antimicrobial natural products, *Microbial pathogens and strategies for combating them: Science, technology and education*, 2, 910-921.
- Hentschel, U., Piel, J., Degnan, S.M. and Taylor, M.W., 2012, Genomic insights into the marine sponge microbiome, *Nature Reviews Microbiology*, 10(9), 641-654.
- Hillisch, A. and Hilgenfeld, R., 2003, The role of protein 3D-structures in the drug discovery process, *In Modern methods of drug discovery* 157-181, Birkhäuser Basel.
- Istiqomah, A.A., 2015, Identification, Toxicity Test, And Antimalarial Assay of Ethyl Acetate Fraction of *Theonella* sp. Sponge from Barrang Lompo Sea, South Sulawesi, Faculty of Mathematics and Natural Sciences, University of Gadjah Mada, Yogyakarta.
- Katz, L., 1997, Manipulation of modular polyketide synthases, *Chemical reviews* ,97, 2557-2576.
- Kavanagh, F., 1963, *Analytical Microbiology*, Edited by F. Kavanagh, Academic Press.
- Kazakevich, Y.V. and Lobrutto, R., 2007, *HPLC for pharmaceutical scientists*, John Wiley & Sons.
- Kim, S.K. ed., 2015, *Springer Handbook of Marine Biotechnology*, Springer-Verlag, Berlin Heidelberg.
- Kim, S.K., 2015. *Handbook of Anticancer Drugs from Marine Origin*, Springer, London.

- Kim, T.K., Hewavitharana, A.K., Shaw, P.N. and Fuerst, J.A., 2006, Discovery of a new source of rifamycin antibiotics in marine sponge actinobacteria by phylogenetic prediction, *Applied and environmental microbiology*, 72(3), 2118-2125.
- Kobayashi, M., Tanaka, J.I., Katori, T., Matsuura, M., Yamashita, M. and Kitagawa, I., 1990, Marine natural products. XXII, The absolute stereostructure on swinholide A, a potent cytotoxic dimeric macrolide from the Okinawan marine sponge *Theonella swinhoei*, *Chemical and pharmaceutical bulletin*, 38(9), 2409-2418.
- Leal, M.C., Puga, J., Serôdio, J., Gomes, N.C. and Calado, R., 2012, Trends in the discovery of new marine natural products from invertebrates over the last two decades—where and what are we bioprospecting, *PLoS One*, 7(1).
- Lewis, J. M., 2013, Bioprospecting Research Stream Lab Manual, Austin.
- Meesters, E., Knijn, R., Willemsen, P., Pennartz, R., Roebers, G. and van Soest, R.V., 1991, Sub-rubble communities of Curaçao and Bonaire coral reefs, *Coral Reefs*, 10(4), 189-197.
- Meyer, B.N., Ferrigni, N.R., Putnam, J.E., Jacobsen, L.B., Nichols, D.J. and McLaughlin, J.L., 1982, Brine shrimp: a convenient general bioassay for active plant constituents, *Planta medica*, (45), 31-4.
- Miyata, Y. and Matsunaga, S., 2008, Structure elucidation of 21, 22-dihydroxyonnamides A 1–A 4 from the marine sponge *Theonella swinhoei*: an empirical rule to assign the relative stereochemistry of linear 1, 5-diols, *Tetrahedron Letters*, 49(44), 6334-6336.
- Myers, J.H.S., Braun & Co CF, 1958, *Liquid-liquid extraction*. U.S. Patent 2,851, 396.
- Najafi, M., Lemon, S.M., Knobler, S.L. and Burroughs, T. eds., 2003, *The Resistance Phenomenon in Microbes and Infectious Disease Vectors: Implications for Human Health and Strategies for Containment--Workshop Summary*, National Academies Press.
- Nakao, Y., Fujita, M., Warabi, K., Matsunaga, S. and Fusetani, N., 2000. Miraziridine A, a novel cysteine protease inhibitor from the marine sponge *Theonella aff. mirabilis* 1, *Journal of the American Chemical Society*, 122(42), 10462-10463.
- Nybakken, J.W., 1993, *Marine biology: an ecological approach*, Benjamin Cummings.
- Ogle, W. ed., 1882, *Aristotle: On the parts of animals*. K. Paul, French & Company.
- Okada, Y., Matsunaga, S., van Soest, R.W. and Fusetani, N., 2002, Nagahamide A, an Antibacterial Depsipeptide from the Marine Sponge *Theonella swinhoei* 1, *Organic letters*, 4(18), 3039-3042.

- Pavia, D., Lampman, G., Kriz, G. and Vyvyan, J., 2008, *Introduction to spectroscopy*, Cengage Learning.
- Pereira, R.C. and Costa-Lotuf, L.V., 2012, Bioprospecting for bioactives from seaweeds: potential, obstacles and alternatives, *Revista Brasileira de Farmacognosia*, 22(4), 894-905.
- Perilla, M., Ajello, G., Bopp, C., Elliott, J. and Facklam, R., 2003, Manual for the laboratory identification and antimicrobial susceptibility testing of bacterial pathogens of public health importance in the developing world. *Haemophilus influenzae* *Neisseria meningitidis* *Streptococcus pneumoniae* *Neisseria gonorrhoeae* *Salmonella* serotype *Typhi* *Shigella* and *Vibrio cholerae*.
- Plaza, A., Bifulco, G., Masullo, M., Lloyd, J.R., Keffer, J.L., Colin, P.L., Hooper, J.N., Bell, L.J. and Bewley, C.A., 2010, Mutremdamide A and Koshikamides C– H, Peptide Inhibitors of HIV-1 Entry from Different *Theonella* Species, *The Journal of organic chemistry*, 75(13), 4344-4355.
- Rahman, A.U., Choudhary, M.I. and Thomsen, W.J., 2001. Bioassay techniques for drug development (Vol. 16). The Netherlands: Harwood academic publishers
- Ratnayake, A.S., Bugni, T.S., Feng, X., Harper, M.K., Skalicky, J.J., Mohammed, K.A., Andjelic, C.D., Barrows, L.R. and Ireland, C.M., 2006, Theopapuamide, a cyclic depsipeptide from a Papua New Guinea lithistid sponge *Theonella swinhoei*, *Journal of natural products*, 69(11), 1582-1586.
- Roy, M.C., Ohtani, I.I., Ichiba, T., Tanaka, J., Satari, R. and Higa, T., 2000, New Cyclic Peptides from the Indonesian Sponge *Theonella swinhoei*, *Tetrahedron*, 56(46), 9079-9092.
- Sarker, S.D., Latif, Z. and Gray, A.I., 2005, *Natural products isolation* (Vol. 20), Springer Science & Business Media.USA
- Sinko, J., Rajchard, J., Balounova, Z. and Fikotova, L., 2012, Biologically active substances from water invertebrates: a review, *Veterinarni Medicina*, 57, 177-184.
- Slattery, M., Ankisetty, S., Corrales, J., Marsh-Hunkin, K.E., Gochfeld, D.J., Willett, K.L. and Rimoldi, J.M., 2012, Marine proteomics: a critical assessment of an emerging technology, *Journal of natural products*, 75(10), 1833-1877.
- Steele, J.H., 1985, A comparison of terrestrial and marine ecological systems, *Nature*, 313(6001), 355-358.
- Taylor, M.W., Radax, R., Steger, D. and Wagner, M., 2007, Sponge-associated microorganisms: evolution, ecology, and biotechnological potential, *Microbiology and molecular biology reviews*, 71(2), 295-347.

- Tzia, C. and Liadakis, G. eds., 2003, *Extraction optimization in food engineering*, CRC Press.
- Van Soest, R. W. M., 2012, World Porifera database, 09-05.
- Van Soest, R.W., Boury-Esnault, N., Vacelet, J., Dohrmann, M., Erpenbeck, D., De Voogd, N.J., Santodomingo, N., Vanhoorne, B., Kelly, M. and Hooper, J.N., 2012, Global diversity of sponges (Porifera), *PLoS one*, 7(4), e35105.
- Wang, G., 2006, Diversity and biotechnological potential of the sponge-associated microbial consortia. *Journal of Industrial Microbiology and Biotechnology*, 33(7), 545-551.
- Winder, P.L., Pomponi, S.A. and Wright, A.E., 2011, Natural Products from the Lithistida: A Review of the Literature since 2000, *Marine drugs*, 9(12), 2643-2682.
- Youssef, D.T. and Mooberry, S.L., 2006, Hurghadolide A and Swinholide I, Potent Actin-Microfilament Disrupters from the Red Sea Sponge *Theonella swinhoei*, *Journal of natural products*, 69(1), 154-157.
- Youssef, D.T., Shaala, L.A., Mohamed, G.A., Badr, J.M., Bamanic, F.H. and Ibrahim, S.R., 2014, Theonellamide G, a potent antifungal and cytotoxic bicyclic glycopeptide from the Red Sea marine sponge *Theonella swinhoei*, *Marine drugs*, 12(4), 1911-1923.
- Zheng, L. H., Wang, Y. J., Sheng, J., Wang, F., Zheng, Y., Lin, X. K., and Sun, M., 2011, Antitumor peptides from marine organisms, *Marine drugs*, 9,1840-1859.