

## DAFTAR PUSTAKA

- Addai, I. K., H. Takyi, and G. Oduro. 2014. Influence of Bulb Weight at Planting and Drought Stress on Growth and Development of onion (*Allium cepa* L.) in the Northern Region of Ghana. *British Journal of Applied Science & Technology* 4(14): 2125-2135.
- Agusta, A. 2000. Minyak Atsiri Tumbuhan Tropika Indonesia. ITB Bandung. Bandung.
- Ambarwati, E dan Prapto, Y. 2003. Keragaman Stabilitas Hasil Bawang Merah. *Ilmu Pertanian*. 10 (2) : P. 1 – 10.
- Anjum, F., M. Yaseen, E. Rasul, A. Wahid, and S. Anjum. 2003. Water stress in barley (*Hordeum vulgare* L.). I. Effect on morphological characters. *Pakistan J. Agric. Sci.* 40: 43–44.
- Block, E. 1992. The organosulfur chemistry of the genus *Allium*—implications for the organic chemistry of sulfur. *Angew. Chem. Int. Ed.* 31: 1135–1178.
- Conn, K. E., J. S. Lutton, and S. A. Rosenberger. 2012. Onion Disease Guide. Seminis Plant Health: Seminis Vegetable Seeds, Inc.
- Dewick, P. M. 2008. Medicinal Natural Product: A Biosynthetic Approach 3<sup>rd</sup> Edition. University of Nottingham (UK): Wiley and Son Publication.
- Dinas Pertanian dan Kehutanan (Disperhut), 2003. Pembenihan Bawang Merah Kultivar Tiron Bantul. (Online), ([warintek.bantulkab.go.id](http://warintek.bantulkab.go.id), diakses tanggal 3 September 2015).
- Dixon, R. A and N. L. Palva. 1995. Stress-induced phenylpropanoid metabolism. *The Plant Cell* 7: 1085-1097.
- Dorion, S., S. Lalonde, H. S. Saini. 1996. Induction of male sterility in wheat by meiotic stage water deficit is preceded by decline in invertase activity and changes in carbohydrate metabolism in anthers. *Plant Physiology*, 111: 137-145.
- Dwijoseputro. 1990. Pengantar Fisiologi Tumbuhan. Penerbit PT. Gramedia: Jakarta
- El Balla, M.M.A., Abdelbagi, A.H., and Abdelmageed, A.H.A. 2013. Effects of time of water stress on flowering, seed yield and seed quality of common onion (*Allium cepa* L.) under the arid tropical conditions of Sudan. *Agricultural Water Management*. 121 :149–157.
- Farooq, M., A. Wahid, N. Kobayashi, D. Fujita and S.M.A. Basra, 2009. Plant drought stress: effects, mechanisms and management. *Agron. Sustain. Dev.*, 29: 185–212
- Fitter, A.H. dan R.K.M. Hay. 1998. Fisiologi Lingkungan Tanaman. Yogyakarta: Gadjah Mada University Press.
- Gardner, F.P., Perace, R.B., dan Mitchell, R.L. 1991. Fisiologi Tanaman Budidaya. Penerjemah: Susilo, H. Jakarta: UI Press.
- Gaunther, E. 2006. The production of essential oils: methods of distillation, enfleurage, maceration, and extraction with volatile solvents. Dalam: Gaunther, E. (ed.). The essential oils. History-origin in plants.production analysis. *Krieger Publ. Co., Malabar, FL*. 1:85-188.

- Geigenberger, P., R. Reimholz, M. Geiger, L. Merlo, V. Canale, M. Stitt . 1997. Regulation of sucrose and starch metabolism in potato tubers in response to short-term water deficit. *Planta*, 201:502-518.
- Gomez, K.A. dan Gomez, A.A. 1995. *Prosedur Statistik untuk Penelitian Pertranian*. Penerbit Universitas Indonesia. Jakarta. PP: 615-618
- Hassanpour, H., Khavari-Nejad, R.A., Niknam, V., Razavi, K., and Najafi, F. 2014. Effect of penconazole and drought stress on the essential oil composition and gene expression of *Mentha pulegium* L. (Lamiaceae) at flowering stage. *Acta Physiol Plant*. 36:1167–1175.
- Hsiao, T.C., 1993. Growth and productivity of crops in relation to water status. *Acta Horticulturae* 335: 137–148.
- Jaleel, C.A., P. Manivannan, G.M.A. Lakshmanan, M. Gomathinayagam and R. Panneerselvam, 2008a. Alterations in morphological parameters and photosynthetic pigment responses of *Catharanthus roseus* under soil water deficits. *Colloids Surf. B: Biointerfaces*, 61: 298–303.
- Jaleel, C.A., R. Gopi, B. Sankar, M. Gomathinayagam and R. Panneerselvam, 2008b. Differential responses in water use efficiency in two varieties of *Catharanthus roseus* under drought stress. *Comp. Rend. Biol.*, 331: 42–47
- Jumin, H.B. 2007. *Agronomi*. Raja Grafindo Persada. Jakarta
- Kadayifci, A., Tuylu, G., Ucar, Y., Cakmak, B., 2005. Crop water use of onion (*Allium cepa* L.) in Turkey. *Agricultural Water Management* 72: 59–68.
- Lancaster, J.E and Boland M.J. 1990. *Flavor Biochemistry*. Dalam Brewster, J.L. Onions and Allied Crops, CRC Press.
- Levitt, J. 1980. *Responses of Plant to Environmental Stresses*, Volume II: Water, Radiation, Salt, and Other Stresses. New York: Academic Press.
- Levy, D., Ben-Herut, Z., Albasel, N., Kaisi, F., and Manasra, I. 1981. Growing onion seeds in an arid region: drought tolerance and the effects of bulb weight, spacing and fertilization. *Sci. Hort.* 14:1–7.
- Limbongan, J. dan Maskar. 2003 Potensi Pengembangan dan Ketersediaan Teknologi Bawang Merah Palu di Sulawesi Tengah. *Jurnal Litbang Pertanian* 22 (3).
- Marriott, P.J., R. Shellie, and C. Cornwell. 2001. Gas chromatographic technologies for the analysis of essential oils. *Journal of Chromatography A*. 936: 1–22.
- Martin, F., Olalla, S., Dominguez Padilla, A., Lopez, R., 2004. Production and quality of the onion crop (*Allium cepa* L.) cultivated under controlled deficit irrigation conditions in a semi-arid climate. *Agric. Water Manage.* 68: 77–89.
- Munne-Bosch, S. and Alegre, L. 2004. Die and let live: leaf senescence contributes to plant survival under drought stress. *Funct Plant Bio* 131:203–216.

- Munne-Bosch, S., Jubany-Mari, T. and Alegre, L. 2001 Drought-induced senescence is characterized by a loss of antioxidant defences in chloroplasts. *Plant Cell Environ* 24: 1319–1327.
- Nobel, P. S. 1999. Physiochemical and environmental plant physiology. Academic Press, San Diego. Free download at <https://www.ebi.ac.uk/chebi/searchId.do?chebiId=CHEBI:23316>.
- Palungkun dan A.Budiarti. 1993. Bawang merah dataran rendah. PT. Penebar Swadaya, Jakarta
- Pitojo, Setijo. 2003. Benih Bawang Merah. Kanisius, Yogyakarta.
- Rahayu, E dan Berlian N.V.A. 2006. Bawang merah. Penebar swadaya. Jakarta. 94 P.
- Roitsch, T. 1999. Source-sink regulation by sugar and stress. *Current Opinion in Plant Biology*. 2: 198-206.
- Rukmana, R. 1994. Bawang Merah Budidaya dan Pengolahan Pasca Panen. Kanisius, Yogyakarta.
- Salak, F., Daneshvar, S., and Furukawa, K. 2013. Adding value to onion (*Allium cepa* L.) waste by subcritical water treatment. *Fuel Processing Technology* 112: 86–92.
- Sangwan, N.S., Farooqi, A.H.A., Shabih, F. and Sangwan, R.S. 2001. Regulation of essential oil production in plants. *Plant Growth Regulation*. 34: 3–21.
- Satria A, Suwarno FC, Suwarno. 2010. Pengujian toleransi kekeringan padi gogo (*Oryza sativa*) pada stadia awal pertumbuhan. Makalah Seminar Departemen Agronomi dan Hortikultura Fakultas Pertanian. Institut Pertanian Bogor.
- Shao H.B., L.Y. Chu, M.A. Shao, C. Abdul Jaleel and M. Hong-Mei, 2008. Higher plant antioxidants and redox signaling under environmental stresses. *Comp. Rend. Biol.*, 331: 433–441
- Sharp, R. E., V. Poroyko, L. G. Hejlek, W. G. Sopllen, G. K. Springer, H. J. Bohnert, and H. T. Nguyen. 2004. Root Growth Maintenance during Water Deficits: Physiology to Functional Genomics. *Journal of Experimental Botany*, 55: 2343-2351.
- Shrestha, H. 2004. A Plant monograph of Onion (*Allium cepa* L.). [http://acepa.net76.net/ Allium cepa. pdf](http://acepa.net76.net/Allium%20cepa.pdf). Diakses tanggal 20 Mei 2014.
- Simon. J. E., D. Reiss-Bubenheim, R. J. Joly, and D. J. Charles. 1992. Water stress-induced alterations in essential oil content and composition of sweet basil. *J Essent Oil Res* 4:71–75.
- Smith, A. 2009. *Plant Biology*, Garland Science. Chapter 4: Metabolism. Available in course resources or for free download from, [http://www.garlandscience.com/res/pdf/9780815340256\\_ch04.pdf](http://www.garlandscience.com/res/pdf/9780815340256_ch04.pdf).
- Sowder, C. M., L. Tarpley, D. M. Vietor, F. R. Miller. 1997. Leaf photoassimilation and partitioning in stress-tolerant sorghum. *Crop Sci*, 37:833-838.
- Tahir, M.H.N., M. Imran and M.K. Hussain, 2002. Evaluation of sunflower (*Helianthus annuus* L.) inbred lines for drought tolerance. *Int. J. Agric. Biol.*, 3: 398–400.

- Van den Boogard, R., D. Alewijense, E. J. Veneklaas, H. Lambers. 1997. Growth and water use efficiency of *Triticum aestivum* cultivars at different water availability in relation to allocation of biomass. *Plant Cell Env.*, 20:200-210.
- Van Steenis, C.G.G.J., Den Hoe, G., Bloembergen, S., and Eyme, P.J. 2013. Flora, Cetakan 13, Terjemahan oleh Surjowinoto, M. *et al.* PT Balai Pustaka (Persero), Jakarta.
- Wibowo, S. 2009. Budidaya Bawang Putih, Bawang Merah dan Bawang Bombay. Penebar Swadaya, Jakarta.
- Wullschleger, S.D., T.M. Yin, S.P. DiFazio, T.J. Tschaplinski, L.E. Gunter, M.F. Davis and G.A. Tuskan, 2005. Phenotypic variation in growth and biomass distribution for two advanced-generation pedigrees of hybrid poplar. *Canadian J. For. Res.*, 35: 1779–1789
- Zhang, M., L. Duan, Z. Zhai, J. Li, X. Tian, B. Wang, Z. He and Z. Li, 2004. Effects of plant growth regulators on water deficit-induced yield loss in soybean. Proceedings of the 4th International Crop Science Congress, Brisbane, Australia.