

DAFTAR PUSTAKA

- Acton, Q.A., 2013, *Advances in Silicic Acid Research and Application*, Scholarly Editions, Atlanta.
- Bagshaw, S.A., Prouzet, E., and Pinnavaia, T.J., 1995 Templating of Mesoporous Molecular Sieves by Nonionic Polyethylene Oxide Surfactants, *Science*, 269, 1242–1244.
- Bandyopadhyay, M. and Gies, H., 2005, Synthesis of MCM-48 by Microwave-Hydrothermal Process, *C. R. Chimie.*, 8, 621–626.
- Broekhoff, J.C.P., 1979, Mesopore Determination from Nitrogen Sorption Isotherms: Fundamentals, Scope, Limitations, *Stud. Surf. Sci. Catal.*, 3, 663–684.
- Beck, J.S., Vartuli, J.C., Roth, W.J. Leonowicz, M.E., Kresge, C.T., Schmitt, K.D., Chu, C.T.W., Olson, D.H., Sheppard, E.W., McCullen, S.B., Higgins, J.B., and Schlenker, J.L., 1992, A New Family of Mesoporous Molecular Sieves Prepared with Liquid Crystal Templates, *J. Am. Chem.Soc.*, 114, 10834–10843.
- Boote, B., Subramanian, H., and Ranjit, K.T., 2007, Rapid and Facile Synthesis of Siliceous MCM-48 Mesoporous Materials, *Chem. Commun.*, 4543–4545.
- Bruce, D.W., O'Hare, D., and Walton, R.I., 2011, *Inorganic Materials Series Porous Materials*, John Wiley and Sons, Ltd., United Kingdom.
- Cahaya, D.A., 2014, Sintesis MCM-41 dengan Metode Sonokimia dari Sekam Padi dan Aplikasinya Sebagai Adsorben Zn(II), *Skripsi*, FMIPA UGM, Yogyakarta.
- Chakraverty, A., Mishra, P., and Banerjee, D., 1988, Investigation of Combustion of Raw and Acid-Leached Rice Husk for Production of Pure Amorphous White Silica, *J. Mater. Sci.*, 23, 21–24.
- Chandrasekhar, S., Pramada, P.N., and Majeed, J., 2006, Effect of Calcinations Temperature and Heating Rate on the Optical Properties and Reactivity of Rice Husk Ash, *J. Mater. Sci.*, 41, 7926–7933.
- Cintas, P., 2015, Ultrasound and Green Chemistry-Further Comments, *Ultrason. Sonochem.*, 28, 257–258.
- Dang, F., Enomoto, N., Hojo, J., and Enpuku, K., 2010, Sonochemical Coating of Magnetite Nanoparticles with Silica, *Ultrason. Sonochem.* 17, 193–199.
- Deka, J.R., Vetrivel, S., Wu, H.Y., Pan, Y.C., Ting, C.C., Tsai, Y.L., and Kao, H.M., 2014, Rapid Sonochemical Synthesis of MCM-41 Type Benzene-Bridged Periodic Mesoporous Organosilicas, *Ultrason. Sonochem.*, 21, 387–394.
- Folletto, E.L., Ederson, G., Leonardo, H. O., and Sergio, J., 2006, Conversion of Rice Hull Ash Into Sodium Silicate. *J. Mater. Res.*, 3(9), 335–338.
- Fröba, M., Köhn, R., and Bouffaud, G., 1999, Fe₂O₃ Nanoparticles within Mesoporous MCM-48 Silica: In Situ Formation and Characterization, *Chem. Mater.*, 11, 2858–2865.

- Fromherz, P., 1981, Micelle Structure: A Surfactant-Block Model. *Chem. Phys. Lett.*, 77, 460–466.
- Galarneau, A., Driole, M.F., Petitto, C., Chiche, B., Bonelli, B., Armandi, M., Onida, B., Garrone, E., Renzo, F., and Fajula, F., 2005, Effect of Post-Synthesis Treatment on The Stability and Surface Properties of MCM-48 Silica, *J. Micropor. Mesopor. Mater.*, 83, 172-180.
- Giunta, P.R., 2005, Fabrication and Characterization of Novel Nanocomposite Materials, *Dissertation*, College of Arts and Sciences, The Florida State University.
- Gregg, S.J. and Sing, K.S.W., 1982, *Adsorption, Surface Area and Porosity*, Ed. 2nd, Academic Press Inc., London.
- Guan, L.C., 2005, Mesoporous MCM-48 Synthesized from Rice Husk Ash Silica: Physicochemical Properties and Its Catalytic Activity in Acylation Reaction, *Thesis*, Faculty of Science, Universiti Teknologi Malaysia, Malaysia.
- Holmes, S.M., Zhlobenko, V.L., Trushfield, A., Plaisted, R.J., Cundy, C.S., and Dwyer, J., 1998, In Situ FTIR Study of The Formation of MCM-41, *J. Chem. Soc., Faraday Trans.*, 94, 2025-2032.
- Jabariyan, S., Zanjanchi, M. A., 2012, A Simple and Fast Sonication Procedure to Remove Surfactant Templates from Mesoporous MCM-41, *Ultrason. Sonochem.*, 19, 1087-1093.
- Jang, H.T., Park, Y., Ko, Y.S., Lee, J.Y., and Margandan, B., 2009, Highly Siliceous MCM-48 from Rice Husk Ash for CO₂ Adsorption, *Int. J. Greenhouse Gas Control.*, 3 545–549.
- Jeong, H.S., Jeong, S.Y., Lee, J.M., Yim, D.J., and Ryu, S.K, 1999, Hydrothermal of Stability of Mesoporous Molecular Sieve Synthesized from Fluorosilicon Compound, *J. Ind. Eng. Chem.*, 4(5), 247-252.
- Kalapathy, U., Proctor, A., and Shultz, J., 2000, A Simple Method for Production of Pure Silica from Rice Hull Ash, *Elsevier Science.*, 73, 257-262.
- Kapur, P.C., 1985, Production of Reactive Bio-Silica from the Combustion of Rice Husk in a Tube-Inbasket (TiB) Burner, *Powder Technol.*, 44, 63-67.
- Kim, H.J., Jang, K.S., Galebach, P., Gilbert, C., Tompsett, G., Conner, W.C., Jones, C.W., and Nair, S., 2013, Seeded Growth, Silylation, and Organic/Water Separation Properties of MCM-48 Membranes, *J. Membr. Sci.*, 427, 293-302.
- Kresge, C.T., Leonowicz, M.E., Roth, W.J., Vartuli, J.C., and Beck, J.S., 1992, Ordered Mesoporous Molecular Sieves Synthesized by a Liquid Crystal Template Mechanism, *Nature*, 359, 710-712.
- Kumar, P., Mal, N.K., Oumi, Y., Sano, T., and Yamana, K., 2002, Synthesis and Characterization of Al-MCM-48 Type Materials Using Coal Fly Ash, *Stud. Surf. Sci. Catal.*, 142, 1229-1236).
- Lawrence, M.J., 1994, Surfactant systems: Their Use in Drug Delivery. *Chem. Soc. Rev.*, 23, 417–424.
- Lestari, D., Sunarto, W., dan Susatyo, E., B., 2012. Preparasi Nanokomposit ZnO/TiO₂ dengan Sonokimia Serta Uji Aktivasnya untuk Fotodegradasi Fenol. *Ind. J. Chem. Sci.*, 1(1), 1-6.

- Liu, Y., Guo, Y., Zhu, Y., An, D., Gao, W., Wang, G., Ma, Y., Wang, Z., 2011, A Sustainable Route for The Preparation of Activated Carbon and Silica from Rice Husk Ash, *J. Hazard. Mater.*, 186, 1314–1319.
- Lyman, C.E., Newbury, D.E., Goldstein, J.I., Williams, D.B., Romig, A.D., Armstrong, J.T., Echlin, P., Fiori, C.E., Joy, D.C., Lifshin, E., and Peters, K.R., 1990, *Scanning Electron Microscopy, X-Ray Microanalysis, and Analytical Electron Microscopy A Laboratory Workbook*, Plenum Press, New York.
- Ma, X., Zhou, B., Gao, W., Qu, Y., Wang, L., Wang, Z., and Zhu, Y., A Recyclable Method for Production of Pure Silica from Rice Hull Ash, 2012, *J. Powder Technol.*, 217, 497–501.
- Meléndez-Ortiz, H.I., Perera-Mercado, Y.A., García-Cerda, L.A., Mercado-Silva, J.A., and Castruita, G., 2014, Influence of The Reaction Conditions on the Thermal Stability of Mesoporous MCM-48 Silica Obtained at Room Temperature, *Ceram. Int.*, 40, 4155–4161.
- Mittal, D., 1997. Silica from Ash: A Valuable Product from Waste Material, *Resonance.*, 7(2), 64-66.
- Myers, D., 1992, *Surfactant Science and Technology*, VCH Publishers Inc., New York.
- Nuryono dan Narsito, 2004, Pengaruh Konsentrasi Asam Terhadap Karakter Silika Gel Hasil Sintesis dari Natrium Silikat, *Indo. J. Chem.*, 5(1), 23–30.
- On, D.T., Zaidi, S.M.J., and Kaliaguine, S., 1998, Stability of Mesoporous Aluminosilicate MCM-41 under Vapor Treatment, Acidic, and Basic Conditions, *Micropor. Mesopor. Mater.*, 22, 211-224.
- Øye, G., Axelrod, E., Feldman, Y., Sjöblom, J., and Stöcker, M., 2000, Dielectric Properties and Fourier Transform IR Analysis of MCM-48, Al-MCM-48 and Ti-MCM-48 Mesoporous Materials, *J. Colloid Poly. Sci.*, 278, 517-523.
- Radnawati, E., 2014, Sintesis CuO/MCM-41 dari Sekam Padi dengan Metode Sonokimia, *Skripsi*, Jurusan Kimia, FMIPA UGM, Yogyakarta.
- Romero, A.A., Alba, M.D., Zhou, W., and Klinowski, J., 1997, Synthesis and Characterization of The Mesoporous Silicate Molecular Sieve MCM-48, *J. Phys. Chem. B.*, 101, 5294-5300.
- Roth, W.J., 2009, Facile Synthesis of the Cubic Mesoporous Material MCM-48 Detailed Study of Accompanying Phase Transformations, *Adsorption*, 15, 221-226.
- Ryoo, R., Joo, S.H., and Kim, J.M., 1999, Energetically Favored Formation of MCM-48 from Cationic-Neutral Surfactant Mixtures, *J. Phys. Chem. B*, 103, 7435-7440.
- Sattler, K.D., 2010, *Handbook of Nanophysics Functional Nanomaterials*, CRC Press, USA.
- Sayari, A., 2000, Novel Synthesis of High-Quality MCM-48 Silica, *J. Am. Chem. Soc.*, 122, 6504-6505.
- Sakthivel, A., Dapurkar, S.E., Gupta, N.M., Kulshreshtha, S.K., Selvam. P., 2003, The Influence of Aluminum Sources on The Behaviour as Well as on The

- Catalytic Activity of Mesoporous H-Al-MCM-41 Molecular Sieves, *Mesoporous Mater.*, 65, hal. 177-187.
- Schechter, I., Barzilai, I.L., and Bulatov, V., 1997, Online Remote Prediction of Gasoline Properties by Combined Optical Method, *Ana. Chim. Acta*, 339, 193-199.
- Selvam, P., Bhatia, S.K., and Sonwane, C.G., 2001, Recent Advances in Processing and Characterization of Periodic Mesoporous MCM-41 Silicate Molecular Sieves, *Ind. Eng. Chem. Res. Rev.*, 40, 3237-3261.
- Seo, J.W., Lee, W.J., Nam, S., Ryoo, H., Kim, J.K., and Ko, C.H., 2014, Mesoporous Structure Control of Silica in Room-Temperature Synthesis under Basic Conditions, *J. Nanomater.*, 1-7.
- Shields, J.E., Lowell, S., Thomas, M.A., and Thommes, M., 2004, *Characterization of Porous Solids and Powders: Surface Area, Pore Size and Density*, Kluwer Academic Publisher: Boston, MA, USA.
- Sing, K.S.W., Everett, D.H., Haul, R.A.W., Moscou, L., Pierotti, R.A., Rouquerol, J., and Siemieniewska, T., 1985, Reporting Physisorption Data for Gas/Solid Systems with Special Reference to the Determination of Surface Area and Porosity, *Pure Appl. Chem.*, 57, 603-619.
- Soler-Illia, G.J., Sanchez, C., Lebeau, B., and Patarin, J., 2002, Chemical Strategies to Design Textured Materials: from Microporous and Mesoporous Oxides to Nanonetworks and Hierarchical Structures, *Chem. Rev.*, 102, 4093-4138.
- Song, M.G., Kim, J.Y., Cho, S.H., and Kim, J.D., 2004, Rapid Synthesis of Mesoporous Silica by an Accelerated Microwave Radiation Method, *Korean J. Chem. Eng.*, 21(6), 1224-1230.
- Suslick, K.S., 1999, Sonochemistry, *J. Sci.*, 247, 1445-1449.
- Suslick, K.S., Didenko, Y., Fang, M.M., Hyeon, T., Kolbeck, K.J., W.B. McNamara III, Mdeleleni, M.M., and Wong, M., 1999, Acoustic Cavitation and Its Chemical Consequences, *Philos. Trans. R. Soc. Lond. A.*, 357, 335-353.
- Suslick, K.S. and Bang, J.H., 2010, Applications of Ultrasound to the Synthesis of Nanostructured Materials, *Adv. Mater. Rev.*, 22, 1039-1059.
- Suyanta dan Kuncaka, 2011, Utilization of Rice Husk as Raw Material in Synthesis of Mesoporous Silicates MCM-41, *Indo. J. Chem.*, 3, 279-284.
- Syamsuri, M.M.F., 2014, Sintesis Fe-MCM-41 dengan Metode Sonokimia Sebagai Adsorben Ion Logam Co(II) dan Ni(II) dalam Medium Air, *Tesis*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Taba, P., Fauziah, S., Syuwarna, dan Passasaran, E., 2004, Pengurangan Konsentrasi Merah Reaktif-1 dari Lingkungan Perairan Melalui Adsorpsi pada Karbon Mesopori (CMK-1) dan Karbon Aktif Kulit Kakao (*Theobroma cacao*), *Mar. Chim. Act.*, 2(5), 15-21.
- Taba, P., Natsir, H., Fauziah, S., dan Ismail, M., 2010, Adsorpsi Ion Cd(II) oleh Kitosan-Silika Mesopori MCM-48, *Mar. Chim. Act.*, 1(11), 13-22.
- Tanev, P.T., and Pinnavaia, T.J., 1995, A Neutral Templating Route to Mesoporous Molecular Sieves, *Science* 267, 865-867.

- Taslimah, Sriyanti, Nuryono, dan Narsito, 2007, Sintesis Bahan Hibrida Amino-Silika dari Abu Sekam Padi Melalui Proses Sol-Gel., *Jurnal Kimia Sains dan Aplikasi*, 7(1), 1-10.
- Terasaki, O., 1999, *Electron Microscopy Studies in Molecular Sieve Science in Molecular Sieves-Science and Technology*, Springer, Heidelberg.
- Ugheoke, I.B. and Mamat, O., 2012, A Critical Assessment and New Research Directions of Rice Husk Silica Processing Methods and Properties, *Maejo Int. J. Sci. Technol.*, 6(3), 430-448.
- Umeda, J. and Kondoh, K., 2008, High-Purity Amorphous Silica Originated in Rice Husks via Carboxylic Acid Leaching Process, *J. Mater. Sci.*, 22(43), 7084-7090.
- Ursachi, I., Vasile, A., Chiriac, H., Postolache, P., and Stancu, A., 2011, Magnetic Properties of Magnetite Nanoparticles Coated with Mesoporous Silica by Sonochemical Method, *Mater. Res. Bull.*, 46, 2468–2473.
- Vartuli, J.C., Schmitt, K.D., Kresge, C.T., Roth, W.J., Leonowicz, M.E., McCullen, S.B., Hellring, S.D., Beck, J.S., Schlenker, J.L., Olson, D.H., and Sheppardt, E.W., 1994, Effect of Surfactant Silica Molar Ratios on the Formation of Mesoporous Molecular Sieves-Inorganic Mimicry of Surfactant Liquid Crystal Phases and Mechanistic Implications, *Chem. Mat.*, 6(12), 2317-2326.
- Voort, P.V.D., Morey, M., Stucky, G.D., Mathieu, M., and Vansant, E.F., 1998, Creation of VO_x Surface Species on Pure Silica MCM-48 Using Gas-Phase Modification with VO(acac)₂, *J. Phys. Chem. B*, 102, 585-590.
- Wang, J., Lu, J., Yang, J., Xiao, W., and Wang, J., 2012, Synthesis of Ordered MCM-48 by Introducing Economical Anionic Surfactant as Co-Template, *Mater. Lett.*, 78, 199–201.
- Wei, F.Y., Liu, Z.W., Lu, J., and Liu, Z.T., 2010 Synthesis of Mesoporous MCM-48 using Fumed Silica and Mixed Surfactants, *J. Micropor. Mesopor. Mater.*, 131, 224–229.
- Wen, J. and Wilkes, G.L., 1996, Organic/Inorganic Hybrid Network Materials by the Sol-Gel Approach. *Chem. Mater.*, 8, 1667–1681.
- West, A.R., 1998, *Basic State Solid Chemistry*, John Wiley and Sons Inc., New York.
- Wheelis, M., 2008, *Principles of Modern Microbiology*, Jones and Bartlett Publishers, Canada.
- Widenmeyer, M. and Anwander, R., 2002, Pore Size Control of Highly Ordered Mesoporous Silica MCM-48, *J.Chem. Mat.*, 14, 1827-1831.
- Williams, R., 1996, *Spectroscopy and The Fourier Transform: An Interactive Tutorial*, VCH Publishers Inc., New York.
- Xu, J., Luan, Z., He, H., Zhou, W., and Kevan, L., 1998, A Reliable Synthesis of Cubic Mesoporous MCM-48 Molecular Sieve, *J. Chem. Mater.*, 10, 3690-3698.
- Xu, R., Pang, W., Yu, J., Huo, Q., and Chen, J., 2007, *Chemistry of Zeolite and Related Porous Materials Synthesis and Structure*, John Wiley and Sons Inc., Singapura.

- Ying, J. Y., Mehnert, C. P., and Wong, M. S., 1999, Synthesis and Applications of Supramolecular Templated Mesoporous Materials, *Angew. Chem., Int. Ed.*, 38(1), 56-77.
- Zhao, D., Feng, J., Huo, Q., Melosh, G., Fredrickson, B., Chmelka, G., and Stucky, D., 1998, Triblock Copolymer Syntheses of Mesoporous Silica with Periodic 50 to 300 Å Pores, *Science*, 279(5350), 548-552.
- Zhao, D., Wan, Y., and Zhou, W., 2013, *Ordered Mesoporous Materials*, Wiley-VCH Verlag and Co., Jerman.
- Zhao, W., Li, Q., Wang, L., Chu, J., Qu, J., Li, S., and Qi, T., 2010, Synthesis of High Quality MCM-48 with Binary Cationic-Nonionic Surfactants, *Langmuir*, 26(10), 6982-6988.