

DAFTAR PUSTAKA

- Abdelghany, S. M., Schmid, D., Deacon, J., Jaworski, J., Fay, F., McLaughlin, K. M., ... Scott, C. J. (2013). Enhanced antitumor activity of the photosensitizer meso-Tetra(N-methyl-4-pyridyl) porphine tetra tosylate through encapsulation in antibody-targeted chitosan/alginate nanoparticles. *Biomacromolecules*, *14*(2), 302–10.
- Abe, O., Abe, R., Enomoto, K., Kikuchi, K., Koyama, H., Masuda, H., ... Caffier, H. (2005). Effects of radiotherapy and of differences in the extent of surgery for early breast cancer on local recurrence and 15-year survival: An overview of the randomised trials. *Lancet*, *366*(9503), 2087–2106.
- Akiyoshi, K., Kobayashi, S., Shichibe, S., Mix, D., Baudys, M., Wan Kim, S., & Sunamoto, J. (1998). Self-assembled hydrogel nanoparticle of cholesterol-bearing pullulan as a carrier of protein drugs: Complexation and stabilization of insulin. *Journal of Controlled Release*, *54*(3), 313–320.
- Alteri, R., Barnes, C., Burke, A., Gansler, T., Gapstur, S., Gaudet, M., ... Xu, J. (2013). *Breast Cancer Facts and Figures 2013-2014*. American Cancer Society, Inc. Atlanta.
- Al-Tweigeri, T., Nabholtz, J. M., & Mackey, J. R. (1996). Ocular toxicity and cancer chemotherapy. *Cancer*, *78*(7), 1359–1373.
- Amidi, M., Mastrobattista, E., Jiskoot, W., & Hennink, W. E. (2010). Chitosan-based delivery systems for protein therapeutics and antigens. *Advanced Drug Delivery Reviews*, *62*(1), 59–82.
- Amidi, M., Romeijn, S. G., Borchard, G., Junginger, H. E., Hennink, W. E., & Jiskoot, W. (2006). Preparation and characterization of protein-loaded N-trimethyl chitosan nanoparticles as nasal delivery system. *Journal of controlled release : official journal of the Controlled Release Society*, *111*(1-2), 107–16.
- Ananikov, V. P., Orlov, N. V., Beletskaya, I. P., Khrustalev, V. N., Antipin, M. Y., & Timofeeva, T. V. (2007). New approach for size- and shape-controlled preparation of Pd nanoparticles with organic ligands. Synthesis and application in catalysis. *Journal of the American Chemical Society*, *129*(23), 7252–7253.
- Anders, C. K., & Carey, L. a. (2009). Biology, metastatic patterns, and treatment of patients with triple-negative breast cancer. *Clinical breast cancer*, *9 Suppl 2*(June), S73–S81.
- Anderson, W. F., Chatterjee, N., Ershler, W. B., & Brawley, O. W. (2002). Estrogen receptor breast cancer phenotypes in the Surveillance, Epidemiology, and End Results database. *Breast Cancer Research and Treatment*, *76*(1), 27–36.
- Anonymous. (2013, March). TechNote 205 - Covalent Coupling. *Bangs*

Laboratories, Inc.

- Armstrong, A., & Eck, S. L. (2003). EpCAM: A new therapeutic target for an old cancer antigen. *Cancer Biology and Therapy*, 2(4), 320–325.
- Arteaga, C. L., Sliwkowski, M. X., Osborne, C. K., Perez, E. a., Puglisi, F., & Gianni, L. (2011). Treatment of HER2-positive breast cancer: current status and future perspectives. *Nature Reviews Clinical Oncology*, 9(1), 16–32.
- Ashkenazi, A. (2008). Targeting the extrinsic apoptosis pathway in cancer. *Cytokine and Growth Factor Reviews*, 19(3-4), 325–331.
- Baccelli, I., Schneeweiss, A., Riethdorf, S., Stenzinger, A., Schillert, A., Vogel, V., ... Trumpp, A. (2013). Identification of a population of blood circulating tumor cells from breast cancer patients that initiates metastasis in a xenograft assay. *Nature biotechnology*, 31(6), 539–44.
- Berger, J., Reist, M., Mayer, J. M., Felt, O., Peppas, N. a., & Gurny, R. (2004). Structure and interactions in covalently and ionically crosslinked chitosan hydrogels for biomedical applications. *European Journal of Pharmaceutics and Biopharmaceutics*, 57(1), 19–34.
- Bertrand, N., Wu, J., Xu, X., Kamaly, N., & Farokhzad, O. C. (2014). Cancer nanotechnology: The impact of passive and active targeting in the era of modern cancer biology. *Advanced Drug Delivery Reviews*, 66, 2–25.
- Bhattarai, N. (2012). Nanofibrous Structure of Chitosan for Biomedical Applications. *Journal of Nanomedicine & Biotherapeutic Discovery*, 02(1), 1–9.
- Bijker, N., Meijnen, P., Peterse, J. L., Bogaerts, J., Van Hoorebeeck, I., Julien, J.-P., ... Rutgers, E. J. (2007). Breast-Conserving Treatment With or Without Radiotherapy in Ductal Carcinoma-In-Situ: Ten-Year Results of European Organisation for Research and Treatment of Cancer Randomized Phase III Trial 10853-A Study by the EORTC Breast Cancer Cooperative Group. *Journal of Clinical Oncology*, 18(2), 186–187.
- Brannon-Peppas, L., & Blanchette, J. O. (2012). Nanoparticle and targeted systems for cancer therapy. *Advanced Drug Delivery Reviews*, 64, 206–212.
- Bruning, P. F., Pit, M. J., de Jong-Bakker, M., van den Ende, a, Hart, a, & van Enk, a. (1990). Bone mineral density after adjuvant chemotherapy for premenopausal breast cancer. *British journal of cancer*, 61(2), 308–310.
- Buchholz, T. A. (2009). Radiation Therapy for Early-Stage Breast Cancer after Breast-Conserving Surgery. *New England Journal of ...*
- Burgess, D. J. (1994). Complex Coacervation : Microcapsule Formation. In *Macromolecular complexes in chemistry and biology* (pp. 285–300). Springer.
- Cabral, H., Matsumoto, Y., Mizuno, K., Chen, Q., Murakami, M., Kimura, M., ... Kataoka, K. (2011). Accumulation of sub-100 nm polymeric micelles in poorly permeable tumours depends on size. *Nature Nanotechnology*,

6(October), 815–823.

- Cegnar, M., & Kerč, J. (2010). Self-assembled polyelectrolyte nanocomplexes of alginate, chitosan and ovalbumin. *Acta Chimica Slovenica*, 57, 431–441.
- Chang, A. (2014). Computer Program to Combine Means and Standard Deviations from Multiple Groups.
- Chlebowski, R. T. (2000). REDUCING THE RISK OF BREAST CANCER. *The New England journal of medicine*, 343(3), 191–198.
- Cimino, A., Halushka, M., Illei, P., Wu, X., Sukumar, S., & Argani, P. (2010). Epithelial cell adhesion molecule (EpCAM) is overexpressed in breast cancer metastases. *Breast Cancer Research and Treatment*, 123(3), 701–708.
- Cohn, E. J. (1941). The Properties and Functions of the Plasma Proteins, with a Consideration of the Methods for their Separation and Purification. *Chemical Reviews*, 28(2), 395–417.
- Connolly, R., Moy, B., & Pater, J. L. (2015). National Cancer Institute: PDQ® Breast Cancer Treatment. *Bethesda, MD: National Cancer Institute*.
- Das, R. K., Kasoju, N., & Bora, U. (2010). Encapsulation of curcumin in alginate-chitosan-pluronic composite nanoparticles for delivery to cancer cells. *Nanomedicine: Nanotechnology, Biology, and Medicine*, 6(1), e153–e160.
- Dash, M., Chiellini, F., Ottenbrite, R. M., & Chiellini, E. (2011). Chitosan - A versatile semi-synthetic polymer in biomedical applications. *Progress in Polymer Science (Oxford)*, 36(8), 981–1014.
- De, M., Ghosh, P. S., & Rotello, V. M. (2008). Applications of Nanoparticles in Biology. *Advanced Materials*, 20(22), 4225–4241.
- Determan, A. S., Trewyn, B. G., Lin, V. S.-Y., Nilsen-Hamilton, M., & Narasimhan, B. (2004). Encapsulation, stabilization, and release of BSA-FITC from polyanhydride microspheres. *Journal of controlled release : official journal of the Controlled Release Society*, 100(1), 97–109.
- DiMasi, J. a, Feldman, L., Seckler, a, & Wilson, a. (2010). Trends in risks associated with new drug development: success rates for investigational drugs. *Clinical pharmacology and therapeutics*, 87(3), 272–277.
- Dimitrov, D. S. (2012). Therapeutic proteins. In V. Voynov & J. A. Caravella (Eds.), *Therapeutic Proteins: Methods and Protocols* (Vol. 899, pp. 1–26).
- Douglas, K. L., & Tabrizian, M. (2005). Effect of experimental parameters on the formation of alginate-chitosan nanoparticles and evaluation of their potential application as DNA carrier. *Journal of biomaterials science. Polymer edition*, 16(1), 43–56.
- Draget, K., Smidsrød, O., & Skjåk-Bræk, G. (2005). Alginates from algae. *Biopolymers Online*, 1–30.
- Drummond, D. W., Hirst, E. L., & Percival, E. (1962). 232. The constitution of alginic acid. *Journal of the Chemical Society (Resumed)*, (1208), 1208–1216.

- Elston, C. W., & Ellis, I. O. (1991). Pathological prognostic factors in breast cancer. I. The value of histological grade in breast cancer: experience from a large study with long-term follow-up. *Histopathology*, 19(5), 403–410.
- Erickson, H. P. (2009). Size and shape of protein molecules at the nanometer level determined by sedimentation, gel filtration, and electron microscopy. *Biological procedures online*, 11(1), 32–51.
- Evans, J. E., Jungjohann, K. L., Browning, N. D., & Arslan, I. (2011). Controlled growth of nanoparticles from solution with in situ liquid transmission electron microscopy. *Nano Letters*, 11(7), 2809–2813.
- Fan, J., & Gao, Y. (2006). Nanoparticle-supported catalysts and catalytic reactions – a mini-review. *Journal of Experimental Nanoscience*, 1(4), 457–475.
- Fang, C., Shi, B., Pei, Y. Y., Hong, M. H., Wu, J., & Chen, H. Z. (2006). In vivo tumor targeting of tumor necrosis factor- α -loaded stealth nanoparticles: Effect of MePEG molecular weight and particle size. *European Journal of Pharmaceutical Sciences*, 27(1), 27–36.
- Files, J. a, Ko, M. G., & Pruthi, S. (2010). Managing aromatase inhibitors in breast cancer survivors: not just for oncologists. *Mayo Clinic proceedings*. *Mayo Clinic*, 85, 560–566; quiz 566.
- Fisher, B., Anderson, S., Bryant, J., Margolese, R. G., Deutsch, M., Fisher, E. R., ... Wolmark, N. (2002). Twenty-year follow-up of a randomized trial comparing total mastectomy, lumpectomy, and lumpectomy plus irradiation for the treatment of invasive breast cancer. *The New England journal of medicine*, 347(16), 1233–41.
- Fisher, B., Dignam, J., Wolmark, N., Mamounas, E., Costantino, J., Poller, W., ... Kavanah, M. (1998). Lumpectomy and radiation therapy for the treatment of intraductal breast cancer: findings from National Surgical Adjuvant Breast and Bowel Project B-17. *Journal of Clinical Oncology*, 16(2), 441–452.
- Foulkes, W. D., Smith, I. E., & Reis-Filho, J. S. (2010). Triple-Negative Breast Cancer. *The New England Journal of Medicine*.
- French, L. E., & Tschopp, J. (2003). Protein-based therapeutic approaches targeting death receptors. *Cell death and differentiation*, 10, 117–123.
- Friedman, A. J., Phan, J., Schairer, D. O., Champer, J., Qin, M., Pirouz, A., ... Kim, J. (2013). Antimicrobial and anti-inflammatory activity of chitosan-alginate nanoparticles: a targeted therapy for cutaneous pathogens. *The Journal of investigative dermatology*, 133(5), 1231–9.
- Fwu-Long, M. I., Shyu, S. S., Lee, S. T., & Wong, T. B. I. (1999). Kinetic study of chitosan-tripolyphosphate complex reaction and acid-resistive properties of the chitosan-tripolyphosphate gel beads prepared by in-liquid curing method. *Journal of Polymer Science, Part B: Polymer Physics*, 37(14), 1551–1564.
- Ge, S., Kojo, K., Takahara, a, & Kajiyama, T. (1998). Bovine serum albumin adsorption onto immobilized organotrichlorosilane surface: influence of the

- phase separation on protein adsorption patterns. *Journal of biomaterials science. Polymer edition*, 9(2), 131–150.
- George, M., & Abraham, T. E. (2006). Polyionic hydrocolloids for the intestinal delivery of protein drugs: Alginate and chitosan - a review. *Journal of Controlled Release*, 114(1), 1–14.
- Gianni, L., Pienkowski, T., Im, Y. H., Roman, L., Tseng, L. M., Liu, M. C., ... Valagussa, P. (2012). Efficacy and safety of neoadjuvant pertuzumab and trastuzumab in women with locally advanced, inflammatory, or early HER2-positive breast cancer (NeoSphere): A randomised multicentre, open-label, phase 2 trial. *The Lancet Oncology*, 13(1), 25–32.
- Giorgi, R., Bozzi, C., Dei, L., Gabbiani, C., Ninham, B. W., & Baglioni, P. (2005). Nanoparticles of Mg(OH)₂: Synthesis and application to paper conservation. *Langmuir*, 21(18), 8495–8501.
- Gluz, O., Liedtke, C., Gottschalk, N., Pusztai, L., Nitz, U., & Harbeck, N. (2009). Triple-negative breast cancer--current status and future directions. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO*, 20, 1913–1927.
- Goldhirsch, A., Wood, W. C., Coates, a. S., Gelber, R. D., Thürlimann, B., & Senn, H. J. (2011). Strategies for subtypes-dealing with the diversity of breast cancer: Highlights of the St Gallen international expert consensus on the primary therapy of early breast cancer 2011. *Annals of Oncology*, 22(8), 1736–1747.
- Gostner, J. M., Fong, D., Wrulich, O. a, Lehne, F., Zitt, M., Hermann, M., ... Spizzo, G. (2011). Effects of EpCAM overexpression on human breast cancer cell lines. *BMC cancer*, 11(1), 45.
- Gschwind, A., Fischer, O. M., & Ullrich, A. (2004). The discovery of receptor tyrosine kinases: targets for cancer therapy. *Nature reviews. Cancer*, 4(May), 361–370.
- Gucht, J. V. D., Spruijt, E., Lemmers, M., & Cohen Stuart, M. a. (2011). Polyelectrolyte complexes: Bulk phases and colloidal systems. *Journal of Colloid and Interface Science*, 361(2), 407–422.
- Hamman, J. H. (2010). Chitosan based polyelectrolyte complexes as potential carrier materials in drug delivery systems. *Marine drugs*, 8(4), 1305–22.
- Hanahan, D., & Weinberg, R. a. (2011). Hallmarks of cancer: the next generation. *Cell*, 144(5), 646–74.
- Hartmann, N. B., Skjolding, L. M., Hansen, S. F., Kjolholt, J., Gottschalck, F., & Baun, A. (2014). *Environmental fate and behaviour of nanomaterials : assessing environmental exposure Learning Objectives* : Copenhagen: The Danish Environmental Protection Agency.
- Hasadsri, L., Kreuter, J., Hattori, H., Iwasaki, T., & George, J. M. (2009). Functional protein delivery into neurons using polymeric nanoparticles. *The Journal of biological chemistry*, 284(11), 6972–81.

- Haug, A., Larsen, B., & Smidsrød, O. (1966). A study of the constitution of alginic acid by partial acid hydrolysis. *Acta Chem Scand*, 20(1), 183–190.
- He, C., Hu, Y., Yin, L., Tang, C., & Yin, C. (2010). Effects of particle size and surface charge on cellular uptake and biodistribution of polymeric nanoparticles. *Biomaterials*, 31(13), 3657–66.
- Herlyn, M., Steplewski, Z., Herlyn, D., & Koprowski, H. (1979). Colorectal carcinoma-specific antigen: detection by means of monoclonal antibodies. *Proceedings of the National Academy of Sciences of the United States of America*, 76(3), 1438–1442.
- Hirayama, K., Akashi, S., Furuya, M., & Fukuhara, K. (1990). Rapid Confirmation and Revision of The Primary Structure of Bovine Serum Albumin by ESIMS and FRIT-FAB LC/MS. *Biochemical and Biophysical Research Communications*, 173(2), 639–646.
- Hobbs, S. K., Monsky, W. L., Yuan, F., Roberts, W. G., Griffith, L., Torchilin, V. P., & Jain, R. K. (1998). Regulation of transport pathways in tumor vessels: role of tumor type and microenvironment. *Proceedings of the National Academy of Sciences of the United States of America*, 95(April), 4607–4612.
- Hortobagyi, G. N. (1998). Treatment of Breast Cancer. *The New England journal of medicine*.
- Hu, C. S., Chiang, C. H., Hong, P. Da, & Yeh, M. K. (2012). Influence of charge on FITC-BSA-loaded chondroitin sulfate-chitosan nanoparticles upon cell uptake in human Caco-2 cell monolayers. *International Journal of Nanomedicine*, 7, 4861–4872.
- Huang, M., Vitharana, S. N., Peek, L. J., Coop, T., & Berkland, C. (2007). Polyelectrolyte complexes stabilize and controllably release vascular endothelial growth factor. *Biomacromolecules*, 8(5), 1607–1614.
- Hurkat, P., Jain, A., Jain, A., Shilpi, S., Gulbake, A., & Jain, S. K. (2012). Concanavalin A conjugated biodegradable nanoparticles for oral insulin delivery. *Journal of Nanoparticle Research*, 14(11), 1219.
- Imai, K., & Takaoka, A. (2006). Comparing antibody and small-molecule therapies for cancer. *Nature reviews. Cancer*, 6(9), 714–27.
- Interchim. (2008). Carbodiimides (EDAC) Heterobifunctional cross-linkers.
- Jemal, A., Bray, F., & Ferlay, J. (2011). Global Cancer Statistics, 61(2), 69–90.
- Jemal, A., Center, M. M., DeSantis, C., & Ward, E. M. (2010). Global patterns of cancer incidence and mortality rates and trends. *Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology*, 19(8), 1893–907.
- Jiskoot, W., Randolph, T. W., Volkin, D. B., Middaugh, C. R., Schöneich, C., Winter, G., ... Carpenter, J. F. (2012). Protein instability and immunogenicity: Roadblocks to clinical application of injectable protein

- delivery systems for sustained release. *Journal of Pharmaceutical Sciences*, 101(3), 946–954.
- Jordan, V. C., & Brodie, A. M. H. (2007). Development and evolution of therapies targeted to the estrogen receptor for the treatment and prevention of breast cancer. *Steroids*, 72, 7–25.
- Khan, J. A., Kainthan, R. K., Ganguli, M., Kizhakkedathu, J. N., Singh, Y., & Maiti, S. (2006). Water soluble nanoparticles from PEG-based cationic hyperbranched polymer and RNA that protect RNA from enzymatic degradation. *Biomacromolecules*, 7(5), 1386–1388.
- Kim, B. S., Oh, J. M., Kim, K. S., Seo, K. S., Cho, J. S., Khang, G., ... Kim, M. S. (2009). BSA-FITC-loaded microcapsules for in vivo delivery. *Biomaterials*, 30(5), 902–9.
- Klaessig, F., Marrapese, M., & Abe, S. (2011). Current Perspectives in Nanotechnology Terminology and Nomenclature. In V. Murashov & J. Howard (Eds.), *Nanotechnology Standards* (pp. 21–52). New York: Springer New York.
- Kong, G., Braun, R. D., & Dewhirst, M. W. (2000). Hyperthermia Enables Tumor-specific Nanoparticle Delivery : Effect of Particle Size Hyperthermia Enables Tumor-specific Nanoparticle Delivery : Effect of Particle Size 1. *Cancer Research*, 60(16), 4440–4445.
- Kowalski, M., Entwistle, J., Cizeau, J., Niforos, D., Loewen, S., Chapman, W., & Macdonald, G. C. (2010). A phase i study of an intravesically administered immunotoxin targeting EpCAM for the treatment of nonmuscle-invasive bladder cancer in BCG-refractory and BCG-intolerant patients. *Drug Design, Development and Therapy*, 4, 313–320.
- Kumar, M. N. V. R., Muzzarelli, R. a a, Muzzarelli, C., Sashiwa, H., & Domb, a J. (2004). Chitosan chemistry and pharmaceutical perspectives. *Chemical reviews*, 104(12), 6017–84.
- Lakhani, S. R., Ellis, I. O., Schnitee, S. J., Tan, P. H., & Van de Vijver, M. J. (2012). World Health Organisation classification of tumors of the breast. *Lyon: IARC*.
- Leader, B., Baca, Q. J., & Golan, D. E. (2008). Protein therapeutics: a summary and pharmacological classification. *Nature reviews. Drug discovery*, 7(1), 21–39.
- Li, K., & Liu, B. (2014). Polymer-encapsulated organic nanoparticles for fluorescence and photoacoustic imaging. *Chemical Society reviews*, 43, 6570–97.
- Liu, L., Deng, D., Xing, Y., Li, S., Yuan, B., Chen, J., & Xia, N. (2013). Activity analysis of the carbodiimide-mediated amine coupling reaction on self-assembled monolayers by cyclic voltammetry. *Electrochimica Acta*, 89, 616–622.
- Luo, X., Morrin, A., Killard, A. J., & Smyth, M. R. (2006). Application of

- nanoparticles in electrochemical sensors and biosensors. *Electroanalysis*, 18(4), 319–326.
- Luo, Y., & Wang, Q. (2014). Recent development of chitosan-based polyelectrolyte complexes with natural polysaccharides for drug delivery. *International Journal of Biological Macromolecules*, 64, 353–367.
- Lv, P. P., Wei, W., Yue, H., Yang, T. Y., Wang, L. Y., & Ma, G. H. (2011). Porous quaternized chitosan nanoparticles containing paclitaxel nanocrystals improved therapeutic efficacy in non-small-cell lung cancer after oral administration. *Biomacromolecules*, 12(12), 4230–4239.
- Maeda, H., Nakamura, H., & Fang, J. (2013). The EPR effect for macromolecular drug delivery to solid tumors: Improvement of tumor uptake, lowering of systemic toxicity, and distinct tumor imaging in vivo. *Advanced drug delivery reviews*, 65(1), 71–9.
- Mahon, E., Salvati, A., Baldelli Bombelli, F., Lynch, I., & Dawson, K. a. (2012). Designing the nanoparticle-biomolecule interface for “targeting and therapeutic delivery.” *Journal of Controlled Release*, 161(2), 164–174.
- Martinsen, A., Skjåk-Braek, G., & Smidsrød, O. (1989). Alginate as immobilization material: I. Correlation between chemical and physical properties of alginate gel beads. *Biotechnology and bioengineering*, 33(1), 79–89.
- Martowicz, A., Rainer, J., Lelong, J., Spizzo, G., Gastl, G., & Untergasser, G. (2013). EpCAM overexpression prolongs proliferative capacity of primary human breast epithelial cells and supports hyperplastic growth. *Molecular cancer*, 12(1), 56.
- Martowicz, A., Spizzo, G., Gastl, G., & Untergasser, G. (2012). Phenotype-dependent effects of EpCAM expression on growth and invasion of human breast cancer cell lines. *BMC Cancer*, 12(1), 501.
- Mayer, a., & Antonietti, M. (1998). Investigation of polymer-protected noble metal nanoparticles by transmission electron microscopy: control of particle morphology and shape. *Colloid & Polymer Science*, 276(9), 769–779.
- Merisko-Liversidge, E. M., & Liversidge, G. G. (2008). Drug nanoparticles: formulating poorly water-soluble compounds. *Toxicologic pathology*, 36(1), 43–48.
- Mi, F. L., Tan, Y. C., Liang, H. C., Huang, R. N., & Sung, H. W. (2001). In vitro evaluation of a chitosan membrane cross-linked with genipin. *Journal of biomaterials science. Polymer edition*, 12(8), 835–850.
- Mizrahy, S., & Peer, D. (2012). Polysaccharides as building blocks for nanotherapeutics. *Chemical Society Reviews*, 41(7), 2623.
- Muñoz, R., Arias, Y., Ferreras, J. M., Jiménez, P., Langa, C., Rojo, M. A., ... Girbés, T. (2013). In vitro and in vivo effects of an anti-mouse endoglin (CD105)-immunotoxin on the early stages of mouse B16MEL4A5 melanoma tumours. *Cancer Immunology, Immunotherapy*, 62, 541–551.

- Münz, M., Murr, A., Kvesic, M., Rau, D., Mangold, S., Pflanz, S., ... Raum, T. (2010). Side-by-side analysis of five clinically tested anti-EpCAM monoclonal antibodies. *Cancer cell international*, *10*(1), 44.
- Panyam, J., & Labhasetwar, V. (2003). Biodegradable nanoparticles for drug and gene delivery to cells and tissue. *Advanced Drug Delivery Reviews*, *55*(3), 329–347.
- Patriarca, C., Macchi, R. M., Marschner, A. K., & Mellstedt, H. (2012). Epithelial cell adhesion molecule expression (CD326) in cancer: a short review. *Cancer treatment reviews*, *38*(1), 68–75.
- Perrault, S. D., Walkey, C., Jennings, T., Fischer, H. C., & Chan, W. C. W. (2009). Mediating tumor targeting efficiency of nanoparticles through design. *Nano Letters*, *9*(5), 1909–1915.
- Qiao, G., Wang, W., Duan, W., Zheng, F., Sinclair, a J., & Chatwin, C. R. (2012). Bioimpedance analysis for the characterization of breast cancer cells in suspension, (c), 1–9.
- Rajaonarivony, M., Vauthier, C., Couaraze, G., Puisieux, F., & Couvreur, P. (1993). Development of a new drug carrier made from alginate. *Journal of Pharmaceutical Sciences*, *82*(9), 912–917.
- Rinaudo, M. (2006). Chitin and chitosan: Properties and applications. *Progress in Polymer Science*, *31*, 603–632.
- Rutkaitė, R., Bendoraitienė, J., Klimavičiūtė, R., Lekniūtė, E., & Narmontaitė, I. (2012). Charged starch nanoparticles prepared by polyelectrolyte complex formation. *Chemija*, *23*(4), 328–335.
- Sæther, H. V., Holme, H. K., Maurstad, G., Smidsrød, O., & Stokke, B. T. (2008). Polyelectrolyte complex formation using alginate and chitosan. *Carbohydrate Polymers*, *74*, 813–821.
- Sakuma, S., Ishida, Y., Sudo, R., Suzuki, N., Kikuchi, H., Hiwatari, K. I., ... Hayashi, M. (1997). Stabilization of salmon calcitonin by polystyrene nanoparticles having surface hydrophilic polymeric chains, against enzymatic degradation. *International Journal of Pharmaceutics*, *159*(2), 181–189.
- Sam, S., Touahir, L., Salvador Andresa, J., Allongue, P., Chazalviel, J. N., Gouget-Laemmel, a. C., ... Djebbar, S. (2010). Semiquantitative study of the EDC/NHS activation of acid terminal groups at modified porous silicon surfaces. *Langmuir*, *26*(17), 809–814.
- Saphiro, C. L., & Recht, A. (2001). Side Effects of Adjuvant Treatment of Breast Cancer. *The New England Journal of Medicine*, *344*(26), 1997–2008.
- Sarmiento, B., Ferreira, D., Veiga, F., & Ribeiro, a. (2006). Characterization of insulin-loaded alginate nanoparticles produced by ionotropic pre-gelation through DSC and FTIR studies. *Carbohydrate Polymers*, *66*(1), 1–7.
- Sarmiento, B., Ribeiro, a, Veiga, F., Sampaio, P., Neufeld, R., & Ferreira, D.

- (2007). Alginate/chitosan nanoparticles are effective for oral insulin delivery. *Pharmaceutical research*, 24(12), 2198–206.
- Schädlich, A., Caysa, H., Mueller, T., Tenambergen, F., Rose, C., Göpferich, A., ... Mäder, K. (2011). Tumor accumulation of NIR fluorescent PEG-PLA nanoparticles: Impact of particle size and human xenograft tumor model. *ACS Nano*, 5(11), 8710–8720.
- Schagen, S. B., Muller, M. J., Boogerd, W., Rosenbrand, R. M., Van Rhijn, D., Rodenhuis, S., & Van Dam, F. S. a M. (2002). Late effects of adjuvant chemotherapy on cognitive function: A follow-up study in breast cancer patients. *Annals of Oncology*, 13(9), 1387–1397.
- Schellekens, H., & Jiskoot, W. (2013). Immunogenicity of Therapeutic Protein. In D. J. A. Crommelin, R. D. Sindelar, & B. Meibohm (Eds.), *Pharmaceutical Biotechnology* (pp. 133–141).
- Schlotter, C. M., Vogt, U., Allgayer, H., & Brandt, B. (2008). Molecular targeted therapies for breast cancer treatment. *Breast cancer research : BCR*, 10, 211.
- Schnell, U., Cirulli, V., & Giepmans, B. N. G. (2013). EpCAM: structure and function in health and disease. *Biochimica et biophysica acta*, 1828(8), 1989–2001.
- Sheldon, R. A. (2007). Enzyme Immobilization: The Quest for Optimum Performance. *Advanced Synthesis & Catalysis*, 349(8-9), 1289–1307.
- Sigma-Aldrich. (2008). Product Information - Fluorescein Isothiocyanate.
- Singh, R., & Lillard, J. W. (2009). Nanoparticle-based targeted drug delivery. *Experimental and Molecular Pathology*, 86(3), 215–223.
- Sinha, V. R., Singla, a K., Wadhawan, S., Kaushik, R., Kumria, R., Bansal, K., & Dhawan, S. (2004). Chitosan microspheres as a potential carrier for drugs. *International journal of pharmaceutics*, 274(1-2), 1–33.
- Sørli, T., Perou, C. M., Tibshirani, R., Aas, T., Geisler, S., Johnsen, H., ... Børresen-Dale, a L. (2001). Gene expression patterns of breast carcinomas distinguish tumor subclasses with clinical implications. *Proceedings of the National Academy of Sciences of the United States of America*, 98(19), 10869–10874.
- Sotiriou, C., & Pusztai, L. (2009). Gene-expression signatures in breast cancer. *The New England journal of medicine*, 360(8), 790–800.
- Soysal, S. D., Muenst, S., Barbie, T., Fleming, T., Gao, F., Spizzo, G., ... Gillanders, W. E. (2013). EpCAM expression varies significantly and is differentially associated with prognosis in the luminal B HER2(+), basal-like, and HER2 intrinsic subtypes of breast cancer. *British journal of cancer*, 108(7), 1480–7.
- Sterzynska, K., Kempisty, B., Zawierucha, P., & Zabel, M. (2012). Analysis of the specificity and selectivity of anti-EpCAM antibodies in breast cancer cell lines. *Folia histochemica et cytobiologica / Polish Academy of Sciences*,

Polish Histochemical and Cytochemical Society, 50(4), 534–41.

- Strand, S. P., Tømmeraas, K., Vårum, K. M., & Østgaard, K. (2001). Electrophoretic Light Scattering Studies of Chitosans with Different Degrees of N -acetylation. *Biomacromolecules*, 2, 1310–1314.
- Sun, C. C., Bodurka, D. C., Weaver, C. B., Rasu, R., Wolf, J. K., Bevers, M. W., ... Rubenstein, E. B. (2005). Rankings and symptom assessments of side effects from chemotherapy: Insights from experienced patients with ovarian cancer. *Supportive Care in Cancer*, 13(4), 219–227.
- Swaminathan, S. K., Roger, E., Toti, U., Niu, L., Ohlfest, J. R., & Panyam, J. (2013). CD133-targeted paclitaxel delivery inhibits local tumor recurrence in a mouse model of breast cancer. *Journal of controlled release : official journal of the Controlled Release Society*, 171(3), 280–7.
- Torrecilla, D., Lozano, M. V, Lallana, E., Neissa, J. I., Novoa-Carballal, R., Vidal, A., ... Dominguez, F. (2013). Anti-tumor efficacy of chitosan-g-poly(ethylene glycol) nanocapsules containing docetaxel: anti-TMEFF-2 functionalized nanocapsules vs. non-functionalized nanocapsules. *European journal of pharmaceutics and biopharmaceutics : official journal of Arbeitsgemeinschaft für Pharmazeutische Verfahrenstechnik e.V*, 83(3), 330–7.
- Trzpis, M., McLaughlin, P. M. J., de Leij, L. M. F. H., & Harmsen, M. C. (2007). Epithelial cell adhesion molecule: more than a carcinoma marker and adhesion molecule. *The American journal of pathology*, 171(2), 386–395.
- Vuong, D., Simpson, P. T., Green, B., Cummings, M. C., & Lakhani, S. R. (2014). Molecular classification of breast cancer. *Virchows Arch*, 465(1), 1–14.
- Wang, L.-Y., Gu, Y.-H., Su, Z.-G., & Ma, G.-H. (2006). Preparation and improvement of release behavior of chitosan microspheres containing insulin. *International journal of pharmaceutics*, 311(1-2), 187–95.
- Wang, P., Zakeeruddin, S. M., Comte, P., Exnar, I., & Grätzel, M. (2003). Gelation of ionic liquid-based electrolytes with silica nanoparticles for quasi-solid-state dye-sensitized solar cells. *Journal of the American Chemical Society*, 125(5), 1166–1167.
- Win, K. Y., & Feng, S.-S. (2005). Effects of particle size and surface coating on cellular uptake of polymeric nanoparticles for oral delivery of anticancer drugs. *Biomaterials*, 26(15), 2713–22.
- Wu, L., Zhang, J., & Watanabe, W. (2011). Physical and chemical stability of drug nanoparticles ☆. *Advanced Drug Delivery Reviews*, 63(6), 456–469.
- Yameen, B., Choi, W. Il, Vilos, C., Swami, A., Shi, J., & Farokhzad, O. C. (2014). Insight into nanoparticle cellular uptake and intracellular targeting. *Journal of Controlled Release*, 190, 485–499.
- Yang, H.-C., & Hon, M.-H. (2009). The Effect of the Molecular Weight of Chitosan Nanoparticles and Its Application on Drug Delivery.

Microchemical Journal, 92(1), 87–91.

Yousefpour, P., Atyabi, F., Vasheghani-Farahani, E., Movahedi, A.-A. M., & Dinarvand, R. (2011). Targeted delivery of doxorubicin-utilizing chitosan nanoparticles surface-functionalized with anti-Her2 trastuzumab.

International journal of nanomedicine, 6, 1977–90.

Zahr, A. S., & Pishko, M. V. (2007). Encapsulation of paclitaxel in macromolecular nanoshells. *Biomacromolecules*, 8(6), 2004–10.