

DAFTAR PUSTAKA

- Bakhouche, K., Dhaouadi, Z., Jaidane, N. and Hammoutène, D., 2015, Comparative antioxidant potency and solvent polarity effects on HAT mechanisms of tocopherols, *Comput. Theor. Chem.*
- Bernabé, P., Peniche, C., Guaymas, C.U., Varadero, C., Km, N. and Postal, A., 2005, Swelling behavior of chitosan/pectin polyelectrolyte complex membranes. Effect of thermal cross-linking, *Polym. Bull.*, 55, pp.367–375.
- Bigucci, F., Luppi, B., Cerchiara, T., Sorrenti, M., Bettinetti, G., Rodriguez, L. and Zecchi, V., 2008, Chitosan/pectin polyelectrolyte complexes: Selection of suitable preparative conditions for colon-specific delivery of vancomycin, *Eur. J. Pharm. Sci.*, 35, pp.435–441.
- Bondet, V., Berset, C. and Chimie, L. De, 1997, Kinetics and Mechanisms of Antioxidant Activity using the DPPH• Free Radical Method, *Leb. u.-Technol.*, 30, pp.609–615.
- Boruah, B., Saikia, P.M. and Dutta, R.K., 2012, Binding and stabilization of curcumin by mixed chitosan-surfactant systems: A spectroscopic study, *Journal Photochem. Photobiol. A Chem.*, 245, pp.18–27.
- Brandelero, R.P.H., Grossmann, M.V. and Yamashita, F., 2012, Films of starch and poly(butylene adipate co-terephthalate) added of soybean oil (SO) and Tween 80, *Carbohydr. Polym.*, 90(4), pp.1452–1460.
- Brandelero, R.P.H., Yamashita, F., Victória, M. and Grossmann, E., 2010, The effect of surfactant Tween 80 on the hydrophilicity, water vapor permeation, and the mechanical properties of cassava starch and poly(butylene adipate-co-terephthalate) (PBAT) blend films, *Carbohydr. Polym.*, 82(4), pp.1102–1109.
- Carocho, M. and Ferreira, I.C.F.R., 2013, A review on antioxidants, prooxidants and related controversy: Natural and synthetic compounds, screening and analysis methodologies and future perspectives, *Food Toxicol.*, 51, pp.15–25.
- Chen, P.H., Kuo, T.Y., Kuo, J.Y., Tseng, Y.P., Wang, D.M., Lai, J.Y. and Hsieh, H.J., 2010, Novel chitosan-pectin composite membranes with enhanced strength, hydrophilicity and controllable disintegration, *Carbohydr. Polym.*, 82(4), pp.1236–1242.
- Coimbra, P., Ferreira, P., Sousa, H.C. De, Batista, P., Rodrigues, M.A., Correia, I.J. and Gil, M.H., 2011, Preparation and chemical and biological characterization of a pectin/chitosan polyelectrolyte complex scaffold for possible bone tissue engineering applications, *Int. J. Biol. Macromol.*, 48, pp.112–118.
- Costa, P. and Lobo, J.M.S., 2001, Modeling and comparison of dissolution profiles, *Eur. J. Pharm. Sci.*, 13, pp.123–133.
- Filipovi, J. and Pepi, I., 2008, Aspects Interactions in a nonionic surfactant and

- chitosan mixtures, *Colloids Surfaces A Physicochem. Eng.*, 327, pp.95–102.
- Gargiulo, N., Attianese, I., Buonocore, G.G., Caputo, D., Lavorgna, M., Mensitieri, G. and Lavorgna, M., 2013, α -Tocopherol release from active polymer films loaded with functionalized SBA-15 mesoporous silica, *Microporous Mesoporous Mater.*, 167, pp.10–15.
- Gómez-Estaca, J., López-de-Dicastillo, C., Hernández-Muñoz, P., Catalá, R. and Gavara, R., 2014, Advances in antioxidant active food packaging, *Trends Food Sci. Technol.*, 35(1), pp.42–51.
- Graciano-verdugo, A.Z., Soto-valdez, H., Peralta, E., Cruz-zárate, P., Islas-rubio, A.R., Sánchez-valdes, S., Sánchez-escalante, A. and González-méndez, N., 2010, Migration of α -tocopherol from LDPE films to corn oil and its effect on the oxidative stability, *Food Res. Int.*, 43(4), pp.1073–1078.
- Griffin, W.C., 1949, Classification of Surface-Active Agents By “HLB.”, *J. Soc. Cosmet. Chem.*, pp.311–326.
- Higuchi, T., 1963, Mechanism of Sustained-Action Medication, *J. Pharm. Sci.*, 52(12), pp.1145–1149.
- Hudson, B.J.F. ed., 1990, *Food Antioxidants* 1st ed., Barking: Elsevier Science Publisher LTD.
- Hwang, S.W., Shim, J.K., Selke, S., Soto-Valdez, H., Matuana, L., Rubino, M. and Auras, R., 2013, Migration of α -tocopherol and resveratrol from poly(L-lactic acid)/starch blends films into ethanol, *J. Food Eng.*, 116(4), pp.814–828.
- Jongjareonrak, A., Benjakul, S., Visessanguan, W. and Tanaka, M., 2008, Antioxidative activity and properties of fish skin gelatin films incorporated with BHT and α -tocopherol, *Food Hydrocoll.*, 22, pp.449–458.
- Kaur, A. and Kaur, G., 2012, Mucoadhesive buccal patches based on interpolymer complexes of chitosan-pectin for delivery of carvedilol, *Saudi Pharm. J.*, 20(1), pp.21–27.
- Korsmeyer, R.W., Gurnyy, R., Doelker, E., Buri, P. and Peppas, N.A., 1983, Mechanisms of solute release from porous hydrophilic polymers, *Int. J. Pharm.*, 15, pp.25–35.
- López De Dicastillo, C., Ares Pernas, A., Castro López, M.D.M., López Vilariño, J.M. and González Rodríguez, M.V., 2013, Enhancing the release of the antioxidant tocopherol from polypropylene films by incorporating the natural plasticizers lecithin, olive oil, or sunflower oil, *J. Agric. Food Chem.*, 61(48), pp.11848–11857.
- López de Dicastillo, C., Castro-López, M.D.M., López-Vilariño, J.M. and González-Rodríguez, M.V., 2013, Immobilization of green tea extract on polypropylene films to control the antioxidant activity in food packaging, *Food Res. Int.*, 53(1), pp.522–528.

- López De Dicastillo, C., Nerín, C., Alfaro, P., Catalá, R., Gavara, R. and Hernández-Muñoz, P., 2011, Development of new antioxidant active packaging films based on ethylene vinyl alcohol copolymer (EVOH) and green tea extract, *J. Agric. Food Chem.*, 59(14), pp.7832–7840.
- Luo, Y., Zhang, B., Whent, M., Yu, L.L. and Wang, Q., 2011, Preparation and characterization of zein/chitosan complex for encapsulation of α -tocopherol, and its in vitro controlled release study, *Colloids Surfaces B Biointerfaces*, 85(2), pp.145–152.
- Maciel, V.B. V, Yoshida, C.M.P. and Franco, T.T., 2015, Chitosan/pectin polyelectrolyte complex as a pH indicator, *Carbohydr. Polym.*, 132, pp.537–45.
- Manzanarez-López, F., Soto-Valdez, H., Auras, R. and Peralta, E., 2011, Release of α -Tocopherol from Poly(lactic acid) films, and its effect on the oxidative stability of soybean oil, *J. Food Eng.*, 104(4), pp.508–517.
- Marcos, B., Sárraga, C., Castellari, M., Kappen, F., Schennink, G. and Arnau, J., 2014, Development of biodegradable films with antioxidant properties based on polyesters containing α -tocopherol and olive leaf extract for food packaging applications, *Food Packag. Shelf Life*, 1(2), pp.140–150.
- Martínez-Camacho, a. P., Cortez-Rocha, M.O., Ezquerro-Brauer, J.M., Graciano-Verdugo, a. Z., Rodríguez-Félix, F., Castillo-Ortega, M.M., Yépiz-Gómez, M.S. and Plascencia-Jatomea, M., 2010, Chitosan composite films: Thermal, structural, mechanical and antifungal properties, *Carbohydr. Polym.*, 82(2), pp.305–315.
- Martins, J.T., Cerqueira, M. a. and Vicente, A. a., 2012, Influence of α -tocopherol on physicochemical properties of chitosan-based films, *Food Hydrocoll.*, 27(1), pp.220–227.
- Mishra, K., Ojha, H. and Chaudhury, N.K., 2012, Estimation of antiradical properties of antioxidants using DPPH Å assay: A critical review and results, *Food Chem.*, 130(4), pp.1036–1043.
- Niki, E., 2010, Free Radical Biology & Medicine Assessment of Antioxidant Capacity in vitro and in vivo, *Free Radic. Biol. Med.*, 49(4), pp.503–515.
- Noronha, C.M., De Carvalho, S.M., Lino, R.C. and Barreto, P.L.M., 2014, Characterization of antioxidant methylcellulose film incorporated with α -tocopherol nanocapsules, *Food Chem.*, 159, pp.529–535.
- Pavia, D.L., Lampman, G.M., Kriz, G.S. and Vyvyan, J.A., 2009, *Introduction to Spectroscopy* Fourth Edi., Boston: Cengage Learning.
- Quiñones, J.P., Gothelf, K.V., Kjem, J., Yang, C., Caballero, A.M.H., Schmidt, C. and Covas, C.P., 2013, Self-assembled nanoparticles of modified-chitosan conjugates for the sustained release of dl- α -tocopherol, *Carbohydr. Polym.*, 92(1), pp.856–864.

- Rashid, R., Wuk, D., Mustapha, O., Mehmood, A., Hyuck, J., Oh, J., Soon, C. and Choi, H., 2015, Effect of hydroxypropylcellulose and Tween 80 on physicochemical properties and bioavailability of ezetimibe-loaded solid dispersion, *Carbohydr. Polym.*, 130, pp.26–31.
- Septiani, T., 2013, Studi Pelepasan In Vitro Kurkumin dari film Kalsium Alginat dengan Penambahan Emulsifier Tween–80 dan Span–80, *Skripsi*, Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- Sinko, P.J. ed., 2011, *Martin's Physical Pharmacy and Pharmaceutical Sciences: Physical Chemical and Biopharmaceutical Principles in The Pharmaceutical Sciences* Sixth Edit., Philadelphia: Lippincott Williams & Wilkins.
- Smitha, B., Sridhar, S. and Khan, A.A., 2005, Chitosan–sodium alginate polyion complexes as fuel cell membranes, *Eur. Polym. J.*, 41, pp.1859–1866.
- Souza, R.R. De, Carvalho, I.X. De, Trevisan, M.T.S., Ricardo, M.P.S., Feitosa, J.P.A. and Paula, R.C.M. De, 2009, Chitosan–coated pectin beads: Characterization and in vitro release of mangiferin, *Food Hydrocoll.*, 23, pp.2278–2286.
- Tripathi, S., Mehrotra, G.K. and Dutta, P.K., 2010, Preparation and physicochemical evaluation of chitosan/poly(vinyl alcohol)/pectin ternary film for food–packaging applications, *Carbohydr. Polym.*, 79(3), pp.711–716.
- Wongsasulak, S., Pathumban, S. and Yoovidhya, T., 2014, Effect of entrapped α -tocopherol on mucoadhesivity and evaluation of the release, degradation, and swelling characteristics of zein–chitosan composite electrospun fibers, *J. Food Eng.*, 120(1), pp.110–117.
- Yao, K. De, 1996, Swelling Behavior of Pectin/Chitosan Complex Films, *J. Appl. Polym. Sci.*, 60, pp.279–283.
- Zhu, M., Qian, J., Zhao, Q., An, Q., Song, Y. and Zheng, Q., 2011, Polyelectrolyte complex (PEC) modified by poly(vinyl alcohol) and their blend membranes for pervaporation dehydration, *J. Memb. Sci.*, 378(1–2), pp.233–242.