UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6
BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbas, A.K., Lichtman, A.H. & Pillai, S. (2007) *Cellular and Molecular Immunology*. India, Saunders.

Aiuti, F. & Mezzaroma, I. (2006) Failure to Reconstitute CD4+ T-Cells Despite Suppression of HIV Replication under HAART. *AIDS Review*. 888–97.

Alessio, M., Roggero, S., Funaro, A., De Monte, L.B., Peruzzi, L., Geuna, M. & Malavasi, F. (1990) CD38 molecule: structural and biochemical analysis on human T lymphocytes, thymocytes, and plasma cells. *Journal of immunology*. 145 (3), 878–884.

Altfeld, M. & Rosenberg, E.S. (2000) The role of CD4 + T helper cells in the cytotoxic T lymphocyte response to HIV-1. *Aids*.pp.375–380.

Astoro, N.W., Djauzi, S., Djoerban, Z. & Prodjosudjadi, W. (2007) Quality of Life of HIV Patients and In□uential Factors. *Acta Med Indones-Indones J Intern Med*. 39.

Autran, B., Carcelain, G., Li, T.S., Blanc, C., Mathez, D., Tubiana, R., Katlama, C., Debré, P. & Leibowitch, J. (1997) Positive effects of combined antiretroviral therapy on CD4+ T cell homeostasis and function in advanced HIV disease. *Science*. 277 (5322), 112–116.

Baker, J. V, Peng, G., Rapkin, J., Krason, D., Reilly, C., Cavert, W.P., Abrams, D.I., MacArthur, R.D., Henry, K. & Neaton, J.D. (2008) Poor Initial CD4+ Recovery With Antiretroviral Therapy Prolongs Immune Depletion and Increases Risk for AIDS and Non-AIDS Diseases. *Journal of Acquired Immune Deficiency Syndromes*. 48 (5), 541–546.

Benito, J.M., Lopez, M., Lozano, S., Ballesteros, C., Capa, L., Martinez, P., Gonzalez-Lahoz, J. & Soriano, V. (2005a) CD4+ T cell recovery beyond the first year of complete suppression of viral replication during highly active antiretroviral therapy is not influenced by CD8+ T cell activation. *The Journal of infectious diseases*. 1922142–2146.

Benito, J.M., López, M., Lozano, S., Ballesteros, C., Martinez, P., González-Lahoz, J. & Soriano, V. (2005b) Differential upregulation of CD38 on different T-cell subsets may influence the ability to reconstitute CD4+ T cells under successful highly active antiretroviral therapy. *Journal of acquired immune deficiency syndromes*. 38 (4), 373–381.

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6 BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Biancotto, A., Iglehart, S.J., Vanpouille, C., Condack, C.E., Lisco, A., Ruecker, E., Hirsch, I., Margolis, L.B. & Grivel, J.-C. (2008) HIV-1 induced activation of CD4+ T cells creates new targets for HIV-1 infection in human lymphoid tissue ex vivo. *Blood*. 111 (2), 699–704.

Binquet, C., Chene, G., Jackmin-Gadda, Journot, V., Saves, M., Lacoste, D. & Dabis, F. (2001) Modeling Changes in CD4-positive T-Lymphocyte Counts after the Start of Highly Active Antiretroviral Therapy and the Relation with Risk of Opportunistic Infections. *American Journal of Epidemiology*. 153 (4), 386–393.

Bland, M. (2000) *An Introduction to Medical Statistics*. 3rd edition. London, Oxford University Press.

Brooks, G.F., Carroll, K.C., Butel, J.S. & Morse, S.A. (2007) *Jawetz, Melnick, & Adelberg's Medical Microbiology* . The McGraw-Hill Companies.

Brooks, Z.C. (2001) *Performance-Driven Quality Control*. 1st edition. Washington DC, AACC Press.

Bucy, R.P., Hockett, R.D., Derdeyn, C. a., Saag, M.S., Squires, K., Sillers, M., Mitsuyasu, R.T. & Kilby, J.M. (1999) Initial increase in blood CD4+ lymphocytes after HIV antiretroviral therapy reflects redistribution from lymphoid tissues. *Journal of Clinical Investigation*. 103 (10), 1391–1398.

Calles, N.R., Evans, D. & Terlonge, D. (2008) Pathophysiology of the human immunodeficiency virus. In: *HIV Curriculum for the Health Professional*. pp. 104–105.

Castilho, J.L., Melekhin, V. V & Sterling, T.R. (2014) Sex differences in HIV outcomes in the highly active antiretroviral therapy era: a systematic review. *AIDS research and human retroviruses*. [Online] 30 (5), 446–456. Available from: doi:10.1089/AID.2013.0208.

Clement, L.T. (1992) Isoforms of the CD45 common leukocyte antigen family: markers for human T-cell differentiation. *Journal of clinical immunology*. 12 (1), 1–10.

Corbeau, P., Reynes, J., Dc, W., Corbeau, P. & Reynes, J. (2011) Immune reconstitution under antiretroviral therapy : the new challenge in HIV-1 infection. *blood*. 117 (21), 5582–5590.

Deaglio, S., Zubiaur, M., Gregorini, A., Bottarel, F., Ausiello, C.M., Dianzani, U.,

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6 BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Sancho, J. & Malavasi, F. (2002) Human CD38 and CD16 are functionally dependent and physically associated in natural killer cells. *Blood Journal*. 99 (7), 2490–2498.

Deeks, S.G., Kitchen, C.M.R., Liu, L., Guo, H., Gascon, R., Narváez, A.B., Hunt, P., Martin, J.N., Kahn, J.O., Levy, J., McGrath, M.S. & Hecht, F.M. (2004) Immune activation set point during early HIV infection predicts subsequent CD4+ T-cell changes independent of viral load. *Blood*. 104 (4), 942–947.

Detels, R., Muñoz, A., McFarlane, G., Kingsley, L.A., Margolick, J.B., Giorgi, J., Schrager, L.K. & Phair, J.P. (1998) Effectiveness of potent antiretroviral therapy on time to AIDS and death in men with known HIV infection duration. Multicenter AIDS Cohort Study Investigators. *JAMA*. 280 (17), 1497–1503.

Ditjen PP & PL Kemenkes RI (2014) *Statistik Kasus HIV/AIDS di Indonesia*. (September).

Douek, D.C., Picker, L.J. & Koup, R.A. (2003) T cell dynamics in HIV-1 infection. *Annual review of immunology*. 21265–304.

Dragsted, U.B., Mocroft, A., Vella, S., Viard, J.-P., Hansen, A.-B.E., Panos, G., Mercey, D., Machala, L., Horban, A. & Lundgren, J.D. (2004) Predictors of immunological failure after initial response to highly active antiretroviral therapy in HIV-1-infected adults: a EuroSIDA study. *Journal of infectious diseases*. 190 (1), 148–155.

Edathodu, J., Ali, B. & Alrajhi, A.A. (2009) CD4 Validation for the WHO Classification and Clinical Staging of HIVAIDS in a developing country. *International Journal of Infectious Diseases*. 13 (2), 243–246.

Fanales-Belasio, E., Raimondo, M., Suligoi, B. & Butto, S. (2010) HIV virology and pathogenetic mechanisms of infection : a brief overview. *ANN IST SUPER SANITÀ*. 46 (1), 5–14.

Fauci, A.S. & Lane, H.C. (2005) Human Immunodeficiency Virus Disease: AIDS and Related Disorders. In: Dennis L Kasper, Anthony S Fauci, Dan L Longo, Eugene Braunwald, et al. (eds.). *Harrison's Principles of Internal Medicine*. New York, McGraw Hill. pp. 1076–1139.

Fazekas de St Groth, B. & Landay, A.L. (2008) Regulatory T cells in HIV infection: pathogenic or protective participants in the immune response? *AIDS*. 22 (6), 671–683.

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6
BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Février, M., Dorgham, K. & Rebollo, A. (2011) CD4+ T Cell Depletion in Human Immunodeficiency Virus (HIV) Infection: Role of Apoptosis. *Viruses*. 3586–612.

Florence, E., Lundgren, J., Dreezen, C., Fisher, M., Kirk, O., Blaxhult, A., Panos, G., Katlama, C., Vella, S. & Phillips, A. (2003) Factors associated with a reduced CD4 lymphocyte count response to HAART despite full viral suppression in the EuroSIDA study. *HIV medicine*. 4 (3), 255–262.

Fournier, S., Chaffaut, C., Maillard, A., Loze, B., Lascoux, C., Gerard, L., Timsit, J., David, F., Bergmann, J., Oksenhendler, E., Sereni, D., Chevret, S. & Molina, J.-M. (2005) Factors associated with virological response in HIV-infected patients failing antiretroviral therapy : a prospective cohort study. *HIV medicine*. 6129–134.

Gaardbo, J.C., Nielsen, S.D., Vedel, S.J., Ersbøll, A.K., Harritshøj, L., Ryder, L.P., Nielsen, J.O. & Kolte, L. (2008) Regulatory T cells in human immunodeficiency virus-infected patients are elevated and independent of immunological and virological status, as well as initiation of highly active anti-retroviral therapy. *Clinical and experimental immunology*. 154 (1), 80–86.

Gazzola, L., Tincati, C., Bellistrì, G.M., Monforte, A. d'Arminio & Marchetti, G. (2009) The absence of CD4+ T cell count recovery despite receipt of virologically suppressive highly active antiretroviral therapy: clinical risk, immunological gaps, and therapeutic options. *Clinical Infectious Diseases*. 48 (3), 328–337.

Genovese, L., Nebuloni, M. & Alfano, M. (2013) Cell-mediated immunity in elite controllers naturally controlling HIV viral load. *Frontiers in immunology*. 4 (April), 1–12.

Ginaldi, L., De Martinis, M., D'Ostilio, A., Di Gennaro, A., Marini, L., Profeta, V. & Quaglino, D. (1997) Activated naive and memory CD4+ and CD8+ subsets in different stages of HIV infection. *Pathobiology*. 65 (2), 91–99.

Giorgi, J. V, Liu, Z., Hultin, L.E., Cumberland, W.G., Hennessey, K. & Detels, R. (1993) Elevated levels of CD38+CD8+ t cells in hiv infection add to the prognostic value of low cd4+ t cell levels: results of 6 years of follow-up. *Journal of Acquired Immune Deficiency Syndromes*. 6 (8), 904.

Giovannetti, A., Pierdominici, M., Marziali, M., Mazzetta, F., Caprini, E., Russo, G., Bugarini, R., Bernardi, M.L., Mezzaroma, I. & Aiuti, F. (2003) Persistently biased T-cell receptor repertoires in HIV-1-infected combination

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6
BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

antiretroviral therapy-treated patients despite sustained suppression of viral replication. *Journal of acquired immune deficiency syndromes*. 34 (2), 140–154.

Glencross, D.K., Janossy, G., Coetzee, L.M., Lawrie, D., Scott, L.E., Sanne, I., McIntyre, J. a. & Stevens, W. (2008) CD8/CD38 activation yields important clinical information of effective antiretroviral therapy: Findings from the first year of the CIPRA-SA cohort. *Cytometry Part B 2008*. 74B (SUPPL. 1), 131–140.

Guadalupe, M., Reay, E., Sankaran, S., Prindiville, T., Flamm, J., McNeil, A. & Dandekar, S. (2003) Severe CD4+ T-cell depletion in gut lymphoid tissue during primary human immunodeficiency virus type 1 infection and substantial delay in restoration following highly active antiretroviral therapy. *Journal of virology*. 77 (21), 11708–11717.

Hannet, I., Erkeller-Yuksel, F., Lydyard, P., Deneys, V. & DeBruyère, M. (1992) Developmental and maturational changes in human blood lymphocyte subpopulations. *Immunology today*. 13 (6), 215, 218.

Hattab, S., Guihot, A., Guiguet, M., Fourati, S., Carcelain, G., Caby, F., Marcelin, A., Autran, B., Costagliola, D. & Katlama, C. (2014) Comparative impact of antiretroviral drugs on markers of inflammation and immune activation during the first two years of effective therapy for HIV-1 infection : an observational study. *BMC infectious diseases*. 14 (122), 1–9.

Hazenberg, M.D., Otto, S.A., van Benthem, B.H.B., Roos, M.T.L., Coutinho, R.A., Lange, J.M.A., Hamann, D., Prins, M. & Miedema, F. (2003) Persistent immune activation in HIV-1 infection is associated with progression to AIDS. *AIDS*. 17 (13), 1881–1888.

Hazenberg, M.D., Stuart, J.W.T.C., Otto, S.A., Borleffs, J.C.C., Boucher, C. a B., de Boer, R.J., Miedema, F., Hamann, D., Cohen Stuart, J.W.T., Otto, S.A., Borleffs, J.C.C., Boucher, C. a B., de Boer, R.J., Miedema, F., Hamann, D., Stuart, J.W.T.C., Otto, S.A., Borleffs, J.C.C., Boucher, C. a B., de Boer, R.J., Miedema, F. & Hamann, D. (2000) T-cell division in human immunodeficiency virus (HIV)-1 infection is mainly due to immune activation: a longitudinal analysis in patients before and during highly active antiretroviral therapy (HAART). *Blood*. 95 (1), 249–255.

Helbert, M.R., Walter, J., L Age, J. & Beverley, P.C.L. (1997) HIV Infection of CD45RA and CD45RO CD4 T Cells. *Clinical and experimental immunology*. 107 (2), 300–305.

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6
BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Hengel, R.L., Jones, B.M., Kennedy, M.S., Hubbard, M.R. & McDougal, J.S. (1999) Markers of lymphocyte homing distinguish CD4 T cell subsets that turn over in response to HIV-1 infection in humans. *the Journal of Immunology*. 163 (6), 3539–3548.

Hill, A., van der Lugt, J., Sawyer, W. & Boffito, M. (2009) How much ritonavir is needed to boost protease inhibitors? Systematic review of 17 dose-ranging pharmacokinetic trials. *AIDS*. 23 (17), 2237–2245.

HIV Surrogate Marker Collaborative Group (2000) Human Immunodeficiency Virus Type 1 RNA Level and CD4 Count as Prognostic Markers and Surrogate End Points: A Meta-Analysis. *AIDS Research and Human Retroviruses*. 16 (12), 1123–1133.

Hoen, B., Cooper, D. a, Lampe, F.C., Perrin, L., Clumeck, N., Phillips, A.N., Goh, L.-E., Lindback, S., Sereni, D., Gazzard, B., Montaner, J., Stellbrink, H.-J., Lazzarin, A., Ponscarme, D., Staszewski, S., Mathiesen, L., Smith, D., Finlayson, R., Weber, R., Wegmann, L., Janossy, G. & Kinloch-de Loes, S. (2007) Predictors of virological outcome and safety in primary HIV type 1-infected patients initiating quadruple antiretroviral therapy: QUEST GW PROB3005. *Clinical infectious diseases*. 45 (3), 381–390.

Huang, P., Tan, J., Ma, W., Zheng, H., Lu, Y., Wang, N., Peng, Z. & Yu, R. (2015) Outcomes of antiretroviral treatment in HIV-infected adults: a dynamic and observational cohort study in Shenzhen, China, 2003-2014. *BMJ Open*. 5 (5), e007508–e007508.

Hunt, K., Mondal, P., Konrad, S., Skinner, S., Gartner, K. & Lim, H.J. (2015) Identifying factors associated with changes in CD4+ count in HIV-infected adults in Saskatoon, Saskatchewan. *Can J Infect Dis Med Microbiol*. 26 (4), 207–211.

Hunt, P.W., Martin, J.N., Sinclair, E., Bredt, B., Hagos, E., Lampiris, H. & Deeks, S.G. (2003) T Cell Activation Is Associated with Lower CD4+ T Cell Gains in Human Immunodeficiency Virus – Infected Patients with Sustained Viral Suppression during Antiretroviral Therapy. *Journal of infectious diseases*. 187 (10), 1534–1543.

Im, M., Chae, H., Kim, T. & Park, H.-H. (2011) Comparative Quantitative Analysis of Cluster of Differentiation 45 Antigen Expression on Lymphocyte Subsets. *Korean Journal Laboratory Medicine*. (31), 148–153.

Infodatin Kemenkes RI (2014) *Situasi dan analisis HIV/AIDS*. Pusat Data dan Informasi Kementerian Kesehatan RI.

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6
BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Jankelevich, S., Mueller, B.U., Mackall, C.L., Smith, S., Zwerski, S., Wood, L. V, Zeichner, S.L., Serchuck, L., Steinberg, S.M., Nelson, R.P., Sleasman, J.W., Nguyen, B.Y., Pizzo, P.A. & Yarchoan, R. (2001) Long-term virologic and immunologic responses in human immunodeficiency virus type 1-infected children treated with indinavir, zidovudine, and lamivudine. *Journal of infectious diseases*. 183 (7), 1116–1120.

Kaufmann, G.R., Furrer, H., Ledergerber, B., Perrin, L., Opravil, M., Vernazza, P., Cavassini, M., Bernasconi, E., Rickenbach, M., Hirschel, B. & Battegay, M. (2005) Characteristics , Determinants , and Clinical Relevance of CD4 T Cell Recovery to ! 500 Cells / m L in HIV Type 1 – Infected Individuals Receiving Potent Antiretroviral Therapy. *Clinical Infectious Diseases*. 41361–372.

Kelley, C.F., Kitchen, C.M.R., Hunt, P.W., Rodriguez, B., Hecht, F.M., Kitahata, M., Crane, H.M., Willig, J., Mugavero, M., Saag, M., Martin, J.N. & Deeks, S.G. (2009) Incomplete Peripheral CD4+ Cell Count Restoration in HIV-Infected Patients Receiving Long-Term Antiretroviral Treatment. *Clinical and Infectious Diseases*. 48 (6), 787–794.

Kementerian Kesehatan Republik Indonesia (2013) *Estimasi dan Proyeksi HIV/AIDS di Indonesia Tahun 2011-2016*. 55.

Kementerian Kesehatan Republik Indonesia (2011) *Pedoman Nasional Tatalaksana Klinis Infeksi HIV dan Terapi Antiretroviral Pada Orang Dewasa*. Jakarta.

Khoury, G., Rajasuriar, R., Cameron, P.U. & Lewin, S.R. (2011) The role of naïve T-cells in HIV-1 pathogenesis: an emerging key player. *Clinical immunology*. 141 (3), 253–267.

Kiazyk, S.A.K. & Fowke, K.R. (2008) Loss of CD127 expression links immune activation and CD4 + T cell loss in HIV infection. *Trends in Microbiology*. 16 (12), 567–573.

Komisi Penanggulangan AIDS DI Yogyakarta (2015) *Data Kasus HIV & AIDS DIY*.

Kumagai, M., Coustan-Smith, E., Murray, D.J., Silvennoinen, O., Murti, K.G., Evans, W.E., Malavasi, F. & Campana, D. (1995) Ligation of CD38 suppresses human B lymphopoiesis. *Journal of experimental medicine*. 181 (3), 1101–1110.

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6
BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Lai, J.C.Y., Wlodarska, M., Liu, D.J., Abraham, N. & Johnson, P. (2010) CD45 Regulates Migration, Proliferation, and Progression of Double Negative 1 Thymocytes. *Journal of Immunology*. 1852059–2070.

Lederman, M.M. & Valdez, H. (2000) Immune restoration with antiretroviral therapies: implications for clinical management. *JAMA*.284 (2) pp.223–228.

Lekkerkerker, A.N., Kooyk, Y. v. & Geijtenbeek, T.B.H. (2006) Viral Piracy: HIV-1 Targets Dendritic Cells for Transmission. *Current HIV research*. 4 (2), 169–176.

Li, Q., Duan, L., Estes, J.D., Ma, Z.-M., Rourke, T., Wang, Y., Reilly, C., Carlis, J., Miller, C.J. & Haase, A.T. (2005) Peak SIV replication in resting memory CD4+ T cells depletes gut lamina propria CD4+ T cells. *Nature*. 434 (7037), 1148–1152.

Lim, A., Tan, D., Price, P., Kamarulzaman, A., Tan, H.-Y., James, I. & French, M.A. (2007) Proportions of circulating T cells with a regulatory cell phenotype increase with HIV-associated immune activation and remain high on antiretroviral therapy. *AIDS*. 21 (12), 1525–1534.

Maartens, G., Celum, C. & Lewin, S.R. (2014) HIV infection: epidemiology, pathogenesis, treatment, and prevention. *The Lancet*. 384 (9939), 258–271.

Marchetti, G., Cozzi-Lepri, A., Tincati, C., Calcagno, A., Ceccherini-Silberstein, F., De Luca, A., Antinori, A., Castagna, A., Puoti, M. & Monforte, A. d'Arminio (2014) Immune activation and microbial translocation in liver disease progression in HIV/hepatitis co-infected patients: results from the Icona Foundation study. *BMC infectious diseases*. [Online] 14 (1), 79. Available from: doi:10.1186/1471-2334-14-79.

Marchetti, G., Gori, A., Casabianca, A., Magnani, M., Franzetti, F., Clerici, M., Perno, C.-F., Monforte, A.A. d'Arminio, Galli, M. & Meroni, L. (2006) Comparative analysis of T-cell turnover and homeostatic parameters in HIV-infected patients with discordant immune-virological responses to HAART. *AIDS*. 20 (13), 1727–1736.

Mascio, M. Di, Sereti, I., Matthews, L.T., Natarajan, V., Adelsberger, J., Lempicki, R., Yoder, C., Jones, E., Chow, C., Metcalf, J. a, Sidorov, I.A., Dimitrov, D.S., Polis, M.A., Kovacs, J.A., Di Mascio, M. Di, Sereti, I., Matthews, L.T., Natarajan, V., Adelsberger, J., Lempicki, R., Yoder, C., Jones, E., Chow, C., Metcalf, J. a, Sidorov, I.A., Dimitrov, D.S., Polis, M.A., Kovacs, J.A., Mascio, M. Di, Natarajan, V., Yoder, C., Adelsberger, J., Lempicki, R., Yoder, C., Jones, E., Chow, C., Metcalf, J. a, Sidorov, I.A.,

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6
BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Dimitrov, D.S., Polis, M.A. & Kovacs, J.A. (2006) Naive T-Cell Dynamics in Human Immunodeficiency Virus Type 1 Infection : Effects of Highly Active Antiretroviral Therapy Provide Insights into the Mechanisms of Naive T-Cell Depletion. *Journal of virology*. 80 (6), 2666–2674.

May, M., Gompels, M., Delpech, V., Porter, K., Post, F., Johnson, M., Dunn, D., Palfreeman, A., Gilson, R., Gazzard, B., Hill, T., Walsh, J., Fisher, M., Orkin, C., Ainsworth, J., Bansi, L., Phillips, A., Leen, C., Nelson, M., Anderson, J. & Sabin, C. (2011) Impact of late diagnosis and treatment on life expectancy in people with HIV-1: UK Collaborative HIV Cohort (UK CHIC) Study. *BMJ*. 343d6016.

Mehandru, S., Poles, M.A., Tenner-Racz, K., Horowitz, A., Hurley, A., Hogan, C., Boden, D., Racz, P. & Markowitz, M. (2004) Primary HIV-1 infection is associated with preferential depletion of CD4+ T lymphocytes from effector sites in the gastrointestinal tract. *Journal of experimental medicine*. 200 (6), 761–770.

Mehellou, Y. & De Clercq, E. (2010) Twenty-six years of anti-HIV drug discovery: where do we stand and where do we go? *Journal of medicinal chemistry*. 53 (2), 521–538.

Mildvan, D., Bosch, R.J., Kim, R.S., Spritzler, J., Haas, D.W., Kuritzkes, D., Kagan, J., Nokta, M., DeGruttola, V., Moreno, M. & Landay, A. (2004) Immunophenotypic Markers and Antiretroviral Therapy (IMART): T Cell Activation and Maturation Help Predict Treatment Response. *Journal of Infectious Diseases*. 189 (10), 1811–1820.

Mocroft, A., Phillips, A.N., Gatell, J., Ledergerber, B., Fisher, M., Clumeck, N., Losso, M., Lazzarin, A., Fatkenheuer, G. & Lundgren, J.D. (2007) Normalisation of CD4 counts in patients with HIV-1 infection and maximum virological suppression who are taking combination antiretroviral therapy: an observational cohort study. *Lancet*. 370 (9585), 407–413.

Moore, D.M., Hogg, R.S., Yip, B., Wood, E., Tyndall, M., Braitstein, P. & Montaner, J.S. (2005) Discordant immunologic and virologic responses to highly active antiretroviral therapy are associated with increased mortality and poor adherence to therapy. *J Acquir Immune Defic Syndr*. [Online] 40 (3), 288–293. Available from: doi:10.1097/01.qai.0000182847.38098.d1.

Muraro, P.A., Pette, M., Bielekova, B., McFarland, H.F. & Martin, R. (2000) Human Autoreactive CD4+ T Cells from Naive CD45RA+ and Memory CD45RO+ Subsets Differ with Respect to Epitope Specificity and Functional Antigen Avidity. *Journal of Immunology*. 164 (10), 5474–5481.

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6
BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Nakanjako, D., Kiragga, A., Ibrahim, F., Castelnuovo, B., Kamya, M.R. & Easterbrook, P.J. (2008) Sub-optimal CD4 reconstitution despite viral suppression in an urban cohort on antiretroviral therapy (ART) in sub-Saharan Africa: frequency and clinical significance. *AIDS research and therapy*. 5 (23).

Nokta, M.A., Li, X., Nichols, J., Pou, A., Asmuth, D. & Pollard, R.B. (2001) Homeostasis of Naive and Memory T Cell Subpopulations in Peripheral Blood and Lymphoid Tissues in the Context of Human Immunodeficiency Virus Infection. *Journal of Infectious Diseases*. 1831336–1342.

Ondoa, P., Koblavi-Deme, S., Borget, M.Y., Nolan, M.L., Nkengasong, J.N. & Kestens, L. (2005) Assessment of CD8 T cell immune activation markers to monitor response to antiretroviral therapy among HIV-1 infected patients in Côte d'Ivoire. *Clinical and experimental immunology*. 140 (1), 138–148.

Operskalski, E.A., Stram, D.O., Lee, H., Zhou, Y., Donegan, E., Busch, M.P., Stevens, C.E., Schiff, E.R., Dietrich, S.L. & Mosley, J.W. (1995) Human immunodeficiency virus type 1 infection: relationship of risk group and age to rate of progression to AIDS. Transfusion Safety Study Group. *Journal of Infectious Diseases*. 172 (3), 648–655.

Ostrowski, S.R. (2010) Immune activation in chronic HIV infection. *Danish medical bulletin*. 57 (3), B4122.

Pakker, N.G., Notermans, D.W., De Boer, R.J., Roos, M.T.L., Wolf, F. De, Hill, A., Leonard, J.M., Danner, S.A., Miedema, F. & Schellekens, P.T.A. (1998) Biphasic kinetics of peripheral blood T cells after triple combination therapy in HIV-1 infection: A composite of redistribution and proliferation. *Nature Medicine*. 4 (2), 208–214.

Palladino, C., Briz, V., Bellón, J.M., Bártolo, I., Carvalho, P., Camacho, R., Muñoz-Fernández, M.Á., Bastos, R., Manuel, R., Casanovas, J. & Taveira, N. (2013) Predictors of attrition and immunological failure in HIV-1 patients on highly active antiretroviral therapy from different healthcare settings in Mozambique. *PloS one*. [Online] 8 (12), e82718. Available from: doi:10.1371/journal.pone.0082718.

Pezzotti, P., Phillips, A.N., Dorrucci, M., Lepri, A.C., Galai, N., Vlahov, D. & Rezza, G. (1996) Category of exposure to HIV and age in the progression to AIDS: longitudinal study of 1199 people with known dates of seroconversion. *British Medical Journal*. 313 (7057), 583–586.

Piatak, M., Saag, M.S., Yang, L.C., Clark, S.J., Kappes, J.C., Luk, K.C., Hahn,

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6 BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

B.H., Shaw, G.M. & Lifson, J.D. (1993) High levels of HIV-1 in plasma during all stages of infection determined by competitive PCR. *Science*. 259 (5102), 1749–1754.

Presicce, P., Orsborn, K., King, E., Pratt, J., Fichtenbaum, C.J. & Chougnet, C.A. (2011) Frequency of circulating regulatory T cells increases during chronic HIV infection and is largely controlled by highly active antiretroviral therapy. *PloS one*. 6 (12), e28118.

Quarona, V., Zaccarello, G., Chillemi, A., Brunetti, E., Singh, V.K., Ferrero, E., Funaro, A., Horenstein, A.L. & Malavasi, F. (2013) CD38 and CD157 : A Long Journey from Activation Markers to Multifunctional Molecules. *Cytometry Part B*. 84B207–217.

Rajasuriar, R., Khoury, G., Kamarulzaman, A., French, M.A., Cameron, P.U. & Lewin, S.R. (2013) Persistent immune activation in chronic HIV infection : do any interventions work ? *AIDS*. 271199–1208.

Rawizza, H.E., Chaplin, B., Meloni, S.T., Eisen, G., Rao, T., Sankale, J.-L., Dieng-Sarr, A., Agbaji, O., Onwujekwe, D.I., Gashau, W., Nkado, R., Ekong, E., Okonkwo, P., Murphy, R.L. & Kanki, P.J. (2011) Immunologic Criteria Are Poor Predictors of Virologic Outcome: Implications for HIV Treatment Monitoring in Resource-Limited Settings. *Clinical Infectious Diseases*. 53 (12), 1283–1290.

Resino, S., Seoane, E., Pérez, A., Ruiz-Mateos, E., Leal, M. & Muñoz-Fernández, M. a (2006) Different profiles of immune reconstitution in children and adults with HIV-infection after highly active antiretroviral therapy. *BMC infectious diseases*. 6112.

Reuter, M.A., Pombo, C. & Betts, M.R. (2012) Cytokine production and dysregulation in HIV pathogenesis : Lessons for development of therapeutics and vaccines. *Cytokine & Growth Factor Reviews*. 23 (4-5), 181–191.

Rodger, A.J., Lodwick, R., Schechter, M., Deeks, S., Amin, J., Gilson, R., Paredes, R., Bakowska, E., Engsig, F.N. & Phillips, A. (2013) Mortality in well controlled HIV in the continuous antiretroviral therapy arms of the SMART and ESPRIT trials compared with the general population. *AIDS*. 27 (6), 973–979.

Roman, M., Rodriguez, J.W., Pagan, N.O., Rios-Olivares, E., Amill, A., Hunter, R. & Roman, M., Rodriguez J.W., Pagan N.O., Rios-Olivares E., Amill A., H.R. (2002) Distribution of Naive (CD45RA+) and Memory (CD45RO+) T-Cells in HIV-Infected Puerto Rican Population. *PRHSJ*. 21 (3), 195–201.

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6
BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Ruffin, N. (2012) *Chronic Immune Activation and Lymphocyte Apoptosis During Hiv-1 Infection*.

Sandoval-Montes, C. & Santos-argumedo, L. (2005) CD38 is expressed selectively during the activation of a subset of mature T cells with reduced proliferation but improved potential to produce cytokines. *Journal of leukocyte biology*. 77513–521.

Saunders, P., Goodman, A., Smith, C., Marshall, N., O'Connor, J., Lampe, F. & Johnson, M. (2015) Does gender or mode of HIV acquisition affect virological response to modern antiretroviral therapy (ART)? *HIV Medicine*. [Online] Available from: doi:10.1111/hiv.12272.

Savarino, A., Bottarel, F., Calosso, L., Feito, M.J., Bensi, T., Bragardo, M., Rojo, J.M., Pugliese, A., Abbate, I., Capobianchi, M.R., Dianzani, F., Malavasi, F. & Dianzani, U. (1999) Effects of the human CD38 glycoprotein on the early stages of the HIV-1 replication cycle. *Faseb Journal*. 132265–2276.

Savarino, A., Bottarel, F., Malavasi, F. & Dianzani, U. (2000) Role of CD38 in HIV-1 infection: an epiphenomenon of T-cell activation or an active player in virus/host interactions? *AIDS*. 14 (9), 1079–1089.

Schacker, T.W., Bosch, R.J., Bennett, K., Pollard, R., Robbins, G.K., Collier, A.C., Gulick, R.M., Spitzler, J. & Mildvan, D. (2010) Measurement of Naive CD4 Cells Reliably Predicts Potential for Immune Reconstitution in HIV. *Journal of Acquired Immune Deficiency Syndromes*. 54 (1), 59–62.

Schacker, T.W., Hughes, J.P., Shea, T., Coombs, R.W. & Corey, L. (1998) Biological and Virologic Characteristics of Primary HIV Infection. *Annals of Internal Medicine*. 128 (8), 613.

Shubinsky, G. & Schlesinger, M. (1997) The CD38 lymphocyte differentiation marker: New insight into its ectoenzymatic activity and its role as a signal transducer. *Immunity*. 7 (3), 315–324.

Silva, M.S. de A.V. da (2009) *CD38 and immune function : role in infections by intracellular bacteria and systemic autoimmunity*. Universidade Do Porto.

Sindhu, S.T., Ahmad, R., Blagdon, M., Ahmad, A., Toma, E., Morisset, R. & Menezes, J. (2003) Virus load correlates inversely with the expression of cytotoxic T lymphocyte activation markers in HIV-1-infected/AIDS patients showing MHC-unrestricted CTL-mediated lysis. *Clinical and experimental immunology*. 132 (1), 120–127.

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6 BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Smith, K.Y., Valdez, H., Landay, A., Spritzler, J., Kessler, H. a, Connick, E., Kuritzkes, D., Gross, B., Francis, I., McCune, J.M. & Lederman, M.M. (2000) Thymic size and lymphocyte restoration in patients with human immunodeficiency virus infection after 48 weeks of zidovudine, lamivudine, and ritonavir therapy. *Journal of infectious diseases*. 181 (1), 141–147.

Spina, C. a, Prince, H.E. & Richman, D.D. (1997) Preferential Replication of HIV-1 in the CD45RO Memory Cell Subset of Primary CD4 Lymphocytes In Vitro. *Journal of clinical investigation*. 99 (7), 1774–1785.

Steel, A., John, L., Shamji, M.H., Henderson, D.C., Gotch, F.M., Gazzard, B.G. & Kelleher, P. (2008) CD38 expression on CD8 T cells has a weak association with CD4 T-cell recovery and is a poor marker of viral replication in HIV-1-infected patients on antiretroviral therapy. *HIV medicine*. 9 (2), 118–125.

Stuart, J.C., Hamann, D., Borleffs, J., Roos, M., Miedema, F., Boucher, C. & de Boer, R. (2002) Reconstitution of naive T cells during antiretroviral treatment of HIV-infected adults is dependent on age. *AIDS*. 162263–2266.

Suarez, A., Mozo, L. & Gutierrez, C. (2002) Generation of CD4 + CD45RA + Effector T Cells by Stimulation in the Presence of Cyclic Adenosine 5'-Monophosphate- Elevating Agents. *Journal of Immunology*. 1691159–1167.

Sukwit, S., Chuenchitra, T., Rojanasang, P., Wiwattanakul, S., Saksopin, L. & Srisurapanon, S. (2005) Distribution of CD38 Molecules on CD3 + and CD8 + T- lymphocyte in Adulthood HIV-1-uninfected Thais. *J med Assoc Thai*. 88 (5), 48–55.

Sullivan, Z.A., Wong, E.B., Ndung'u, T., Kasprowicz, V.O. & Bishai, W.R. (2015) Latent and Active Tuberculosis Infection Increase Immune Activation in Individuals Co-Infected with HIV. *EBioMedicine*. [Online] 2 (4), 334–340. Available from: doi:10.1016/j.ebiom.2015.03.005.

Tan, R., Westfall, A.O., Willig, J.H., Mugavero, M.J., Saag, M.S., Kaslow, R.A. & Kempf, M.C. (2008) Clinical outcome of HIV-infected antiretroviral-naive patients with discordant immunologic and virologic responses to highly active antiretroviral therapy. *Journal of Acquired Immune Deficiency Syndromes*. 47 (5), 553–558.

Tiba, F., Nauwelaers, F., Traoré, S., Coulibaly, B., Ouedraogo, T., Compaoré, A., Kräusslich, H.-G. & Böhler, T. (2012) Immune Reconstitution During the First Year of Antiretroviral Therapy of HIV-1-Infected Adults in Rural Burkina Faso. *Open AIDS journal*. 616–25.

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6
BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Tilling, R., Kinloch, S., Goh, L.-E., Cooper, D., Perrin, L., Lampe, F., Zaunders, J., Hoen, B., Tsoukas, C., Andersson, J. & Janossy, G. (2002) Parallel decline of CD8+/CD38++ T cells and viraemia in response to quadruple highly active antiretroviral therapy in primary HIV infection. *AIDS*. 16 (4), 589–596.

Tinago, W., Coghlan, E., Macken, A., Mcandrews, J., Doak, B., Prior-fuller, C., Lambert, J.S., Sheehan, G.J. & Mallon, P.W.G. (2014) Clinical , Immunological and Treatment-Related Factors Associated with Normalised CD4 + / CD8 + T-Cell Ratio : Effect of Naive and Memory T-Cell Subsets. *PloS one*. 9 (5).

Tortajada, C., Garcia, F., Plana, M., Gallart, T., Maleno, M.J., Miro, J.M. & Gatell, J.M. (2000) Comparison of T cell subsets reconstitution after 12 months of highly active antiretroviral therapy initiated during early versus advanced states of HIV disease. *Journal of Acquired Immune Deficiency Syndromes*. 25296–305.

Tuaillon, E., al Tabaa, Y., Baillat, V., Segondy, M., Picot, M.-C., Reynes, J. & Vendrell, J.-P. (2009) Close association of CD8+/CD38 bright with HIV-1 replication and complex relationship with CD4+ T-cell count. *Cytometry. Part B*. 76B249–260.

Tuboi, S.H., Brinkhof, M.W.G., Egger, M., Stone, R.A., Braitstein, P., Nash, D., Sprinz, E., Dabis, F., Harrison, L.H. & Schechter, M. (2007) Discordant Responses to Potent Antiretroviral Treatment in Previously Naive HIV-1-Infected Adults Initiating Treatment in Resource-Constrained Countries. *Journal of Acquired Immune Deficiency Syndromes*. 45 (1), 52–59.

Widjaja, F.F., Puspita, C.G., Daud, F., Yudhistrie, I., Tiara, M.R., Suwita, C.S., Zain, E., Husna, L. & Djauzi, S. (2011) Highly active antiretroviral therapy adherence and its determinants in selected regions in Indonesia. *Medical Journal of Indonesia*. 20 (1), 50–55.

Wilen, C.B., Tilton, J.C. & Doms, R.W. (2012) HIV: Cell binding and entry. *Cold Spring Harbor Perspectives in Medicine*. 2 (8).

Williams, I., Churchill, D., Anderson, J., Boffito, M., Bower, M., Cairns, G., Cwynarski, K., Edwards, S., Fidler, S., Anna & Geretti, M. (2012) British HIV Association guidelines for the treatment of HIV-1-positive adults with antiretroviral therapy 2012. *HIV medicine*. 13 ((Suppl.2)), 1–85.

World Health Organization (2006) *Antiretroviral Therapy for HIV Infection in Adults and Adolescents: Recommendations for a public health approach*.

UNIVERSITAS GADJAH MADA
HUBUNGAN SEL CD8/38+, FENOTIPE SEL T CD4/45RA+ DAN CD4/45RO+ DENGAN PEMULIHAN SEL T CD4 DALAM 6 BULAN TERAPI ANTIRETROVIRAL PADA PASIEN TERINFEKSI HIV (HUMAN IMMUNODEFICIENCY VIRUS)
UMI SOLEKHAH INTANSARI, Prof. dr. Budi Mulyono, Sp.PK(K), MM; Prof. dr. Marsetyawan HNE Soesatyo, M.Sc,Pl
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

World Health Organization.

World Health Organization (2014) *HIV Reporting: Global update on The Health Sector Response to HIV*. Geneva, WHO Press.

Yan, H., Yang, H., Li, J., Wei, C., Xu, J., Liu, X., Xu, X. & McFarland, W. (2014) Emerging Disparity in HIV/AIDS Disease Progression and Mortality for Men Who Have Sex with Men, Jiangsu Province, China. *AIDS Behav*. 18 (9), 1199–1216.