

DAFTAR PUSTAKA

- Adeniyi, A.F., Okafor, N.C., Adeniyi, C.Y. (2011). Depression and Physical Activity In A Sample Of Nigerian Adolescents: Levels, Relationships And Predictors. *Child and adolescent Phychiatry and mental health*. 5:16.
- Andarini, S.Y. (2009). Persesi Ukuran Tubuh Remaja Putri dan Kejadian Anemia di Kabupaten Batang Hari. *Tesis*. Yogyakarta : Universitas Gadjah Mada.
- Armony-Sivan, R., Shao, J., Li, M., Zhao, G., Zhao, Z., Xu, G., Zhou, M., Zhan, J., Bian, Y., Ji, C., Li, X., Jiang, Y., Zhang Z., Richard, B.J., Tardif, T., Lozoff, B. (2012). No Relationship between Maternal Iron Status and Postpartum Depression in Two Samles in China. *Journal of Pregnancy*.
- Aryani, W.D., Oginawati, K., Santoso, M. (2010). Penentuan Total Asupan Harian Unsur Gizi Mikro Dalam Makanan Anak-Anak Sekolah Dasar di Bandung dengan Metode Sprektrofotometri Serapan Atom (SSA).
- Asmika, Harijianto, Handayani N. 2008. Prevalensi Depresi Dan Gambaran Stressor Psikolososial Pada Remaja Sekolah Menengah Umum Di Wilayah Kotamadya Malang. *Jurnal Kedokteran Brawijaya*, Vol. Xxiv, No. 1.
- Au, A.C.Y., Lau, S., Lee, T.Y. (2009). Suicide Ideation and Depression: The Moderation Effects of Family Cohesion and Social Self Concept. *Adolescence*, 44(176), 851-868.
- Balitbangkes. (2013). Riset Kesehatan Dasar (Riskesdas) 2013 – *Laporan Nasional 2013*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Balarajan, Y., Ramakrishnan, U., Ozaltin, E., Shankar, A.H., Subramanian, S.V. (2011). Anaemia In Low Income And Middle Income Countries. *Lancet*; 378: 2123-35.
- Beard, J. L., Connor, J. R. (2003) Iron Status and Neural Functioning. *Annu Rev Nutr*, 23: 41-58.
- Beard, J. L., Hendricks, M. K., Perez, E. M., Murray-Kolb, L. E., Berg, A., Vernon-Feagans, L., Irlam, J., Isaacs, W., Sive, A., Tomlinson, M. (2005) Maternal Iron Deficiency Anemia Affects Postpartum Emotion And Cognition. *The Journal of Nutrition*. 135(2): 267-72.
- Brunet, J., Sabiston, C. M., Chaiton, M., Barnett, T. A., O'Loughlin, E., Low, N. C. P., O'Loughlin, J. L. (2012). The Association Between Past And Current Physical Activity And Depressive Symptoms In Young Adults: A 10-Year Prospective Study. *Annals of Epidemiology*, 23(1), 25-30.

- Bullocck, M., Nadeau, L., Renaud, J. (2012). Spirituality and Religion in Youth Suicide Attempters' Trajectories of Mental Health Service Utilization: The Year before a Suicide Attempt. *J Can Acad Adolesc Psychiatry*. 21(3): 186-193.
- Chen, M.H., Su, T.P., Chen, T.W., Huang, K.L., Chang, W.H., Chen, T.J., Bai, Y.M. (2013). Association Between Psychiatric Disorders And Iron Deficiency Anemia Among Children And Adolescent: A Nationawide Population-Based Study. *BMC Psychiatry*. 13:161.
- Cook JD. (2005). Diagnosis And Management of Iron Deficiency Anaemia. *Best Pract Res Clin Haematol*;18(2):319–32.
- Cortese, S., Falissard, B., Angriman, M., Pigaiani, Y., Banzato, C., Bogoni, G., Pellegrino, M., Cook, S., Pajno-Ferara, F., Bernardina, B.D., Mouren, M.C., Maffei, C. (2009). The Relationship between Body Size and Depressive Symptom in Adolescents. *The journal of Pediatric*. 154: 86-90.
- Dahlan, M. S. (2010) *Mendiagnosis dan Menata Laksana 13 Penyakit Statistik: Disertai Aplikasi Program Stata*. Jakarta: Sagung Seto.
- Dekker, M.C., Ferdinand, R.F., Lang, N. D. J., Bongers, I. L., Ende, J. V. D., Verhulst, F. C. (2007). Developmental Trajectories of Depressive Symptoms from Early Childhood to Late Adolescence: Gender Differences and Adult Outcome. *Journal of Child and Adolescent Psychiatry* 48(7), 657-666.
- DeMaeyer, E.M. (1995). *Pencegahan dan pengawasan Anemia Defisiensi besi*. Jakarta : Widya Medika.
- De Vriendt, T., Moreno, L.A., De Henauw, S. (2009). Chronic Stress and Obesity In Adolescent: Scientific Evodence and Methodological Issues For Epidemiological Research. *Nutrition, Metabolism & Cardiovascular Disease*. 19, 511-519.
- Dewi, A.N., Mulyati, T. (2014). Hubungan Kebiasaan Sarapan Dengan Kadar Hemoglobin Pada Remaja Putri (Studi Penelitian di SMP Negeri 13 Semarang). *Journal of Nutrition College*, 3(4): 824-30.
- Dinkes Prov DIY. (2012). *Laporan Akhir Screening Anemia pada Remaja di Provindi DIY tahun 2012*. Yogyakarta: Dinas Kesehatan Provinsi DIY.
- Dunne, A. (2010). Effect of Food On Emotional Wellbeing and Mental Health. *Nursing & Residential Care*, 12(4) : 165-8.
- Erikson, K.M., Anderson, J.G. (2011) The Importance of Trace Elements for Neurological Function. *Handbook of Behavior, Food and Nutrition*. New York: Springer. 429-431.

- Fararouei, M., Brown, I. J., Toori, M. A., Haghighi, R. E., Jafari, J. (2013). Happiness and Health Behavior In Iranian Adolescent Girls. *Journal of Adolescent*. 36: 1187-1192.
- Fishman, S.M., Christian, P., West, K.P., (2000). The Role of vitamins in The Prevention and Control of Anaemia. *Public Health Nutr.* **3**: 125–50.
- Flegal, K. M., Graubard, B.I., Williamson, D.F., Gail, M.H. (2005). Excess Deaths Associated With Underweight, Overweight, and Obesity. *Journal of American Medical Association*. 293(15): 1861-67.
- Fulkerson, J.A., Sherwood, N.E., Perry, C.L., Neumark-Sztainer, D., Story, M. (2004). Depressive symptoms and adolescent eating and Health Behaviors: A Multi-Facet View In a Population-Based Sample. *Preventive Medicine*, 38(865-875).
- Fulkerson, J.A., Story, M., Mellin, A., Leffert, N., Neumark-Sztainer, D., French, S. A. (2006). Family dinner meal frequency and adolescent development: Relationships with developmental assets and high risk behaviors. *Journal of Adolescent Health*, 39, 337-345.
- Gerber, M., Kalak, N., Lemola, S., Clogh, P.J., Puhse, U., Elliot, C., Holsboer-Trachsler, E., Brand, S. (2012). Adolescents Exercise and Physical Activity Are Associated With Mental Toughness. *Mental health and Physical activity*. 5: 35-42.
- Gordis, L. (2004) *Epidemiology*. 3rd ed. Philadelphia: Elsevier Saunders.
- Guilliams, T.G, Edwards, L. (2010). Chronic stress and the HPA axis: Clinical Assessment and Therapeutic Consideration. *The standart*, 9(2): 1-2.
- Hong, X., Li, J., Xu, F., Tse, L.A., Liang, Y., Wang, Z., Yu, I.T., Griffiths, S. (2009). Physical Activity Inversly Associated With The Presence of Depression Among Urban Adolescents In Regional China. *BMC Public Health*. 9: 148.
- Hakkarainen, R., Partonen, T., Haukka, J., Virtamo, J., Albanes, D., & Lönqvist, J. (2004). Food and Nutrient Intake In Relation To Mental Wellbeing. *Nutrition Journal*, 3(14).
- Hankin, B.L., Mermelstein R., & Roesch, L. (2007). Sex Differences In Adolescent Depression: Stress Exposure and Reactivity Models. *Child Development*, 78(1), 279-295.
- Hankin, B.L. (2009). Development Of Sex Differences In Depressive and Co-Occurring Anxious Symptoms During Adolescence: Descriptive Trajectories and Potential Explanations In A Multi-Wave Prospective Study. *Journal of Clinical Child and Adolescent Psychology*, 38(4), 460-472.

- Hashmi, S. (2013). Adolescent: an Age of Storm and Stress. *Review of Arts and Humanities*. 2(1).
- Hidaka, B. H. (2012). Depression as a disease of modernity: Explanations for increasing prevalence. *Journal of Affective Disorders*. 140; 205-14.
- Ho, C., Huang, Y., Lo, Y.C., Wahlqvist, M.L. (2015). Breakfast is associated with the metabolic syndrome and school performance among Taiwanese children. *Research in Developmental Disabilities*. 43-44: 179-88.
- Hunt, J.R., Penland, J.G. (1999). Iron Status and Depression in Premenopausal Women: An MMPI Study. *Behavioral Medicine*, 2 :62-68.
- Hurrell, R. F., Reddy, M. B., Juillerat, M., Cook, J. D. (2006). Meat Protein Fraction Enhance Nonheme Iron Absorption In Humans. *The journal of Nutrition*, p 2808-12.
- Jacka, F. N., Pasco, J. A., Henry, M. J., Kotowicz, M. A., Nicholson, G. C., & Berk, M. (2004). Dietary Omega-3 Fatty Acids and Depression In A Community Sample. *Nutritional Neuroscience*, 7(2), 101-106.
- Jacobs, B.L. (2004). Depression: The Brain Finally Gets Into The Act. *American Psychological society*. 13 (3): 103-1-6.
- Kaplan, B.J., Crawford, S.G., Field, C.J., Simpson, J.S.A. (2007). Vitamins, Minerals, and Mood. *Psychological Bulletin*. 133(5), 747-60.
- Kasdan, T.S. (1996). Nutritional care in anemia. In: Mahan LK, Escott-Stump S, eds. *Krause's Food, Nutrition and Diet Therapy*. 9th ed. Philadelphia: W.B. Saunders Company.
- Keenan-Miller, D.M.A., Hammen, C.L., Brennan, P.A. (2007). Health Outcomes Related To Early Adolescent Depression. *Journal Of Adolescent Health*. 41: 256-62
- Kemenkes. (2014). Peraturan Menteri Kesehatan Republik Indonesia Nomor 41 Tahun 2014 Tentang Pedoman Gizi Seimbang. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kieling, C., Baker-Henningham, H., Belfer, M., Conti, G., Ertem, I., Omigbodun, O., Rohde, L.A., Srinath, S., Ulkuer, N., Rahman, A. (2011). Child And Adolescent Mental Health Worldwide: Evidence For Action. *The Lancet*. 378:1515-25.
- Kim, J., Wessling-Resnick, M. (2014). Iron Mechanism of Emotional Behavior. *Journal of Nutritional Biochemistry*. 25: 1101-7.

- Kim, T.H., Choi, J.Y., Lee, H.H., Park, Y. (2015). Association Between Dietary Pattern In Depression In Korean Adolescent Girls. *Journal of Pediatric Adolescent Gynecology*. 28 : 533-37.
- Larsen, J.K., Otten, R., Fisher, J. O., Engels, R.C.M.E. (2014). Depressive Symptoms In Adolescence: A Poor Indicator Of Insreases In Body Mass Index. *Journal of Adolescent Health*. 54: 94-99.
- Lemeshow, S., Hosmer, D.W. Jr., Klar, J., Lwanga, S.K. (1997). *Besar Sampel Dalam Penelitian Kesehatan*. Yogyakarta: Gadjah Mada University Press.
- Lien, L. (2006). Is breakfast consumption related to mental distress and academic performance in adolescent?. *Public Health Nutrition*. 10(4): 422-28.
- Lippke, S., Wienert, J., Kuhlmann, T., Fink, S., Hambrecht, R. (2015). Perceived Stress, Physical Activity and Motivation: Findings from an Internet Study. *Annals of Sport Medicine and Research*. 2(1): 1012.
- Lopez, A.D. (2006) Disease Control Priorities Project. Global Burden of Disease And Risk Factors. New York: Oxford University Press; and Washington, DC: World Bank.
- Lopresti, A.L., Hood, S.D., Drummond, P.D. (2013). A Review of Lifestyle Factors That Contribute To Important Pathways Associated With Major Depression: Diet, Sleep And Exercise. *Journal of Affective Dissorder*, 148:12-27.
- Lozoff, B., Jimenez, E., Hagen, M. J., Mollen, E., Wolf, A.W. (2000) Poorer Behavioral and Developmental Outcome More Than 10 Years After Treatment for Iron Deficiency in Infancy. *Pediatric*, 105(4):E51.
- Luppino, F.S., de Wit, L.M., Bouvy, P.F., Stijnen, T., Cuijpers, P., Penninx, B.W., Zitman, F.G.(2010). Overweight, obesity, and depression: a systematic review and meta-analysis of longitudinal studies. *Archives of General Psychiatry* 67, 220–229.
- Majer, I.M., Nusselder, W.J., Mackenbach, J.P., Kunst, A.E. (2011). Life Expectancy and Life Expectancy With Disability of Normal Weight, Overweight, and Obese Smokers and Nonsmokers In Europe. *Obesity*. 19(7): 1451-59.
- Matthys, C., DeHenauw, S., Bellemans, M., DeMaeyer, M., DeBacker, G. (2007). Breakfast habits affect overall nutrient profiles in adolescents. *Public Health Nutrition*. 10(4), 413–421.
- McLean, E., Cogswell, M., Egli, I., Wojdyla, D., DeBenoist, B. (2008) Worldwide Prevalence Of Anaemia, WHO Vitamin and Mineral Nutrition Information System, 1993-2005. *Public Health Nutrition*, 12(4): 444-54.

- Milman, N. (2011). Anemia-Still A Major Health Problem In Many Parts Of The World. Review Article. *Ann Hematol*, 90:369-377.
- Milligen, B.A.L., Vogelzangs, N., Smit, J.H., Penninx, B.W.J.H., (2014). Hemoglobin Levels In Persons With Depressive and/or Anxiety Disorders. *Journal of Psychosomatic research*. 76: 317-321.
- Moksnes, U.K., Lillefjell, M., Espnes, G.A. (2013). The Relationship between Stress, Leisure Time Vigorous Physical Activity and Depressive Symptom in Adolescents. *Journal of Child and Adolescent Behavior*, 2:1.
- Mora, K. (2006). Diet and Depression: A Secondary Analysis from NHANES1999-2002. *Dissertation*. Tucson: University of Arizona.
- Muir, K., Mullan, K., Powell, A., Flaxman, S., Thompson, D., & Griffiths, M. (2009). State of Australia's Young People: A report on the social, economic, health and family lives of young people. Australian Government: Office for Youth.
- NIMH. (2012). Major depression among adolescents. Retrieved January 12, 2015, from <http://www.nimh.nih.gov/health/statistics/prevalence/major-depression-among-adolescents.shtml>.
- Noh, J.W., Kwon, Y.D., Kim, J. (2015). Body Mass Index and depressive symptoms in middle aged and older adult. *BMC Public Health*. 15:310.
- O'Neil, C.E., Byrd-Bredbenner, C., Hayes, D., Jana, L., Klinger, S.E., Stephenson-Martin, S. (2014). The role of breakfast in health: Definition and criteria for quality breakfast. *Journal of the Academy of Nutrition and Dietetics*, 114(12): S8-S26
- O'Sullivan, T. A., Robinson, M., Kendall, G. E., Miller, M., Jacoby, P., Silburn, S. R., et al. (2008). A good-quality breakfast is associated with better mental health in adolescence. *Public Health Nutrition*, 12(2): 249-258.
- Oddy, W.H., Robinson, M., Ambrosini, G.L., O'Sullivan, T.A., de Klerk, N.H., Beilin, L.J., Silburn, S.R., Zubrick, S.R., Stanley, F.J. (2009). The association between dietary pattern and mental health in early adolescence. *Preventive Medicine*. 49: 39-44.
- Ohannessian, C.M.O., Hesselbrock, V.M., Kramer, J., Kuperman, S., Bulcholz, K.K., Schuckit, M.A., Nurberger, I. (2005). The relationship between Parental Psychopathology and Adolescent Psychopathology: An Examination of Gender Patterns. *Journal of Emotional and Behavioral Disorder*, 13(2): 67-74.

- Patterson, E. (2006). Guidelines For Data Procesing and Analysis of The International Physical Activity Questionnaire (IPAQ) – short and long form. Retrieved January 31, 2012 from www.ipaq.ki.se.
- Pearce, M. J., Little, T. D., & Perez, J. E. (2003). Religiousness and Depressive Symptoms Among Adolescents. *Journal of Clinical Child and Adolescent Psychology*, 32(2), 267–276.
- Prawirohardjo, R. S. (1989) Depresi pada Remaja Pelajar di Kotamadya Yogyakarta, Penyusunan Inventori Baru, Penentuan Prevalensi dan Faktor-Faktor yang Berpengaruh pada Depresi Serta Terapinya. *Disertasi*. Yogyakarta: Universitas Gadjah Mada.
- Prince M, Patel V, Saxena S, Maj M, Maselko J, Phillips MR, Rahman A. 2007. No helath without mental health. *Lancet*, 370:859-77.
- Puskar, K. R., Sereika, S. M., Lamb, J., Tusaie-Mumford, K., McGuinness, T. (1999). Optimism and Its Relationship to Depression, Coping, Anger and Life Events In Rural Adolescents. *Issues in Mental Health Nursing*, 20: 115-130.
- Rahn, M. (2008). Iron Deficiency and Depressive Mood in Hispanic Women. *Dissertation*. Ithaca: Cornell University.
- Rampersaud, G.C., Pereira, M.A., Girard, B.L., Adams, J., Metz, J.D. (2005). Breakfast habits, nutritional status, body weight, and academic performance in children and adolescents. *J Am Diet Assoc*, 105: 743-60.
- Raphael, B. (2000). Promoting The Mental Health and Wellbeing of children and Young People. Discussion Paper : Key Principles and Directions. *National Mental Health Working Group, Department of Health and Aged Care, Canberra*.
- Richardson, A. C., Heath A. L. M., Haszard, J. J., Polak, M. A., Houghton, L. A., Conner, T.S., (2015). Higher Body Iron Is Associated with Greater Symptoms among Young Men but not Women: Observational Data from The Daily Life Study. *Nutrients*, 7, 6055-6072.
- Rintamaki, R., Partonen, T. (2011). Dietary Amino Acid and Mood. *Handbook of behavior, food and Nutrition*. LLC: Springer Science Bussines Media. p. 566-572.
- Sadock, B.J., Sadock, V.A. (2003). *Kaplan and Sadock's synopsis of psychiatry, behavioral sciences/clinical psychiatry*. 9th ed. New York: Lippincott williams and Wilkins.
- Sagatun, A., Sogaard, A.J., Bjertness, E., Selmer, R., Heyerdahl, S. (2007). The Association Between Weekly Hours of Physical Activity and Mental Health:

- A Three Year Follow-Up Study of 15-16 Year Old Students In The City of Oslo, Norway. *BMC Public Health*. 7:155.
- Sampasa-Kanyinga, H., Roumeliotis, P., Farrow, C.V., Shi, Y.F. (2014). Breakfast skipping is associated with cyberbullying and school bullying victimization. A school-based cross-sectional study. *Appetite*. 79: 76-82.
- Sanchez-Villegas, A., Toledo, E., De Irala, J., Ruiz-Canela, M., Pla-Vidal, J., Martinez- Gonzalez, M.A. (2011). Fast-food and Commercial Baked Goods Consumption and The Risk of Depression. *Public Health Nutrition*, 15: 424–432.
- Satuan Tugas Remaja IDAI. (2010). *Bunga Rampai Kesehatan Remaja*. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia.
- Sawyer, M. G., Pfeiffer, S., Spence, S. H. (2009). Life Events, Coping and Depressive Symptoms Among Young Adolescents A One-Year Prospective Study. *Journal of Affective Disorders*, 117: 48-54.
- Shariatpanaahi, M.V., Shariatpanaahi, Z.V., Moshtaaghi, M., Shahbaazi, S.H., Abadi, A. (2007). The relationship between depression and Serum Ferritin Level. *European Journal of clinical Nutrition*, 61: 532-535.
- Silveira, H., Moraes, H., Oliveira, N., Coutinho, E. S. F., Laks, J., Deslandes, A. (2013). Physical Exercise and Clinically Depress Patients: A Systematic Review and Meta-Analysis. *Neuropsychobiology*, 67, 61-68.
- Sjoberg, R.L., Nilsson, K.W., Leppert, J. (2005). Obesity, Shame, and Depression in School aged Children: a population based study. *Pediatrics*. 116(3): e389-92.
- Slavin, J.L., Lloyd, B. (2012). Helath Benefits of fruits and vegetables. American Society for Nutrition. *Adv. Nutr.* 3: 506–16.
- Stemmler, M., & Petersen, A.C. (2005). Gender Differential Influences of Early Adolescent Risk Factors for The Development of Depressive Affect. *Journal of Youth and Adolescence*, 34(3): 175-83.
- Stopler, T. (2004). Medical Nutrition Therapy For Anemia. *Krause's Food and Nutrition Theraphy*. 11th ed. Philadelphia: Saunders.
- Tanihata, T., Kanda, H., Osaki, Y., Ohida, T., Minowa, M., Wada, K., Suzuki, K., Hayashi, K. (2015). Unhealthy Lifestyle, Poor Mental Health, and Its Correlation among Adolescents: a Nationwide cross-sectional survey. *Asia-Pasific Journal of Public Health*. 27(2):1557-65.
- ten Hope, M.I., (2015). *Physical Activity, Motivation, and Depression in College Students*. Thesis. Redlands: University of Redlands.

- Tomlinson, H.R. (2005). The Psychosocial Sequelae Of Overweight: Relations Among Body-Mass Index, Body Image, And Risk For Depression In White And Black Adolescent Girls. *Dissertation*. Durham: Duke University.
- Toseeb, U., Brage, S., Corder, K., Dunn, V.J., Jones, P.B., Owens, M., St. Clair, M.C., van Sluijs, E.M.F., Goodyer, L.M. (2014). Exercise and Depressive Symptoms in Adolescents, a Longitudinal Cohort Study. *JAMA Pediatric*. 1794.
- Twenge, J.M. (2000). The age of anxiety? The birth cohort change in anxiety and neuroticism, 1952–1993. *Journal of Personality and Social Psychology* 79, 1007.
- Vanhala, M., Jokelainen, J., Keinanen-Kiukaanniemi, S., Kumpusalo, E., Koponen, H. (2009). Depressive Symptoms Predispose Females to Metabolic Syndrome: A 7-Year Follow-Up Study. *Acta Psychiatr Scand*, 119: 137– 42.
- Vaucher, P., Druais, P.L., Waldvogel, S., Favrat, B. (2012) Effect of Iron Supplementation on Fatigue in Non Anemic Menstruating Women With Low Ferritin: A Randomize Controlled Trial. *Canadian Medical Association Journal*, 184 (11), 1247 – 54.
- Yu, Z.M., Parker, L., Dummer, T.J.B. (2014) Depressive Symptom, Diet Quality, Physical Activity, And Body Composition Among Population in Nova Scotia, Canada : Report from Partnership for Tomorrow's Health. *Preventive Medicine*, 61: 106 -13.
- Weissman, M.M., Wickramaratne, P., Nomura, Y., Warner, V., Pilowsky, D., Verdelli, H. (2006). Offspring of Depressed Parent: 20 years later. *American Journal of Psychiatry*, 163: 1001-8.
- WHO. (2001) Iron Deficiency Anaemia Assessment, Prevention, and Control: A Guide For Programme Managers. Geneva: WHO.
- WHO. (2005) *Atlas: Child and Adolescent Mental Health Resources*. Geneva: World Health Organization.
- WHO. (2005). *Nutrition in Adolescence – Issues and Challenges For Health Sector: Issues in Adolescent Health and Development*. Geneva: World Health Organization.
- WHO. (2008) *Worldwide Prevalence of Anaemia 1993-2005*. Geneva : WHO, Retrieved February 21, 2015 from <http://www.who.int/vmnis/anaemia/prevalence/en/>.
- WHO. (2009). Adolescent Health. *Child and Adolescent Mental Health Resources*.



Young, J.F., Berenson, K., Cohen, P., Garcia, J. (2005). The Role of Parent and Peer Support in Predicting Adolescent Depression: A Longitudinal Community Study. *Journal of Research on Adolescence*, 15(4): 407-423.

Zimmerman, M. B. (2007). *Nutritional Anemia*. Switzerland : Sight and Life Press. :37-41.