

## REFERENCES

- Aggarwal, B., Surh, Y.-J., Shishodia, S., Menon, V. and Sudheer, A., 2007, Antioxidant and anti-inflammatory properties of curcumin *The Molecular Targets and Therapeutic Uses of Curcumin in Health and Disease*. Springer US.
- Aggarwal, B. B., Kumar, A. and Bharti, A. C. 2003, Anticancer potential of curcumin: preclinical and clinical studies. *Anticancer Research*, **23**, 363-98.
- Allam, A. N., Komeil, I. A., Fouda, M. A. and Abdallah, O. Y. 2015, Preparation, characterization and in vivo evaluation of curcumin self-nano phospholipid dispersion as an approach to enhance oral bioavailability. *International Journal of Pharmaceutics*, **489**, 117-123.
- Amorij, J.-P. 2007, The development of stable influenza vaccine powder formulations for new needle-free dosage forms. *Dept. of Pharmaceutical Technology and Biopharmacy*. Groningen, University of Groningen.
- Ampasavate, C., Sotanaphun, U., Phattanawasin, P. and Piyapolrungrroj, N. 2010, Effects of Curcuma spp. on P-glycoprotein function. *Phytomedicine*, **17**, 506-512.
- Anand, P., Kunnumakkara, A. B., Newman, R. A. and Aggarwal, B. B. 2007, Bioavailability of curcumin: problems and promises. *Molecular Pharmaceutics*, **4**, 807-18.
- AOAC, 2012, Official Methods of Analysis of AOAC International. IN George W. Latimer, J. (Ed.) *Guidelines for Standard Method Performance Requirements*. 19<sup>th</sup> ed. Gaithersburg, Maryland, USA, AOAC International.
- Appiah-Opong, R., Commandeur, J. N., van Vugt-Lussenburg, B. and Vermeulen, N. P. 2007, Inhibition of human recombinant cytochrome P450s by curcumin and curcumin decomposition products. *Toxicology*, **235**, 83-91.
- Artursson, P. and Karlsson, J. 1991, Correlation between oral drug absorption in humans and apparent drug permeability coefficients in human intestinal epithelial (Caco-2) cells. *Biochemical and Biophysical Research Communications*, **175**, 880-5.
- Asai, A. and Miyazawa, T. 2000, Occurrence of orally administered curcuminoid as glucuronide and glucuronide/sulfate conjugates in rat plasma. *Life Sciences*, **67**, 2785-93.
- Bakes, D., 2008, HPLC optimization. IN Venn, R. (Ed.) *Principles and practice of bioanalysis*. second ed., CRC Press.
- Bisht, S., Feldmann, G., Soni, S., Ravi, R., Karikar, C., Maitra, A., et al. 2007, Polymeric nanoparticle-encapsulated curcumin ("nanocurcumin"): a novel strategy for human cancer therapy. *Journal of Nanobiotechnology*, **5**, 3.
- Bühler, V. 2005, *Polyvinylpyrrolidone Excipients for Pharmaceuticals: Povidone, Crospovidone and Copovidone*, Springer Berlin Heidelberg.
- Cao, Y., Xu, R. X. and Liu, Z. 2014, A high-throughput quantification method of curcuminoids and curcumin metabolites in human plasma via high-

- performance liquid chromatography/tandem mass spectrometry. *Journal of chromatography. B, Analytical technologies in the biomedical and life sciences.*, 70-78 doi:10.1016/j.jchromb.2013.12.039.
- Chaubal, M. and Popescu, C. 2008, Conversion of Nanosuspensions into Dry Powders by Spray Drying: A Case Study. *Pharmaceutical Research*, **25**, 2302-2308.
- Chauhan, D. P. 2002, Chemotherapeutic potential of curcumin for colorectal cancer. *Current Pharmaceutical Design*, **8**, 1695-706.
- Cheng, A. L., Hsu, C. H., Lin, J. K., Hsu, M. M., Ho, Y. F., Shen, T. S., *et al.* 2001, Phase I clinical trial of curcumin, a chemopreventive agent, in patients with high-risk or pre-malignant lesions. *Anticancer Research*, **21**, 2895-900.
- Chiang, P. C., Ran, Y., Chou, K. J., Cui, Y., Sambrone, A., Chan, C., *et al.* 2012, Evaluation of drug load and polymer by using a 96-well plate vacuum dry system for amorphous solid dispersion drug delivery. *AAPS PharmSciTech*, **13**, 713-22.
- Chiou, W. L. and Riegelman, S. 1971, Pharmaceutical applications of solid dispersion systems. *Journal of Pharmaceutical Sciences*, **60**, 1281-1302.
- Chuah, A. M., Jacob, B., Jie, Z., Ramesh, S., Mandal, S., Puthan, J. K., *et al.* 2014, Enhanced bioavailability and bioefficacy of an amorphous solid dispersion of curcumin. *Food Chemistry*, **156**, 227-233.
- Claassen, V. 1994, *Neglected factors in pharmacology and neuroscience research*, Amsterdam, Elsevier BV.
- Collier, J. W., Shah, R. B., Bryant, A. R., Habib, M. J., Khan, M. A. and Faustino, P. J. 2011, Development and application of a validated HPLC method for the analysis of dissolution samples of levothyroxine sodium drug products. *Journal of Pharmaceutical and Biomedical Analysis*, **54**, 433-438.
- Craig, D. Q. 2002, The mechanisms of drug release from solid dispersions in water-soluble polymers. *International Journal of Pharmaceutics*, **231**, 131-44.
- Cui, J., Yu, B., Zhao, Y., Zhu, W., Li, H., Lou, H., *et al.* 2009, Enhancement of oral absorption of curcumin by self-microemulsifying drug delivery systems. *International Journal of Pharmaceutics*, **371**, 148-55.
- de Waard, H., De Beer, T., Hinrichs, W. J., Vervaet, C., Remon, J.-P. and Frijlink, H. 2010, Controlled Crystallization of the Lipophilic Drug Fenofibrate During Freeze-Drying: Elucidation of the Mechanism by In-Line Raman Spectroscopy. *The AAPS Journal*, **12**, 569-575.
- de Waard, H., Grasmeyer, N., Hinrichs, W. L. J., Eissens, A. C., Pfaffenbach, P. P. F. and Frijlink, H. W. 2009, Preparation of drug nanocrystals by controlled crystallization: Application of a 3-way nozzle to prevent premature crystallization for large scale production. *European Journal of Pharmaceutical Sciences*, **38**, 224-229.
- de Waard, H., Hinrichs, W. L. and Frijlink, H. W. 2008, A novel bottom-up process to produce drug nanocrystals: controlled crystallization during freeze-drying. *Journal of Controlled Release*, **128**, 179-83.

- Donatus, I., Sardjoko and Vermeulen, N. 1990, Cytotoxicity and Cytoprotective Activities of Curcumin. *Biochem. Pharmacol*, **39**, 1869-1875.
- Drooge, D. J. v., Hinrichs, W. L. J. and H.W.Frijlink 2004, Anomalous dissolution behaviour of tablets prepared from sugar glass based solid dispersions. *Journal of Controlled Release*, **97**, 441-452
- Duret, C., Wauthoz, N., Sebti, T., Vanderbist, F. and Amighi, K. 2012, Solid dispersions of itraconazole for inhalation with enhanced dissolution, solubility and dispersion properties. *International Journal of Pharmaceutics*, **428**, 103-13.
- Eerdenbrugh, B. V. and Taylor, L. 2010, Small scale screening to determine the ability of different polymers to inhibit drug crystallization upon rapid solvent evaporation. *Molecular Pharmaceutics*, **7**, 1328-1337.
- Elfahmi, Woerdenbag, H. J. and Kayser, O. 2014, Jamu: Indonesian traditional herbal medicine towards rational phytopharmacological use. *Journal of Herbal Medicine*, **4**, 51-73.
- Eriksson, H. J., Hinrichs, W. L., van Veen, B., Somsen, G. W., de Jong, G. J. and Frijlink, H. W. 2002, Investigations into the stabilisation of drugs by sugar glasses: I. Tablets prepared from stabilised alkaline phosphatase. *International Journal of Pharmaceutics*, **249**, 59-70.
- Ermer, J., 2005, Performance parameters, calculations and tests. IN Ermer, J. & Miller, J. H. M. (Eds.) *Method validation in pharmaceutical analysis*. Weinheim, Willey-VCH Verlag GmbH & Co. KGaA.
- FDA 1994, Center for Drug Evaluation and Research. Reviewer guidance validation of chromatographic methods, FDA
- FDA 2001, Guidance for industry-bioanalytical method validation, Food and Drug Administration
- Ferenzi-Fodor, K., Renger, B. and Vegh, Z. 2010, The frustrated reviewer-recurrent failures in manuscript describing validation of quantitative TLC/HPTLC procedures of analysis of pharmaceutical. *Journal of Planar Chromatography*, **23**, 173-179.
- Ferenzi-Fodor, K., Vegh, Z. and Nagi-Turak, A. 2001, Validation and quality assurance of planar chromatographic procedures in pharmaceutical analysis. *Journal of AOAC International*, **84**, 1265-1276.
- Frank, K. J., Rosenblatt, K. M., Westedt, U., HÄ¶llig, P., Rosenberg, J. r., MÄ¶gerlein, M., *et al.* 2012, Amorphous solid dispersion enhances permeation of poorly soluble ABT-102: True supersaturation vs. apparent solubility enhancement. *International Journal of Pharmaceutics*, **437**, 288-293.
- Fudholi, A. 2013, *Disolusi dan pelepasan obat*, Yogyakarta, Pustaka Pelajar.
- Gao, Y., Li, Z., Sun, M., Li, H., Guo, C., Cui, J., *et al.* 2010, Preparation, characterization, pharmacokinetics, and tissue distribution of curcumin nanosuspension with TPGS as stabilizer. *Drug Development and Industrial Pharmacy*, **36**, 1225-34.
- Garcea, G., Berry, D. P., Jones, D. J., Singh, R., Dennison, A. R., Farmer, P. B., *et al.* 2005, Consumption of the putative chemopreventive agent curcumin by cancer patients: assessment of curcumin levels in the colorectum and their

- pharmacodynamic consequences. *Cancer Epidemiology, Biomarkers and Prevention*, **14**, 120-5.
- Garcea, G., Jones, D. J., Singh, R., Dennison, A. R., Farmer, P. B., Sharma, R. A., *et al.* 2004, Detection of curcumin and its metabolites in hepatic tissue and portal blood of patients following oral administration. *British Journal of Cancer*, **90**, 1011-5.
- Garofolo, F., 2004, Bioanalytical method validation. IN Chan, C. C., Lam, H., Lee, Y. & Zhang, X.-M. (Eds.) *Analytical method validation and instrument performance verification* New Jersey, John Wiley & Sons, Inc.
- González, G. and Herrador, A. 2007, A practical guide to analytical method validation, including measurement uncertainty and accuracy profiles. *TrAC Trends in Analytical Chemistry*, **26**, 227-238.
- Govindarajan, V. S. and Stahl, W. H. 1980, Turmeric - chemistry, technology, and quality. *CRC Critical Reviews in Food Science and Nutrition*, **12**, 199-301.
- Graeser, K., Patterson, J., Zeitler, J., Gordon, K. and Rades, T. 2009, Correlating thermodynamic and kinetic parameters with amorphous stability. *European Journal of Pharmaceutical Sciences*, **37**, 492-498.
- Griffin, B. and O'Driscoll, C., 2008, Models of the Small Intestine. IN Ehrhardt, C. & Kim, K.-J. (Eds.) *Drug Absorption Studies: In Situ, In Vitro and In Silico Models*. New York, Springer Science+Business Media.
- Grill, A., Koniar, B. and Panyam, J. 2014, Co-delivery of natural metabolic inhibitors in a self-microemulsifying drug delivery system for improved oral bioavailability of curcumin. *Drug Delivery and Translational Research*, **4**, 344-352.
- Gugulothu, D. B. and Patravale, V. B. 2012, A new stability-indicating HPLC method for simultaneous determination of curcumin and celecoxib at single wavelength: an application to nanoparticulate formulation. *Pharmaceutica Analytica Acta*, **3**, <http://dx.doi.org/10.4172/2153-2435.1000157>.
- Gunaratna, C. 2000, Pharmacokinetic and pharmacodynamic studies in rats using a new method of automated blood sampling. *Current Separations*, **18**, 153-157.
- Gupta, N. K. and Dixit, V. K. 2011, Bioavailability enhancement of curcumin by complexation with phosphatidyl choline. *Journal of Pharmaceutical Sciences*, **100**, 1987-1995.
- Gupta, S. C., Patchva, S. and Aggarwal, B. B. 2012, Therapeutic Roles of Curcumin: Lessons Learned from Clinical Trials. *The AAPS Journal*, **15**, 195-218.
- Hassaninasab, A., Hashimoto, Y., Tomita-Yokotani, K. and Kobayashi, M. 2011, Discovery of the curcumin metabolic pathway involving a unique enzyme in an intestinal microorganism. *Proceedings of the National Academy of Sciences of the United States of America*, **108**, 6615-20.
- Heath, D. D., Pruitt, M. A., Brenner, D. E. and Rock, C. L. 2003, Curcumin in plasma and urine: quantitation by high-performance liquid chromatography. *Journal of Chromatography B*, **783**, 287-295.
- Hoff, J. 2000, Methods of blood collection in the mouse. *Lab Animal*, **29**, 47-53.

- Holder, G. M., Plummer, J. L. and Ryan, A. J. 1978, The metabolism and excretion of curcumin (1,7-bis-(4-hydroxy-3-methoxyphenyl)-1,6-heptadiene-3,5-dione) in the rat. *Xenobiotica*, **8**, 761-8.
- Hu, L., Jia, Y., Niu, F., Jia, Z., Yang, X. and Jiao, K. 2012, Preparation and enhancement of oral bioavailability of curcumin using microemulsion vehicle. *Journal of Agricultural and Food Chemistry*.
- Hu, L., Shi, Y., Li, J. H., Gao, N., Ji, J., Niu, F., *et al.* 2015, Enhancement of Oral Bioavailability of Curcumin by a Novel Solid Dispersion System. *AAPS PharmSciTech*, **25 March 2015**, DOI: 10.1208/s12249-014-0254-0.
- ICH 2005, *ICH Harmonised tripartite guideline*, Geneva.
- Ireson, C., Orr, S., Jones, D. J., Verschoyle, R., Lim, C. K., Luo, J. L., *et al.* 2001, Characterization of metabolites of the chemopreventive agent curcumin in human and rat hepatocytes and in the rat in vivo, and evaluation of their ability to inhibit phorbol ester-induced prostaglandin E2 production. *Cancer Research*, **61**, 1058-64.
- Ireson, C. R., Jones, D. J., Orr, S., Coughtrie, M. W., Boocock, D. J., Williams, M. L., *et al.* 2002, Metabolism of the cancer chemopreventive agent curcumin in human and rat intestine. *Cancer Epidemiology, Biomarkers and Prevention*, **11**, 105-11.
- Jamzad, S. and Fassihi, R. 2006, Role of surfactant and pH on dissolution properties of fenofibrate and glipizide—a technical note. *AAPS PharmSciTech*, **7**, E1-E6.
- Janssens, S. and Van den Mooter, G. 2009, Review: physical chemistry of solid dispersions. *Journal of Pharmacy and Pharmacology*, **61**, 1571-1586.
- Jayaprakasha, G. K., Rao, L. J. M. and Sakaraiah, K. K. 2002, Improved HPLC Method for the Determination of Curcumin, Demethoxycurcumin, and Bisdemethoxycurcumin. *Journal of Agricultural and Food Chemistry*, **50**, 3668-3672.
- Jovanovic, S. V., Steenken, S., Boone, C. W. and Simic, M. G. 1999, H-Atom Transfer Is A Preferred Antioxidant Mechanism of Curcumin. *Journal of the American Chemical Society*, **121**, 9677-9681.
- Kakkar, V., Singh, S., Singla, D., Sahwney, S., Chauhan, A. S., Singh, G., *et al.* 2010, Pharmacokinetic applicability of a validated liquid chromatography tandem mass spectroscopy method for orally administered curcumin loaded solid lipid nanoparticles to rats. *Journal of Chromatography. B, Analytical Technologies in the Biomedical and Life Sciences*, **878**, 3427-31.
- Kanai, M., Imaizumi, A., Otsuka, Y., Sasaki, H., Hashiguchi, M., Tsujiko, K., *et al.* 2012, Dose-escalation and pharmacokinetic study of nanoparticle curcumin, a potential anticancer agent with improved bioavailability, in healthy human volunteers. *Cancer Chemotherapy and Pharmacology*, **69**, 65-70.
- Kanai, M., Otsuka, Y., Otsuka, K., Sato, M., Nishimura, T., Mori, Y., *et al.* 2013, A phase I study investigating the safety and pharmacokinetics of highly bioavailable curcumin (Theracurmin<sup>®</sup>) in cancer patients. *Cancer Chemotherapy and Pharmacology*, **71**, 1521-1530.

- Kanaze, F. I., Kokkalou, E., Niopas, I., Georgarakis, M., Stergiou, A. and Bikiaris, D. 2006, Thermal analysis study of flavonoid solid dispersions having enhanced solubility. *Journal of Thermal Analysis and Calorimetry*, **83**, 283-290.
- Karavas, E., Georgarakis, E., Sigalas, M. P., Avgoustakis, K. and Bikiaris, D. 2007, Investigation of the release mechanism of a sparingly water-soluble drug from solid dispersions in hydrophilic carriers based on physical state of drug, particle size distribution and drug-polymer interactions. *European Journal of Pharmaceutics and Biopharmaceutics*, **66**, 334-347.
- Khurana, A. and Ho, C.-T. 1988, High Performance Liquid Chromatographic Analysis of Curcuminoids and Their Photo-oxidative Decomposition Compounds in *Curcuma Longa L.* *Journal of Liquid Chromatography*, **11**, 2295-2304.
- Kommuru, T. R., Gurley, B., Khan, M. A. and Reddy, I. K. 2001, Self-emulsifying drug delivery systems (SEDDS) of coenzyme Q10: formulation development and bioavailability assessment. *International Journal of Pharmaceutics*, **212**, 233-246.
- Lao, C. D., Ruffin, M. T. t., Normolle, D., Heath, D. D., Murray, S. I., Bailey, J. M., *et al.* 2006, Dose escalation of a curcuminoid formulation. *BMC Complementary and Alternative Medicine*, **6**, 10.
- Lestari, M. L. A. D., Indrayanto, G. and Harry, G. B., 2014, Chapter Three - Curcumin. *Profiles of Drug Substances, Excipients and Related Methodology*. Academic Press.
- Leuner, C. and Dressman, J. 2000, Improving drug solubility for oral delivery using solid dispersions. *European Journal of Pharmaceutics and Biopharmaceutics*, **50**, 47-60.
- Li, H., Zhao, X., Ma, Y., Zhai, G., Li, L. and Lou, H. 2009a, Enhancement of gastrointestinal absorption of quercetin by solid lipid nanoparticles. *Journal of Controlled Release*, **133**, 238-244.
- Li, J., Jiang, Y., Wen, J., Fan, G., Wu, Y. and Zhang, C. 2009b, A rapid and simple HPLC method for the determination of curcumin in rat plasma: assay development, validation and application to a pharmacokinetic study of curcumin liposome. *Biomedical Chromatography*, **23**, 1201-7.
- Li, L., Braiteh, F. S. and Kurzrock, R. 2005, Liposome-encapsulated curcumin: in vitro and in vivo effects on proliferation, apoptosis, signaling, and angiogenesis. *Cancer*, **104**, 1322-31.
- Li, R., Qiao, X., Li, Q., He, R., Ye, M., Xiang, C., *et al.* 2011a, Metabolic and pharmacokinetic studies of curcumin, demethoxycurcumin and bisdemethoxycurcumin in mice tumor after intragastric administration of nanoparticle formulations by liquid chromatography coupled with tandem mass spectrometry. *Journal of Chromatography. B, Analytical Technologies in the Biomedical and Life Sciences*, **879**, 2751-8.
- Li, S., Yuan, W., Deng, G., Wang, P., Yang, P. and Aggarwal, B. B. 2011b, Chemical Composition and Product Quality Control of Turmeric (*Curcuma longa L.*). *Pharmaceutical Crops*, **2**, 28-54.

- Lipinski, C. A., Lombardo, F., Dominy, B. W. and Feeney, P. J. 2001, Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Advance Drug Delivery Reviews*, **46**, 3-26.
- Liu, A., Lou, H., Zhao, L. and Fan, P. 2006, Validated LC/MS/MS assay for curcumin and tetrahydrocurcumin in rat plasma and application to pharmacokinetic study of phospholipid complex of curcumin. *Journal of Pharmaceutical and Biomedical Analysis*, **40**, 720-727.
- Ma, Z., Shayeganpour, A., Brocks, D. R., Lavasanifar, A. and Samuel, J. 2007, High-performance liquid chromatography analysis of curcumin in rat plasma: application to pharmacokinetics of polymeric micellar formulation of curcumin. *Biomedical Chromatography*, **21**, 546-552.
- Mahady, G. B., Pendland, S. L., Yun, G. and Lu, Z. Z. 2002, Turmeric (*Curcuma longa*) and curcumin inhibit the growth of *Helicobacter pylori*, a group 1 carcinogen. *Anticancer Research*, **22**, 4179-81.
- Marczylo, T. H., Steward, W. P. and Gescher, A. J. 2009, Rapid analysis of curcumin and curcumin metabolites in rat biomatrices using a novel ultraperformance liquid chromatography (UPLC) method. *Journal of Agricultural and Food Chemistry*, **57**, 797-803.
- Marczylo, T. H., Verschoyle, R. D., Cooke, D. N., Morazzoni, P., Steward, W. P. and Gescher, A. J. 2007, Comparison of systemic availability of curcumin with that of curcumin formulated with phosphatidylcholine. *Cancer Chemotherapy and Pharmacology*, **60**, 171-7.
- Marsac, P., Konno, H., Rumondor, A. and LSTaylor 2008, Recrystallization of nifedipine and felodipine from amorphous molecular level solid dispersions containing poly(vinylpyrrolidone) and sorbed water. *Pharmaceutical Research*, **25**, 647-656.
- Martin, R. C., Aiyer, H. S., Malik, D. and Li, Y. 2012, Effect on pro-inflammatory and antioxidant genes and bioavailable distribution of whole turmeric vs curcumin: Similar root but different effects. *Food and Chemical Toxicology*, **50**, 227-31.
- Martinez-Oharriz, M. C., Rodriguez-Espinosa, C., Martin, C., Goni, M. M., Tros-Illarduya, M. C. and Sanchez, M. 2002, Solid dispersions of diflunisal-PVP: polymorphic and amorphous states of the drug. *Drug Development and Industrial Pharmacy*, **28**, 717-25.
- Martono, S. 1996, Penentuan kadar kurkumin secara kromatografi lapis tipis-densitometri. *Buletin ISFI Yogyakarta*, **2**, 11-21.
- Martono, S. 2005, Inhibitory potency of some methoxyphenyl derivatives compounds on class mu GST activity in vitro. *Majalah Farmasi Indonesia*, **16**, 45-50.
- McClements, D. J. and Li, Y. 2010a, Review of in vitro digestion models for rapid screening of emulsion-based systems. *Food & Function*, **1**, 32-59.
- McClements, D. J. and Li, Y. 2010b, Structured emulsion-based delivery systems: Controlling the digestion and release of lipophilic food components. *Advances in Colloid and Interface Science*, **159**, 213-228.

- Mena, F. 2015, Curcumin Nano-Sized Delivery Systems against Cancers: From Bench to Clinics. *Journal of Pharmaceutical Care & Health Systems*, **2**, e135 10.4172/2376-0419.1000e135.
- Mihrianyan, A. and Strømme, M. 2007, Solubility of fractal nanoparticles. *Surface Science*, **601**, 315-319.
- Mosharraf, M. and Nyström, C. 1995, The effect of particle size and shape on the surface specific dissolution rate of microsized practically insoluble drugs. *International Journal of Pharmaceutics*, **122**, 35-47.
- Mukerjee, A. and Vishwanatha, J. K. 2009, Formulation, characterization and evaluation of curcumin-loaded PLGA nanospheres for cancer therapy. *Anticancer Research*, **29**, 3867-75.
- Nakamura, Y., Ohto, Y., Murakami, A., Osawa, T. and Ohigashi, H. 1998, Inhibitory effects of curcumin and tetrahydrocurcuminoids on the tumor promoter-induced reactive oxygen species generation in leukocytes in vitro and in vivo. *Japanese Journal of Cancer Research*, **89**, 361-70.
- Noyes, A. A. and Whitney, W. R. 1897, The rate of solution of solid substances in their own solutions. *Journal of the American Chemical Society*, **19**, 930-934.
- O'Neil, M. J. 2013 The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals, Cambridge UK, Royal Society of Chemistry, p. 474.
- Okonogi, S. and Puttipipatkachorn, S. 2006, Dissolution improvement of high drug-loaded solid dispersion. *AAPS PharmSciTech*, **7**, E52.
- Onoue, S., Takahashi, H., Kawabata, Y., Seto, Y., Hatanaka, J., Timmermann, B., et al. 2010, Formulation design and photochemical studies on nanocrystal solid dispersion of curcumin with improved oral bioavailability. *Journal of Pharmaceutical Sciences*, **99**, 1871-81.
- Osawa, T., Sugiyama, Y., Inayoshi, M. and Kawakishi, S. 1995, Antioxidative activity of tetrahydrocurcuminoids. *Bioscience, Biotechnology, and Biochemistry*, **59**, 1609-12.
- Pak, Y., Patek, R. and Mayersohn, M. 2003, Sensitive and rapid isocratic liquid chromatography method for the quantitation of curcumin in plasma. *Journal of Chromatography B*, **796**, 339-346.
- Pal, A., Sung, B., Bhanu Prasad, B. A., Schuber Jr, P. T., Prasad, S., Aggarwal, B. B., et al. 2014, Curcumin glucuronides: Assessing the proliferative activity against human cell lines. *Bioorganic & Medicinal Chemistry*, **22**, 435-439.
- Pan, M. H., Huang, T. M. and Lin, J. K. 1999, Biotransformation of curcumin through reduction and glucuronidation in mice. *Drug Metabolism and Disposition*, **27**, 486-94.
- Pan, M. H., Lin-Shiau, S. Y. and Lin, J. K. 2000, Comparative studies on the suppression of nitric oxide synthase by curcumin and its hydrogenated metabolites through down-regulation of IkappaB kinase and NFkappaB activation in macrophages. *Biochemical Pharmacology*, **60**, 1665-76.
- Paradkar, A., Ambike, A. A., Jadhav, B. K. and Mahadik, K. R. 2004, Characterization of curcumin-PVP solid dispersion obtained by spray drying. *International Journal of Pharmaceutics*, **271**, 281-286.

- Parasuraman, S., Raveendran, R. and Kesavan, R. 2010, Blood sample collection in small laboratory animals. *Journal of Pharmacology & Pharmacotherapeutics*, **1**, 87-93.
- Park, J. H. and Choi, H. K. 2015, Enhancement of solubility and dissolution of cilostazol by solid dispersion technique. *Archives of Pharmacal Research*, **38**, 1336-44.
- Patil, B. S., Jayaprakasha, G. K., Chidambara Murthy, K. N. and Vikram, A. 2009, Bioactive Compounds: Historical Perspectives, Opportunities, and Challenges. *Journal of Agricultural and Food Chemistry*, **57**, 8142-8160.
- Paudel, A., Worku, Z. A., Meeus, J., Guns, S. and Van den Mooter, G. 2012, Manufacturing of solid dispersions of poorly water soluble drugs by spray drying: formulation and process considerations. *International Journal of Pharmaceutics*, **453**, 253-84.
- Payton, F., Sandusky, P. and Alworth, W. L. 2007, NMR Study of the Solution Structure of Curcumin. *Journal of Natural Products*, **70**, 143-146.
- Pisal, S., Wawde, G., Salvankar, S., Lade, S. and Kadam, S. 2006, Vacuum foam drying for preservation of LaSota virus: effect of additives. *AAPS PharmSciTech*, **7**, 60.
- Prabhu, S., Brocks, D. R. and Betageri, G. V. 2001, Enhancement of dissolution of ethopropazine using solid dispersions prepared with phospholipid and/or polyethylene glycol. *Drug Development and Industrial Pharmacy*, **27**, 413-8.
- Rachmawati, H., Shaal, L. A., Müller, R. H. and Keck, C. M. 2012, Development of curcumin nanocrystal: Physical aspects. *Journal of Pharmaceutical Sciences*, **102**, 204-214.
- Ramsewak, R. S., DeWitt, D. L. and Nair, M. G. 2000, Cytotoxicity, antioxidant and anti-inflammatory activities of curcumins I-III from *Curcuma longa*. *Phytomedicine*, **7**, 303-8.
- Ramshankar, Y. V., Suresh, S., Pandit, V. and Puranik, S. B. 2009, Reverse phase high performance liquid chromatographic method for the estimation of curcumin. *Oriental Journal of Chemistry*, **25**, 105-110.
- Rashmin, P., Mrunali, P., Nitin, D., Nidhi, D. and Bharat, P. 2012, HPTLC method development and validation: strategy to minimize methodological failures. *Journal of Food and Drug Analysis*, **20**, 794-804.
- Riswan, S. and Sangat-Roemantyo, H. 2002, Jamu as traditional medicine in Java, Indonesia. *South Pacific Study*, **23**, 1-10.
- Rowe, R. C., Sheskey, P. J., Cook, W. G. and Fenton, M. E. 2012 Handbook of Pharmaceutical Excipients, London, Pharmaceutical Press.
- Rumondor, A., Marsac, P., Stanford, L. and Taylor, L. 2009, Phase behavior of poly(vinylpyrrolidone) containing amorphous solid dispersions in the presence of moisture. *Molecular Pharmaceutics*, **6**, 1492-1505.
- The Royal Society of Chemistry 2011, New polymorphs of curcumin, *Electronic Supplementary Information*,
- Sasaki, H., Sunagawa, Y., Takahashi, K., Imaizumi, A., Fukuda, H., Hashimoto, T., et al. 2011, Innovative preparation of curcumin for improved oral bioavailability. *Biological & Pharmaceutical Bulletin*, **34**, 660-5.

- Schiborr, C., Eckert, G. P., Rimbach, G. and Frank, J. 2010, A validated method for the quantification of curcumin in plasma and brain tissue by fast narrow-bore high-performance liquid chromatography with fluorescence detection. *Analytical and Bioanalytical Chemistry*, **397**, 1917-1925 DOI 10.1007/s00216-010-3719-3.
- Seo, S. W., Han, H. K., Chun, M. K. and Choi, H. K. 2012, Preparation and pharmacokinetic evaluation of curcumin solid dispersion using Solutol(R) HS15 as a carrier. *International Journal of Pharmaceutics*, **424**, 18-25.
- Serajuddin, A. T. 1999, Solid dispersion of poorly water-soluble drugs: early promises, subsequent problems, and recent breakthroughs. *Journal of Pharmaceutical Sciences*, **88**, 1058-66.
- Sethia, S. and Squillante, E. 2004, Solid dispersion of carbamazepine in PVP K30 by conventional solvent evaporation and supercritical methods. *International Journal of Pharmaceutics*, **272**, 1-10.
- Setyaningsih, D., Radifar, M., Murti, Y. B. and Istyastono, E. P. 2013, Construction of In Silico Structure-Based Screening Tools to Study the Oxidative Metabolites Formation of Curcumin by Human Cytochrom 450 3A4. *Indonesian Journal of Pharmacy*, **24**, 75-85.
- Shah, V., Konecny, J., Everett, R., McCullough, B., Noorizadeh, A. and Skelly, J. 1989, In vitro dissolution profile of water-insoluble drug dosage forms in the presence of surfactants. *Pharmaceutical Research*, **6**, 612-618.
- Shaikh, J., Ankola, D. D., Beniwal, V., Singh, D. and Kumar, M. N. 2009, Nanoparticle encapsulation improves oral bioavailability of curcumin by at least 9-fold when compared to curcumin administered with piperine as absorption enhancer. *European Journal of Pharmaceutical Sciences*, **37**, 223-30.
- Sharma, O. P. 1976, Antioxidant activity of curcumin and related compounds. *Biochemical Pharmacology*, **25**, 1811-1812.
- Shehzad, A., Wahid, F. and Lee, Y. S. 2010, Curcumin in cancer chemoprevention: molecular targets, pharmacokinetics, bioavailability, and clinical trials. *Archiv der Pharmazie (Weinheim)*, **343**, 489-99.
- Shimadzu 2009, *Shimadzu instrument manual & maintenance manual in safety intructions*, Kyoto, Shimadzu Corporation Analytical and Measuring Instruments Division.
- Shoba, G., Joy, D., Joseph, T., Majeed, M., Rajendran, R. and Srinivas, P. S. 1998, Influence of Piperine on the Pharmacokinetics of Curcumin in Animals and Human Volunteers. *Planta Medica*, **64**, 353-6.
- Shoji, M., Nakagawa, K., Watanabe, A., Tsuduki, T., Yamada, T., Kuwahara, S., *et al.* 2014, Comparison of the effects of curcumin and curcumin glucuronide in human hepatocellular carcinoma HepG2 cells. *Food Chemistry*, **151**, 126-132.
- Siewert, M., Dressman, J., Brown, C. and Shah, V. 2003, FIP/AAPS guidelines for dissolution/in vitro release testing of novel/special dosage forms. *Dissolution Technologies*.
- Singh, S. P., Wahajuddin and Jain, G. K. 2012, Determination of curcumin in rat plasma by liquid-liquid extraction using LC-MS/MS with electrospray

- ionization: assay development, validation and application to a pharmacokinetic study. *Journal of Bioanalysis & Biomedicine*, **2**, 079-084. doi:10.4172/1948-593X.1000027
- Snyder, L. R., Kirkland, J. J. and Glajch, J. L. 1997 Non-ionic samples: reversed- and normal-phase HPLC, *Practical HPLC method development*, John Wiley & Sons, Inc.
- Spangenberg, B., Poole, C. F. and Weins, C. 2010, *Quantitatif thin-layer chromatography: A practical survey*, Heidelberg, Dordrecht, London, New York, Springer.
- Srinarong, P., de Waard, H., Frijlink, H. W. and Hinrichs, W. L. 2011, Improved Dissolution Behavior of Lipophilic Drugs by Solid Dispersions: the Production Process as Starting Point for Formulation Considerations. *Expert Opinion on Drug Delivery*, **8**, 1121-40.
- Srinarong, P., Faber, J. H., Visser, M. R., Hinrichs, W. L. J. and Frijlink, H. W. 2009a, Strongly enhanced dissolution rate of fenofibrate solid dispersion tablets by incorporation of superdisintegrants. *European Journal of Pharmaceutics and Biopharmaceutics*, **73**, 154-161.
- Srinarong, P., Kouwen, S., Visser, M. R., Hinrichs, W. L. and Frijlink, H. W. 2009b, Effect of drug-carrier interaction on the dissolution behavior of solid dispersion tablets. *Pharmaceutical Development and Technology*, **15**, 460-8.
- Stankovic, I. 2004, Curcumin chemical and technical assessment (CTA) 61st JECFA, Food and Agriculture Organization of the United Nations
- Sugiyama, T., Nagata, J., Yamagishi, A., Endoh, K., Saito, M., Yamada, K., *et al.* 2006, Selective protection of curcumin against carbon tetrachloride-induced inactivation of hepatic cytochrome P450 isozymes in rats. *Life Sciences*, **78**, 2188-93.
- Sugiyama, Y., Kawakishi, S. and Osawa, T. 1996, Involvement of the beta-diketone moiety in the antioxidative mechanism of tetrahydrocurcumin. *Biochemical Pharmacology*, **52**, 519-25.
- Supardjan, A. M. 2001, Chemical Content of Turmeric, Curcumin, and Its Derivatives. *Majalah Farmasi Indonesia*, **12**, 115-119.
- Tamvakopoulos, C., Sofianos, Z. D., Garbis, S. D. and Pantazis, P. 2007, Analysis of the in vitro metabolites of diferuloylmethane (curcumin) by liquid chromatography--tandem mass spectrometry on a hybrid quadrupole linear ion trap system: newly identified metabolites. *European Journal of Drug Metabolism and Pharmacokinetics*, **32**, 51-7.
- Taylor, L. and Zografi, G. 1997, Spectroscopic Characterization of Interactions Between PVP and Indomethacin in Amorphous Molecular Dispersions. *Pharmaceutical Research*, **14**, 1691-1698.
- Teixeira, C. C. C., Mendonça, L. M., Bergamaschi, M. M., Queiroz, R. H. C., Souza, G. E. P., Antunes, L. M. G., *et al.* 2015, Microparticles Containing Curcumin Solid Dispersion: Stability, Bioavailability and Anti-Inflammatory Activity. *AAPS PharmSciTech*, 1-10.

- Ting, Y., Jiang, Y., Ho, C.-T. and Huang, Q. 2014, Common delivery systems for enhancing in vivo bioavailability and biological efficacy of nutraceuticals. *Journal of Functional Foods*, **7**, 112-128.
- Tiyaboonchai, W., Tungpradit, W. and Plianbangchang, P. 2007, Formulation and characterization of curcuminoids loaded solid lipid nanoparticles. *International Journal of Pharmaceutics*, **337**, 299-306.
- Tonnesen, H. 2002a, Solubility, chemical, and photochemical stability of curcumin in surfactant solutions. Studies of curcumin and curcuminoids, XXVIII. *Pharmazie*, **57**, 820-824.
- Tonnesen, H. and Karlsen, J. 1985a, Studies on curcumin and curcuminoids VI. Kinetics of curcumin degradation in aqueous solution. *Zeitschrift fur Lebensmittel-Untersuchung und -Forschung*, **180**, 402-404.
- Tonnesen, H. and Karlsen, J. 1986, Studies on curcumin and curcuminoids VII. Chromatographic separation and quantitative analysis of curcumin and related compounds. *Zeitschrift fur Lebensmittel-Untersuchung und -Forschung*, **182**, 215-218.
- Tonnesen, H. H. 2002b, Solubility, chemical and photochemical stability of curcumin in surfactant solutions. Studies of curcumin and curcuminoids, XXVIII. *Pharmazie*, **57**, 820-4.
- Tonnesen, H. H. and Karlsen, J. 1985b, Studies of curcumin and curcuminoids V. Alkaline degradation of curcumin. *Zeitschrift fur Lebensmittel-Untersuchung und -Forschung*, **180**, 132-134.
- Tonnesen, H. H., Karlsen, J. and van Henegouwen, G. B. 1986, Studies on curcumin and curcuminoids. VIII. Photochemical stability of curcumin. *Zeitschrift fur Lebensmittel-Untersuchung und -Forschung*, **183**, 116-22.
- Tonnesen, H. H., Masson, M. and Loftsson, T. 2002, Studies of curcumin and curcuminoids. XXVII. Cyclodextrin complexation: solubility, chemical and photochemical stability. *International Journal of Pharmaceutics*, **244**, 127-35.
- USP, 2009, <621> Chromatography. *USP Pharmacists' pharmacopeia*. Rockville, U.S Pharmacopeia.
- USP, 2011, General chapter <1092> The Dissolution Procedure: Development and Validation. *The dissolution procedure: development and validation*. Rockville, The United State Pharmacopeal Convention, Inc. .
- Van den Mooter, G., Augustijns, P., Bleton, N. and Kinget, R. 1998, Physico-chemical characterization of solid dispersions of temazepam with polyethylene glycol 6000 and PVP K30. *International Journal of Pharmaceutics*, **164**, 67-80.
- Van Drooge, D. J., Hinrichs, W. L., Dickhoff, B. H., Elli, M. N., Visser, M. R., Zijlstra, G. S., *et al.* 2005, Spray freeze drying to produce a stable Delta(9)-tetrahydrocannabinol containing inulin-based solid dispersion powder suitable for inhalation. *European Journal of Pharmaceutical Sciences*, **26**, 231-40.
- Van Drooge, D. J., Hinrichs, W. L. and Frijlink, H. W. 2004a, Anomalous dissolution behaviour of tablets prepared from sugar glass-based solid dispersions. *Journal of Controlled Release*, **97**, 441-52.

- Van Drooge, D. J., Hinrichs, W. L. and Frijlink, H. W. 2004b, Incorporation of lipophilic drugs in sugar glasses by lyophilization using a mixture of water and tertiary butyl alcohol as solvent. *Journal of Pharmaceutical Sciences*, **93**, 713-25.
- Van Drooge, D. J., Hinrichs, W. L., Visser, M. R. and Frijlink, H. W. 2006, Characterization of the molecular distribution of drugs in glassy solid dispersions at the nano-meter scale, using differential scanning calorimetry and gravimetric water vapour sorption techniques. *International Journal of Pharmaceutics*, **310**, 220-9.
- van Drooge, D. J., Hinrichs, W. L. J. and Frijlink, H. W. 2004c, Anomalous dissolution behaviour of tablets prepared from sugar glass-based solid dispersions. *Journal of Controlled Release*, **97**, 441-452.
- Vasconcelos, T. f., Sarmiento, B. and Costa, P. 2007, Solid dispersions as strategy to improve oral bioavailability of poor water soluble drugs. *Drug Discovery Today*, **12**, 1068-1075.
- Vijaya Kumar, S. G. and Mishra, D. N. 2006, Preparation and evaluation of solid dispersion of meloxicam with skimmed milk. *Yakugaku Zasshi*, **126**, 93-7.
- Volak, L. P., Ghirmai, S., Cashman, J. R. and Court, M. H. 2008, Curcuminoids inhibit multiple human cytochromes P450, UDP-glucuronosyltransferase, and sulfotransferase enzymes, whereas piperine is a relatively selective CYP3A4 inhibitor. *Drug Metabolism and Disposition*, **36**, 1594-605.
- Wahlang, B., Pawar, Y. B. and Bansal, A. K. 2011, Identification of permeability-related hurdles in oral delivery of curcumin using the Caco-2 cell model. *European Journal of Pharmaceutics and Biopharmaceutics*, **77**, 275-282.
- Wahlström, B. and Blennow, G. 1978, A study on the fate of curcumin in the rat. *Acta Pharmacologica et Toxicologica*, **43**, 86-92.
- Wan, S., Sun, Y., Qi, X. and Tan, F. 2012, Improved bioavailability of poorly water-soluble drug curcumin in cellulose acetate solid dispersion. *AAPS PharmSciTech.*, **13**, 159-66.
- Wang, X.-M., Zhang, Q.-Z., Yang, J., Zhu, R.-H., Zhang, J., Cai, L.-J., *et al.* 2012, Validated HPLC–MS/MS method for simultaneous determination of curcumin and piperine in human plasma. *Tropical Journal of Pharmaceutical Research*, **11**, 621-629.
- Wang, Y. J., Pan, M. H., Cheng, A. L., Lin, L. I., Ho, Y. S., Hsieh, C. Y., *et al.* 1997, Stability of curcumin in buffer solutions and characterization of its degradation products. *Journal of Pharmaceutical and Biomedical Analysis*, **15**, 1867-76.
- Wu, K., Li, J., Wang, W. and Winstead, D. A. 2009, Formation and characterization of solid dispersions of piroxicam and polyvinylpyrrolidone using spray drying and precipitation with compressed antisolvent. *Journal of Pharmaceutical Sciences*, **98**, 2422-2431.
- Xu, D.-H., Wang, S., Jin, J., Mei, X.-T. and Xu, S.-B. 2006, Dissolution and absorption researches of curcumin in solid dispersions with the polymers PVP. *Asian Journal of Pharmacodynamics and Pharmacokinetics*, **6**, 343-349.

- Yadav, V. R., Suresh, S., Devi, K. and Yadav, S. 2009, Novel formulation of solid lipid microparticles of curcumin for anti-angiogenic and anti-inflammatory activity for optimization of therapy of inflammatory bowel disease. *Journal of Pharmacy and Pharmacology*, **61**, 311-21.
- Yallapu, M. M., Ebeling, M. C., Chauhan, N., Jaggi, M. and Chauhan, S. C. 2011, Interaction of curcumin nanoformulations with human plasma proteins and erythrocytes. *International Journal of Nanomedicine*, **6**, 2779-2790. <http://dx.doi.org/10.2147/IJN.S25534>.
- Yallapu, M. M., Jaggi, M. and Chauhan, S. C. 2012, Curcumin nanoformulations: a future nanomedicine for cancer. *Drug Discovery Today*, **17**, 71-80.
- Yu, H. and Huang, Q. 2011, Investigation of the Absorption Mechanism of Solubilized Curcumin Using Caco-2 Cell Monolayers. *Journal of Agricultural and Food Chemistry*, **59**, 9120-9126.
- Zajc, N., Obreza, A., Bele, M. and SrÄ iÄ , S. 2005, Physical properties and dissolution behaviour of nifedipine/mannitol solid dispersions prepared by hot melt method. *International Journal of Pharmaceutics*, **291**, 51-58.
- Zhang, W., Tan, T. M. and Lim, L. Y. 2007, Impact of curcumin-induced changes in P-glycoprotein and CYP3A expression on the pharmacokinetics of peroral celiprolol and midazolam in rats. *Drug Metabolism and Disposition*, **35**, 110-5.
- Zhanga, Y., Huoa, M., Zhoua, J. and Xieb, S. 2010, PKSolver: An add-in program for pharmacokinetic and pharmacodynamic data analysis in Microsoft Excel. *Computer Methods and Programs in Biomedicine*, **99**, 306-314.
- Zhou, D., Zhang, G., Law, D., Grant, D. and Schmitt, E. 2002, Physical stability of amorphous pharmaceuticals: importance of configurational thermodynamic quantities and molecular mobility. *Journal of Pharmaceutical Sciences*, **91**, 1863-1872.