



## DAFTAR PUSTAKA

- Altman, NG, Balserak, BI, Schopfer, E, Jackson, N, Rattanaumpawan, P, Gehrman, PR, Patel, NP, Grandner, MA (2009) *Sleep Duration Versus Sleep Insufficiency as Predictors of Cardiometabolic Health Outcomes*. *Sleep Medicine* 13 (2012) 1261-1270.
- Ashraf, M. S., Vongpatanasin, W., (2006). Estrogen and Hypertension. *Curr Hypertens Rep*, 8(5):368-376.
- Ayas, N.T., White, D.P., Al-Delaimy, W.K., Manson, J.E., Stampfer, M.J., Speizer, F.E., Patel, S., Hu, F.B. (2003). *A Prospective Study of Self-Reported Sleep Duration and Incident Diabetes in Women*. *Diabetes Care* 2003;26:380-4.
- Bansil, P., Kuklina, E. V., Merritt, R. K., Yoon, P. W., (2011) *Associations Between Sleep Disorders, Sleep Duration, Quality of Sleep, and Hypertension: Results From the National Health and Nutrition Examination Survey, 2005 to 2008*. Division for Heart Disease and Stroke Prevention, Centers for Disease Control and Prevention: Atlanta.
- Beevers, D. G., Lip, G., O'Brien, E., (2007). *ABC of Hypertension Fifth Edition*, Massachusetts: Blackwell Publishing Ltd.
- Borras, C., Gambini, J., Grueso, R. L., Pallardo, F. V., Vina, J., (2010). Direct Antioxidant and Protective effect of estradiol on Isolated Mitochondria. *Biochimica et Biophysica Acta*, 1802: 205-211.
- Choi, K. M., Lee, J. S., Park, H. S., Baik, S. H., Choi, D. S., Kim, S. M. (2008) *Relationship Between Sleep Duration and The Metabolic Syndrome: Korean National Health and Nutrition Survey 2001*. *International Journal of Obesity* (2008) 32, 1091–1097.
- Departemen Kesehatan RI. 2008. *Laporan Hasil Riset Kesehatan Dasar (RISKESDAS) Indonesia Tahun 2007*. Jakarta : Balitbangkes-Dekkes RI.
- Dias da Costa, J. S., Barcellos, F. C., Sclowitz, M. L., Sclowitz, I. K. T., Castanheira, M., Olinto, M. T. A., Menezes, A. M. B., Gigante, D. P.,



Macedo, S., Fuchs, S. C. (2007). *Hypertension Prevalence and its Associated Risk Factors in Adults: a Population-Based Study in Pelotas*. Arq Bras Cardiol 2007; 88(1) : 54-59.

Dinas Kesehatan Kabupaten Wonogiri. 2012. *Profil Kesehatan Kabupaten Wonogiri Tahun 2012*. Wonogiri.

Dinas Kesehatan Kabupaten Wonogiri. 2013. *Profil Kesehatan Kabupaten Wonogiri Tahun 2013*. Wonogiri.

Division of Sleep Medicine at Harvard Medical School. 2007. *Sleep and Disease Risk*. From <http://healthysleep.med.harvard.edu/healthy/matters/consequences/sleep-and-disease-risk>

Division of Sleep Medicine at Harvard Medical School. 2008. *Benefits of Sleep*. From <http://healthysleep.med.harvard.edu/healthy/matters/benefits-of-sleep>

Dosh SA (2001) *The Diagnosis of Essential and Secondary Hypertension in Adults*. J. Fam Pract 2001;50:707-712.

Faisal, E. (2011). *Faktor Risiko Hipertensi Pada Wanita Pekerja Dengan Peran Ganda Kabupaten Bantul Tahun 2011*. Tesis, Universitas Gadjah Mada.

Fauzi, L. (2014). *Hubungan Antara Kepribadian Tipe D dengan Kejadian Hipertensi Esensial di Wilayah Kerja Puskesmas Godean I Kabupaten Sleman*. Tesis, Universitas Gadjah Mada.

Folkow, B. (1990). “Structural Factor” in Primary and Secondary Hypertension. Hypertension 1990; 16:89-101.

Folkow, B. (2001). Mental Stress and Its Importance for Cardiovascular Disorders; Physiological Aspects, “From-Mice-To-Man”. Scand Cardiovasc J 2001; 35:163-172.

Gangwisch JE, Heymsfield SB, Boden-Albala B, Buijs RM, Kreier F, Pickering TG, Rundle AG, Zammit GK, Malaspina D (2006) Short Sleep Duration as a Risk Factor for Hypertension: Analyses of the First National. Hypertension 2006;47:833-839.



- Gangwisch, J.E., (2014), *A Review of Evidence for the Link Between Sleep Duration and Hypertension*. American Journal of Hypertension 27(10) October 2014.
- Goldstein, I.B., Shapiro, D., Weiss, R.E., (2008). How Family History and Risk Factors for Hypertension Relate to Ambulatory Blood Pressure In Healthy adults. *J Hypertens*, 26(2):276-283.
- Gottlieb, D. J., Redline, S., Nieto, J., Baldwin, C.M., Newman, A. B., Punjabi, N. M., (2006). Association of Usual Sleep Duration With Hypertension: The Sleep Heart Health Study. *SLEEP*, 29(8): 1009-1014.
- Gray, H.H., Dawkins, K.D., Simpson, I.A., & Morgan, J.M. (2002) *Kardiologi*. Terjemahan: Agoes, A. & Rachmawati, A.D. Jakarta: Erlangga.
- Izzo JL, Black HR. (2003) *Hypertension Primer: The Essentials of High Blood Pressure*, 3rd Ed. Philadelphia: Lippincott Williams & Wilkins.
- Jones, D. W., Hall, J. E.,(2006). Racial and Ethnic Differences In Blood Pressure Biology and Sociology. *Circulation*, 114:2757-2759.
- Kaplan, N. M.,(2006). *Kaplan's Clinical Hypertension 9<sup>th</sup> Edition*, New York: Lippincot Williams & Wilkins.
- Kario, K., Schwartz, J.E., Pickering, T.G. (2000). *Changes of Nocturnal Blood Pressure Dipping Status in Hypertensives by Nighttime Dosing of Alpha-Adrenergic Blocker, Doxazosin: Results From The HALT Study*. *Hypertension* 2000; 35: 787-794.
- Kementerian Kesehatan RI. 2013. *Laporan Hasil Riset Kesehatan Dasar (RISKESDAS) Indonesia Tahun 2013*. Jakarta : Balitbangkes-Depkes RI.
- Khomsan, A., (2003), *Pangan dan Gizi untuk Kesehatan*, Jakarta: PT. Raja Grafindo Persada.
- Kim SE, Lee SK, Kim SH, Yun CH, Kim Jh, Thomas RJ, Shin C (2012) *Genetic Association of Short Sleep Duration With Hypertension*



*Incidence: A 6-Year Follow-up in the Korean Genome and Epidemiology Study. Circulation Journal Vol.76, April 2012.*

Kitamura, T., Onishi, K., Dohi, K., Okinaka, T., Ito, M., Isaka, N., Nakano, T., (2002), *Circadian Rhythm of Blood Pressure is Transformed From a Dipper to a Non-Dipper Pattern in Shift Workers with Hypertension*. Nature Publishing Group: Japan.

Knutson KL (2010) *Sleep Duration and Cardiometabolic Risk: A Review of The Epidemiologic Evidence*. Best Practice & Research Clinical Endocrinology & Metabolism 24 (2010) 731–743.

Kreier, F., Yilmaz, A., Kalsbeek, A., Romijn, J.A., Sauerwein, H.P., Fliers, E., Buijs, R.M. (2003). *Hypothesis: Shifting The Equilibrium from Activity to Food Leads to Autonomic Unbalance and The Metabolic Syndrome*. Diabetes 2003; 52:2652-2656.

Kuciene R, Dulskiene V (2014) *Associations of Short Sleep Duration With Prehypertension and Hypertension Among Lithuanian Children and Adolescents: a Cross-Sectional Study*. BMC Public Health 2014, 14:255.

Lanfranchi, P.A., Pennestri, M.H., Fradette, L., Dumont, M., Morin, C.M., Montplaisir, J. (2009). *Nighttime Blood Pressure in Normotensive Subjects with Chronic Insomnia: Implications for Cardiovascular Risk*. Sleep 2009: 32:760-766.

Larkin, K. T., (2005). *Stress and Hypertension Examining The Relation Between Psychological Stress and High Blood Pressure*. London: Yale University Press.

Lip, G.Y.H., Hall, J.E., (2007). *Comprehensive Hypertension*. Philadelphia: Mosby Elsevier.

Liu, M., He, Y., Jiang, B., Wang, J., Wu, L., Wang, Y., Zhang, D., Zeng, J., Yao, Y. (2015). *Association Between Family History and Hypertension Among Chinese Elderly*. Medicine Volume 94, Number 48, December 2015.



- Lloyd-Jones, D., (2010). *Heart disease and stroke statistics update: a report from the American Heart Association.* Circulation;121:e46-e215
- Malonda, N.S.H. (2010). *Pola Makan dan Konsumsi Alkohol Sebagai Faktor Risiko Hipertensi Pada Lansia di Kota Tomohon Provinsi Sulawesi Utara.* Tesis, Universitas Gadjah Mada.
- Manimunda, S. P., Sugunan, A. P., Benegal, V., Balakrishna, N., Rao, M. V., Pesala, K. S., (2011). *Association of Hypertension With Risk Factors & Hypertension Related Behaviour Among The Aboriginal Nicobarese Tribe Living In Car Nicobar Island, India.* Indian J Med Res, 133: 287-293.
- National Sleep Foundation. (2013). *2013 International Bedroom Poll.* Washington DC: National Sleep Foundation.
- Pemu, P.I., Ofili, M., (2008). Hypertension in Women: Part 1, *J Clin Hypertens (Greenwich)*, 10(5): 406-410.
- Permadi S., (2008) *Ramuan Herbal Penumpas Hipertensi*, Pustaka Bunda, Depok, pp: 3.
- Pradhan, D., 2014. *The Association between smoking and Hypertension in Ukraine.* Faculty of Health Sciences. University of Eastern Finland.
- Ranasinghe, P., Cooray, D. N., Jayawerdena, R., Katulanda, P. (2015). *The Influence of Family History of Hypertension on Disease Prevalence and Associated Metabolic Risk Factors Among Sri Lanka Adults.* BMC Public Health (2015) 15:576.
- Reckelhoff, J. F., (2001). Gender Differences In The Regulation of Blood Pressure. *Hypertension*, 37:1199-1208.
- Rachmawati, R. (2010). *Faktor-faktor Determinan Yang Berhubungan Dengan Pra-hipertensi Pada Orang Dewasa di Daerah Perkotaan dan Pedesaan di Indonesia.* Tesis, Universitas Gadjah Mada.
- Sande, M.A.B.V.D., Walraven, G.E.L., Milligan, P.J.M., Banya, W.A.S., Ceesay, S.M., Nyan, O.A., McAdam, K.P.W.J., (2001). Family History: An Opportunity For Early Interventions And Improved Control of



Hypertension, Obesity, and Diabetes. Bulletin of The World Health Organization, 79: 321-328.

Sathish, T., Kannan, S., Sarma, P.S., Razum, O., Thankappan, K.R. (2012). Incidence of Hypertension and its Risk Factors in Rural Kerala, India: a Community-based Cohort Study. Public Health 126 (2012) 25-32.

Sheps & Sheldon, G. (2005) *Mayo Clinic Hipertensi, Mengatasi Tekanan Darah Tinggi*. Jakarta: PT. Intisari Mediatama.

Smeltzer, S. C., Bare, B. G., (2007) *Brunner and Sudarth: Texboook of Medical Surgical Nursing*.10th Ed.

Smulyan, H. & Safar, M.E. (1997) *Systolic Blood Pressure Revisited*. JACC Vol. 29 No. 7: 1407-13.

Sobngwi, E., Mbanya, J.C., Unwin, N.C., Kengne, A.P., Fezeu, L., Minkoulou, E.M., Aspray, T.J., Alberti, K.G., (2002). Physical Activity and Its Relationship With Obesity, Hypertension and Diabetes In Urban and Rural Cameroon. Int J Obes Relat Metab Disord, 26(7):1009-1016.).

Spiegel, K., Tasali, E., Penev, P., Van Cauter, E. (2004). *Brief Communication: Sleep Curtailment in Healthy Young Men is Associated with Decreased Leptin Levels, Elevated Ghrelin Levels, and Increased Hunger and Appetite*. Ann Intern Med 2004; 141:845-850.

Staessen, J., Bulpitt, C.J., O'Brien, E., Cox, J., Fagard, R., Stanton, A., Thijs, L., Van Hulle S., Vyncke, G., Amery, A. (1992). *The Diurnal Blood Pressure Profile: A Population Study*. American Journal Hypertens 1992; 5:386-392.

Stefani, K. M., Kim, H. C., Kim, J., Oh, K., Suh, I., (2013). The Influence Of Sex and Age On The Relationship Between Sleep Duration and Metabolic Syndrome In Korean Adults. *Diabetes Research and Clinical Practice*, 102 : 250-259.

Surendra, H. (2013). *Hubungan Antara Anger Expression Dengan Kejadian Hipertensi ESENSIAL di Wilayah Kerja Puskesmas Wates Kabupaten Kulonprogo*. Tesis, Universitas Gadjah Mada.



Sutomo B., (2009) *Menu Sehat Penakluk Hipertensi*, PT Agromedia Pustaka, Tangerang, pp:10-12).

Teodosha, S., Gilliart, Lackland, Egan, B., & Woolson, R. (2003) *Effect of Total Obesity and Abdominal Obesity on Hypertension*. South Caroline: Medical University of South Caroline.

Thuy, A., B., Blizzard, L., Schmidt, M., D., Luc, P., H., Granger, R., H., Dwyer, T., (2010). The Association Between Smoking and Hypertension In A Population-Based Sample of Vietnamese Men. *Journal of Hypertension*, 28: 245-250.

Tochikubo, O., Ikeda, A., Miyajima, E., Ishii, M. (1996). *Effects of Insufficient Sleep on Blood Pressure Monitored by A New Multibiomedical recorder*. Hypertension 1996; 27:1318-1324.

Tondong, HI. (2012). *Penggunaan Minyak Jelantah Sebagai Faktor Risiko Hipertensi di Kabupaten Banyumas*. Tesis, Universitas Gadjah Mada.

U.S. Department of Health and Human Service. (2003). *The Seventh Report of The Joint National Committee On Prevention, Detection, Evaluation, and Treatment of High Blood Pressure*. Washington D.C: U.S. Department Of Health and Human Service.

Virdis, A., Giannarelli, C., Neves, M.F., Taddei, S., Ghiadoni, L., (2010). Cigarette Smoking and Hypertension. *Curr Pharm Des*, 16(23): 2518-2525.

Wau, H. (2011). *Faktor Risiko Hipertensi Esensial pada Dewasa Muda di Kecamatan Banyudono Kabupaten Boyolali*. Tesis, Universitas Gadjah Mada.

Wang, NY, Young, JH, Meoni, LA, Ford, DE, Erlinger, TP, Klag MJ. (2008). *Blood Pressure Change and Risk of Hypertension Associated with Parental Hypertension: The Johns Hopkins Precursors Study*. Arch Intern Med. 2008;168(5):486-91.

Wang, X., Poole, J.C., Treiber, F.A., Harshfield, G.A., Hanevold, C.D., Snieder, H., (2006). Ethnic and Gender Differences In Ambulatory



Blood Pressure Trajectories: Results From a 15-Years Longitudinal Study In Youth and Young Adults. *Circulation*, 114: 2780-2787.

Watanabe M, Kikuchi H, Tanaka K et al. (2010) *Association of short sleep duration with weight gain and obesity at 1-year followup: a large-scale prospective study*. Sleep 2010;33:161–167.

Weber, M. A., (2001). *Hypertension Medicine*, New Jersey: Humana Press Inc.

Williams, B., (2005), *Simple Guide Tekanan Darah Tinggi*, Penerbit Erlangga, pp:35.

World Health Organization, (2000), Available: <http://www.who.int/features/factfiles/obesity/facts/en/> [Accessed May 23<sup>th</sup> 2015].

World Health Organization, (2005), *Cardiovascular Diseases: WHO/ISH Hypertension Guidelines*, Available: [http://www.who.int/cardiovascular\\_diseases/guidelines/hypertension/en/](http://www.who.int/cardiovascular_diseases/guidelines/hypertension/en/) [Accessed August 4<sup>th</sup> 2014].

World Health Organization. (2011). *Global Atlas on Cardiovascular Disease Prevention and Control*. From [http://www.who.int/cardiovascular\\_diseases/publications/atlas\\_cvd/en/](http://www.who.int/cardiovascular_diseases/publications/atlas_cvd/en/)

World Health Organization. (2013). *A Global Brief on Hypertension: silent killer, global public health crisis*. From [http://www.who.int/cardiovascular\\_diseases/publications/global\\_brief\\_hypertension/en/](http://www.who.int/cardiovascular_diseases/publications/global_brief_hypertension/en/)

World Health Organization, (2014), *Global Status Report on Noncommunicable Diseases 2014*. Geneva: WHO.

World Health Organization Regional Office For The Eastern Mediterranean (WHO EMRO), (2015). *High Blood Pressure and Physical Activity*. Available:[www.emro.who.int](http://www.emro.who.int). [Accesed March 5<sup>th</sup> 2015].

Zee, P. C., & Turek, F. W. (2006). Sleep and health: everywhere and in both directions. *Archives of Internal Medicine*, 166(16), 1686-1688).