

DAFTAR PUSTAKA

- Aboud, F. E. & Akhter, S. (2011) A cluster-randomized evaluation of a responsive stimulation and feeding intervention in Bangladesh. *Pediatrics*, 127(5): e1191-e1197.
- Abubakar, A., Uriyo, J., Msuya, S. E., Swai, M. & Stray-Pedersen, B. (2012) Prevalence and risk factors for poor nutritional status among children in the Kilimanjaro Region of Tanzania. *Int J Environ Res Public Health*, 9(10): 3506-3518.
- Adair, L. S. (1989) Growth of Filipino infants who differ in body proportions at birth. *Am J Hum Biol*, 1(6): 673-682.
- Adair, L. S., Fall, C. H., Osmond, C., Stein, A. D., Martorell, R., Ramirez-Zea, M., Sachdev, H. S., Dahly, D. L., Bas, I. & Norris, S. A. (2013) Associations of linear growth and relative weight gain during early life with adult health and human capital in countries of low and middle income: findings from five birth cohort studies. *The Lancet*, 382(9891): 525-534.
- Aerts, D., Drachler, M. d. L. & Giugliani, E. R. J. (2004) Determinants of growth retardation in Southern Brazil. *Cad Saude Publica*, 20(5): 1182-1190.
- Allen, L., Gillespie, S. R. & Unies, N. (2001) *What works?: A review of the efficacy and effectiveness of nutrition interventions*: United Nations, Administrative Committee on Coordination, Sub-Committee on Nutrition.
- Ariawan, I. (2006) Indeks Sosio-ekonomi Menggunakan Principal Component Analysis. *Kesmas Jurnal Kesehatan Masyarakat Nasional*, 1(2).
- Arimond, M. & Ruel, M. T. (2004) Dietary diversity is associated with child nutritional status: evidence from 11 demographic and health surveys. *J Nutr*, 134(10): 2579-2585.
- Behzad, K. (2012) Factors Socioeconomic Water And Sanitation Access To Health Service And Immunization Status Of Children With Stunting In Under Five Children In Sikka And Lumbork District. *Faculty Of Public Health International Mph Program*, University of Indonesia.
- Berkman, D. S., Lescano, A. G., Gilman, R. H., Lopez, S. L. & Black, M. M. (2002) Effects of stunting, diarrhoeal disease, and parasitic infection during infancy on cognition in late childhood: a follow-up study. *The Lancet*, 359(9306): 564-571.
- Bhutta, Z. A., Das, J. K., Rizvi, A., Gaffey, M. F., Walker, N., Horton, S., Webb, P., Lartey, A. & Black, R. E. (2013) Evidence-based interventions for improvement of maternal and child nutrition: what can be done and at what cost? *The Lancet*, 382(9890): 452-477.
- Binkin, N. J., Yip, R., Fleshood, L. & Trowbridge, F. L. (1988) Birth weight and childhood growth. *Pediatrics*, 82(6): 828-834.

- Bisai, S., Mahalanabis, D., Sen, A., Bose, K. & Datta, N. (2007) Maternal early second trimester pregnancy weight in relation to birth outcome among Bengalee Hindus of Kolkata, India. *Ann Hum Biol*, 34(1): 91-101.
- BKKBN (2014) *CPR-TFR SUSENAS 2012 (plus bidan dokter)* [Online]. Jakarta: BKKBN. Available: <http://www.bkkbn.go.id/publikasi/Documents/Forms/AllItems.aspx> [Accessed 2 April 2015].
- Black, R. E., Allen, L. H., Bhutta, Z. A., Caulfield, L. E., De Onis, M., Ezzati, M., Mathers, C., Rivera, J., Maternal & Group, C. U. S. (2008) Maternal and child undernutrition: global and regional exposures and health consequences. *The lancet*, 371(9608): 243-260.
- Black, R. E., Victora, C. G., Walker, S. P., Bhutta, Z. A., Christian, P., De Onis, M., Ezzati, M., Grantham-McGregor, S., Katz, J. & Martorell, R. (2013) Maternal and child undernutrition and overweight in low-income and middle-income countries. *The lancet*, 382(9890): 427-451.
- BPS and Macro International (2013) *Survei Demografi dan Kesehatan Indonesia 2012*. Calverton, Maryland, USA: BPS dan Macro Internasional.
- Bwibo, N. O. & Neumann, C. G. (2003) The need for animal source foods by Kenyan children. *J Nutr*, 133(11): 3936S-3940S.
- Checkley, W., Buckley, G., Gilman, R. H., Assis, A. M., Guerrant, R. L., Morris, S. S., Mølbaek, K., Valentiner-Branth, P., Lanata, C. F. & Black, R. E. (2008) Multi-country analysis of the effects of diarrhoea on childhood stunting. *Int J Epidemiol*, 37(4): 816-830.
- Checkley, W., Epstein, L. D., Gilman, R. H., Cabrera, L. & Black, R. E. (2003) Effects of acute diarrhea on linear growth in Peruvian children. *American Journal of Epidemiology*, 157(2): 166-175.
- Christiaensen, L. & Alderman, H. (2004) Child Malnutrition in Ethiopia: Can Maternal Knowledge Augment the Role of Income?*. *Econ Dev Cult Change*, 52(2): 287-312.
- Christian, P. (2009) Prenatal origins of undernutrition.
- Cogill, B. (2003) Anthropometric indicators measurement guide.
- Crompton, D. W. T. & Nesheim, M. (2002) Nutritional impact of intestinal helminthiasis during the human life cycle. *Annu Rev Nutr*, 22(1): 35-59.
- Dekker, L. H., Mora-Plazas, M., Marín, C., Baylin, A. & Villamor, E. (2010) Stunting associated with poor socioeconomic and maternal nutrition status and respiratory morbidity in Colombian schoolchildren. *Food Nutr Bull*, 31(2): 242-250.
- Dewey, K. G. & Adu-Afarwah, S. (2008) Systematic review of the efficacy and effectiveness of complementary feeding interventions in developing countries. *Maternal & child nutrition*, 4(s1): 24-85.

- Dewey, K. G. & Mayers, D. R. (2011) Early child growth: how do nutrition and infection interact? *Maternal & child nutrition*, 7(s3): 129-142.
- Dinkes Propinsi NTB (2013) Pemantauan Status Gizi Balita Provinsi NTB. Mataram: Dinkes Provinsi NTB.
- Esfarjani, F., Roustae, R., Mohammadi, F. & Esmailzadeh, A. (2013) Determinants of stunting in school-aged children of Tehran, Iran. *Int J Prev Med*, 4(2): 173.
- Fakultas Kesehatan Masyarakat UI (2008) *Gizi dan Kesehatan Masyarakat*. Jakarta: PT Rajagrafindo Perkasa.
- Falkner, F., Holzgreve, W. & Schloo, R. (1994) Prenatal influences on postnatal growth: overview and pointers for needed research. *Eur J Clin Nutr*, 48(1): 15-24.
- Finlay, J. E., Özaltin, E. & Canning, D. (2011) The association of maternal age with infant mortality, child anthropometric failure, diarrhoea and anaemia for first births: evidence from 55 low-and middle-income countries. *BMJ open*, 1(2): e000226.
- Frost, M. B., Forste, R. & Haas, D. W. (2005) Maternal education and child nutritional status in Bolivia: finding the links. *Social science & medicine*, 60(2): 395-407.
- Garcia, M., Alderman, H. & Sathar, Z. A. (1989) Patterns and Determinants of Malnutrition in Children in Pakistan: Impact of Community Health [with Comments]. *The Pakistan Development Review*, 891-902.
- Gayle, H. D., Dibley, M. J., Marks, J. S. & Trowbridge, F. L. (1987) Malnutrition in the first two years of life: the contribution of low birth weight to population estimates in the United States. *Am J Dis Child*, 141(5): 531-534.
- Gibney, M. J. (2005) Gizi kesehatan Masyarakat. EGC.
- Gibson, R. S. (2005) *Principles of nutritional assessment*: Oxford university press.
- Glewwe, P. (1999) Why does mother's schooling raise child health in developing countries? Evidence from Morocco. *J Hum Resour*, 124-159.
- Gluckman, P. D. & Pinal, C. S. (2003) Regulation of fetal growth by the somatotrophic axis. *J Nutr*, 133(5): 1741S-1746S.
- Goicolea, I., Marianne, W., Öhman, A. & San Sebastian, M. (2009) Risk factors for pregnancy among adolescent girls in Ecuador's Amazon basin: a case-control study. *Rev Panam Salud Publica*, 26(3): 221-228.
- Gordis, L. (2004) *Epidemiologi (third Edition)* Philadelphia: W.B. Saunders Company.
- Harpham, T., Huttly, S., De Silva, M. J. & Abramsky, T. (2005) Maternal mental health and child nutritional status in four developing countries. *J Epidemiol Community Health*, 59(12): 1060-1064.

- Hernandez-Diaz, S., Peterson, K., Dixit, S., Hernandez, B., Parra, S., Barquera, S., Sepulveda, J. & Rivera, J. (1999a) Association of maternal short stature with stunting in Mexican children: common genes vs common environment. *Eur J Clin Nutr*, 53(12): 938-945.
- Hernandez-Diaz, S., Peterson, K., Dixit, S., Hernandez, B., Parra, S., Barquera, S., Sepulveda, J. & Rivera, J. (1999b) Association of maternal short stature with stunting in Mexican children: common genes vs common environment. *Eur J Clin Nutr*, 53(12): 938-945.
- Hien, N. N. & Hoa, N. N. (2009) Nutritional status and determinants of malnutrition in children under three years of age in Nghean, Vietnam. *Pak J Nutr*, 8(7): 958-964.
- Hong, R. (2007) Effect of economic inequality on chronic childhood undernutrition in Ghana. *Public Health Nutrition*, 10(04): 371-378.
- Hong, R. & Mishra, V. (2006) Effect of wealth inequality on chronic undernutrition in Cambodian children. *Journal of Health, Population and Nutrition*, 89-99.
- Humphrey, J. H. (2009) Child undernutrition, tropical enteropathy, toilets, and handwashing. *The Lancet*, 374(9694): 1032-1035.
- Hutton, G. & Haller, L. (2004) *Evaluation of the costs and benefits of water and sanitation improvements at the global level: Water, Sanitation, and Health, Protection of the Human Environment*, World Health Organization.
- Iannotti, L. L., Robles, M., Pachón, H. & Chiarella, C. (2012) Food prices and poverty negatively affect micronutrient intakes in Guatemala. *J Nutr*, 142(8): 1568-1576.
- Islam, M. M., Khatun, M., Peerson, J. M., Ahmed, T., Mollah, M. A. H., Dewey, K. G. & Brown, K. H. (2008) Effects of energy density and feeding frequency of complementary foods on total daily energy intakes and consumption of breast milk by healthy breastfed Bangladeshi children. *Am J Clin Nutr*, 88(1): 84-94.
- Jelliffe, D. B., Jelliffe, E. F., Zervas, A. & Neumann, C. (1989) Community nutritional assessment with special reference to less technically developed countries.
- Khan, R. E. A. & Raza, M. A. (2014) Child malnutrition in developing economies: a case study of Bangladesh. *Quality & Quantity*, 48(3): 1389-1408.
- Kramer, M. S. (1987) Determinants of low birth weight: methodological assessment and meta-analysis. *Bull World Health Organ*, 65(5): 663.
- Kramer, M. S. & Kakuma, R. (2012) Optimal duration of exclusive breastfeeding. *The Cochrane Library*.

- Kramer, M. S., Olivier, M., McLean, F. H., Willis, D. M. & Usher, R. H. (1990) Impact of intrauterine growth retardation and body proportionality on fetal and neonatal outcome. *Pediatrics*, 86(5): 707-713.
- Kuzawa, C. W., Tallman, P. S., Adair, L. S., Lee, N. & McDade, T. W. (2012) Inflammatory profiles in the non-pregnant state predict offspring birth weight at Cebu: Evidence for inter-generational effects of low grade inflammation. *Ann Hum Biol*, 39(4): 267-274.
- Kwawukume, E., Ghosh, T. & Wilson, J. (1993) Maternal height as a predictor of vaginal delivery. *Int J Gynaecol Obstet*, 41(1): 27-30.
- Lawn, J. E., Cousens, S., Zupan, J. & Team, L. N. S. S. (2005) 4 million neonatal deaths: when? Where? Why? *The Lancet*, 365(9462): 891-900.
- Lawn, J. E., Lee, A. C., Kinney, M., Sibley, L., Carlo, W. A., Paul, V. K., Pattinson, R. & Darmstadt, G. L. (2009) Two million intrapartum-related stillbirths and neonatal deaths: where, why, and what can be done? *Int J Gynaecol Obstet*, 107S5-S19.
- Lee, A. C., Darmstadt, G. L., Khatri, S. K., LeClerq, S. C., Shrestha, S. R. & Christian, P. (2009) Maternal-fetal disproportion and birth asphyxia in rural Sarlahi, Nepal. *Arch Pediatr Adolesc Med*, 163(7): 616-623.
- Lima, M., Figueira, F. & Ebrahim, G. (1990) Malnutrition among children of adolescent mothers in a squatter community of Recife, Brazil. *J Trop Pediatr*, 36(1): 14-19.
- Limwattananon, S., Tangcharoensathien, V. & Prakongsai, P. (2010) Equity in maternal and child health in Thailand. *Bull World Health Organ*, 88(6): 420-427.
- Luxemburger, C., McGready, R., Kham, A., Morison, L., Cho, T., Chongsuphajaisiddhi, T., White, N. J. & Nosten, F. (2001) Effects Of Malaria During Pregnancy On Infant Mortality In An Area Of Low Malaria Transmission. *Am J Epidemiol*, 154(5): 459-465.
- Mahmood, M. A. & Nasir, Z. M. (2001) Determinants of Growth Retardation in Pakistani Children under Five Years of Age [with Comments]. *The Pakistan Development Review*, 1009-1031.
- McDonald, C. M., Manji, K. P., Kupka, R., Bellinger, D. C., Spiegelman, D., Kisenge, R., Msamanga, G., Fawzi, W. W. & Duggan, C. P. (2013) Stunting and wasting are associated with poorer psychomotor and mental development in HIV-exposed Tanzanian infants. *J Nutr*, 143(2): 204-214.
- Menezes, R. C. E. d., Lira, P. I. C. d., Leal, V. S., Oliveira, J. S., Santana, S. C. d. S., Sequeira, L. A. d. S., Rissin, A. & Batista Filho, M. (2011) Determinants of stunting in children under five in Pernambuco, Northeastern Brazil. *Rev Saude Publica*, 45(6): 1079-1087.

- Merchant, K. M., Villar, J. & Kestler, E. (2001) Maternal height and newborn size relative to risk of intrapartum caesarean delivery and perinatal distress. *Int J Gynaecol Obstet*, 108(7): 689-696.
- Mittal, A., Singh, J. & Ahluwalia, S. (2007) Effect of maternal factors on nutritional status of 1-5-year-old children in urban slum population. *Indian J Community Med*, 32(4): 264.
- Mukherjee, R., Chaturvedi, S. & Bhalwar, R. (2008) Determinants of nutritional status of school children. *Med J Armed Forces India*, 64(3): 227-231.
- Munajat, N. (2000) *Risiko Reproduksi Remaja*, DIY:Tim Sahabat Remaja PKBI DIY: Lentera Sahaja, PKBI DIY cetakan III.
- Nadiyah, N., Briawan, D. & Martianto, D. (2014) Faktor Risiko Stunting Pada Anak Usia 0—23 Bulan di Provinsi Bali, Jawa Barat dan Nusa Tenggara Timur. *Jurnal Gizi dan Pangan*, 9(2).
- Najahah, I. (2013) Hubungan Karakteristik Sosiodemografi Ibu Dan Balita Dengan Balita Stunting Usia 12-36 Bulan Di Wilayah Kerja Puskesmas Dasan Agung Kota Mataram Provinsi Nusa Tenggara Barat. *Kesehatan Masyarakat*, Universitas Udayana.
- Nasution, D. (2014) Hubungan Berat Badan Lahir Rendah (BBLR) Dengan Kejadian Stunting Pada Anak Usia 6-24 Bulan Di Kota Yogyakarta. *department Of Public health*, Universitas Gadjah Mada.
- Olivieri, F., Semproli, S., Pettener, D. & Toselli, S. (2008) Growth and malnutrition of rural Zimbabwean children (6–17 years of age). *Am J Phys Anthropol*, 136(2): 214-222.
- Omole-Ohonsi, A. & Ashimi, A. (2007) Obstructed labour—a six year review in Aminu Kano teaching Hospital, Kano, Nigeria. *Nigerian medical practitioner*, 51(4): 59-63.
- Onyango, A. W., Esrey, S. A. & Kramer, M. S. (1999) Continued breastfeeding and child growth in the second year of life: a prospective cohort study in western Kenya. *The Lancet*, 354(9195): 2041-2045.
- Özaltin, E., Hill, K. & Subramanian, S. (2010) Association of maternal stature with offspring mortality, underweight, and stunting in low-to middle-income countries. *Jama*, 303(15): 1507-1516.
- Prakash, R., Singh, A., Pathak, P. K. & Parasuraman, S. (2011) Early marriage, poor reproductive health status of mother and child well-being in India. *J Fam Plann Reprod Health Care*, jfprhc80.
- Raj, A., Saggurti, N., Winter, M., Labonte, A., Decker, M. R., Balaiah, D. & Silverman, J. G. (2010) The effect of maternal child marriage on morbidity and mortality of children under 5 in India: cross sectional study of a nationally representative sample. *BMJ*, 340.

- Ramli, Agho, K., Inder, K., Bowe, S., Jacobs, J. & Dibley, M. (2009) Prevalence and risk factors for stunting and severe stunting among under-fives in North Maluku province of Indonesia. *BMC Pediatr*, 9(1): 64.
- Rannan-Eliya, R., Hossain, S., Anuranga, C., Wickramasinghe, R., Jayatissa, R. & Abeykoon, A. (2013) Trends and determinants of childhood stunting and underweight in Sri Lanka. *Ceylon Med J*, 58(1): 10-18.
- Reurings, M., Vossenaar, M., Doak, C. M. & Solomons, N. W. (2013) Stunting rates in infants and toddlers born in metropolitan Quetzaltenango, Guatemala. *Nutrition*, 29(4): 655-660.
- Riskesdas (2013) *Riset Kesehatan Dasar 2013*, Jakarta:Kemenkes.
- Roos, N., Sørensen, J. C., Sørensen, H., Rasmussen, S. K., Briend, A., Yang, Z. & Huffman, S. L. (2013) Screening for anti-nutritional compounds in complementary foods and food aid products for infants and young children. *Matern Child Nutr*, 9(S1): 47-71.
- Santos, I. S., Matijasevich, A., Domingues, M. R., Barros, A. J. & Barros, F. C. (2010) Long-lasting maternal depression and child growth at 4 years of age: a cohort study. *J Pediatr*, 157(3): 401-406.
- Schlesselman, J. J. & Stolley, P. D. (1982) *Case Control Studies: Design, Conduct, Analysis*:Oxford University Press.
- Schmidt, M. K., Muslimatun, S., West, C. E., Schultink, W., Gross, R. & Hautvast, J. G. (2002) Nutritional status and linear growth of Indonesian infants in West Java are determined more by prenatal environment than by postnatal factors. *J Nutr*, 132(8): 2202-2207.
- Shahjada, A., Sharma, B., Sharma, S., Mahashabde, P. & Bachhotiya, A. (2014) Effects of birth interval on nutritional status of underfive children in periurban area of Madhya Pradesh, India. *International Journal of Medical Science and Public Health*, 3(6): 723-726.
- Shrimpton, R., Victora, C. G., de Onis, M., Lima, R. C., Blössner, M. & Clugston, G. (2001) Worldwide timing of growth faltering: implications for nutritional interventions. *Pediatrics*, 107(5): e75-e75.
- Simondon, K. B., Simondon, F., Costes, R., Delaunay, V. & Diallo, A. (2001) Breast-feeding is associated with improved growth in length, but not weight, in rural Senegalese toddlers. *Am J Clin Nutr*, 73(5): 959-967.
- Smith, L. C. & Haddad, L. J. (2000) *Explaining child malnutrition in developing countries: A cross-country analysis*:Intl Food Policy Res Inst.
- Soekirman, T. R., Hardinsyah, Hadi H dan Atmarita (2010) *Sehat dan Buger Berkat Gizi Seimbang*, Jakarta:Kompas Gramedia Group.
- Spears, D. (2013) How much international variation in child height can sanitation explain? *World Bank policy research working paper*, (6351).

- Stewart, C. P., Iannotti, L., Dewey, K. G., Michaelsen, K. F. & Onyango, A. W. (2013) Contextualising complementary feeding in a broader framework for stunting prevention. *Matern Child Nutr*, 9(S2): 27-45.
- Sudirman, H. (2008) Stunting Atau Pendek: Awal Perubahan Patologis Atau Adaptasi Karena Perubahan Sosial Ekonomi Yang Berkepanjangan? *Media Penelitian dan Pengembangan Kesehatan*, 18(1 Mar).
- Surkan, P. J., Kennedy, C. E., Hurley, K. M. & Black, M. M. (2011) Maternal depression and early childhood growth in developing countries: systematic review and meta-analysis. *Bull World Health Organ*, 89(8): 607-615.
- Thangaratnam, S., Rogozińska, E., Jolly, K., Glinkowski, S., Roseboom, T., Tomlinson, J., Kunz, R., Mol, B., Coomarasamy, A. & Khan, K. (2012) Effects of interventions in pregnancy on maternal weight and obstetric outcomes: meta-analysis of randomised evidence. *Bmj*, 344.
- Umeta, M., West, C. E., Verhoef, H., Haidar, J. & Hautvast, J. G. (2003) Factors associated with stunting in infants aged 5–11 months in the Dodota-Sire District, rural Ethiopia. *J Nutr*, 133(4): 1064-1069.
- UNICEF (2009) *Tracking progress on child and maternal nutrition: a survival and development priority*:UNICEF.
- UNICEF (2012) WFP (2010) Asia-Pacific Regional Workshop on the Reduction of Stunting through Improvement of Complementary Feeding and Maternal Nutrition. Bangkok.
- UNICEF (2013) UNICEF Annual Report 2013-Indonesia. Jakarta: UNICEF Indonesia.
- UNSCN (1992) Second report on the world nutrition situation--Volume 1: Global and Regional Results. *UNCSN, Geneva, Switzerland*.
- UNSCN (2004) Fifth report on the world nutrition situation: Nutrition for improved development outcomes. *UNSCN, Geneva, Switzerland*.
- Utomo, I. D. U. a. A. (2013) Adolescent Pregnancy in Indonesia: A Literature Review. The Australian National University.
- Vazir, S., Engle, P., Balakrishna, N., Griffiths, P. L., Johnson, S. L., Creed-Kanashiro, H., Fernandez Rao, S., Shroff, M. R. & Bentley, M. E. (2013) Cluster-randomized trial on complementary and responsive feeding education to caregivers found improved dietary intake, growth and development among rural Indian toddlers. *Matern Child Nutr*, 9(1): 99-117.
- Victora, C. G., Adair, L., Fall, C., Hallal, P. C., Martorell, R., Richter, L., Sachdev, H. S., Maternal & Group, C. U. S. (2008) Maternal and child undernutrition: consequences for adult health and human capital. *The lancet*, 371(9609): 340-357.

- Wamani, H., Åstrøm, A. N., Peterson, S., Tumwine, J. K. & Tylleskär, T. (2006) Predictors of poor anthropometric status among children under 2 years of age in rural Uganda. *Public Health Nutrition*, 9(03): 320-326.
- WHO (1992) *Low birth weight: a tabulation of available information*, Geneva: World Health Organization.
- WHO (2004) Adolescent Pregnancy Issues in Adolescent Health and Development. Geneva: Department of Child and Adolescent Health and Development; Department of Reproductive Health and Research; World Health Organization.
- WHO (2005a) Report of a WHO Technical Consultation on Birth Spacing. Geneva: WHO.
- WHO (2005b) The World health report: 2005: make every mother and child count: overview.
- WHO (2006) Child Growth Standards : length/height-for-age, weight-for-age, weight-for-length, weight for height and body mass index-for-age : methods and development. Geneva: Department of Nutrition for Health and Development.
- WHO (2011) World Health Statistic 2011. Geneva: WHO.
- WHO (2012) Early Marriages, Adolescent And Young Pregnancies. *Sixty-Fifth World Health Assembly*. Geneva: WHO.
- WHO (2013) Childhood Stunting: Context, Causes and Consequences. *WHO Conceptual framework*. Geneva: WHO.
- Win, K. M., Van der Putten, M., Vajanapoom, N. & Amnatsatsue, K. (2013) Early Pregnancy and Maternal Malnutrition as Precursors of Stunting in Children under Two Years of Age among Bhutanese Refugees, in Nepal Maternal Precursors in Stunting of Children. *Thammasat International Journal of Science and Technology*, 18(1).
- Yulestari. (2013) Analisis Faktor-Faktor Sosio-Ekonomi dan Lingkungan Terhadap Kejadian *Stunting* Pada Balita 10-59 Bulan Di Pulau Jawa Tahun 2010 (Analisis Data Riskesdas 2010) *Fakultas Kesehatan Masyarakat Program Studi Ilmu Kesehatan Masyarakat Kekhususan Epidemiologi*, Universitas Indonesia.