

DAFTAR PUSTAKA

- Abdel-Tawab, N. & RamaRao, S. (2010) Do improvements in client–provider interaction increase contraceptive continuation? Unraveling the puzzle. *Patient education and counseling*, 81(3): 381-387.
- Agha, S. & Do, M. (2008) Does an expansion in private sector contraceptive supply increase inequality in modern contraceptive use? *Health policy and planning*, 23(6): 465-475.
- Agha, S. & Do, M. (2009) The quality of family planning services and client satisfaction in the public and private sectors in Kenya. *International journal for quality in health care*, 21(2): 87-96.
- Agwanda, A., Khasakhala, A. & Kimani, M. (2009) Assessment of family planning services in Kenya: Evidence from the 2004 Kenya Service Provision Assessment survey. *Kenya Working Papers No. 4*. Calverton, Maryland, USA: Macro International.
- Ali, M. & Cleland, J. (1999) Determinants of contraceptive discontinuation in six developing countries. *Journal of Biosocial Science*, 31(03): 343-360.
- Ali, M. M. & Cleland, J. (2010) Contraceptive Switching after Method-related Discontinuation: Levels and Differentials. *Studies in family planning*, 41(2): 129-133.
- Ali, M. M., Cleland, J. G. & Shah, I. H. (2012) Causes and consequences of contraceptive discontinuation: evidence from 60 demographic and health surveys.
- Ariawan, I. (2006) Indeks Sosio-ekonomi Menggunakan Principal Component Analysis. *Kesmas Jurnal Kesehatan Masyarakat Nasional*, 1(2): 83-87.
- Barden-O'Fallon, J. L. & Speizer, I. S. (2010) Indonesian couple's pregnancy ambivalence and contraceptive use. *International perspectives on sexual and reproductive health*, 36(1): 36-43.
- Basu, S., Andrews, J., Kishore, S., Panjabi, R. & Stuckler, D. (2012) Comparative performance of private and public healthcare systems in low-and middle-income countries: a systematic review. *PLoS medicine*, 9(6): e1001244.
- Becker, D., Koenig, M. A., Mi Kim, Y., Cardona, K. & Sonenstein, F. L. (2007) The quality of family planning services in the United States: findings from a literature review. *Perspectives on sexual and reproductive health*, 39(4): 206-215.

- Belfield, T. (2009) Principles of contraceptive care: choice, acceptability and access. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 23(2): 177-185.
- Bertrand, J. T., Hardee, K., Magnani, R. J. & Angle, M. A. (1995) Access, quality of care and medical barriers in family planning programs. *International family planning perspectives*, 21(2): 64-74.
- Biggs, M. A., Arons, A., Turner, R. & Brindis, C. D. (2013) Same-day LARC insertion attitudes and practices. *Contraception*, 88(5): 629-635.
- BKKBN (2010) *Rencana Strategis BKKBN Tahun 2010-2014 untuk Pembangunan Kependudukan dan Keluarga Berencana*, Jakarta:Badan Kependudukan dan Keluarga Berencana Nasional.
- Blanc, A. K., Curtis, S. L. & Croft, T. N. (2002) Monitoring contraceptive continuation: links to fertility outcomes and quality of care. *Studies in family planning*, 33(2): 127-140.
- BPS, BKKBN, Kemenkes RI & ICF International (2013) *Survey Demografi Kesehatan Indonesia 2012*, Maryland, USA:ICF International.
- BPS & Macro, I. (2008) *Survei Demografi dan Kesehatan Indonesia 2007*, Caverton, Maryland, USA:BPS dan Macro International.
- Bradley, S. E., Schwandt, H. & Khan, S. (2009) *Levels, trends, and reasons for contraceptive discontinuation*, Calverton, Maryland, USA:ICF International.
- Bradley, S. E. K., William Winfrey & Trevor N. Croft (2015) *Contraceptive Use and Perinatal Mortality in the DHS: An Assessment of the Quality and Consistency of Calendars and Histories.*, Rockville, Maryland, USA:ICF International.
- Bruce, J. (1990) Fundamental elements of the quality of care: a simple framework. *Studies in family planning*, 21(2): 61-91.
- Canto De Cetina, T. E., Canto, P. & Ordoñez Luna, M. (2001) Effect of counseling to improve compliance in Mexican women receiving depot-medroxyprogesterone acetate. *Contraception*, 63(3): 143-146.
- Chandani, T., O'Hanlon, B. & Zellner, S. (2006) *Unraveling the factors behind the growth of the Indonesian family planning private sector*:Abt Associates in collaboration with Banyan Global.
- Cleland, J. & Ali, M. M. (2004) Reproductive consequences of contraceptive failure in 19 developing countries. *Obstetrics & Gynecology*, 104(2): 314-320.

- Curtis, S., Evens, E. & Sambisa, W. (2011) Contraceptive discontinuation and unintended pregnancy: an imperfect relationship. *International perspectives on sexual and reproductive health*, 37(2): 58-66.
- Dehlendorf, C., Levy, K., Ruskin, R. & Steinauer, J. (2010) Health care providers' knowledge about contraceptive evidence: a barrier to quality family planning care? *Contraception*, 81(4): 292-298.
- Donabedian, A. (2005) Evaluating the quality of medical care. *Milbank Quarterly*, 83(4): 691-729.
- El-shereef, E. A., Gamal, H. & Ahmed, M. (2011) Contraceptive use dynamics and effect of counseling on use-continuation of contraception in Assiut Governorate, Upper Egypt. *Journal of American Science*, 7(6): 209-219.
- Ensor, T. & Cooper, S. (2004) Overcoming barriers to health service access: influencing the demand side. *Health policy and planning*, 19(2): 69-79.
- Frost, J. J., Gold, R. B., Frohwirth, L. & Blades, N. (2012) *Variation in service delivery practices among clinics providing publicly funded family planning services in 2010*, New York:Guttmacher Institute.
- Glidden, D. V., Shiboski, S. C. & McCulloch, C. E. (2011) *Regression methods in biostatistics: linear, logistic, survival, and repeated measures models*:Springer Science & Business Media.
- Gubhaju, B. (2009) Barriers to sustained use of contraception in Nepal: quality of care, socioeconomic status, and method-related factors. *Biodemography and social biology*, 55(1): 52-70.
- Harper, C. C., Brown, B. A., Foster-Rosales, A. & Raine, T. R. (2010) Hormonal contraceptive method choice among young, low-income women: how important is the provider? *Patient education and counseling*, 81(3): 349-354.
- Heywood, P. & Harahap, N. P. (2009) Health facilities at the district level in Indonesia. *Australia and New Zealand Health Policy*, 6(1): 13-24.
- Hubacher, D., Goco, N., Gonzalez, B. & Taylor, D. (1999) Factors affecting continuation rates of DMPA. *Contraception*, 60(6): 345-351.
- Huber, L. R. B., Hogue, C. J., Stein, A. D., Drews, C., Zieman, M., King, J. & Schayes, S. (2006) Contraceptive use and discontinuation: findings from the contraceptive history, initiation, and choice study. *American journal of obstetrics and gynecology*, 194(5): 1290-1295.

- Hulley, S. B., Cummings, S. R., Browner, W. S., Grady, D. G. & Newman, T. B. (2013) *Designing clinical research*, Philadelphia:Lippincott Williams & Wilkins.
- Hutchinson, P. L., Do, M. & Agha, S. (2011) Measuring client satisfaction and the quality of family planning services: a comparative analysis of public and private health facilities in Tanzania, Kenya and Ghana. *BMC health services research*, 11(1): 203-220.
- Jenabi, E., Alizade, S. M. & Bag, R. I. (2006) Continuation rates and reasons for discontinuing TCu380A IUD use in Tabriz, Iran. *Contraception* 74:483–486.
- Josefsson, A., Wiréhn, A.-B., Lindberg, M., Foldemo, A. & Brynhildsen, J. (2013) Continuation rates of oral hormonal contraceptives in a cohort of first-time users: a population-based registry study, Sweden 2005–2010. *BMJ open*, 3(10): e003401.
- Khan, S., Mishra, V., Arnold, F. & Abderrahim, N. (2007) Contraceptive trends in developing countries.
- Koenig, M. A., Ahmed, S. & Hossain, M. B. (2003) *The impact of quality of care on contraceptive use: evidence from longitudinal data from rural Bangladesh*:Frontiers in Reproductive Health, Population Council.
- Laguna, E. P., Po, A. L. C., Perez, A. & Kanter, A. (2000) *Contraceptive Use Dynamics in the Philippines: Determinants of Contraceptive Method Choice and Discontinuation*, Calverton, Maryland:ORC Macro
- Landry, D. J., Wei, J. & Frost, J. J. (2008) Public and private providers' involvement in improving their patients' contraceptive use. *Contraception*, 78(1): 42-51.
- Lantis, K., Green, C. P. & Joyce, S. (2002) Providers and quality of care. *New perspectives on quality of care*, 3:2-8.
- Leite, I. C. & Gupta, N. (2007) Assessing regional differences in contraceptive discontinuation, failure and switching in Brazil. *Reproductive Health*, 4(1): 6-16.
- Mamdani, M., Garner, P., Harpham, T. & Campbell, O. (1993) Fertility and contraceptive use in poor urban areas of developing countries. *Health policy and Planning*, 8(1): 1-18.
- Mason, K. O. & Smith, H. L. (2000) Husbands' versus wives' fertility goals and use of contraception: The influence of gender context in five Asian countries. *Demography*, 37(3): 299-311.

- Mavranezouli, I. (2009) Health economics of contraception. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 23(2): 187-198.
- Mbizvo, M. T. & Phillips, S. J. (2014) Family planning: Choices and challenges for developing countries. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 28931-934.
- Mensch, B., Arends-Kuenning, M. & Jain, A. (1996) The impact of the quality of family planning services on contraceptive use in Peru. *Studies in family Planning*, 59-75.
- Moreau, C., Cleland, K. & Trussell, J. (2007) Contraceptive discontinuation attributed to method dissatisfaction in the United States. *Contraception*, 76(4): 267-272.
- National Institute of Statistics, Directorate General for Health & International, I. (2015) *Cambodia Demographic and Health Survey 2014*, Phnom Penh, Cambodia and Rockville, Maryland, USA:National Institute of Statistics, Directorate General for Health and ICF International.
- Nilakusmawati, D. P. E. & Nitiyasa, G. (2012) Studi operasional peningkatan pemakaian kontrasepsi IUD di Provinsi Bali *PIRAMIDA*, 8(2): 103-113.
- O'Neil, M. E., Peipert, J. F., Zhao, Q., Madden, T. & Secura, G. (2013) Twenty-four-month continuation of reversible contraception. *Obstetrics and gynecology*, 122(5): 1083-1091.
- Pariani, S., Heer, D. M. & Van Arsdol, M. D. (1991) Does choice make a difference to contraceptive use? Evidence from East Java. *Studies in family planning*, 22(6): 384-390.
- PSA & International, I. (2014) *Philippines National Demographic and Health Survey 2013*, Manila, Philippines, and Rockville, Maryland, USA:PSA and ICF International.
- Rabe-Hesketh, S. & Skrondal, A. (2012) *Multilevel and longitudinal modeling using Stata* Texas, College Station:A Stata Press Publication.
- RamaRao, S., Lacuesta, M., Costello, M., Pangolibay, B. & Jones, H. (2003) The link between quality of care and contraceptive use. *International Family Planning Perspectives*, 29(2): 76-83.
- RamaRao, S. & Mohanam, R. (2003) The quality of family planning programs: concepts, measurements, interventions, and effects. *Studies in family planning*, 34(4): 227-248.
- Schoemaker, J. (2005) Contraceptive use among the poor in Indonesia. *International Family Planning Perspectives*, 31(3): 106-114.

- Statistik, B. P. (2007) Indonesia Demographic and Health Survey 2007. Calverton Maryland, USA: BPS and ORC Macro.
- Staveteig, S., Mallick, L. & Winter, R. (2015) Uptake and discontinuation of long-acting reversible contraceptives (LARCs) in low-income countries. *DHS Analytical Studies No. 54*. Rockville, Maryland, USA: ICF International.
- Steele, F. (2003) Selection effects of source of contraceptive supply in an analysis of discontinuation of contraception: multilevel modelling when random effects are correlated with an explanatory variable. *Journal of the Royal Statistical Society: Series A (Statistics in Society)*, 166(3): 407-423.
- Steele, F., Curtis, S. L. & Choe, M. (1999) The Impact of Family Planning Service Provision on Contraceptive-Use Dynamics in Morocco. *Studies in Family Planning*, 30(1): 28-42.
- Tavrow, P. (2010) Promote or discourage: how providers can influence service use. *Social determinants of sexual and reproductive health*. Geneva: WHO Press.
- Tolley, E., Loza, S., Kafafi, L. & Cummings, S. (2005) The impact of menstrual side effects on contraceptive discontinuation: findings from a longitudinal study in Cairo, Egypt. *International family planning perspectives*, 31(1): 15-23.
- Tsui, A. O., McDonald-Mosley, R. & Burke, A. E. (2010) Family planning and the burden of unintended pregnancies. *Epidemiologic reviews*, 32(1): 152-174.
- Wastika, T. (1993) Kualitas Pelayanan Pemasangan Implant yang Dilakukan Oleh Dokter dan Bidan di Tiga Kecamatan Kabupaten Bekasi Jakarta: Universitas Indonesia.
- WHO, W. H. O. (2013) *Family Planning : Fact Sheets* [Online]. [Accessed 06 Maret 2015].
- Wilopo, S. A. (2010) Dari Pengendalian Pertumbuhan Penduduk Melalui KB ke Kesehatan Reproduksi. In: Tukiran, A. J. P. P. M. K. e. (ed.) *Keluarga Berencana dan Kesehatan Reproduksi*. Yogyakarta: PSKK UGM.
- Winter, L. & Goldy, A. S. (1987) Staffing patterns in family planning clinics: which model is best? *Family Planning Perspectives*, 19(3): 102-106.
- Withers, M. H., Tavrow, P. & Adinata, N. A. (2011) Do Ambivalent Women Have an Unmet Need for Family Planning? A Longitudinal Study from Bali, Indonesia. *Women's Health Issues*, 21(6): 444-449.