



DAFTAR PUSTAKA

- Agarwala, S. C., Nautiyal, B. D., Chatterjee, C., Nautiyal, N. 1995. Variation in copper and zinc supply influence growth and activities of some enzymes in maize. *Soil Science and Plant Nutrition.*, 41: 329-335.
- Agustina, L. 2004. *Dasar Nutrisi Tanaman*. Rineka Cipta, Jakarta.
- Ahsan, N., Lee, D. G., Lee, S. H., Kang, K. Y., Lee, J. J., Kim, P. J., Yoon, H. S., Kim, J. S., Lee, B. H. 2007. Excess copper induced physiological and proteomic changes in germinating ride seeds. *Chremoshere.*, 67: 1182-1193.
- Alaoui-Sosse, B., Genet, P., Vinit-Dunand., Toussaint, M. I., Marie-F., Epron, D., Badot, P. M. 2004. Effect of copper on growth in cucumber plants (*Cucumis sativus*) and its relationships with carbohydrate accumulation and changes in ion contents. *Plant Science.*, 166: 1213-1218.
- Ali, H., Khan, E., Sajad, M. A. 2013. Phytoremediation of heavy metals-Concepts and applications. *Chemosphere.*, 91: 869-881.
- Alkorta, I., Hernandez-Allica, J., Becerril, J., Amezaga, I., Albizu, I., Garbisu, C., 2004. Recent findings on the phytoremediation of soils contaminated with environmentally toxic heavy metals and metalloids such as zinc, cadmium, lead, and arsenic. *Environment Science of Biotechnology.*, 3: 71–90.
- Alloway, B.J., 1995. *Heavy Metals in Soils*, 2nd Edition. Blackie, London.
- Al-Saadi, S. A. A. M., Al-Asaadi, W. M., Al-Waheed, A. N. H. 2013. The effect of some heavy metals accumulation on physiological and Anatomical characteristic of some *Potamogeton* L. plant. *Journal of Ecology and Environmental Sciences.*, 1: 100-108.
- Arduini I, Godbold D. L, Onnis A. 1995. Influence of copper on root growth and morphology of *Pinus pinea* L. and *Pinus pinaster* Ait. Seedlings. *Tree Physiology.*, 15: 411-415.
- Arora, M., Kiran, B., Rani, S., Rani, A., Kaur, B., Mittal, N., 2008. Heavy metal accumulation in vegetables irrigated with water from different sources. *Food Chemistry.*, 111: 811–815.
- Assuncao, A. G. L., Schat, H., Aarts, M. G. M. 2003. *Thlaspi caerulescens*, an attractive model species to study heavy metal hyperaccumulation in plants. *New Phytologist Journal.*, 159: 351–360.



Barcelo, J., Vazquez, M. D., Poshenrieder, C. H. 1990. Plant water relations as affected by heavy metal stress: a review. *Journal of Plant Nutrition.*, 13: 1-37.

Baron, M., Lopez-Gorge, J., Lachica, M., Sadmann, G. 1992. Changes in carotenoids and fatty acids in photosystem II of Cu-deficient pea plants. *Physiology of Plant.*, 84: 1-5.

Boojar, M., Goodarzi, F. 2007. The copper tolerance strategies and the role of antioxidative enzyme in tree plant species grown on copper mine. *Chremospera.*, 67: 2138-2147.

Bouazizi, H., Jouili, H., Geitmann, A., Ferjani, E. E. I. 2010. Copper toxicity in expanding leaves of *Phaseolus vulgaris* L.: antioxidant enzyme response and nutrient element uptake. *Ecotoxicology and Environmental Safety.*, 73: 1304-1308.

Burke, D.G., Watkins, K., Scott, B. J. 1990. Manganese toxicity effects on visible symptoms, yield, manganese levels and organic acid levels in tolerant and sensitive wheat cultivars. *Crop Science.*, 30: 275-280.

Burkhead, J., Reynolds, K. A. G., Abdel-Ghany S. E., Cohu, C. M., Pilon, M. 2009. Copper homeostasis. *New Phytologist.*, 182: 799-816.

Cambrolle, J., Mateos-Naranjo, E., Redondo-Gomez, S., Luque, T., Figueroa, M. E., 2011. Growth, reproductive and photosynthetic responses to copper in the yellowhorned poppy, *Glaucium flavum* Crantz. *Environmental and Experimental Botany.*, 71: 57-64.

Campbell, N. A., and Reece, J. B. 2008. *Biologi 8th Edition*. Erlangga, Jakarta.

Chehregani, A. and Malayeri, B. E. 2007. Removal of Heavy Metals by Native Accumulator Plants. *International Journal Of Agriculture & Biology.*, 9 (3): 462-465.

Chen, Pei-Yi., Lee, Yung-I., Chen, Bo-Ching., Juang, Kai-Wei. 2013. Effects of calcium on rhizotoxicity and the accumulation and translocation of copper by grapevines. *Plant Physiology and Biochemistry.*, 73: 375- 382.

Clark. R. B. 1989. *Marine pollution*. Oxford: Clarendon Press.

Cobbet C. S. 2000. Phytochelatins and their roles in heavy metal detoxification. *Plant Physiology.*, 123: 825–832.



Cosio, C., Desantis, L., Frey, B., Diallo, S., Kelle, C. 2005. Distribution of Cadmium in Leaves of *Thlaspi caerulescens*. *Journal Experimental Botany.*, 56: 765-775.

Darmono. 1995. *Logam Dalam Sistem Biologi Makhluk Hidup*. UI Press, Jakarta.

Dobermann, A., Fairhurst, T. 2000. *Rice Nutrient Disorders and Nutrient Management*. Oxford Graphic Printers Pte Ltd.

Eliya, K. 2009. "Adsorpsi Logam Berat". *Oceana.*, 36: 1-7.

Fahn, A. 1991. *Anatomi Tumbuhan*. UGM Press, Yogyakarta.

Fernandes, J. C., Henriques, F. S., 1991. Biochemical, physiological, and structural effects of excess copper in plants. *Botanical Review.*, 57: 246–273.

Ferreira, L. C., Scavroni, J., Da Silva, V. R. J., Cataneo, C. A., Martins, D., Boaro, F. S. C. 2014. Copper oxychloride fungicide and its effect on growth and oxidative stress of potato plants, pesticide. *Biochemistry and Physiology.*, 112: 63-69.

Fiala, R., Kenderesova, D. V., Syshchykov, M., Martinka, M., Repka, V., Pavlivkin, J., Ciamporova, M. 2013. Comparison of growth and morphological responses to cadmium and nichel in two maize cultivars. *Modern Phytomorphology.*, 3: 131-137.

Fitter, A. H., Hay, R. K. M. 1991. *Fisiologi Lingkungan Tanaman*. Universitas Gajah Mada Press, Yogyakarta.

Fry, S. C., Miller, J. C., Dumville, J. C. 2002. A proposed role for copper ions in cell wall loosening. *Plant Soil Journal.*, 247: 57–67.

Ghaderian, S. M., and Ravandi, A. A. G. 2012. Accumulation of copper and other heavy metal by plants growing on Sarcheshmeh copper mining area, Iran. *Journal of Geochemical Exploration.*, 123: 25-32.

Gomez, K. A., and Gomez A. A. 2010. *Prosedur statistik untuk penelitian pertanian*. Penerbit Universitas Indonesia, Jakarta.

Gomez, M. P., Marques, T. C. L. L. S. M., Noguiera, E. M., De castro, E. M., Soares, A. M. 2011. Ecophysiological and anatomical changes due to uptake and accumulation of heavy metal in *Bracharia decumbens*. *Journal Science Agricultural.*, 68: 566-573.



Govindasamy, C., Arulpriya, M., Ruban, P., Francisca, L. J., Ilayaraja, A., 2011. Concentration of heavy metals in seagrasses tissue of the Palk Strait, Bay of Bengal. *International Journal Enviroment of Science.*, 2: 145–153.

Hall, J. L., 2002. Cellular mechanisms for heavy metal detoxification and tolerance. *Journal Experimental Botany.*, 53: 1–11.

Halliwell, B., and Gutteridge, J. M. 1984. Oxygen toxicity radicals, transition metals and disease. *Biochemistry Journal.*, 219: 1-14.

Harguineguy, C. A., Cirelli, A. F., and Pignata, M. L. 2014. Heavy metal accumulation in leaves of aquatic plant *Stuckenia filiformis* and its relationship with sediment and water in the *Suquia river* (Argentina). *Microchemical Journal.*, 114: 111-118.

Hariana, H. A., 2007. *Tumbuhan Obat dan Khasiatnya*. Penebar Swadaya, Jakarta.

Haryati, M. 2012. Kemampuan Tanaman Genjer (*Limnocharis Flava*) (L.Buch) Menyerap Logam Berat timbal Limbah Cair Kertas pada Biomassa dan Waktu Pemaparan yang Berbeda. *Jurnal Lentera Bio.*,1: 131-138

Heiser, C. B. Jr. 1978. Taxonomy of *Helianthus* and Origin of Domesticated Sunflower. In: Sunflower Science and Technology Carter. *Agronomy.*, 19: 31-53.

Henggar, H. 2009. Potensi Tanaman Dalam Mengakumulasi Logam Cu Pada Media Tanah Terkontaminasi Limbah Padat Industri Kertas. *Biosmart.*, 44 (1): 27 – 40.

Heyne, K. 1987. *Tumbuhan berguna Indonesia*. Badan Litbang Kehutanan, Jakarta.

Hopkins, W.G. 1995. *Introduction to Plant Physiology*. New york: John Wiley & Sons Inc.

Ingole N. W., and Bhole A. G. 2003. Removal Of Heavy Metals From Aqueous Solution By Water Hyacinth (*Eichhornia crassipes*). *J. Water SRT-Aqua.*, 52: 119-128.

Jadia, C. D., and Fulekar, M. H. 2009. Phytoremediation of heavy metals: Recent techniques. *African Journal of Biotechnology.*, 8: 921-928.

Jiang, W., Liu, D., Liu, X.. 2001. Effects of copper on root growth, cell division and nucleolus of *Zea mays*. *Journal of Plant Biology.*, 44: 105-109.



Johansen, D. A. 1940. *Plant Microtechnique*. Mc Graw-Hill Book Co., Inc., New York.

Kabata-Pendias, A., Pendias, H. 2001. *Trace elements in soil plants*. CRC, London.

Kaleem, S., Hassan F. U., and Saleem A. 2009. Influence of environmental variatons on physiological attributes of sunflower. *African Journal of Biotechnology*, 8: 3531-3539.

Ke, W., Xiang, Z., Chen, S., 2007. Effects of copper and mineral nutrition on growth, copper accumulation and mineral element uptake in two *Rumex japonicus* populations from a copper mine and an uncontaminated field sites. *Environmental and Experimental Botany*, 59: 59-67.

Keller, C., Hammer, D. 2005. Alternatives for Phytoremediation: Biomass Plants versus Hyperaccumulators. *Geophysical Research Abstract*., 7:32-85.

Kennedy, D., and Gonsalves, N. 1987. The action of divalent zinc, cadmium, mercury, copper and lead on the trans-root potential and H⁺ efflux of excised roots. *Journal of Experimental Botany*, 38: 800-817.

Khan, M. A., Ahmad, I., Rahman, I. 2007. Effect of environmental pollution on heavy metals content of *Withania somnifera*. *Journal of the Chinese Chemical Society*, 54: 339–343.

Knox, A. S., Seaman, J., Andriano D. C., and Pierzynski, G. 2000. “Chemostabilization of metals in contaminated soils”. di dalam: Wise, D. L., Trantolo, D. J., Cichon, E. J., Inyang, H. I., Stottmeister, U. *Bioremediation of Cotaminated Soils*., 811-836.

Komarek, M., Vanek, A., Chrastny, V., Szakova, J., Kubova, K., Drahota, P., Balk, J. 2009. Retention of copper originating from different fungicides in contrasting soil types. *Journal Hazard of Material*., 166: 1395-1402.

Kotschau, A., Buchel, G., Einax, J. W., Meibner, R., Tumpling von, W., Merten, D. 2014. Element pattern recognition and classification in sunflowers (*H. annuus L.*) grown on contaminated and non-contaminated soil. *Microchemical Journal*., 114: 164–174.

Kovacs, M. 1992. *Biological Indicator in Environmental Protection*. Budapest: House of Hungarian Academy of Science.

Krystofova, O., Shestivska, V., Galiova, M., Novotny, K., Kaiser, J., Zehnalek, J., Babula, P., Opatrilova, R., Adam, V., Kizek, R., 2009. Sunflower plants as



bioindicators of environmental pollution with lead (II) ions. *Journal of Sensors.*, 9: 5040–5058.

Kukkola, E., Rautio, P., Huttune, S., 2000. Stress indications in copper and nickel exposed Scots pine seedlings. *Environmental and Experimental Botany.*, 43: 197–210.

Kuntorini, E., M. 2013. *Struktur anatomi dan uji aktivitas antioksidan ekstrak metanol daun kersen (**Muntingia calabura** L.)*. Prosiding FMIPA Universitas Lampung. Pp. 293.

Kupper, H., Kupper, F., Spiller, M. 1996. Environmental relevance of heavy metal-substituted chlorophylls using the example of water plants. *Journal Experimental of Botany.*, 47: 259-266.

Lahuddin, 2007. *Aspek Unsur Mikro Dalam Tanah*. Pidato Pengukuhan Jabatan Guru Besar Tetap. Universitas Sumatra Utara.

Lakitan, B. 2001. *Dasar-dasar Fisiologi Tumbuhan*. Raja Grafindo Persada, Jakarta.

Lasat, M. M., 2000. Phytoextraction of toxic metals: a review of biological mechanisms. *Journal of Environmental Quality.*, 31: 109-120.

Lequeux H, Hermans C, Lutts S, Verbruggen N. 2010. Response to copper excess in *Arabidopsis thaliana*: Impact on the root system architecture, hormone distribution, lignin accumulation and mineral profile. *Plant Physiology and Biochemistry.*, 48: 673-682.

Liu, D., and Kottke, I. 2004. Subcellular localization of copper in the root cells of *Allium sativum* by electron energy loss spectroscopy (EELS). *Bioresource Technology.*, 94: 153-158.

Lux, A. A., Sotnikova, A., Opatrna, J., Greger, M. 2004. Differences in structure of adventitious roots in *Salix* clones with contrasting characteristics of cadmium accumulation and sensitivity. *Physiologia Plantarum.*, 120: 537-545.

Lux, A., Vaculik, M., Martinka, M., Liskova, D., Kulkarni, M. G., Stirk, W. A., Van staden, J. 2010. Cadmium induces hypodermal periderm formation in the roots of the monocotyledonous medicinal plant *Merwilla plumbea*. *Annals of Botany.*, 2: 285-292.

Lynch, J., Lauchi, A., Epstein, E. 1991. Vegetative growth of the common bean in response to phosphorous nutrition. *Crop Science.*, 31: 380-387.



Mackie, K. A., Muller, T., Kandeler, E. 2012. Remediation of copper in vineyards. *Mini Review Environment of Pollution.*, 167: 16-26.

Mahmood, T., Islam, K. R., Muhammad, S. 2007. Toxic effects of heavy metal on early growth and tolerance of cereal crops. *Pakistan Journal of Botany.*, 39: 451-462.

Maksymiec, W., Bednara, J., and Baszynski, T. 1995. Respons of runner plants to excess copper as a function of plant growth stages, effects on morphology and structure of primary leaves and their chloroplast ultrastructure. *Photosyntetica.*, 31: 427-435.

Marschner, H. 1995. *Mineral Nutrition of Higher Plants*. Academic Press, London.

Marschner, H. 2005. *Mineral Nutrition of Higher Plants*. Academic Press, Amsterdam.

Milic, D., Lukovic, J., Ninkov, J., Zeremski-Skoric, T., Zoric, L., Vasin, J., Milic, S., 2012. Heavy metal content in halophytic plants from inland and maritime saline areas. *Central European Journal of Biology.*, 7: 307–317.

Modaihsh, A., Al-Swailem, M., Mahjoub, M., 2004. Heavy metal contents of commercial inorganic fertilizer used in the Kingdom of Saudi Arabia. *Agricultural and Marine Science.*, 9: 21–25.

Moffat, A. S., 1995. Plants proving their worth in toxic metal cleanup. *Science.*, 269: 302-303.

Moosavi, S. G., and Seghatoleslami, M. J. 2013. Phytoremediation. *Advance in Agriculture and Biology.*, 1: 5-11.

Muliadi, D., Lestiamy, Yanny., Sumarna, S. 2013. *Fitoremediasi: Akumulasi dan Distribusi logam berat nikel, cadmium, dan chromium dalam tanaman Ipomea reptana*. Prosiding seminar nasional Kimia dan Pendidikan Kimia. Sumatera barat.

Mulyani, S. 2006. *Anatomii Tumbuhan*. Penerbit Kanisius, Yogyakarta.

Nazar, R., Iqbal, N., Masood, A., Khan, M. I. R., Syeed, S., Khan, N. A. 2012. Copper toxicity in plants and role of mineral nutrients in its alleviation. *American Journal of Plant Sciences.*, 3: 1476-1489.

Nehnevajova, E., Lyubenova, L., Herzig, R., Schroder, P., Schwitzguebel, J-P., and Schmulling, T. 2012. Metal accumulation and respons of atioxidant



enzymes in seedling and adult sunflower mutans with emproved metal removal traits on a metal-contaminated soil. *Environmental and Experimental Botany.*, 76: 39-48.

Nugroho, L. H., Purnomo., Sumardi, I. 2010. *Struktur dan Perkembangan Tumbuhan*. Penebar swadaya, Depok.

Olivares, E. 2003. The effect of lead on phytochemistry of *Tithonia diversifolio*: exposed to roadside automotive pollution or grown in pots of Pb suplemented soil. *Brazilian Journal Plant Physiology.*, 3: 149-158.

Palar, H. 1994. *Pencemaran dan Toksikologi Logam Berat*. Penerbit Renika Cipta, Jakarta.

Panda, S. K., and Choudhury, S. 2005. Chromium Stress in Plants. *Brazilian Journal of Plant Physiology.*, 17: 95-102.

Pandey, B. P. 1982. *Plant Anatomy*. S. Chan and Company Ltd. New Delhi. Pp: 312.

Pandey, M., and Srivastava, H. S. 1993. Inhibition of nitrate reductase activity and nitrate accumulation by mercury in maize leaf segments. *Indian Journal Environment of Health.*, 35: 110-114.

Panou-Filotheou, H., Bosabalidis, A. M., Karataglis, S. 2001. Effect of copper toxicity on leaves of oregano (*Origanum vulgare* subsp. *hirtum*). *Annals of Botany.*, 88: 207-214.

Panou-Filotheou, H., Bosabalidis, A. M., 2004. Root structural aspects associated with copper toxicity in oregano (*Origanum vulgare* subsp. *hirtum*). *Plant Science.*, 166: 1497-1504.

Patra, M., Bhowmik, N., Bandopadhyay, B., Sharma, A. 2004. Comparison of Mercury, Lead and Arsenic with Respect to Genotoxic Effect on Plant system and the Development of Genetic Tolerance. *Environmental and Experimental Botany.*, 52: 199-223.

Pena, L. B., Zawoznik, M. S., Tomaro, M. L., and Galego, S. M. 2008. Heavy metal effects on proteolitic system in sunflower leaves. *Chemosphere.*, 72: 741-746.

Pena, M. M. O., Lee, J., Thiele, D. J., 1999. Adelicate balance: homeostatic control of copper uptake and distribution. *Journal of Nutrition.*, 129: 1251-1260.

Prasad M., and Strzalka K. 1999. *Heavy Metal Stress in Plants*. Springer, Berlin.



Puig, S., Andres-Colas, N., Garcia-Molina, A., Penarrubia, L. 2007. Copper and iron homeostasis in *Arabidopsis*: responses to metal deficiencies, interactions and biotechnological applications. *Plant Cell and Environment.*, 30: 271-290.

Quariti, O., Boussama, N., Zarrouk, M., Cherif, A., and Ghorbal, M. H. 1997. Cadmium and copper-induced changes in tomato membrane lipids. *Phytochemistry.*, 45: 1343-1350.

Quartacci, M. F., Pinzino, C., Sgherri, C. L. M., Vecchia, F. D., Navari-Izzo, F., 2000. Growth in excess copper induces changes in the lipid composition and fluidity of PSII-enriched membranes in wheat. *Physiology of Plant.*, 108: 87-93.

Quiroga, M., Guerrero, C., Botella, M. A., Barcelo, A., Amaya, I., Medina, M., Alonso, F. J., Forchetti, S. M., Tigier, H., Valpuesta, V. 2000. A Tomato Peroxidase Involved in the synthesis of lignin and suberin. *Plant Physiology.*, 122: 1119-1127

Rae, T. D., Schmidt, P. J., Pufahl, F. A., Culotta, V. C., and Halloran, O. T. V. 1999. Undetectable intracellular free copper: the requirement of a copper chaperone for superoxide dismutase. *Science.*, 284: 805-808.

Reed, M. L. E., Glick, B. R. 2005. Growth of Canola (*Brassica napus*) in presence of plant growth promoting bacteria and either copper or polycyclic aromatic hydrocarbons. *Journal Microbial.*, 51: 1061-1069.

Reichman S. M. A. 2007. The potential use of the legume-Rhizobium symbiosis for the remediation of arsenic contaminated sites. *Soil Biology.*, 39: 2587-2593.

Rosmarkam, A dan Nasih W.Y. 2002. *Ilmu Kesuburan Tanah*. Penerbit Kanisius, Yogyakarta.

Ruzin, S. E. 1999. *Plant microtechnique and microscopy*. Oxford University Press, London.

Sabrine, H., Affif, H., Mohammed, B., Hamadi, B., and Maria, H. 2010. Effect of Cadmium and copper on pollen germination and fruit set in Pea (*Pisum sativum L.*). *Scientia Horticulturae.*, 125: 551-555.

Saeni. 1997. Penentuan Tingkat Pencemaran Logam Berat Dengan Analisis Rambut. Orasi Ilmiah. Fakultas Matematika dan Ilmu Pengetahuan Alam IPB. Bogor.



Saidi, I., Nawel, N., Djebali, W. 2014. Role of selenium in preventing manganese toxicity in sunflower (*H. annuus* L.) seedling. *South African Journal of Botany.*, 94: 88-94.

Salisbury, F. B., and Ross, C.W. 1992. *Fisiologi Tumbuhan*. ITB, Bandung.

Salt, D. E., Blaylock, M., Kumar, P. B. A. N., Dushenkov, V., Ensley, B. D., Chet, I., Raskin, I., 1995. Phytoremediation: a novel strategy for the removal of toxic metals from the environment using plants. *Biotechnology.*, 13: 468–474.

Sandalio, L. M., Dalurzo, H. C., Gomes, M., Romero-Puertas, M. C., Del Rio, L. A. 2001. Cadmium-induced changes in the growth and oxidative metabolism of pea plants. *Journal of Experimental Botany.*, 52: 2115-2126.

Seiler, G. J. 1997. Anatomy and morphology of sunflower. In: Sunflower Technology and Production. *Agronomy.*, 35: 67-111.

Schmidt U. 2003. Enhancing Phytoextraction: The effects of chemical soil manipulation on mobility, plant accumulation, and leaching of heavy metals. *Journal of Environmental Quality.*, 32: 1939-1954.

Sebastiani, L., Francini, A., Romeo, S., Ariani, A., Minocci, A. 2014. *Heavy metals stress on poplar : molecular and anatomical modifications*. Springer, Italy.

Setia, R.C., and Bala, R. 1994. Anatomical Changes in root and stem of wheat (*Triticum aestivum* L.) in response to different heavy metals. *Phytomorphology.*, 44: 95-104.

Soemirat, J. 2003. *Toksikologi Lingkungan*. Gajah Mada University Press, Yogyakarta.

Sonmez, S., Kaplan, M., Sonmez, N. K., Kaya, H., Ilker, U. Z. 2006. High level of copper application to soil and leaves reduce the growth and yield of tomato plants. *Science Agriculture.*, 63: 213-218.

Souza, L. A., Piotto, F. A., Nogueiro, R. C., Azevedo, R. A. 2013. Use of non-hyperaccumulator plant species for the phytoextraction of heavy metals using chelating agents. *Scientia Agricola.*, 70: 290-295.

Sunardi., 2008. *116 unsur kimia deskripsi dan pemanfaatannya*. Yrama Widya, Bandung.



Supriyanto., dan Kamal, Z. 2006. Penentuan kadar Cu, Fe, Zn dalam tanah, tanaman teh, daun teh, dan minuman teh. *Ganendra.*, 9 (1): 17-26.

Syamsuhidayat, S. S., Hutapea, J. R., 1991. *Inventaris tanaman Obat Indonesia*. Departemen Kesehatan Republik Indonesia, Jakarta.

Tisdale, S. L., Nelson, W. L., and Beaton, J. D. 1994. *Soil Fertility and Fertilizer*. Macmillan Publishing Company, New York.

Thomas, G., Hans-Joachim, S., Wellenreuther, G., Dickinson, B. C., Hendrik, K. 2013. Effects of nanomolar copper on water plants-Comparison of biochemical and biophysical mechanisms of deficiency and sublethalotoxicity under environmentally relevant conditions. *Aquatic Toxicology.*, 141: 27-36.

Upadhyay, R. K., and Panda, S. K. 2009. Copper-induced growth inhibition, oxidative stress and ultrastructural alterations in freshly grown water lettuce (*Pistia stratiotes* L.). *C. R. Biologies.*, 332: 623-632.

Vogel. 1994. *Qualitative Inorganic Analysis*. Departement of Chemistry.

Wani, P. A., Khan, M. S., Zaidi, A. 2007. Cadmium, Chromium and copper in greengram plants. *Agronomy for Sustainable Development.*, 27: 145-153.

Xia, H. P. 2004. Ecological rehabilitation and phytoremediation with four grasses in oil shale mined land. *Chemosphere.*, 54: 345–353.

Xia, Y., Qi, Y., Yuan, Y., Wang, G., Cui, J., Chen, Y., Zhang, H., and Shen, Z. 2012. Overexpression of *Elsholtzia haicewensis* metallothionein 1 (EhMT1) in tobacco plants exchange copper tolerance and accumulation in root cytoplasm and decreases hydrogen peroxide production. *Journal of Hazardous Material.*, 233: 65-71.

Yau, P. Y., Loh, C. F., Azmil, I. A. R. 1991. Copper toxicity of clove (*Syzygium aromaticum* (L.) Merr. and Perry) seedlings. *MARDI Research Journal.*, 19: 49-53.

Yruela, I. 2005. Copper in plants. *Brazilian Journal of Plant Phisiology.*, 17: 145-156.

Zhen-Guo, S., Xian-Dong, L., Chun-Chun, W., Huai-Man, C., Hong, C. 2002. Lead Phytoextraction from contaminated soil with highbiomass plant species. *Journal of Environmental Quality.*, 31: 1893-1900.

Zheng, Y. B, Wang, L. P., Dixon, M. A. 2004. Response to copper toxicity for three ornamental crops in solution culture. *Hortscience.*, 39: 1116–1120.



Respon anatomis dan pertumbuhan tanaman bunga matahari (*Helianthus annuus L.*) terhadap tembaga

ASMI ODE, Dr. Maryani, M.Sc

Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS
GADJAH MADA

Zhu, B., and Alva, A. K. 1993. Effect of pH on growth and uptake of copper by *Swingle citrumelo* seedlings. *Journal of Plant Nutrition.*, 16: 1837-1845.

Zhu, Y. L., Pilon-Smith, E. A., Tarun, A. S., Weber, S. U., Jouanin, L., Terry, N. 1999. Cadmium tolerance and accumulation in Indian mustard is enhanced by overexpressing gamma glutamylcysteine synthetase. *Plant Physiology.*, 121: 1169-1177.