



### Daftar Pustaka

- Ahmed, M., & Gaffen, S. L. 2010. IL-17 in obesity and adipogenesis. *Cytokine & growth factor reviews* 21(6), 449-453.
- Agache, I. et al. 2010. Increased serum IL-17 is an independent risk factor for severe asthma. *Respiratory Medicine* 104(8), pp.1131-1137.
- Aranami T, Yamamura T 2008. Th17 cells and autoimmune encephalomyelitis (EAE/MS). *Allergol Inter* 57: 115-20.
- Arican O, Sasmaz S, Ciragil P. 2005. Serum levels of TNF-alpha, IFN-gamma, IL-6, IL-8, IL-12, IL-17, and IL-18 in patients with active psoriasis and correlation with disease severity. *Mediators Inflamm.* 200: 273-9
- Azizi G, Jadidi-Niaragh F, Mirshafiey A., 2013. Th17 cells in immunopathogenesis and treatment of rheumatoid arthritis. *Int J Rheum Dis.* 16: 243-53.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI (BP2K Kemenkes RI). 2013. *Riset Kesehatan Dasar (RISKESDAS)*. Kemenkes RI. Jakarta. (BP2K Kemenkes RI, 2013).



Baur, L.A., 2002. Child and adolescent obesity in the 21<sup>st</sup> century: an Australian perspective. *Asian Pacific J Clin Nutr.* 11:524-528.

Bell, L.M., Byrne, S., Thompson, A., Ratnam, N., Blair, E., Bulsara, M., et al., 2007. Increasing body mass index z-score is continuously associates with complications of overweight in children, even in the health range. *J Clin Endocrinol Metab.* 92:517-22.

Bray GA 2003, Evaluation of obesity, Who are the obese?, *Post Med*, 114: 19-27.

Cali, A.M.G., dan Caprio, S., 2008. Obesity in children and adolescents. *J Clin Endocrino Metab.* 93: 31-36.

Centers for Diseases Control and Prevention About BMI for children and teens. [Viewed 19 Mar 2015)

[http://www.cdc.gov.healthyweight/assessing/bmi.childrens\\_bmi/about\\_childrens\\_bmi.html](http://www.cdc.gov.healthyweight/assessing/bmi.childrens_bmi/about_childrens_bmi.html)

Centers for Disease Control and Prevention. 2013, Use and interpretation of the CDC growth charts, viewed 19 Mar 2015, <http://www.cdc.gov/nccdphp/dnpa/growthcharts/resources/growthchart.pdf>.



Centers for Disease Control and Prevention. 2011, *Assesing Your Weight*, viewed 19 Maret 2015  
<http://cdc.gov/healthyweight/assesing/>

Chaput JP, Després JP, Bouchard C, Tremblay A 2008, The association between sleep duration and weight gain in adults: a 6-year prospective study from the Quebec Family Study. *Sleep*, 31(4): 517-23

Cua DJ, Tato CM. Innate IL-17-producing cells: the sentinels of the immune system. *Nat Rev Immunol*. 2010; 10:479-89

Daniels, S.R., Arnett, D.K., Eckel, R.H., Gidding, S.S., Hayman, L.L., Kumanyika, S., et al., 2014. Overweight in children and adolescents: pathophysiology, consequence, prevention and treatment. *Circulation*. 111:1999-2012.

de Jager, W., Bourcier, K., Rijkers, G. T., Prakken, B. J., & Seyfert-Margolis, V. 2009. Prerequisites for cytokine measurements in clinical trials with multiplex immunoassays. *BMC immunology*, 10(1), 52.

Dehghan, M, Danesh, N.A., dan Merchant, A.T., 2005. Childhood obesity, prevalence and preventivtion. *Nutrition Journal*. 4: 24-32.



Fantuzzi, G., Mazzone, T. (Eds.), 2007. *Adipose tissue and adipokines in health and disease*. Human Press, New Jersey.

Gaffen, S.L., 2011. Recent advances in the IL-17 cytokine family. *Curr.Opin.Immunol.* 23: 613-619.

Gardner, D.G., Shoback, D. (eds.), 2007. *Greenspan's Basic & Clinical Endocrinology*. 8<sup>th</sup> ed. McGraw-Hill, San Fransisco.

Geer, E.B., dan Shen, W., 2009. Gender differences in insulin resistance, body composition, and energy balance. *Gend Med.* 6:60-75.

Han T, Van L, Seidll J, Lean M 1995, Waist circumference action levels in the identification of cardiovascular risk factors: prevalence study in random sample, *British Med J*, 311(7017) : 1401-5.

Huang H, Kim HJ, Chang EJ, Lee ZH, Hwang SJ, Kim HM, Lee Y, Kim HH. IL-17 stimulates the proliferation and differentiation of human mesenchymal stem cells: implications for bone remodeling. *Cell Death Differ.* 2009.

Hsieh, S.D., Yoshinaga, H. & Muto, T. 2003. Waist-to-height ratio, a simple and practical index for assessing



central fat distribution and metabolic risk in Japanese men and women. *International Journal of Obesity* 27, 610-616.

Hymowitz SG, et al. 2001. IL-17s adopt a cystine knot fold: structure and activity of a novel cytokine, IL-17F, and implications for receptor binding. *Embo J*; 20:5332-5341

Iwakura Y. 2008. The roles of IL-17A in inflammatory immune responses and host defense against pathogens. *Immunol Rev* 226: 57-79

Jago R, Baranowski T, Baranowski J, Thompson D, Greaves K. 2005. Pediatric Highlight BMI from 3-6 y of age is predicted by TV viewing and physical activity, not diet, *Int J Obesity*, 29: 557-64

Janssen I, Katzmarzyk P, Ross R. 2004. Waist circumference and not body mass index explains obesity related health risk, *American J Clin Nutrition*, vol.79:379-84

Jin W, Dong C. 2013. IL-17 Cytokines in Immunity and Inflammation, *Emerging Microbes and Infections* 2(9), e60

Kamus Besar Bahasa Indonesia 2011, Kamus besar bahasa Indonesia dalam jaringan, viewed 19 Maret 2015, <http://pusatbahasa.diknas.go.id>



Kemenkes, R. I. 2010. *Standar Antropometri Penilaian Status Gizi Anak*. Direktorat Bina Gizi Nomor 1995/MENKES/SK/XII.

Kosti, R.I., dan Panagiotakos, D.B., 2006. The epidemic of obesity in children and adolescents in the world. *Cent Eur J Public Health*.14:151-9.

Kronenberg, H.M., Melmed, S., Polonsky, K.S., Larsen, P.R., 2008. *Kronenberg: Williams Textbook of Endocrinology*. 11<sup>th</sup> ed. Elsevier, Philadelphia.

Mitsuhiko H., Saitou, E., Iwaka, F., Okada, T. & Harada, K. 2009 Waist-to-Height ratio is the best predictor of cardiovascular disease risk factor in Japanese school children. *Journal of atherosclerosis and thrombosis* Vol. 9 (3).

Mushtaq, M.U., Gull, S., Abdullah, H.M., Shahid, U., Shad, M.A. & Akram, J. 2011 Waist circumference, waist-hip ratio and waist-height ratio percentiles and central obesity among Pakistani children aged five to twelve years. *BMC Pediatrics*, 11:105

Nedungadi TP, Clegg DJ. 2009. Sexual dimorphism in body fat distribution and risk for cardiovascular diseases. *J Cardiovasc Transl Res*. 2:321-327.



Noh M. 2012. Interleukin-17A increases leptin production in human bone marrow mesenchymal stem cells. *Biochem Pharmacol.* 83:661-70.

Ogden, C.L., Carroll, M.D., Kit, B.K, Flegal, K.M., 2012. Prevalence of obesity and trends in body mass index among US children and adolescents, 1999-2010. *JAMA.*307(5):483-90.

Onishi, R.M dan Gaftan, S.L., 2010. Interleukin-17 and its target gene: mechanisms of interleukin 17 function in disease. *Immunology.* 129:311-21.

Pardede N. 2002. Masa Remaja dalam Narendra MB, Sularyo TS, Soetjningsih, Suyitno H, Ranuh ING, Wiradisuria S, penyunting. *Tumbuh Kembang Anak dan Remaja.* Jakarta: Sagung Seto. h. 138-70

Park, M.H., Sovio, U., Viner, R.M., Hardy, R.J., Kinra, S., 2013. Overweight in childhood, adolescence and adulthood and cardiovascular risk in later life: Pooled analysis of three british birth cohorts. *Plos One.* 8(7): 1-6.

Pernis B., 2009. Th17 cells in rheumatoid arthritis and systemic lupus erythematosus. *J Internal Med;* 265: 644-52.

Proverawati, A., 2010. *Obesitas dan Gangguan Perilaku Makan pada Remaja.* Yogyakarta: Nuha Medika.



Raj, M., Sundaram, K.R., Paul, M., Deepa A.S., Kumar, R.K.,  
2007. Obesity in Indian children: time trends and  
relationship with hypertension. *Natl Med J India*.20:288-93.

Regitz-Zagrosek V, Lehmkuhl E, Weickert MO. 2006. Gender  
differences in the metabolic syndrome and their role for  
cardiovascular disease. *Clin Res Cardiol*. 95:136-147.

Reilly, J.J., Kelly, J., 2011. Long-term impact of  
overweight and obesity in childhood and adolescence on  
morbidity and premature mortality in adulthood: systematic  
review. *International Journal of Obesity*. 35:891-898.

Rolls B, Shide D. 2009. The Influence of dietary fat on  
food intake and body weight, *Nutrition Rev*, 50(10):283-90

Rouvier, E., Luciani, M. F., Mattei, M. G., Denizot, F.,  
Golstein, P. 1993. CTLA-8, cloned from an activated T cell,  
bearing AU-rich messenger RNA instability sequences, and  
homologous to a herpesvirus saimiri gene. *J. Immunol*. 150,  
5445-5456.

Sastroasmoro S, Ismael, S., 1995. Dasar-Dasar Metodologi  
Penelitian Klinis. Jakarta : Binarupa Aksara



Shoelson, S.E., Herrero, L., Nazz, A., 2007. Obesity, inflammation, and insuline resistance. *Gastroenterology*. 132: 2169-2180.

Shin, J.H., Shin, D.W., Noh, M., 2009. Interleukin-17A inhibits adipocyte differentiation in human mesenchymal stem cell and regulates pro-inflammatory responses in adipocyte. *Biochem Pharmacol*. 77: 1835-1844.

Soegondo, Sidartawan 2006, Obesitas, dalam: Buku Ajar Ilmu Penyakit Dalam, Jilid III, Ed. V, Interna Publishing, Jakarta: 1973-83

Sumarac-Dumanovic, M., Stevanovic, D., Ljubic, A., Jorga, J., Simic, M., Stamenkovic-Pejkovic., et al., 2009. Increased activity of interleukin-23/interleukin-17 proinflammatory axis in obese women. *International Journal of Obesity*. 33: 151-156.

Sumarac-Dumanovic, M., Jeremic, D., Pantovic, A., Janjetovic, K., Stamenkovic-pejkovic, D., Cvijovic, G., et al., 2013. Therapeutic improvement of glucoregulation in newly diagnosed type 2 diabetes patients is associated with a reduction of IL-17 Level. *Immunobiology*. 218: 1113-1118.

Truchetet ME, Mossalayi MD, Boniface K. 2013. IL -17 in the rheumatologist's line of sight. *Biomed Res Int* 2013; 295132



Vendrell, J., Broch, M., Vilarrasa, N., Molina, A., Gomez, J.M., Gutierrez, C., Simon, I., Soler, J., Richart, C. 2004. Resistin, Adiponectin, Ghrelin, Leptin, and Proinflammatory Cytokines: Relationship in Obesity. *Obesity Res*, 12: 962-70

WHO expert consultations. 2004. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies, *The Lancet*, 363

Winer, S., Paltser, G., Chan, Y., Tsui, H., Engleman, E., 2009. Obesity predisposes to Th17 bias. *Eur. J. Immunol.* 39: 2629-2635.

World Health Organization, 2000. Obesity: preventing and managing the global epidemic. *WHO*. Geneva.

Xu, S., dan Cao, X., 2010. Interleukin 17 and its expanding biological functions. *Cellular & Molecular Immunology*. 7:164-74.

Yanoff, L. B., Menzie, C. M., Denkinger, B., Sebring, N. G., McHugh, T., Remaley, A. T., & Yanovski, J. A. 2007. Inflammation and iron deficiency in the hypoferremia of obesity. *International journal of obesity*, 31(9), 1412-1419.



Zeyda, M., Stulnig, T.M., 2009. Obesity, inflammation and insulin resistance- a mini-review. *Gerontology*. 55:379-86.

Zou W, Restifo NP. 2010. Th17 cells in tumour immunity and immunotherapy. *Nat Rev Immunol* 10:248-56

Zuniga, L.A., Shen, W.J., Joyce-Shaikh, B., Pyatnova, E.A., Richards, A.G., Thom, C., et al. 2010. IL-17 regulates adipogenesis, glucose homeostasis, and obesity. *J Immunol*. 185:6947-59.