

## DAFTAR PUSTAKA

- Akasaka, Y., Ono I., Yamashita T., Jimbow K., Ishii T. 2004. Basic fibroblast growth factor promotes apoptosis and suppresses granulation tissue formation in acute incisional wounds. *Journal of Pathology*. Vol 203 (2) : Hlm 1417-1429.
- Akita, S., Akino, K., Imaizumi, T., Hirano, A. 2005. A basic fibroblast growth factor improved the quality of skin grafting in burn patients. *Burns* (31) : Hlm 855-858.
- Akita, S., Akino, K., Hirano, A. 2013. Basic fibroblast growth factor in scarless wound healing. *Advances in Wound Care*. Vol 2 (2) : Hlm 44-49.
- Atiba, A., Mayumi, N., Shizuko, K., Takeshi, H., Masanobu, G., Yoshiya, S., Hiroshi, U., Yuji, U. 2011. Aloe vera oral administration accelerates acute radiation-delayed wound healing by stimulating transforming growth factor- $\beta$  and fibroblast growth factor. *American Journal of Surgery*. Vol 201 : Hlm 809-818.
- Aughey, E. dan Fyre, F.L. 2001. *Comparative Veterinary Histology with Clinical Correlates*. UK : Manson Publishing Ltd.
- Barrientos, S., Stojadinovic, O., Golinko, M.S., Brem, H. Tomic-Canic, M. 2008. Growth factors and cytokines in wound healing. *Wound Repair Regenerative*. Vol 16 (5) : Hlm 585-601.
- Bauer, S.M., Bauer, R.J., Velazquez, O.C. 2005. Angiogenesis, vasculogenesis, and induction of wound healing in chronic wound. *Vascular and Endovascular Surgery*. Vol 39 (4) : Hlm 293-306.
- Bennett, N. Dan Schultz, G. 1993. Growth factors and wound healing: part II. Role in normal and chronic wound healing. *American Journal of Surgical Pathology*. Vol 166 (1) : Hlm 74-81.
- Bratthauer, G.L. 1999. Method of molecular biology. Vol 115 : *Immunocytochemical and protocols* diedit oleh L. G. Javois New Jersey : Humana Press. Hlm 191-213.
- Broughton, G., Janis, J.E., Auinger, C.E. 2006. Wound Healing : An overview. *Plastic and Reconstructive Surgery*. Vol 117 (7) : Hlm 1-25.
- Broughton, G. dan Rohrich, R.J. 2005. Wound and scars. *Selected Reading in Plastic Surgery*. Vol 10 (7) : Hlm 1-7.
- Budyantara, R. dan Hartono. 2012. *Perbandingan Tingkat Kesembuhan Luka Bakar Antara Pemberian Madu Dan Klindamisin Secara Topikal Pada Tikus Putih*. Fakultas Kedokteran. Universitas Lampung. Hlm 85-99.

<http://joke.kedokteran.unila.ac.id/index.php/majority/article/download/26/25> (diakses 19 Maret 2016)

- Carpenter, J.W., Mashima, T.Y., Rupiper, D.J. 2001. *Exotic Animal Formulary 2nd Ed.* USA : Saunders Company.
- Chamberlain, G., Fox, J., Ashton, B., Middleton, J. 2007. Concise review: mesenchymal stem cells: their phenotype, differentiation capacity, immunological features, and potential for homing. *Stem Cells* (25) : Hlm 2739-2749.
- Chen, L., Tredget, H.E., Wu, P.Y. 2008. Paracrine factor of mesenchymal stem cells recruit macrophage and endothelial lineage cells and enhanced wound healing. *Public Library of Science One*. Vol 3 : Hlm 1886.
- Chithra, P., Sajithlal, G.B., Chandrakasan, G. 1998. Influence of Aloe vera on collagen characteristics in healing dermal wounds in rats. *Molecular Cell Biochemistry*. Vol 181 : Hlm 6-71.
- Cockbill, S. 2002. *Wounds The Healing Process*. The Welsh School of Pharmacy University Collage : Cardiff.
- Cotran, R.S., Kumar, V., Collins, T. 1999. *Pathology Basic of Disease*. Edisi ke-6. Philadelphia: W B Saunders Co. Hlm 21-201.
- Cros, D.L.D., Isaacs, K., Moore, P.M. 1993. Distribution of acidic and basic fibroblast growth factors in ovine skin during follicle morphogenesis. *Journal of Cell Science*. (105) : Hlm 667-674.
- Di Maio, V.J.M. & Dana, S.E. 1998. Fire and Thermal Injuries dalam *Handbook of Forensic Pathology*. USA: Landes Bioscience
- Erasmuz, M.J., Garcia, M., Guarerro-Aspizua, S., Carretero, M., Larcher, F. 2011. *Skin Biopsy*. In Tech : Rijeka. Hlm 261-296.
- Feiken, E., Romer, J., Eriksen J., Lund, L.R. 1995. Neutrophils express tumor necrosis factor-alpha during mouse skin wound healing. *Journal of Investigative Dermatology*. Vol 105 (1) : Hlm 120-123.
- Folkman, J. dan D'Amore, P.A. 1996. Blood vessel formation : What is its molecular basis?. *Cell*. Vol 87 (7) : Hlm 1153.
- Gabriel, A dan Mussman, J. 2009. *Wound Healing, Growth Factor*. Departement of Plastic Surgery. Loma Linda University School of Medicine. Birmingham
- Giannouli, C.C. dan Kletsas, D. 2006. TGF-beta regulates differentially the proliferation of fetal and adult human skin fibroblasts via the activation of PKA and the autocrine action of FGF-2. *Cell Signal*. Vol 18 : Hlm 1417-1429

- Gibran, N.S., Isik, F.F., Heimbach, D.M., Gordon, D. 1994. Fibroblast growth factor in the early human burn wound. *Journal of surgical research*. Vol 66 : Hlm 226-234.
- Gnecchi, M., Zhang, Z., Ni, A. 2008. Paracrine mechanism in adult stem cell signaling and therapy. *Circulation Research*. Vol 103 : Hlm 1204-1219.
- Gordon, C. 2010. *Skin Histology*. School of Pharmacy and Medical Science. Edinburgh. Churchill. Livingstone.
- Greaves, N.S., Ascroft, K.J., Baguneid, M., Bayat, A. 2013. Current understanding of molecular and cellular mechanism in fibroplasia and angiogenesis during acute wound healing. *Journal of Dermatological Science*. (72) : Hlm 206-217.
- Guo, N., Kruttsch, H.C., Inman, J.K., Roberts, D.D. 1997. Thrombospondin 1 and type I repeat peptides of thrombospondin 1 specifically induce apoptosis of endothelial cells. *Cancer Research*. Vol 57(9) : Hlm 1735-1742.
- Han, Y., Chai, J., Sun, T., Li, Dongjie, T.R. 2011. Differentiaion of human umbilical cord mesenchymal stem cells into dermal fibroblast in vitro. *Biochemical and Biophysical Research Communications*. (413) : Hlm 561-565.
- Imamura, T. 2014. Review phusiological funtions and underlaying mechanism of fibroblast growth factor (FGF) family members : Recent findings and implications for their pharmalogical application. *Biological and Pharmaceutical Bulletin*. Vol 37 (7) : Hlm 1081-1089.
- Jagetia, G.C., Rajanikant, G.K., Mallikarjun, R.K.V.N. 2007. Ascorbic acid increases healing of excision wounds of mice whole body exposed to different doses of [gamma]-radiation. *Burns*. Vol 33: Hlm 484-94.
- Kaur, G., Utami, N.V., Usman, H.A., 2014. Effect of topical of binahong (*Anredera cordifolia (Ten.) Steenis*) leaf pase in wound healing process in mice. *Althea Medical Journal* Vol 1 (1) : Hlm 6-11.
- Key, M. 2009. Immunohisticchemistry staining method dalam *IHC Staining Method*. Dako : California. Hlm 57-59.
- Kibe, Y. 2000 Spatial and temporal expression of basic fibroblast growth factor protein during wound healing of rat skin. *British Journal of Dermatology*. (143) : Hlm 720-727.
- Kim, H.O., dan Choi, S., 2013. Mesenchymal stem cell-derived secretome and microvesicles as a cell-free therapeutics for neurodegenerative disorder. *Tissue Engineering and Regenerative Medicine* (3) : Hlm 93-101.

- Kim, J.Y., Song, S.H., Kim K.L., Ko, J.J., Im, J.E., Yie, S.W., Ahn, Y.K., Kim, D.K., Suh, W. 2010. Human cord blood-derived endothelial progenitor cells and their conditioned media exhibit therapeutic equivalence for diabetic wound healing. *Cell Transplantation*. Vol 19 (12). Hlm 1635-1644.
- Kondo, T. dan Ishida, Y., 2010. Molecular pathology of wound healing. *Forensic Science International*. Vol 203 : Hlm 93-98.
- Lehr, A.H., Cris, M., Loss, V.D., Teeling, P., Gown, M. 1999. Complete chromogen separation and analysis in double immunohistochemical staining using photo-shop image analysis. *The Journal of Histochemistry and Cytochemistry*. Vol 47 : Hlm 119-125.
- Liu, L., Yu, Y., Hou, Y., Chau, J., Duan, H., Chu, W., Zhang, H., Hu, Q., Du, J. 2014. Human umbilical cord mesenchymal stem cells transplantation promotes cutaneous wound healing of severe burned rats. *Public Library of Science One*. Vol 9 (2) : Hlm 1-8.
- Liu, Y., Mu, R., Wang, S., Long, L., Liu, X., Li, R., Sun, J., Jianping, G., Xiaoping, Z., Jing, G., Ping, Y., Chunlei, L., Xiangyuan, L., Zhenyu, H., Dapeng, W., Hu, L., Zhifeng, G., Bing, L., Zhanguo, L. 2010. Therapeutic potential of human umbilical cord mesenchymal stem cells in the treatment of reumatoid arthritis. *Arthritis Research & Therapy* (12) : R210
- Macri, L., dan Clark, R., 2009. Tissue engineering for cutaneous wounds : selecting the proper time and space for growth factors, cells and the extracellular matrix. *Skin Pharmacology and Physiology*. Vol 22 (2) : Hlm 83-93.
- Maxson, S., Lopez, E.A., Yoo, D., Miagkova, A.D., 2012. Concise review : role of mesenchymal stem cells in wound repair. *Stem Cell Translational Medicine*. Vol 1 : Hlm 142-149.
- Menetrey, J., Kasemkijwattana, C., Day, C., Bosch, P., Vogt, M., Fu, F., Moreland, M., Huard, J. 2000. Growth factors improve muscle healing in vivo. *The Journal of Bone and Joint Surgery*. Vol 82 : Hlm 131-139.
- Mishra, P.J. dan Banerjee, D. 2012. Cell-free derivatives from mesenchymal stem cell are effective in wound therapy. *World Journal of Stem Cells*. Vol 4 : Hlm 35-43.
- Moya, M.L., Garfinkel, M.R., Liu, X., Lucas, S., Opara, E.C., Greisler, H.P. 2010. Fibroblast growth factor-1 (FGF-1) loaded microbeads enhance local capillary neovascularization. *Journal Surgery Research*. Vol 160 (2) : Hlm 208-12.
- Nakagawa, ah., Akita, S., Fukui, M., Fujii, T., Akino, K. 2005. Human mesenchymal stem cells succesfully improve skin-substitute wound healing. *British Journal of Dermatology*. Vol 153 : Hlm 29-36.

- Oberringer, M., Meins, C., Bubel, M., Pohleman, T. 2008. In vitro wounding : effect of hypoxia and transforming growth factor beta 1 on proliferation, migration and myofibroblastic differentiation in an endothelial cell-fibroblast co-culture model. *Journal Molecular Histology*. Vol 39 : Hlm 37-47.
- Okabe, K., Hayashi, R., Hattori, N.A., Sakamoto, Y., Kishi, K. 2013. Wound treatment using growth factors. *Science Research Modern Plastic Surgery* (3) : Hlm 108-112.
- Orstead, H.L., Keast, D., Forest-Lanade, L., Francoise, M. 2011. Basic Principles of Wound Healing. *Wound Care Canada*. Vol 9 (2) : Hlm 4-12.
- Ozbek, N., Guneren, E., Yildiz, L. 2005. The effect of pre-operative conventional and hyperfractionated radiotherapy schedules on wound healing and tensile strength in rats : an experimental study. *International Journal Oral Maxillofacial Surgery*. Vol 34 : Hlm. 92-185.
- Ozeki, M., dan Tabata, Y. 2002. Promoted growth of murine hair follicles through controlled release of basic fibroblast growth factor. *Tissue Engineering*. Vol 8 (3) : Hlm 359-366.
- Parekkadan, B. dan Milwil, J.M. 2010. Mesenchymal stem cells as therapeutics. *Annual Review Biomedical Engineering* (12) : Hlm 87-117.
- Pawitan, J.A. 2014. Prospect of stem cell conditioned medium in regenerative medicine. *Biomedical Research International* : Hlm 1-14. <http://dx.doi.org/10.1155/2014/965849> (diakses 19 April 2015)
- Phinney, D.G. dan Prockop D.J. 2007. Concise review: mesenchymal stem/multipotent stromal cells: the state of transdifferentiation and modes of tissue repair-current views. *Stem Cells* (25) : Hlm 2896-2902.
- Pittenger, M.F., Mackay, A.M., Beck, S.C., Jaiswal, R.K., Douglas, R., Mosca J.D., Moorman, M.A., Simonetti, D.W., Craiq, S., Marshak, D.R. 1999. Multilineage potential of adult human mesenchymal stem cells. *Science* (284) : Hlm 143-147.
- Puolakkainen, P., Twardzik, D., Ranchimis, J., Pankey, S., Reed, M., Gombotz, W. 1995. The enhancement in wound healing by transforming growth factor- $\beta$  1 depends on the topical delivery system. *Journal of Surgery Research*. Vol 58 : Hlm 321-329.
- Rantam, F.A. 2003. *Metode Immunologi*. Airlangga University Press : Surabaya. Hlm 145-155.
- Rivera, A.E., dan Spencer, J.M. 2007. Clinical aspects of fullthickness wound healing. *Clinical Dermatology*. (25) : Hlm 39-48.

- Robson, M.C., Steed, D.L., Franz, M.G. 2001. Wound healing: biologic features and approaches to maximize healing trajectories. *Current Problem Surgery Journal* (38) : Hlm 72-140.
- Sabiston, C.D. 1997. Wound healing : Biologic and Clinical Features. *Textbook of Surgery The Biological Basis of Modern Surgical Practice*. Edisi ke-15. WB Saunders Company : Philadelphia. Hlm 207-219.
- Sarugaser, R., Lickorish, D., Baksh, D., Hosseini, M.M., Davies, J.E 2005. Human umbilical cord perivascular (HUCPV) cells: a source of mesenchymal progenitors. *Stem Cells* (23) : Hlm. 220-229.
- Sasidharan, S., Nilawaty, R., Xavier, R., Latha, L.Y., Amala, R. 2010. Wound healing potential of *Elaeis guineensis* Jacq leaves in an infected albino rat model. *Molecules*. Vol 15 (5) : Hlm 3186-3199.
- Satria, G.D. 2013. *Konsep Dasar dan Cara Praktis Belajar Analisis Statistik dengan SPSS*. PT. Global Byakta Waylaay : Yogyakarta. Hlm 12-24.
- Sellheyer, K. dan Krahl, D. 2010. Cutaneous mesenchymal stem cell. Current status of research and potensial clinical applicaions. *Hautarzt* (61) : Hlm 429-434.
- Shrestha, C., Zhao, L., Chen, K., He, H., Mo, Z. 2013. Enhanced healing of diabetic wounds by subcutaneous administration of human umbilical cord derived stem cells and their conditioned media. *International Journal of Endocrinology*. Hlm 1-10. <http://dx.doi.org/10.1155/2013/592454> (diakses 19 April 2015)
- Singer, A.J. dan Clark, R.A.F. 1999. Cutaneous Wound Healing. *The New England Journal of Medicine*. Vol 341 (10) : Hlm 738-746.
- Slatter, D., 2003. *Textbook of Small Animal Surgery*. Edisi ke-3. Saunders Elsevier Science : USA
- Stadelmann, W.K., Digenis, A.G., Tobin, G.R. 1998. Physiology and healing dynamics of chronic cutaneous wounds. *American Journal of Surgery* (176) : Hlm 26-38.
- Sukasah, C.L., 2007. Silicone Gel Sheet Application in Keloids and Hypertrophic Scars. *Majalah Kedokteran Indonesia*. Vol 57 (2) : Hlm 60-62.
- Teller, P. dan White, T.K. 2009. The physiology of wound healing : injury through maturation. *Surgical Clinics of North America Journal*. Vol 89 : Hlm 599-610. [surgical.theclinics.com](http://surgical.theclinics.com) (diakses 24 Januari 2016).
- Thamrin, M.H. 2015. Imunolokalisasi *Epidermal Growth Factor* (EGF) Pada Kulit Luka Bakar Tikus Putih (*Rattus norvegicus*) Yang Diinduksi Ekstrak Media Penumbuh Sel Punca Mesenkimal (EMPSPM). Tesis : Universitas Gadjah Mada.

- Traversa, B. dan Sussman, G. 2001. The role of growth factor, cytokine and proteases in wound management. *Primary Intention*. Vol 9 (4). Hlm 161-167.
- Velnar, T., Bailey, T., Smrkolj, V. 2009. The wound healing process : an overview of the cellular and molecular mechanism. *The Journal of International Medical Research*. Vol 37 (5) : Hlm 1528-1542.
- Wang, W., Lin, S., Xiao, Y., Huang, Y., Tan, Y., Cai, L. 2008. Acceleration of diabetic wound healing with chitosan cross-linked collagen sponge containing recombinant human acidic fibroblast growth factor in healing-impaired STZ diabetic rats. *Life Science* (82) : Hlm 190-204.
- Yolanda, M.M., Alvarez, V.M., Ferrero, G.A., Perez, B.M., Perez, L.Z., Escudero, D., Otero, H.J. 2014. Adult stem cell therapy in chronic wound healing. *Journal of Stem Cell Research and Therapy*. Vol 4 (162) Hlm : 1-6.