

DAFTAR PUSTAKA

- Abarca, J., Colon, L.R., Wang, V.S., Malone, D.C., Murphy, J.E., dan Armstrong, E.P., 2006. Evaluation of the performance of drug-drug interaction screening software in community and hospital pharmacies. *Journal of Managed Care Pharmacy*, **12**: 383–389.
- Abarca, J., Malone, D.C., Armstrong, E.P., Grizzle, A.J., Hansten, P.D., Van Bergen, R.C., dkk., 2004. Concordance of severity ratings provided in four drug interaction compendia. *Journal of the American Pharmacists Association: JAPhA*, **44**: 136–141.
- Ahmed, B., Nanji, K., Mujeeb, R., dan Patel, M.J., 2014. *Effects of Polypharmacy on Adverse Drug Reactions among Geriatric Outpatients at a Tertiary Care Hospital in Karachi: A Prospective Cohort Study*. *PLoS ONE*, **9**: e112133.
- Anonim, 2004. *Pedoman Pelayanan Farmasi (Tata Laksana Terapi Obat) Untuk Pasien Geriatri*, Jakarta, Direktorat Jendral Pelayanan Kefarmasian dan Alat Kesehatan, Departemen Kesehatan Republik Indonesia.
- Anonim, 2014. *Peraturan Pemerintah Republik Indonesia No. 46 Tahun 2014 Tentang Sistem Informasi Kesehatan*, Jakarta, Presiden Republik Indonesia.
- Atreja, A., Buck, M., Jain, A., Brunker, C., Suh, T.T., Harris, C.M., dkk., 2005. Drug-Age Alerting for Outpatient Geriatric Prescriptions: A Joint Study using Interoperable Drug Standards. *AMIA Annual Symposium Proceedings*, **2005**: 886.
- Bates, D.W., Kuperman, G.J., Wang, S., Gandhi, T., Kittler, A., Volk, L., dkk., 2003. Ten Commandments for Effective Clinical Decision Support: Making the Practice of Evidence-based Medicine a Reality. *Journal of the American Medical Informatics Association*, **10**: 523–530.
- Radcliff, S., Yue, J., Rocco, G., Aiello, S.E., Ickowicz, E., Hurd, Z., Samuel, M.J. and Beers, M.H., 2015. American Geriatrics Society 2015 Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. *Journal of The American Geriatrics Society*, **63**(11), pp.2227-2246.
- Bedouch, P., Allenet, B., Grass, A., Labarère, J., Brudieu, E., Bosson, J.-L., dkk., 2009. *Drug-related problems in medical wards with a computerized physician order entry system*. *Journal of Clinical Pharmacy and Therapeutics*, **34**: 187–195.

- Berner, E.S. (Editor), 2007. *Clinical Decision Support Systems: Theory and Practice*, 2nd ed. ed, Health informatics. Springer, New York, NY.
- Bevis, P.J., Bird, H.A., dan Lapham, G., 1996. An open study to assess the safety and tolerability of meloxicam 15 mg in subjects with rheumatic disease and mild renal impairment. *British Journal of Rheumatology*, **35 Suppl 1**: 56–60.
- Bindoff, I.K., Tenni, P.C., Peterson, G.M., Kang, B.H., dan Jackson, S.L., 2007. Development of an intelligent decision support system for medication review. *Journal of Clinical Pharmacy and Therapeutics*, **32**: 81–88.
- Bobb, A., Gleason, K., Husch, M., Feinglass, J., Yarnold, P.R., dan Noskin, G.A., 2004. The Epidemiology of Prescribing Errors: The Potential Impact of Computerized Prescriber Order Entry. *Archives of Internal Medicine*, **164**: 785–792.
- Boussadi, A., Caruba, T., Karras, A., Berdot, S., Degoulet, P., Durieux, P., dkk., 2013. Validity of a clinical decision rule-based alert system for drug dose adjustment in patients with renal failure intended to improve pharmacists' analysis of medication orders in hospitals. *International Journal of Medical Informatics*, **82**: 964–972.
- Calloway, S., Akilo, H.A., dan Bierman, K., 2013. Impact of a Clinical Decision Support System on Pharmacy Clinical Interventions, Documentation Efforts, and Costs. *Hospital Pharmacy*, **48**: 744–752.
- Carroll, D., 2006. Principles of Pharmacotherapy in Elderly Patients, dalam: *Pharmacotherapeutics for Advanced Practice: A Practical Approach*. Lippincott Williams & Wilkins, hal. 55–57.
- Castro-Alvirena, J.D., Verdejo-Bravo, C., Gil Gregorio, P., dan Lebreault Polanco, A.M., 2014. P447: Efficacy of geriatric intervention on polypharmacy consumption. Experience in an outpatient geriatric service. *European Geriatric Medicine*, , Abstracts of the 10th International Congress of the European Union Geriatric Medicine Society - Geriatric Medicine Crossing Borders **5, Supplement 1**: S222.
- Chan, D.-C., Chen, J.-H., Kuo, H.-K., We, C.-J., Lu, I.-S., Chiu, L.-S., dkk., 2012. Drug-related problems (DRPs) identified from geriatric medication safety review clinics. *Archives of Gerontology and Geriatrics*, **54**: 168–174.
- Chan, D.-C., Chen, J.-H., Wen, C.-J., Chiu, L.-S., dan Wu, S.-C., 2014. Effectiveness of the medication safety review clinics for older adults prescribed multiple medications. *Journal of the Formosan Medical Association*, **113**: 106–113.

- Chertow GM, Lee J, Kuperman GJ, dan et al, 2001. GUided medication dosing for inpatients with renal insufficiency. *JAMA*, **286**: 2839–2844.
- Cipolle, R.J., Llinda M, S., dan Morley, P.C., 2004. *Pharmaceutical Care Practice: The Clinician's Guide*, second edition. ed. Mc Graw Hill Companies.
- Coiera, E., Aarts, J., dan Kulikowski, C., 2012. The dangerous decade. *Journal of the American Medical Informatics Association*, **19**: 2–5.
- Coleman, J.J., van der Sijs, H., Haefeli, W.E., Slight, S.P., McDowell, S.E., Seidling, H.M., dkk., 2013. On the alert: future priorities for alerts in clinical decision support for computerized physician order entry identified from a European workshop. *BMC medical informatics and decision making*, **13**: 111.
- Compton, R.D., 2013. Polypharmacy concerns in the geriatric population. *Osteopathic Family Physician*, **5**: 147–152.
- Cornu, P., Steurbaut, S., Gentens, K., Van de Velde, R., dan Dupont, A.G., 2015. Pilot evaluation of an optimized context-specific drug–drug interaction alerting system: A controlled pre-post study. *International Journal of Medical Informatics*, **84**: 617–629.
- Cornu, P., Steurbaut, S., Sostaric, S., Mrhar, A., dan Dupont, A.G., 2014. Performance of a clinical decision support system and of clinical pharmacists in preventing drug-drug interactions on a geriatric ward. *International Journal of Clinical Pharmacy*, **36**: 519–25.
- Dahlan, M.S., 2005. Besar Sampel dan Cara Pengambilan Sampel Dalam Penelitian Kedokteran dan Kesehatan, Edisi kedua. Salemba Medika, Jakarta.
- Darmojo, R. B dan Martono, H. H., 2004, *Buku Ajar Geriatri (Ilmu Kesehatan Usia Lanjut)*, Edisi ke tiga, Balai Penerbit FKUI, Jakarta
- Eppenga, W.L., Derijks, H.J., Conemans, J.M.H., Hermens, W.A.J.J., Wensing, M., dan De Smet, P.A.G.M., 2012. Comparison of a basic and an advanced pharmacotherapy-related clinical decision support system in a hospital care setting in the Netherlands. *Journal of the American Medical Informatics Association*, **19**: 66–71.
- Fernande-Llimos, F., JJ.Faus.M., Gastelurrutia, M.A., Baena, M., l., Martinez, F.M., 2005: *Evolution of the concept of Drug-Related Problems: Outcome as the focus of the new paradigm*, *Farmacoterapeutico* 3(4):167-188.

- Fok, M. dan Lo, A., 2002. Quantifying the Impact of Prescription-Related Problems on Pharmacy Workload. *The Canadian Journal of Hospital Pharmacy*, **55**: 313–319.
- Girawan, D., Abdurachman, S.A., Djumhana, A., Roslia, J., dan Pramudiyo, R., 2004. Comparison of endoscopic gastric mucosa features after administration of piroxicam to meloxicam and their correlation with dyspepsia symptoms in elderly patient with knee osteoarthritis. *Acta Medica Indonesiana*, **36**: 202–206.
- Guaraldo, L., Cano, F.G., Damasceno, G.S., dan Rozenfeld, S., 2011. *Inappropriate medication use among the elderly: a systematic review of administrative databases. BMC geriatrics*, **11**: 79.
- Hajjar, E., Cafiero, A., dan Hanlon, J., 2007. *Polypharmacy in Elderly Patients* **5**: 345–351.
- Hanlon, J.T., Schmader, K.E., Boulton, C., Artz, M.B., Gross, C.R., Fillenbaum, G.G., dkk., 2002. *Use of Inappropriate Prescription Drugs by Older People* **50**: 26–34.
- Henley, D.B., 2000. FDA approves new NSAID for osteoarthritis. *Drug Topics*, **144**: 26–28.
- Hughes, C.M., 2004. *Medication Non-Adherence in the Elderly: How Big is the Problem?* **21**: 793–811.
- Isaksen, S.F., Jonassen, J., Malone, D.C., Billups, S.J., Carter, B.L., dan Sintek, C.D., 1999. Estimating risk factors for patients with potential drug-related problems using electronic pharmacy data. *Annals of Pharmacotherapy*, **33**: 406–412.
- IOM (Institute of Medicine), 2012. *Health IT and Patient Safety: Building Safer Systems for Better Care*. The National Academies Press, Washington DC.
- Kaufman, D., Kelly, J., Rosenberg, L., Anderson, T., dan Mitchell, A., 2002. Recent patterns of medication use in the ambulatory adult population of the United States: the Slone survey **287**: 337–344.
- Kaushal, R., Shojania, K.G., dan Bates, D.W., 2003. *Effects of computerized physician order entry and clinical decision support systems on medication safety: a systematic review. Archives of internal medicine*, **163**: 1409–1416. Kaufman, D., Kelly, J., Rosenberg, L., Anderson, T., dan Mitchell, A., 2002. *Recent patterns of medication use in the ambulatory adult population of the United States: the Slone survey* **287**: 337–344.

- Kementerian Kesehatan RI, 2013. *Gambaran Kesehatan Lanjut Usia di Indonesia, dalam Buletin Jendela Data dan Informasi kesehatan. Pusat Data dan Informasi Kesehatan RI*, ISSN 2088-270X, Jakarta, Kementerian Kesehatan Republik Indonesia.
- Kim, J. dan Mak, M., 2013. *Geriatric Therapy*, dalam: *Applied Therapeutics The Clinical Use of Drugs*. Lippincott Williams & Wilkins, Philadelphia, hal. 2359–2374.
- Kim, H.-A., Shin, J.-Y., Kim, M.-H., dan Park, B.-J., 2014. Prevalence and predictors of polypharmacy among Korean elderly. *PloS one*, **9**: e98043.
- Koh, Y., Kutty, F.B.M., dan Li, S.C., 2005. *Drug-related problems in hospitalized patients on polypharmacy: the influence of age and gender. Therapeutics and clinical risk management*, **1**: 39.
- Krähenbühl-Melcher, A., Schlienger, R., Lampert, M., Haschke, M., Drewe, J., dan Krähenbühl, S., 2007. Drug-related problems in hospitals: a review of the recent literature. *Drug Safety*, **30**: 379–407.
- Kuperman, G.J., Gandhi, T.K., dan Bates, D.W., 2003. Effective drug-allergy checking: methodological and operational issues. *Journal of Biomedical Informatics*, **36**: 70–79.
- Kuperman, G.J., Bobb, A., Payne, T.H., Avery, A.J., Gandhi, T.K., Burns, G., dkk., 2007. *Medication-related Clinical Decision Support in Computerized Provider Order Entry Systems: A Review*. Journal of the American Medical Informatics Association, **14**: 29–40.
- Laurier, C., Moride, Y., dan Kennedy, W.A., 2002. *Health Survey Data on Potentially Inappropriate Geriatric Drug Use* **36**: 404–409.
- Mangoni, A.A. dan Jackson, S.H.D., 2003. *Age-related changes in pharmacokinetics and pharmacodynamics: basic principles and practical applications: Age-related changes in pharmacokinetics and pharmacodynamics. British Journal of Clinical Pharmacology*, **57**: 6–14.
- Matias, A., Moraes, M.M., Soares, M.A., dan Clara, J.G., 2013. Evaluation of potentially inappropriate medication in elderly followed up at a Portuguese geriatric outpatient clinic according to 2012 beers criteria. *European Geriatric Medicine*, , 9th Congress of the EUGMS, Venice, 2-4 October 2013 **4**, **Supplement 1**: S12.
- Mayasari, G., 2015, „Identifikasi dan Analisis Faktor Risiko Kejadian Drug Related Problems (DRPs) pada Pasien Geriatrik di Unit Rawat Jalan Rumah Sakit di Yogyakarta”, *Tesis*, MSc, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.

- Miller, S.W., 2012. *Theurapeutic Drug Monitoring in the Geriatric Patient*, dalam: *Clinical Pharmacokinetics*. American Society of Health-Systme Pharmacists, U.S, hal. 45–71.
- Palchuk, M.B., Seger, D.L., Alexeyev, A., Macauley, R., Seger, A.C., Recklet, E.G., dkk., 2005. Implementing Renal Impairment and Geriatric Decision Support in Ambulatory e-Prescribing. *AMIA Annual Symposium Proceedings*, 2005: 1071.
- Peterson, J.F., Kuperman, G.J., Shek, C., Patel, M., Avorn, J., dan Bates, D.W., 2005. Guided prescription of psychotropic medications for geriatric inpatients. *Archives of Internal Medicine*, 165: 802–807. Pharmaceutical Care Network Europe, 2010. Clasification for Drug Related Problems V 6.2.
- Pranarka, K, 2011, *Tinjauan Umum Sindroma Geriatri*, dalam Simposium "Geriatric Syndrome: Revised". Badan Penerbit Universitas Diponegoro: Semarang.
- Priddle, M., 2011, *Drug Related Problem in the Elderly, Pharmwise. Vol.6:1, p.2*. Raebel , A.M., Charle, Jeanya., Dugan, Jennifer., Carroll, M.N., Korner, E.J., Brand, D.W., 2007, *Randomized Tral to Improve Prescribing Safety in Ambulatory Elderly Patients, Journal of the American Geriatrics Society* 55:977-985.
- Rahayu, S., 2009, „Pengembangan Model Sistem Informasi Rumah Sakit Pada Instalasi Radiologi Rawat Jalan Untuk Mendukung Evaluasi Pelayanan Di Rumah Sakit Paru Dr. Ario Wirawan Salatiga", Tesis, Program Pasca Sarjana Universitas Diponegoro.
- Ramanath, K.V. dan Nedumballi, S., 2012. *Assessment of Medication-Related Problems in Geriatric Patients of a Rural Tertiary Care Hospital*. *Journal of Young Pharmacists*, 4: 273–278.
- Rambhade, S., Chakarborty, A., Shrivastava, A., Patil, U.K., dan Rambhade, A., 2012. *A Survey on Polypharmacy and Use of Inappropriate Medications* 19: 68–73.
- Rommers, M.K., Teepe-Twiss, I.M., dan Guchelaar, H.-J., 2011. A Computerized Adverse Drug Event Alerting System Using Clinical Rules: A Retrospective and Prospective Comparison with Conventional Medication Surveillance in the Netherlands. *Drug Safety*, 34: 233–242.

- Roten, I., Marty, S., dan Beney, J., 2010. Electronic screening of medical records to detect inpatients at risk of drug-related problems. *Pharmacy World & Science*, **32**: 103–107.
- Rovers, J.P., Currie, J.D., Hagel, H.P., McDonough, R.P., dan Sobotka, J.L., 2003. *A Practical Guide to Pharmaceutical Care*, Second Edition. ed. American Public Health Association, Washington DC.
- Saverno, K.R., Hines, L.E., Warholak, T.L., Grizzle, A.J., Babits, L., Clark, C., dkk., 2011. Ability of pharmacy clinical decision-support software to alert users about clinically important drug—drug interactions. *Journal of the American Medical Informatics Association*, **18**: 32–37.
- Sijs, H. van der, 2009. 'Drug safety alerting in computerized physician order entry: unraveling and counteracting alert fatigue', . s.n.], S.l.
- Sijs, H. van der., Bouamar, R., van Gelder, T., Aarts, J., Berg, M., dan Vulto, A., 2010. Functionality test for drug safety alerting in computerized physician order entry systems. *International Journal of Medical Informatics*, **79**: 243–251.
- Sim, I., Gorman, P., Greenes, R.A., Haynes, R.B., Kaplan, B., Lehman, H., dkk., 2001. *Clinical Decision Support Systems for the Practice of Evidence-based Medicine*. *Journal of the American Medical Informatics Association*, **8**: 527–534.
- Slabaugh, S.L., Maio, V., Templin, M., dan Abouzaid, S., 2012. Prevalence and Risk of Polypharmacy among the Elderly in an Outpatient Setting. *Drugs & Aging*, **27**: 1019–1028.
- Starner, C.L., Gray, S.L., Guay, D.R., Hajjar, E.R., Handler, S.M., dan Hanlon, J.C., 2008. Geriatrics, dalam: *Pharmacotherapy A Pathophysiologic Approach*. Mc Graw Hill Companies, US, hal. 57–66.
- Tamblyn, R., Huang, A., Perreault, R., Jacques, A., Roy, D., Hanley, J., dkk., 2003. The medical office of the 21st century (MOXXI): effectiveness of computerized decision-making support in reducing inappropriate prescribing in primary care. *CMAJ: Canadian Medical Association*.
- Tora, H., Bo, H., Bodil, L., Göran, P., dan Birgit, E., 2014. *Potential drug related problems detected by electronic expert support system in patients with multi-dose drug dispensing*. *International Journal of Clinical Pharmacy*, **36**: 943–952.
- Tulner, L.R., Kuper, I.M.J.A., Frankfort, S.V., van Campen, J.P.C.M., Koks, C.H.W., Brandjes, D.P.M., dkk., 2009. Discrepancies in reported drug use

- in geriatric outpatients: Relevance to adverse events and drug-drug interactions. *The American Journal of Geriatric Pharmacotherapy*, **7**: 93–104.
- Van Doormaal, J.E., Rommers, M.K., Kosterink, J.G., Teepe-Twiss, I.M., Haaijer-Ruskamp, F.M., dan Mol, P.G., 2010. *Comparison of methods for identifying patients at risk of medication-related harm. Quality and Safety in Health Care*, **19**: 1–5.
- Van Der Sijs, H., Aarts, J., Vulto, A., dan Berg, M., 2006. Overriding of Drug Safety Alerts in Computerized Physician Order Entry. *Journal of the American Medical Informatics Association*, **13**: 138–147.
- Veehof, L., Stewart, R., Haaijer-Ruskamp, F., dan B Meyboom-de, J., 2000. *The development of polypharmacy. A longitudinal study. Family Practice* 2000, Netherlands, hal. 261–267.
- Verdoorn, S., Kwint, H.-F., Bouvy, M., Gussekloo, J., dan Hoogland, P., 2015. A comparison of drug-related problems before and after the introduction of clinical decision support system during medication review.
- Vijayalakshmi, S., 2015. *Clinical Pharmacist's Interventions on Drug Related Problems in A Tertiary Care Hospital*. *International Journal of Pharmacy and Pharmaceutical Sciences*, **7**: .
- Vinks, T.H.A.M., Koning, F.H.P., Lange, T.M., dan Egberts, T.C.G., 2006. *Identification of Potential Drug-related Problems in the Elderly: The Role of the Community Pharmacist. Pharmacy World & Science*, **28**: 33–38.
- Warholak, T.L., Hines, L.E., Saverno, K.R., Grizzle, A.J., dan Malone, D.C., 2011. Assessment tool for pharmacy drug–drug interaction software. *Journal of the American Pharmacists Association*, **51**: 418–424.
- Webster, 2002, *Medication-related Problems*, American Society of Consultant Pharmacist: Alexandria, VA 22314-3563.
- Weingart, S.N., Simchowitz, B., Padolsky, H., Isaac, T., Seger, A.C., Massagli, M., dkk., 2009. An Empirical Model to Estimate the Potential Impact of Medication Safety Alerts on Patient Safety, Health Care Utilization, and Cost in Ambulatory Care. *Archives of Internal Medicine*, **169**: 1465–1473.
- Werder, S.F. dan Preskorn, S.H., 2003. *Managig Polypharmacy: walking the fine line between help and harm*, dalam: *Current Psychiatry*. hal. 24–36.
- Widyati, 2014. *Praktik Farmasi Klinik Fokus Pada Pharmaceutical Care*, Edisi Kedua. Brilian Internasional, Surabaya, hal. 145-157.

Zaal, R.J., Jansen, M.M.P.M., Duisenberg-van Essenber, M., Tijssen, C.C., Roukema, J.A., dan van den Bemt, P.M.L.A., 2013. *Identification of drug-related problems by a clinical pharmacist in addition to computerized alerts*. *International Journal of Clinical Pharmacy*, **35**: 753–762.