DAFTAR PUSTAKA

Achrom, M., Kresnamurti, T.K., & Handayani, N.D. 2011. Analisis dampak ekonomi nematoda sista kentang (*Globodera rostochiensis* Woll) Behrens dan *Globodera pallida* (Stone) Behrens). Balai Uji Terap Teknik dan Metode Karantina Pertanian Badan Karantina Pertanian Kementerian Pertanian.

Ajit, N.S., Verma, R., & Shanmugam, V. 2006. Extracellular chitinases of fluorescent pseudomonads to *Fusarium oxysporum* f. sp. Dianthi causing carnation wilt. *Curr Microbiol*.,(52): 310-316.

Alvarez, M.G. 1972. Planning for the campaign against the golden nematode. Guanajuato, Guanajuato: Mexican-American Plant Protection Work Conference.

Andreoglou, F. I., Vagelas, I. K., Wood, M., Samaliev, H. Y. & Gowen, S. R. 2003. Influence of temperature on the motility of *Pseudomonas oryzihabitans* and control *of Globodera rostochiensis. Soil Biol.& Biochem.*, 35 (8):1095-1101.

Ardakani, S., Heydari, A., Khorasani, N & Arjmandi, R. 2010. Development of new bioformulations of *Pseudomonas Fluorescens* and evaluation of these products against damping-off of cotton seedlings. *J. Plant Pathol.*, 92 (1), 83-88.

Ardakani S., Heydari A., Khorasani N., Arjmandi M., & Ehteshami R. 2009. Preparation of new biofungicides using antagonistic bacteria and mineral compounds for controlling cotton seedling damping-off disease. *J. Plant Prot. Res*., 49 (1): 49–55.

Atlas, RM. 1997. Handbook of microbiological media. CRC Press. Boca raton.

Baldwin, J.G., & Mundo-Ocampo, M. 1991. *Heteroderinae*, cyst- and non-cyst forming nematodes in manual of agricultural nematology. W. R. Nickle (ed). Marcel Dekker, New York.

Bonants, P.J.M., Fitters. P.F.L, Thijs, H.,; den Belder, E., Waalwijk, C. & Henfling, J.W.D.M. 1995. A basine serine protease from *Paecilomyces lilacinus* with biological activity against *Meloydogine hapla* eggs. *Microbiology*, (141):775-784.

Brar, S.K., Verma, M., Tyagi, R.D & Valero, J.R. 2006. Recent advances in downstream processing and formulations of *Bacillus thuringiensis* based biopesticides. *Process Biochem*., (41): 323-342.

Burrage, S. W. 1971. The micro-climate at the leaf surface. Pages 91-10. in: Ecology of Leaf Surface Microorganisms. T. E. Preece and C. H. Dickinson, (eds). Academic Press, London.

Compant, S., Duffy, B., Nowak, J., Cle´ment, C., & Barka, E.A. 2005. Minireview: Use of plant growth-promoting bacteria for biocontrol of plant diseases: principles, mechanisms of action, and future prospects. *App Environ Microbiol*., 71(9): 4951–4959

Cronin D., MoenneLoccoz, Y., Fenton, A., Dunne, C., Dowling, D.N., & Ogara, F. 1997. Role of 2,4-diacetylphloroglucinol in the interactions of the biocontrol pseudomonas strain F113 with the potato cyst nematode *Globodera rostochiensis*. *Appl and Environ Microbiol*., (63):1357–1361.

Crowder, D.W. & James D. H. 2014. Promoting biological control in a rapidly changing world. *Biol cont*., (75): 1-7.

Elad, Y., Köhl, J., & Fokkema, N. J. 1994. Control of infection andsporulation of *Botrytis cinerea* on bean and tomato by saprophytic yeasts. *Phytopathol*., (84):1193-1199.

EPPO**.** 2006. Testing of potato varieties to assess resistance to *Globodera rostochiensis* and *Globodera pallida*. European and Mediterranean Plant Protection Organization.

Fittipaldi, M., Pino Rodriguez, N.J, Adrados, B., Agusti G., Penuela, G., Morato, J., & Codony, F. 2011. Discrimination of viable *Canthamoeba castellani* trophozoites and cysts by propidium monoazide real-time polymerase chain reaction. *J. Eukaryot Microbiol*., (58): 359–364.

Friedman, W. 1985. Potato Cyst Nemathode. Pages: 10 In: Pests not known to occur in the United States or of limited distribution No: 68. United States Department of Agriculture Animal and Plant Health Inspection Service, Plant Protection and Quarantine.

Gerhardson, B. 2002. Biological substitutes for pesticides. *Trends Biotechnol*., 20: 338–343.

Guetsky, R., Stienberg, D., Elad, Y., Fisher, E. & Dinoor, A. 2002. *Pseudomonas* lipopeptides and fungal cell well-degrading enzymes act synergistically in biological control. *Mol Plant MicroInteract*., (15): 323-333.

Grosch, R., Dealtry, S & Berg, G. 2011. Impact of co-inoculation of bacterial and fungal antagonists on bottom rot disease and on indigenous microbial community in the lettuce rhizosphere. Proceeding of the 2nd Asian PGPRconference, August 21-24 2011, Beijing, P.R.China, pp:392.

Hadisoeganda,W.A. 2006. Nematoda sista kentang: Kerugian, Deteksi, Biogeografi, & Pengendalian Nematoda Terpadu. Litbang Departemen Pertanian. Kementrian Pertanian Indonesia.

Hallmann, J., Quadt-Hallmann, A., Rodrigues-Kabana, A. & Kloepper, J.W. 1998. Interactions between *Meloidogyne incognita* and endophytic bacteria in cotton and cucumber. *Soil Biol and Biochem*., 3(0): 925-937.

Hatmanti, A., Nuchsin, R. & Dewi, J. 2009. Screening Bakteri Penghambat untuk Bakteri Penyebab Penyakit pada Budidaya Ikan Kerapu dari Perairan Banten & Lampung. *Jurnal Makara Sains*, 13(1): 81-86.

Hewson I, & Fuhrman, J.A. 2004. Richness and diversity of bacterioplankton species along an estuarine gradient in Moreton Bay, Australia. *Appl Environ Microbiol*., (70): 3425–3433.

Honeycutt, E. W., & Benson, D. M. 2001. Formulation of binucleate *Rhizoctonia* spp. and biocontrol of *Rhizoctonia solani* on impatiens. *Plant Dis*., (85): 1241-1248.

Huang, Z., Bonsall, R.F., Mavrodi, D.V., Weller, D.M. & Thomashow, L.S. 2004. Transformation of *Pseudomonas fluorescens* with genes for biosynthesis of phenazine-1-carboxylic acid improves biocontrol of rhizoctonia root rot and in situ antibiotic production. *FEMS Microbiol. Ecol*., 49: 243–251.

Imoto, I. & Yagashita, K. 1971. A simple activity measurement of lisoenzyme. *Agric Biol Chem*., (35): 1154-1156.

Indarti, S, Widianto, D, Kim, YH, Mulyadi &Suryanti. 2010. Survey of egg- and cyst-parasitic fungi of potato cyst nematode in Indonesia. *Plant Pathol. J*., 26(1): 32-36.

Jacob, J. J., & Van Bezooijen, J. 1971. A Manual for practical work in nematology. Agricultural University, Wageningen, The Netherlands.

Jatala, P. & Bridge, J. 1995. Nematoda parasitik pada tanaman akar & umbi-umbian. Diterjemahkan Oleh Supratoyo. Gadjah Mada University Press. Yogyakarta.

Jerkins, N.E & Grzywacz, D. 2003. Towards the standardization of quality control of Fungal and viral biocontrol agents, In: Quality Control and Production of Biologycal Council Agents; Theory and Testing Procedures. CABI Pub, OXON, UK.

Jutono, J. 1980. Pedoman praktikum mikroiologi umum untuk perguruan tinggi. Penerbit Departemen Mikrobiologi Fakultas Pertanian Universitas Gajah Mada. Yogyakarta.

Khan, M.R., Shahana, M., Mohidin, F.A., & Khan, N. 2011. A new bioprocess to produce low cost powder formulations of biocontrol bacteria and fungi to control fusarial wilt and root-knot nematode of pulses. *Biol Cont*., 59 (2): 30-140.

Knutsson, R., Charlotta L., Half, G., Jeffrey H., & Peter R. 2002. Modeling of 5_ nuclease real-time responses for Optimization of a high-throughput enrichment PCR procedure for *Salmonella enteric*. *J. Clinical Microbiol*., 40(1).

Kapplan, N.O & Colowick, S.P. 1955. Methods in enzymology. Vol. I. Academic Press, New York.

Kloepper, J. W., & Schroth, M.N. 1978. Plant growth-promoting rhizobacteria on radishes, p. 879–882. *In* Station de pathologie vegetale et 4956 *minireview Appl. Environ. Microbiol.* phyto-bacteriologie (ed.), Proceedings of the 4th International Conference on Plant Pathogenic Bacteria, vol. II. Gilbert-Clarey, Tours, France.

Kumar, H., Dubey., R.C., & Mahesari, D.K. 2011. Effect of plant growth promoting rhizobial on seed germination, growth promotion and suppression of *Fusarium* wilt of fenugreek (*Trigonella foenum-graecumi L). Crop Protection.,* (30): 1396-1403

Kunitz, M. 1947. Crystalline soybean trypsin inhibitor. *J. physiol*., (30): 291.

Lazaro, D.R & Hernandez, M. 2013. Real-time PCR in food science: Introduction. *Curr Issues mol Biol*., (15): 25-38

Liopez-Liorca, L.V., Marcia-Vicenta, J.G., & Janson, J.B. 2008. Mode of action and interaction in nematophagus fungi. Pages 51-76. In: Integrated management and biological control of vegetables and grain crops nematodes. Ciancio, A. & K.G. Mukerji (Eds.). Springer, Netherland

Lowry, O.H., Rosenbrough, N.J.;. Farr, A.L.. & Randall, R.J. 1951. Protein measurement with the Folin Phenol Reagent. *J Biol Chem.*,193: 265-275

Lwin, M & Rhanamukaarachchi, S.L. 2006. Development of biological control of *Ralstonia solanacearum* through antagonistic microbial population. *Inter J. Agri Biol.,* 8(5): 657-660

Maciel, B.M., Dias, J.C., Romano, C.C., Srianganathan, N., Brendel, M., & Rezende, R.P. 2011. Detection of *Salmonella enteritidis* in asymptomatic carrier animals: comparison of quantitative Real-Time PCR and bacteriological culture methods. *Genet Mol Res.,* 10: 2578–2588.

Muis, A. 2006. Biomass production and formulation of *Bacillus subtilis* for biological control. *Ind J. Agric Sci.,* 7(2): 51-56

Meyer, S.L.F., Huettel, R.N., Liu, X.Z., Humber, R.A., Juba, J. & Nitao, J.K. 2004. Activity of fungal filtrates against soybean cyst nematode and root; knot nematode hatch and juvenile motility. *Nematology*, (6): 23-32

Nocker, A, Cheung, C.Y., & Camper, A.K. 2006. Comparison of propidium monoazide with ethidium monoazide for differentiation of live vs. dead bacteria by selective removal of DNA from dead cells. *J Microbiol Methods*., 6(7): 310–320

Nocker, A., Sossa-Fernandez, P., Burr, M., & Camper, A.K. 2007. Use propidium monoazide for live/dead distinction in microbial ecology. *Appl Environ Microbiol*., 73: 5111–5117

Nocker, A., & Camper, A.K. 2009. Novel approaches toward preferential detection of viable cells using nucleic acid amplification techniques. *FEMS Microbiol Lett*., 291(2): 137–142

Olantiwo, R., Yin, B., Becker & Borneman, J. 2006. Suppression of the plant-parasitic nematode *Heterodera scachtii* by the fungus *Dactylella oviparasitica. Phytopatology*., (96): 111-114

Pan, Y., & Breidt, Jr. F. 2007. Enumeration of viable *Listeria monocytogenes* cells by real-time PCR with propidium monoazide and ethidium monoazide in the presence of dead cells. *Appl Environ Microbiol*. (73): 8028 – 8031

Prabhukarthikeyan, R., Saravanakumar & Raguchander, T. 2014. Combination of endophytic *Bacillus* and *Beauveria* for the management of *Fusarium* wilt and fruit borer in tomato. *Pest Manag Sci.,* 70(11): 1742-50

Rajan, B.M. & Kannabiran, K. 2014. Extraction and identification of antibacterial secondary metabolites from marine *Streptomyces* sp. VITBRK2. *Int J Mol Cell Med.,* 3(3): 130-7

Rastogi, G., & Sani, R.K. 2007. Molecular techniques to assess microbial community structure, function, and dynamics in the environment. advances technique in soil microbiology. Page: 29-54. In: Soil Biology Ajit Varma, Ralf Oelmuer (eds). Germany: Springer-Verlag

Rawsthorne, H, Dock, C.N., & Jaykus, L.A. 2009. PCR-based method using propidium monoazide to distinguish viable from nonviable *Bacillus Subtilis* spores. *Appl Environ Microbiol.,* (75): 2936–2939

Sambrook, J & Russell, J.W. 2006. Purification of nucleic acids by extraction with phenol:chloroform. Cold spring harb protoc.

Schaad, N.W., Jones, J.B., & Chun, W. 2001. Laboratory guide for identification of plant pathogen bacteria. 3rd Edition. APS Press. St. Paul Minnessota. 373p

Schisler, D.A., Slininger, P.J., Behle, R.W., & Jackson, M.A. 2004. Symposium the nature and application of biocontrol microbes: *Bacillus* spp. formulation of *Bacillus* spp. for biological control of plant diseases. National Center for Agricultural Utilization Research (NCAUR), US. *J. Am Phys Soc*., (94): 1267-1271

Siddiqui, I.A., Ehteshamul-Haque, S. & Shaukat, S.S. 2001. Use of rhizobacteria in the control of root rot-root knot disease complex of mungbean. *Journal of Phytopathology*., (149): 337–346

Sikora, R. A., & Hoffmann-Hergarten, S. 1993. Biological control of plant-parasitic nematodes with plant-health promoting rhizobacteria. 166–172

Soesanto, L ., Mugiastuti, E., & Rahayuniati, R.F. 2011. Inventarisasi dan identifikasi patogen tular-tanah pada pertanaman kentang di kabupaten Purbalingga. *J Hort.*, 21(3): 254-264.

Spadaro, D. & Gullino, M.L. 2005. Improving the efficacy of biocontrol agents against soilborne pathogens. *Crop Protec*., (24): 601-613

Sridhar R., Ramakrishnan, G., Dinakaran, D., & Jeyarajan, R., 1993. Studies on the efficacy of different carriers for antagonistic *Bacillus subtilis*. *J of Biol Cont.*, (7): 112-114

Sullivan, M,J., Inserra, R.N., Franco, J., Moreno-Lehude, & Greco, N. 2007. Potato cyst nematodes: Plant host status, and their regulatory impact. *Nematropica.*, (37): 103-201

Sun, M.H., Gao, L., Shi, YX., Li, BJ.., & Liu, X.Z. Fungi and actinomycetes associated with *Meloidogyne* spp. eggs and females in China and their biocontrol potential. *J Invertebr Pathol.*, (93):22–28

Taskin, B., Gozen, A.G., & Duran, M. 2011. Selective quantification of viable *escherichia coli* bacteria in biosolids by quantitative pcr with propidium monoazide modification. *Appl Environ Microbiol.*, 77(13): 4329-4335

Taylor, M.J., Bentham, R.H., & Ross, K.E. 2014. Limitations of using propidium monoazide with qpcr to discriminate between live and dead *Legionella* in biofilm samples. *Microbiol Insights*. (7): 15–24

Tian, B., Yang, J., & Zhang, K.Q. 2007. Bacteria used in the biological control of plant-parasitic nematodes: populations, mechanisms of action, and future prospects. *FEMS Microbiol Ecol.,* (2): 197-213

Ting, A.S.Y., Fang, M.T., dan Tee, C.S. 2009. Assessment on the effect of formulative materials on the viability and efficacy of *Serratia marcescens*-a biocontrol agent against *Fusarium oxysporum* F. sp. *cubense* race 4. *American Jour of Agric and Bio Sci.,* 4 (4): 283-288

Trifonova, Z., Tsvetkov, I., Bogatzevska, N. & Batchvarova, R. 2014. Efficiency of *Pseudomona*s spp. for biocontrol of the potato cyst nematode *Globodera rostochiensis* (Woll.). *Bulg J. Agric Sci*., (20): 666-669

Tu, M. & Randall, J.M. 2005. Adjuvants. In: weed control methods handbook: tools and techniques for use in natural areas, Hurd and J.M. Randall (Eds.). The Nature Conservancy's Global Invasive Species Team, United States of America, 8: 200-225

Van Frankenhuyzen, J.K., Trevors, J.T., Flemming, C.A., Lee, H. & Habash, M.B. 2013. Optimization, validation, and application of a real-time PCR protocol for quantification of viable bacterial cells in municipal sewage sludge and biosolids using reporter genes and *Escherichia coli. J Ind Microbiol Biotechnol*,. 40(11): 1251-61

Vesper, S., McKinstry, C., Hartmann, C., Neace, M., Yoder, S. & Vesper, A. 2008. Quantifying fungal viability in air and water samples using quantitative PCR after treatment with propidium monoazide (PMA). *J Microbiol Methods*., (72): 180–184

Vessey J., & Pegg, G.1973. Chitinase In *Verticillium. Transactions Of The British Mycological Society.*, (60): 133–143

Widianto, D., Prijambada, I.D & Indarti, S. 2013. Pengendalian Hayati Nematoda Sista Kuning (*Globodera rostochiensis*) Berbasis Bakteri Tanah. Laporan akhir penelitian Unggulan LPPM UGM

Winslow, R.D., & Willis, R.J. 1972. Nematode Diseases of potatoes. II. Potato cyst nematode, *Heterodera rostochiensis*. Pp. 18-34, In: *Economic Nematology*. J. Webster (ed.), New York: Academic Press

Yamazaki, K., Kawai, Y., Inoue, N. & Shinano, H. 1997. Influence of sporulation medium and divalent ions on the heat resistence of *Alicyclobacillus acidoterrestris* spores. *Letters in Appl. Micro*., (25): 153-156

Zou, L. F., Wang, X. P., Xiang, Y., Zhang, B., Li, Y. R., Xiao, Y. L., Wang, J. S., Walmsley, A. R. & Chen, G. Y. 2006. Elucidation of the hrp clusters of *Xanthomonas oryzae* pv. Oryzicola that control the hypersensitive response in nonhost tobacco and pathogenicity in susceptible host rice. *Appl Environ Microbiol.*, (72): 6212–6224

.