



## DAFTAR PUSTAKA

- Aala, F., Nulit ,R., Yusuf, U K., Rezale, S., 2012. Conventional and molecular characterization of *Trichophyton rubrum*. *Afr. J. Microbiol. Res.*, 6(36),pp. 6502-6516.
- Abbas , A.K.,Lichtman,A.H., Pillai, S.,2010 . Major histocompatibility complex molecules and antigen presentation to T lymphocytes,in Cellular and Molecular Immunology,7<sup>th</sup> edition,International edition,Elsevier Saunders. pp 109-138.
- Adiguna, M.S., Isnain,M. 2002. Mikosis superfialis di poliklinik penyakit kulit dan kelamin RSUP Sanglah Denpasar tahun 1998-2000 dalam *Berkala Ilmu Penyakit Kulit dan Kelamin* Vol.14 no.3.Surabaya: Airlangga University Press.
- Adiguna, M.S.,2013. Epidemiologi dermatomikosis di Indonesia dalam Dermatomikosis . Edisis kedua, cetakan pertama. Jakarta: Fakultas Kedokteran Universitas Indonesia.hal 1-8.
- Ahmed A.R, Schreiber P.Aiello, J, Tiwari J.L.Terasaki P.I, 1985 A preliminary report on the role of some immunologic factors in persistence of chronic tinea pedis. *Clin. Exp. Derm.*, 10: 45-50.
- Akcaglar, S., Ener, B., Toker, S.C., Ediz, B., Tunali, S., Tore, O., 2011. A comparative study of dermatophyte infections in Bursa, Turkey. *Med Mycol.*, August 2011, 49, 602-607.informa healthcare.ISHAM.
- Almelda, S.R., 2008.Immunology of Dermatophytosis, *Mycopathologia*, 166:277-283.
- Alkhafajii and Alhassnawei, 2014. Clinico-mycological profile of superficial mycosis and the relationship of ABO blood grouping with superficial mycosis.*J. Yeast Fungal Res.*, 5(5), 63-66.
- Amundadottir,L., Kraft,P., Stolzenberg-Solomon, R.;Fuchs,C.S.; Petersen,G.M.; Arslan, A.;Bueno-de-Mesquita,H.B.;Gross,M.;Helzlsouer,K.;Jacobs,E.J.;LaCroix,A.;ZZheng,W.; and 59 others: 2009. Genome-wide association study identifies variants in the ABO locus associated with susceptibility to pancreatic cancer, *Nature Genet.* 41: 986-990.



Ayoub, E.M., Barrett,D.J.,Maclaren, N.K ., Krischer, J.P., 1986. Association of class II human histocompatibility leukocyte antigens with rheumatic fever. *J Clin Invest.*, 77(6), pp.2019–2026.

Asz-Sigall D, Lopez-Garcia L, Vega-Memije M E, Lacy-Niebla R M, Garcia-Corona C, Ramirez-Renteria C, et al 2010. HLA-DR6 association confers increased resistance to T rubrum onychomycosis in Mexican Mestizos. *Intj J Dermatol.*, 2010, 49.1406-1409.

Balajee, SA., Menon, T., Ranganathan, S., 1996 ABO blood groups in relation to the infection rate of dermatophytosis.*Mycoses*, Nov-Dec 39 (11-12) 475-8.

Baratawidjaja, K.G. , Rengganis, I., 2010. Imunologi Dasar edisi 9 FKUI,hal197-216.

Sandstrom,G.,Eriksson, J-O., Saeed,A., 2014. Successful Treatment of Trichophyton rubrum Onychomycosis and Warts ( Verruca Plantae) with BioCool®. *IJUST*, 4(1), pp.73–77.

Balaney,2010. The ABO and H Blood Group Systems and 5 Rh Blood Group Systems in Laboratory Procedure Manual. pp.1-16

Boel, T., 2003. Mikosis Superficial. Medan, Fakultas Kedokteran Gigi Universitas Sumatera Utara.

Browning, M., Mc Michael, A., 1996.HLA in HLA and MHC, Genes, Molecules and Function. Bios Scientific Publishers. p.98.

Cholis, M., 2004. Imunologi dermatomikosis superfisialis dalam Dermatomikosis superfisialis, Kelompok Studi Dermatomikosis Indonesia,Balai penerbit FKUI , hal 9-23.

Clayton ,Y., Midgley, G.,1985. Medical Mycology,Pocket picture guides, Gower medical publishing. Trichopyton rubrum, pp.4-6.

Coopen, R., 2005. Infection and Diabetes, Philadelphia: Lea & Febriger.

Dahl, M.V., Grando, S.A., 1994 Chronic Dermatophytosis: What is special about *Trichophyton rubrum*? Department of Dermatology, University of Minnesota Medical School Minneapolis, *Adv Dermatol.*, 9:97-109;discussion 110-1.

Dahl. M.V., 1994. Dermatophytosis and the Immune response.*J Am Acad Dermatol.*, Sep; 31(3 Pt 2): S34-41

Data Medikal Rekor SMF Kulit/Kelamin RSUDAWS Samarinda, 2010

Díaz-Jiménez, D.F. et al., 2012. Role of the fungal cell wall in pathogenesis and antifungal resistance. *Curr Fungal Infect Rep.*, 6(4), pp.275–282.



Drakensjo,I.T., Chryssanthou,E., 2011. Epidemiology of dermatophyte infections in Stockholm, Sweden: a retrospective study from 2005-2009. *Med Mycol.*, July 2011,49, 484-488.informa healthcare.ISHAM.

Faergemann, J., 2002. Atopic Dermatitis and Fungi.*Clini Microbiol Rev.*, Oct. 2002, Vol. 15, No.4. P.545-563.

Ganizares, O., Kotrajaras, R., 1978. Superficial Dermatophytosis in Color Atlas of Skin Diseases in Thailand, The Institute of Dermatology, Bangkok, Thailand, 1-46.

García-Romero, M.T. et al., 2012. Analysis of Genetic Polymorphism of the HLA-B and HLA-DR Loci in Patients with Dermatophytic Onychomycosis and in Their First-Degree Relatives. *Actas Dermosifiliogr(DNLM)*, 103(1), pp.59–62.

Ghannoum MA., et al 2000. Antifungal therapy, Informa health care.Dermatophytosis. Pp.258-277.

Ghannoum MA., Isham N.,2009.Dermatophytes and dermatophytoses in Clinical mycology, 2<sup>nd</sup> ed,Churchill Livingstone, Elsevier.pp.375-384.

Hainer, BL., 2003. Dermatophyte Infections. *Am Fam Physician*. Jan 1; 67(1):101-8.

Hay R.J, 2010. Genetic Susceptibility to Dermatophytosis. *Eur J Epidemiol.*, Vol.8, No.3, pp.346-349.Available (<http://links.jstor.org>) (Accessed: 2010, 21 Oktober).

Interpreting electropherograms. Web. Made on a Mac. University of Delaware.

Ishii, K.,Yakakuwa,K.,Mitsui,T.,Tanaka,K., 2002. Studies on the human leukocyte antigen-DR in patients with endometriosis: genotyping of HLA-DRB1 alleles. *Hum Reprod.*, 17(3), pp.560–563.

James, W.D., Berger, T.G., Elston D.M, 2006. Andrew's Diseases of the Skin, Clinical Dermatology, New York.

Jones, H., 2009. Immune response and host resistance of humans to dermatophyte infection .*J Am Acad Dermatol.*, Volume 28, issue 5, pages S12-S18.

Kardhani, A., Rachmi, E., Nurjanti, L, 2009. Pola distribusi penderita Dermatofitosis berdasarkan unur, jenis kelamin, dan tipe klinis di bagian/SMF Ilmi Kesehatan Kulit dan Kelamin FK Unmul/RSUDAWS Samarinda, Tugas akhir skripsi hal 50-56.

Kareema, A.A. & Huda, H.A., 2014. Clinico-mycological profile of superficial mycosis and the relationship Of ABO blood grouping with superficial mycosis. *J. Yeast Fungal Res.*, 5(5), pp.63–66.



- Kaufman, G., Horwitz, BA., Duek, L., Ullman, Y., Berdicevsky I., 2007. Infection stages of the dermatophyte pathogen Trichophyton: microscopic characterization and proteolytic enzymes. *Med Mycol.*, Mar; 45(2):149-55.
- Keiler, S. A., and Ghannoum, M.A., 2008. Dermatophytosis Management of Specific Mycosis in Anti Fungal Therapy Edited by Mahmoud A G, Sandy V, Pathogenesis of Dermatophytosis, *Mycopathologia*, 166:267-275.
- Kusmarinah, B., 2009. Epidemiologic Trend of Superficial Mycosis in Indonesia, Department of Dermato-Venereology, Faculty of Medicine, University of Indonesia, Cipto Mangunkusumo Hospital, Jakarta, Disampaikan pada Kongres National IV & Temu Ilmiah Perhimpunan Mikologi Kedokteran Manusia dan Hewan Indonesia (PMKI) Manado.
- Kuswaji Sandra W, 2001. Obat anti jamur dalam Dermatomikosis Superfisialis, Kelompok Studi Dermatomikosis Indonesia.Balai Penerbit FKUI, hal 99 -106.
- Laniosz, V., & Wetter, D., 2014. What's new in the treatment and diagnosis of dermatophytosis?. *Semin Cutan Med Surg.*, 33(3), pp.136–139.
- La Touche, C.J.P., 1954. the Dermatophytes. *BMJ.*, 1(4867), p.921.
- List, R., 2012. Resource List for Immunology and Serology. , pp.2012–2014.
- López-Mejías,R., Genre,F., Garcia-Bermudez,M., Ubilla,B., Castaneda,S., Llorca,J., Gonzalez-Juanatey,C.,Corrales,A., Miranda-Filloy,J.A., Pins,T., Gomez-Vaquero,C., Rodriguez-Rodriguez, L., Fernandez-Gutierrez,B., Balas,A., Pascual-Salcedo,D., Lopez-Longo,F.J., Carreira,P., Blanco,R., Martin,J., Gonzalez-Gay,M.A., 2014. Lack of Association between ABO, PPAP2B, ADAMST7, PIK3CG, and EDNRA and Carotid Intima-Media Thickness, Carotid Plaques, and Cardiovascular Disease in Patients with Rheumatoid Arthritis. *Mediators Inflamm.*, 2014, pp.1–6.
- Louie, L., Ng, S., Hajjeh, R., Johnson, R., Vugia, D., Werner, S. B., Klitz, W. (1999). Influence of host genetics on the severity of coccidioidomycosis.*Emerg Infect Dis.*, 5(5), 672–680.
- Male, D., 2004. Immune responses in Immunology, pages 48-49, 4 ed. Mosby.
- Male, D., Brostoff, J., Roth, D. B., Roitt. I., 2006, Immunity to bacteria and fungi, Gregory Bancroft, in Immunology 7th edition, Mosby. pp 257-276.



Marsetyawan HNES, 2008. Basic concept in Immune System.,Kursus Biologi Molekuler & Imunologi,Pusat Kedokteran Tropis FK UGM.

Murphy,K., Janeway Jr,C.A., Travers,P., Walport,M., Mowat,A.,and Weaver, C.T.2012. T-Cell Mediated Immunity , in Janeway's Immunobiology 8th edition, Garland Sciences. p 371.

Murray, R.K., 2012. Sel darah merah dan putih dalam Biokimia Harper edisi 29, Mc Graw Hill bab 52:747 - 765.

Nasution, M.A., & Utara, U.S., 2005. Mikologi dan Mikologi Kedokteran Beberapa Pandangan Dermatologis. Pidato Pengukuhan Jabatan Guru Besar Tetap dalam Bidang Ilmu Kesehatan Kulit dan Kelamin pada Fakultas Kedokteran Universitas Sumatra Utara. hal.1–15.

Nejad,SB., Khodaeiani, E., Amirnia,M.,2007. A Study of Dermatophytosis infections in Dermatology clinic of Sina hospital- Tabriz. *Ege Tip Dergisi* 46(1) : 21-25.

Nenoff, P. *et al.*, 2014. Mycology - an update. Part 1: Dermatomycoses: Causative agents, epidemiology and pathogenesis. *J Dtsch Dermatol Ges.*, 12(3), pp.188–210. Available at: <http://doi.wiley.com/10.1111/ddg.12245>.

Neering, H.,1979.Chronic *Trichophyton rubrum* infections and blood groups. *J.invest. Derm.*, 73: 392.

Panigoro,R.,2000. Bagian Kimia Medik, FK-UNPAD. Polimorfisme HLA Populasi Indonesia, dalam buku Makalah lengkap kursus Imuno-dermatologi I dokter spesialis kulit& kelamin,Bandung,3 september 2000. hal.203-222.

Pappas, P. G., and Bergamo, B., 2007. Superficial and mucosal fungal infections in Diagnosis of fungal infections edited by Johan A Maertens Kieren A Marr, Informa, pp 153-169.

Patterson, T.F., Drutz, D.J., 2003. Fungal Diseases in Medical Immunology. 10<sup>th</sup> International edition, Mc Graw Hill,pp.655-672.

Perfect, J, R., 2010. Informa, page 258-277.

Price, S. A, 2005. Patofisiologi Jakarta EGC.

Properties, A., 2012. Dermatophytosis (“ ringworm ”) 2012 edition.

Pustaka, D., 2013. Ahmadi, B., Hashemi, S. J., Zaini, F., Shidfar, M. R., Moazeni, M., & Mousavi, B. (2012). Mecical Mycology Case Reports. , 23(2008), pp.2012–2014.



- Ryberg, A., Petersson, F., Redeen, S., Eriksson, O., Borch, K., 2013. Host gene polymorphisms in relation to Helicobacter pylori infection and associated diseases in a population based cohort. *Gastroenterol res.*, 2013; Elmer press, 6(6); 207-218.
- Sadahiro, A., Moraes, J. R. F., Moraes, M. E. H., Romero, M., Gouvea, N.A de L, Gouvea, C.J., Ogusku, M.M., Campbell, I., Zaitz, C., Jan-June 2004. HLA in Brazilian Ashkenazic Jews with chronic dermatophytosis caused by Trichophyton rubrum, *Braz. J. Microbiol.*, vol 35(1-2), pp.69–73.
- Schechtman RC, Allen MH, .Mcgregor JM, Hay RJ.1993. Skin inflammation in chronic dermatophyte infections caused by Trichophyton rubrum, Lack of epidermal expression of ICAM-1, *Med Mycol.*, vol 31, issue 6, pages 459-462.
- Sharma, V. et al., 2015. Dermatophytes : Diagnosis of dermatophytosis and its treatment. , 9(19), pp.1286–1293.
- Shem, N., 2010. Data penelitian pendahuluan. Trichophyton rubrum terbanyak.
- Siregar, R.S. 2005. Penyakit Jamur Kulit. Jakarta EGC.
- Smith, D.S., Relman, D.A. 2001. Dermatophytes in Current Diagnosis & Treatment in INFECTIOUS DISEASES. McGraw-Hill. Pp.777-784.
- Soebono, H., 2001. Peran HLA pada Berbagai Dermatosis, Kuliah Tamu Perdoski, Makasar.
- Sopiyudin, D.M., 2009. Besar Sampel dan Cara Pengambilan Sampel dalam penelitian kedokteran dan kesehatan,edisi 2 Penerbit Salemba Medika.
- Sorensen, G.W., Jones, H., 1976. Immediate and delayed hypersensitivity in chronic dermatophytosis. *Arch Dermatol.* Jan;112(1):40-2.
- Sujudi, S., Soebandrio, A., 1994. Hipersensitivitas dalam buku ajar Mikrobiologi Kedokteran FKUI Jakarta.
- Sultana, J., Abid, M., Abbas, SQ., Wahid, ZN., Dermatophytes, The Causal Organism Of Dermatomycosis: An Overview. *FUUAST J. Biol.*, 1, pp.57–62.
- Susilo, J., 1992. Imunologi infeksi Jamur.
- Svejgaard, E., Jakobsen, B., Svejgaard, A., 1983. HLA studies in chronic dermatophytosis caused by Trichophyton rubrum. *Acta Dermatovener.*63:254-255.
- Svejgaard, E., 1986. Humoral antibody response in the immunopathogenesis of dermatophytosis. *Acta Derm Venereol Suppl (Stockh)*.121:85-91.



- Tagami, H., Kudoh, K., Takematsu, H., 1989. Inflammation and immunity in dermatophytosis. *Dermatologica*. 179 Suppl 1:1-8.
- Teixeria, N., Peres, D.A. & Rossi, A., 2010. Dermatophytes: host-pathogen interaction and antifungal. , *An Bras Dermatol*. Sep-Oct; 85(5):657-67.
- Thole, JE., Janson, AA., Cornelisse, Y., Schreuder, GM., Wieles, B., Naafs, B., de Vries, RR., Ottenhoff, TH., 1999. HLA-Class II-Associated Control of Antigen Recognition by T Cells in Leprosy: A Prominent Role for the 30-31-kDa Antigens. *J Immunol*. Jun 1;162(11):6912-8.
- Venkatesan, G., Ranjit Singh, A.J.A., Murugesan,A.G., Janaki,C., Gokul Shankar,S., 2007. Trichophyton rubrum – the predominant etiological agent in human dermatophytoses in Chennai , India. *Afr. J. Microbiol. Res.*, May, pp.9–12.
- Vermout, S., Tabart, J., Baldo, A., Mathy, A., Losson, B., Mignon, B., 2008. Pathogenesis of dermatophytosis. *Mycopathologia*. Nov-Dec; 166(5-6):267-75. Doi: 10.1007/s11046-008-9104-5. Epub 2008 May 14.
- Vilani-Moreno,F.R.,Claro,S.G.,Marcos,V.C.,Arruda,M.S.P.,Ura,S., 1999. Dermatophytosis: Association between ABO blood groups and reactivity to the trichophytin. *Rev Inst de Med Trop SP.*, 41(5), pp.285–289.
- Volpini, W. *et al.*, 1998. Distribution of HLA-DRB1 alleles in a mixed population with insulin- dependent diabetes mellitus from the Southeast of Brazil. *Braz J Med Biol Res*. Mar; 31(3):365-8.
- Waldmand, A., Segal, R., Berdicevsky, I., and Gilhar, A., 2010. CD4<sup>+</sup> and CD8<sup>+</sup> T cells mediated direct cytotoxic effect against Trichophyton rubrum and Trichophyton mentagrophytes. *Int J Dermatol*., 2010, 49, 149-157
- Woodfolk, J.A., Wheatleyt, L.M., Piyasenat, R.V., Benjamin, D.C., Platts-Mills, T.A.E., 1998, *Trichophyton* Antigens Associated with IgE Antibodies and Delayed Type Hypersensitivity. *J. Biol. Chem.*, Vol. 273. No. 45. Issue of November 6 pp.29489-29496.
- Woodfolk, J.A., Platts-Mills, T.A.E., 2001. Diversity of the Human Allergen-Specific T Cell Repertoire Associated with Distinct Skin Test Reactions: Delayed-Type Hypersensitivity- Associated Major Epitopes Induce Th1- and Th2-Dominated Responses. *J. Immunol*., 167: 5412-5419.



Woodfolk, J.A, 2005. Allergy and Dermatophytes. *Clin. Microbiol. Rev.*, Jan.2005, Vol. 18. No.1. p. 30-43.

Yang, J., Chen, L., Wang, W., Zhang, W., Liu,T., Jin, Q. 2007. TrED: the Trichophyton rubrum Expression Database. *BMC genomics*, 8, p.250.

Young, E., Roth, F. J., 1979. Immunological Cross-Reactivity between a Glycoprotein Isolated from Trichophyton mentagrophytes and Human Isoantigen A. *J Invest Dermatol.*, Department of Microbiology University Miami School of Medicine, Miami, Florid, USA. Jan;72(1):46-51.

Young, C.W.B., 2008. DNA method for typing a workbook for beginners.

Zaias, N., Rebell, G., Chronic dermatophytosis caused by Trichophyton rubrum. *J Am Acad Dermatol.* 1996 Sep; 35(3 Pt 2):S17-20.

Zaini, F., Mahmoudi, R.,Madani, M.. Sadeghi, G., et al. 2000.The Relationship Between Blood Group Isoantigens and Dermatophytosis. *Iran. Red Crescent med. j.*, vol.2.no.2. pp: 25-27.

Zaitz, C., Campbell, I., Moraes, J. R., Moraes, M. E., Gouvea, C., Romero, M., Gouvea, N., Sadahiro, A., Chamone, D., Dorlhiac, P., 1996. HLA-Associated susceptibility to chronic onychomycosis in Brazilian Ashkenazic Jews. *Int. J. Dermatol.*, 35:681-682.