



PERBANDINGAN SIMPLE NUTRITION SCREENING TOOL DAN NUTRITIONAL RISK SCREENING 2002 DENGAN SUBJECTIVE GLOBAL ASSESSMENT DAN DIALYSIS MALNUTRITION SCORE PADA PASIEN PENYAKIT GINJAL KRONIK DENGAN HEMODIALISIS DI RSUP DR. SARDJITO YOGYAKARTA

UNIVERSITAS
GADJAH MADA

FARAH FAZA, Dr. Susetyowati, DCN, M.Kes; dr. Bambang Djarwoto, Sp.PD-KGH

Andini, R. (2014). *Studi Komparasi Metode Screening Gizi pada Pasien Dewasa Rawat Inap. Kajian Simple Nutrition Screening Tool, Nutrition Risk Screening 2002, Malnutrition Screening Tool, dan Malnutrition Universal Screening Tool di Yogyakarta*. Skripsi. Program Studi S1 Gizi Kesehatan, Fakultas Kedokteran, Universitas Gadjah Mada, Yogyakarta.

As'Habi, A., H. Tabibi, B. Nozary H., M. Mahdavi, M. Hedayati. (2014) Comparison of Various Scoring Methods for the Diagnosis of Protein-Energy Wasting in Hemodialysis Patients. *Springer Int Urol Nephrol* DOI 10.1007/s11255-5-013-0638-1.

Barendregt, K., Soeters, P.B., Allison, S.P., Kondrup, J. (2008) Basic Concepts in Nutrition: Diagnosis of Malnutrition: Screening and Assessment. e—SPEN. *The Eur e—J Clin Nutr Met.* 3 pp. 121—125.

Boado, V. Jo—Ann Rene., Redondo, Divina Cristy., Orio, Jovi Flauta., Gomez, M. Ma. Lourdes., Valencia, Aurora., Ingalla, Michelle Joy., Ferrer, M. Romelle. (2014) Nutritional Assessment of Patients on Maintenance Hemodialysis Using Dialysis Malnutrition Score (DMS). *PhilSPEN Online Journal of Parenteral and Enteral Nutrition.* 24 pp. 74—88.

Centers for Medicare and Medicaid Service. *Medicare Coverage of Kidney Dialysis & Kidney Transplant Services*. Department of Health and Human Service USA.

Chumlea, Wm Cameron., Cockram, B. David., Dwyer, T. Johanna., Han, Haewook. & Kelly, Mary Pat. (2008) *Nutrition Assesment in Chronic Kidney Disease. Nutrition and Health: Nutrition in Kidney Disease*. New Jersey, Totowa: Humana Press.

Collins, J. Allan. (2013) United State Renal Data System (USRDS) Annual Data Report: Atlas of Chronic Kidney Disease and End-Stage Renal Disease in the United States. *American Journal of Kidney Disease*; 63 (1) : 215-228.

Coresh, J., Astor, BC., Greene, T., Eknoyan, G. & Levey, AS. (2003) Prevalence of Chronic Kidney Disease and Decreased Kidney Function in The Adult U.S. Population: Third National Health and Nutrition Examination Survey. *Am J Kidney Dis.* 41(1) pp.1—12.

Daryani. (2011) *Faktor-faktor yang Mempengaruhi Keputusan Inisiasi Dialisis Pasien Gagal Ginjal Tahap Akhir di RSUP Dr Soeradji Tirtonegoro Klaten*. Tesis. Fakultas Ilmu Keperawatan Program Magister Keperawatan Universitas Indonesia.

Detsky, A.S., McLaughlin, J.R., Baker, J.P., Johnston, N., Whittaker, S., Mendelson, R.A., Jeejeebhoy, K.N. (1984) What Is Subjective Global Assessment of Nutritional Status. *JPEN J Parenter Enteral Nutr.* 11(1) pp. 8—13.

- Eknoyan, G., Lameire, Norbert., Eckardt, Kai—Uwe., Kasiske, L. Bertram. & Wheeler, C. David. (2013) Kidney Disease Improving Global Outcome(KDIGO) 2012Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease.*Official Journal of The International Society of Nephrology*. Volume 3, Issue 1, Januari 2013.
- Espahbodi, F., Khoddad, Talayeh. & Esmaeili, Leila. (2014) Evaluation of Malnutrition and Its Association with Biochemical Parameters in Patients with End Stage Renal Disease Undergoing Hemodialysis Using Subjective Global Assessment.*Nephro Urol Mon*. May 6(3)pp.1-4.
- Fouque, D., Kalantar-Zadeh, K., Kopple, J., Cano, N., Chauveau, P., Cuppari, L., Franch, H., Guarnieri, G., Ikizler, T.A., Kaysen, G., Lindholm, B., Massy, Z., Mitch, W., Pineda, E., Stenvinkel, P., Trevinho-Becerra, A. & Wanner, C. (2008) A Proposed Nomenclature and Diagnostic Criteria for Protein-Energy Wasting in Acute and Chronic Kidney Disease. *Kidney International*. 73 pp.391-398.
- Gandy, W.Joan., Madden, A., Holdsworth, M. (2014) *Gizi dan Dietetika*. Jakarta: EGC.
- Gilbertson, T. David., Liu, J., Xue, L. Jay., Louis, A. Thomas., Solid, A. Craig., Ebben, P. James., Collins, J. Allan. (2005) Projecting the Number of Patients with End—Stage Renal Disease in The United States to The Year 2015. *J Am Soc Nephrol* 16 pp. 3736—3741.
- Gokcan, H., Selcuk, H., Tore, E., Gulseren, P., Cambaz, H., Saritas, S., Ocal, R., Basaran, O., Yilmaz, U., Akin, E. (2014) The Nutritional Risk Screening 2002 Tool for Detecting Malnutrition Risk in Hospitalised Patients: Perspective from a Developing Country. *Turk J Gastroenterol*. 25 pp. 718—723.
- Harvinder, S.Gilcharan., Swee, S. C. Winnie., Karupaiah, T., Sahathevan, S., Chinna, K., Ahmad, G., Bavanandan, S., Goh, L.Bak. (2016) Dialysis Malnutrition and Malnutrition Inflammation Scores: Screening Tools for Prediction of Dialysis—Related Protein—Energy Wasting in Malaysia. *Asia Pac J Clin Nutr*. 25(1) pp. xxx—xxx.
- Hartono, A. 2013. *Terapi Gizi dan Diet Rumah Sakit*. Jakarta: EGC.
- Himmelfarb, Jonathan. & Ikizler, T. Alp. (2010) Hemodialysis.*N Engl J Med*. 363 pp.1833—45.
- Jensen, G.L., Mirtallo, J., Compher, C., Dhaliwald, R., Forbese, A., Grijalbab, R.F., Hardyg, G., Kondrup, J., Labadariosi, D., Nyulasij, I., Pinedak, J.C.C., Waitzberglet, D., (2010) Adult Starvation and Disease—Related Malnutrition: A Proposal for Etiology—Based Diagnosis in The Clinical Practice Setting from

Jones, J. Mary. (2004). Validity of Nutritional Screening and Assessment Tools. *Nutrition*. 20(3) pp. 312—317.

Kalantar—Zadeh, K., Kleiner, M., Dunne, E., Lee, G.H., Luft, F.C. (1999) A Modified Quantitative Subjective Global Assessment of Nutrition for Dialysis Patients. *Nephrol Dial Transplant* 14(7) pp. 1732—1738.

Kalantar-Zadeh, K., Abbott, K.C. & Salahudeen, A.K. (2005) Survival Advantages of Obesity in Dialysis Patients. *Am J Clin Nutr*. 81 pp.543-554.

Katsilambros, N.*et al.* (2013)*Asuhan Gizi Klinik*. Jakarta: EGC.

Kementerian Kesehatan Republik Indonesia (Kemenkes RI). (2013) *Riset Kesehatan Dasar(Riskesdas)*. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.

Kementerian Kesehatan Republik Indonesia. (2013) *Pedoman Pelayanan Gizi Rumah Sakit (PGRS)*. Jakarta: Kementrian Kesehatan RI.

Kondrup, J., Rasmussen, H.H., Hamberg, O., Stanga, Z. (2003) Nutritional Risk Screening (NRS 2002): A New Method Based on an Analysis of Controlled Clinical Trials. *Clin Nutr*. 23(3) pp. 321—326.

Koor, E.Behrooz., Nakhaie, R. Mohammad., Babaie, S. (2015) Nutritional Assessment and Its Correlation with Anthropometric Measurements in Hemodialysis Patients. *Saudi J Kidney Dis Transpl*. 26(4) pp. 697—701.

Kopple, D. Joel., Wolfson, M., & Chertow, GM. (2000) Clinical Practice Guidelines for Nutrition in Chronic Renal Failure: A Report from The Nutrition Work Group of The National Kidney Foundation Dialysis Outcomes Quality Initiative. *Am J Kidney Dis*. 35(6 suppl 2) pp.S1—104.

Kumagai, H. (2007) *Nutrition and Kidney Disease A New Era: Nutritional Therapy for Patients Undergoing Hemodialysis*. Basel: Karger.

Kyle, U., Kossovsky, M., Karsegard, V., Pichard, C. (2006) Comparison of Tools for Nutritional Assessment and Screening at Hospital Admission: A Population Study. *Clin. Nutr*. 25(3) pp. 409—417.

Lapau, B. (2013) *Prinsip dan Metode Epidemiologi*. Jakarta: Badan Penerbit Fakultas Kedokteran Universitas Indonesia.

Levey, S. Andrew & Coresh, J. (2012) Chronic Kidney Disease. *Lancet*. 379 pp.165—180.

Levey, S. Andrew., Eckardt, Kai-Uwe., Tsukamoto, Yusuke., Levin, Adeera., Coresh, Josef., Rossert, Jerome., Zeeuw, de Dick., Hostetter, H. Thomas., Lameire, Norbert. & Eknoyan, Garabed. (2005) Definition and Classification of



UNIVERSITAS
GADJAH MADA

PERBANDINGAN SIMPLE NUTRITION SCREENING TOOL DAN NUTRITIONAL RISK SCREENING 2002 DENGAN SUBJECTIVE GLOBAL ASSESSMENT DAN DIALYSIS MALNUTRITION SCORE PADA PASIEN PENYAKIT GINJAL KRONIK DENGAN HEMODIALISIS DI RSUP DR. SARDJITO YOGYAKARTA

- FARAH FAZA, Dr. Susetyowati, DCN, M.Kes; dr. Bambang Djarwoto, Sp.PD-KGH
Levey, S. Andrew, Eckardt, Kai Lwa, Tsukamoto, Yusuke., Levin, Adeera., Coresh, Josef., Rossert, Jerome., Zeeuw, de Dick., Hostetter, H. Thomas., Lameire, Norbert. & Eknoyan, Garabed. (2005) Definition and Classification of Chronic Kidney Disease: A Position Statement from Kidney Disease: Improving Global Outcomes (KDIGO). *Kidney International*.67 pp.2089—2100.
- Locatelli, F., Covic, A., Chazot, C., Leunissen, K., Luno, J. & Yoqoob, M. (2004) Hypertension and Cardiovascular Risk Assessment in Dialysis Patients. *Nephrol Dial Transplant*. 19pp.1058—1068.
- Lorenzo, A.G., Alvarez, J., Calvo, M.V. (2005) Conclusion of The II SENPE Discussion Forum on: Hospital Malnutrition. *Nutr. Hosp*. 20(2) pp. 82—87.
- Mayasari, M., Susetyowati., Lestariana, Wiryatun. (2014) Simple Nutritional Screening Tool (SNST) Has Good Validity to Identify Risk of Malnutrition on Hospitalized Elderly Patients. *Pakistan Journal of Nutrition*. 13(10) pp. 573—578.
- Meyer, W. Timothy and Hostetter, H. Thomas. (2007) Uremia. *N Engl J Med*. 357 pp.1316—25.
- Mohammed, A. Fatin., Farhood, F. Hadeel., AtheemWtwat, M. Abdul.(2014) Prediction of Malnutrition Using Modified Subjective Global Assessment—Dialysis Malnutrition Score in Patients on Chronic Hemodialysis. *J Community Med Health Educ*. 4(3) pp. 1—8.
- Mueller, C., Compher, C., Ellen, D.M. & The American Society for Parenteral and Enteral Nutrition (ASPEN) Board of Directors. (2011) ASPEN Clinical Guidelines: Nutrition Screening, Assessment, and Intervention in Adults. *J Parenter Enteral Nutr*. 35(1) pp.16-24.
- National Institute of Diabetes, Digestive and Kidney Diseases(NIDDK). *Prevalence of CKD*. www.kidney.niddk.nih.gov [Diakses 9 April 2015].
- National Kidney Foundation *Kidney Disease Outcomes Quality Initiative (NKF K/DOQI)*. (2002) Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification, and Stratification. *Am J Kidney Dis*. 39(1) pp.S1—S266.
- Ozkalkanli, Y. Murat., Ozkalkanli, Dila Tuna., Katircioglu, Kaan., Savaci, Serdar. (2009) Comparison of Tools for Nutrition Assessment and Screening for Predicting The Development of Complications in Orthopedic Surgery. *Nutrition in Clinical Practice* 24(2) pp. 274—280.
- Perhimpunan Nefrologi Indonesia (Pernefri). (2012) 5th Report of Indonesian Renal Registry. www.pernefri-inasn.org [Diakses 13 Juni 2015].



UNIVERSITAS
GADJAH MADA

PERBANDINGAN SIMPLE NUTRITION SCREENING TOOL DAN NUTRITIONAL RISK SCREENING 2002 DENGAN SUBJECTIVE GLOBAL ASSESSMENT DAN DIALYSIS MALNUTRITION SCORE PADA PASIEN PENYAKIT GINJAL KRONIK DENGAN HEMODIALISIS DI RSUP DR. SARDJITO YOGYAKARTA

- Pur. (2015) *Perbandingan Metode Skrining Gizi Awal pada Pasien Rawat Inap Penyakit Dalam dan Syaraf di RSUP Dr. Sardjito Yogyakarta (Analisis Metode Malnutrition Universal Screening Tool, Short Nutritional Assessment Questionnaire, Subjective Global Assessment)*. Skripsi. Program Studi S1 Gizi Kesehatan, Fakultas Kedokteran, Universitas Gadjah Mada, Yogyakarta. (1) pp. 1-9.
Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>
- Rani, N. Vanitha., Kavimani, S., Soundararajan, P., Chamundeeswari, D., Gopal, Kannan. (2015) Assessment of Nutritional Status and Its Impact on Quality of Life of Patients on Maintenance Hemodialysis. *Int J Med Health Sci.* 4(2) pp. 156—164.
- Rasmussen, H.H., Holst, M., Kondrup, J. (2010) Measuring Nutritional Risk in Hospitals. *Clin Epidemiol.* 21(2) pp. 209—216.
- Saat, Z.N. Mohd., Kamaralzaman, S., Shaari, N. & Yusoff, Z.F. Mohd. (2011) Association between Dialysis Dose and Biochemical Blood Parameters. *Sains Malaysiana.* 40(5) pp.467—473.
- Saka, B., Ozturk, B. Gulistan., Uzun, S., Erten, N., Genc, S., Karan, A. Mehmet., Tascioglu, C. & Kaysi, A. (2011) Nutritional Risk in Hospitalized Patients: Impact of Nutritional Status on Serum Prealbumin. *Rev. Nutr.* 24(1) pp.89-98.
- Sari, P. Putri. (2010) *Perbandingan Metode Skrining Gizi Awal pada Pasien Rawat Inap Penyakit Dalam dan Syaraf di RSUP Dr. Sardjito Yogyakarta (Analisis Metode Malnutrition Universal Screening Tool, Short Nutritional Assessment Questionnaire, Subjective Global Assessment)*. Skripsi. Program Studi S1 Gizi Kesehatan, Fakultas Kedokteran, Universitas Gadjah Mada, Yogyakarta.
- Sastroasmoro, Sudigdo., Ismael, Sofyan. (2012) *Dasar-dasar Metodologi Penelitian Klinis Edisi ke-4*. Jakarta: Sagung Seto.
- Simanjuntak, P. Tridarma. (2010) hubungan Skrining Gizi NRS 2002 dan MUST dengan Assessment Biokimia pada Pasien di Bangsal Penyakit Dalam dan Saraf RSUP Dr. Sardjito Yogyakarta. Skripsi. Program Studi Gizi Kesehatan, Fakultas Kedokteran, Universitas Gadjah Mada, Yogyakarta.
- Soeters, P.B., Reijnen, P.L.M., Schueren, M.A.E., Schols, J.M.G.A., Halfens, R.J.G., Meijers, J.M.M., Gemert, W.G.(2008) A Rational Approach to Nutritional Assessment. *Clin. Nutr.* 27(5) pp. 706—716.
- Steiber, L. Alison., Kalantar—Zadeh, Kamyar., Secker, Donna., McCarthy, Maureen., Sehgal, Ashwini., McCann, Linda. (2004) Subjective Global Assessment in Chronic Kidney Disease: A Review. *Journal of Renal Nutrition* 14(4) pp. 191—200.
- Sugiro, G. Abdul. (2010) *Perbandingan Metode Nutritional Risk Screening 2002 dan Malnutrition Screening Tool terhadap Asesmen Gizi pada Pasien Penyakit Dalam di RSUP Dr. Sardjito Yogyakarta*. Skripsi. Program Studi S1 Gizi Kesehatan, Fakultas Kedokteran, Universitas Gadjah Mada, Yogyakarta.
- Sujarweni, V. Wiratna. 2015. *SPSS untuk Penelitian*. Yogyakarta: Pustaka Baru Press.



PERBANDINGAN SIMPLE NUTRITION SCREENING TOOL DAN NUTRITIONAL RISK SCREENING 2002 DENGAN SUBJECTIVE GLOBAL ASSESSMENT DAN DIALYSIS MALNUTRITION SCORE PADA PASIEN PENYAKIT GINJAL KRONIK DENGAN HEMODIALISIS DI RSUP DR. SARDJITO YOGYAKARTA
Sur
UNIVERSITAS GADJAH MADA
FARUQI ZIQA D. Susetyowati, DGE, M. Kes., S. P. M. dan G. D. W. S. P. D. R. H. Analisis or Prospective Cohort Studies. *PLoS ONE* 10(7):pp.1-12.

- Supariasa, N., Bari, B., Fajar, I. 2013. *Penilaian Status Gizi*. Jakarta: EGC.
- Susetyowati., Hadi, H., Hakimi. M. & Asdie, A.H. (2012) Pengembangan Metode Skrining Gizi untuk Pasien Dewasa Rawat Inap. *Jurnal Gizi Klinik Indonesia*. 8(4) pp.188-194.
- Susetyowati. (2013) *Pengaruh Proses Asuhan Gizi Terstandar Berbasis Skrining Gizi terhadap Outcome Pasien di Rumah Sakit*. Disertasi. Program Doktor Ilmu Kedokteran dan Kesehatan, Fakultas Kedokteran, Universitas Gadjah Mada, Yogyakarta.
- Susetyowati., Hadi, Hamam., Hakimi, Mohammad., Asdie, A.H. (2014) Development, Validation and Reliability of The Simple Nutrition Screening Tool (SNST) for Adult Hospital Patient in Indonesia. *Pakistan Journal of Nutrition*. 13(3) pp. 157—163.
- Suzuki, H., Kimmel L. Paul. (2007) *Nutrition and Kidney Disease A New Era*. Basel: Karger.
- Tayyem, F. Reema., Mrayyan, T. Majd. (2008) Assessing The Prevalence of Malnutrition in Chronic Kidney Disease Patients in Jordan. *Journal of Renal Nutrition* 18(2) pp. 202—209.
- Thomas, R., Kanso, A. & Sedor, R. John. (2008) Chronic Kidney Disease and Its Complications. *Prim Care Clin Office Pract*. 35 pp.329—344.
- U.S. Renal Data System.USRDS. (2005) *Annual Data Report: Atlas of End-Stage Renal Disease in the United States*. Bethesda, MD: National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Disease.
- U.S. Renal Data System.USRDS. (2012) *Annual Data Report: Atlas of End-Stage Renal Disease in the United States*. Bethesda, MD: National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Disease.
- Weiner, E. Daniel. (2007) Causes and Consequences of Chronic Kidney Disease: Implications for Managed Health Care. *J Manag Care Pharm*. 13(3) pp.S1—S9.
- Wilis, C. (2014) *Introduction to Hemodialysis*. Renal Unit Queen Elizabeth Hospital Birmingham. www.uhb.nhs.uk/health—talks.htm [Diakses 29 Januari 2015].
- Zhu, W., Zeng, N. & Wang, N. (2010) Sensitivity, Specificity, Accuracy, Associated Confidence Interval and ROS Analysis with Practical SAS® Implementation. *NESUG Health Care Life Sciences*.