

DAFTAR PUSTAKA

- Abbas, A.K., Lichtman, A.H., Pillai, S., 2007. Cellular and molecular immunology. 6th ed. USA: Elsevier.
- Aggarwal, B.B., Kumar, A., Bharti, A.C., 2003. Anticancer potential of curcumin: preclinical and clinical studies. *Anticancer Res*, 23, 363-98.
- Anugerah, A., 2013. Pengaruh pemberian campuran ekstrak etanol terstandar [*Tithonia diversifolia* (Hemsley) A. Gray] dan (*Curcuma domestica* Val.) terhadap fungsi hati dan ginjal tikus betina model kanker payudara. Skripsi. Yogyakarta. Universitas Gadjah Mada.
- Aragani, B.N., 2013. Standardisasi ekstrak etanol *Curcuma domestica* Val. dan *Tithonia diversifolia* (Hemsley) A. Gray dan pengaruh pemberian ekstrak etanol *Curcuma domestica* Val. dan *Tithonia diversifolia* (Hemsley) A. Gray terhadap gambaran histopatologi mama, ginjal dan hati terhadap tikus model kanker payudara. Skripsi. Yogyakarta. Universitas Gadjah Mada.
- Burleson, G.R., Dean, J.H., Munson, A.E., 1995. Methods in Immunotoxicology, Vol.1. Wiley-Liss, NY.
- Campbell, F.C., Collet, G.P., 2005. Chemopreventive properties of curcumin. *Future Oncol*. 1(3):405-414.
- Chagas-Paula, D.A., de Oliveira, R.B., da Silva, V.C., Gobbo-Neto, L., Gasparoto, T.H., Campanelli, A.N., Facioli, L.H., Da Costa, F.B., 2011. Chlorogenic acids from *Tithonia diversifolia* demonstrate better anti-inflammatory effect than indomethacin and its sesquiterpene lactones. *Journal Ethnopharmacology*. 136(2011):355-362.
- Choudhuri, T., Pal, S., Das, T., Sa, G., 2005. Curcumin selectively induces apoptosis in deregulated cyclin D-1-expressed cells at G2 phase of cell cycle in a p53-dependent manner. *J BiolChem*, 280, 20059-68.
- Chattopadhyay, I., Biswas, K., Bandyopadhyay, U., Banerjee, RK., 2004. Turmeric and curcumin: biological actions and medicinal applications. *Curr Scie*, 87(1):44-53.
- Dahlan M.S., 2001. Statistik untuk kedokteran dan kesehatan. Ed 5. Jakarta: Salemba Medika.
- Funk, J.L., Oyarzo, J.N., Frye, J.B., Chen, G., Lantz, R.C., Jolad, S.D., Solyom, A.M., Timmermann, B.N., 2006. Turmeric Extracts Containing Curcuminoids Prevent Experimental Rheumatoid Arthritis. *J. Nat. Prod*. 69(3):351-55.
- Goffin, E., Ziemons, E., De Mol, P., de Madureira Mdo, C., Martins, AP., da Cunha, AP., Philippe, G., Tits, M., Angenot, L., and Frederich, M., 2002. In vitro antiplasmodial activity of *Tithonia diversifolia* and identification of its main active constituent: Tagitinin C. *Planta Medica*. 68(6);543-545.

- Goldsby, R.A., Kindt, T.J., Osborne, B.A., 2000. *Kuby immunology*. 4th ed. New York: WH Freeman and Company.
- Gu, J.Q., Gills, J.J., Park, E.J., Mata-Freenwood, E., Hawthorne, M.E., Axelrod, F., Chaves, P.I., Fong, H.H., Mehta, R.G., Pezzuto, J.M. And Kinghorn, AD., 2002. Sesquiterpenoids from *Tithonia diversifolia* with potencial care chemopreventive activity. *J Nat Prod*. 65(4):532-536.
- Gunawan, M.A., 2013. Pengaruh pemberian campuran ekstrak etanol terstandar *Tithonia diversifolia* (Hemsley) A. Gray dan *Curcuma domestica* Val. terhadap darah lengkap pada tikus betina model kanker mammae. Skripsi. Yogyakarta. Universitas Gadjah Mada.
- Hengartner, M.O., 2000. The biochemistry of apoptotic. *Nature*. 407:770-776.
- Hu, B., Shen, K.P., An, H.M., Wu, Y., Du, Q., 2011. Aqueous extract of *Curcuma aromatica* induces apoptosis and G2/M arrest in human colon carcinoma LS-174-T cells independent of p53. *Cancer Biother Radiopharm*. 26(1):97-104.
- Ibrahim, A., El-Meligy, A., Lungu, G., Fetaih, H., Dessouki, A., Stoica, G., Barhoumi, R., 2011. Curcumin induces apoptosis in a murine mammary gland adenocarcinoma cell line through the mitochondrial pathway. *Eur J Pharmacol*. 668(1-2):127-32.
- Jagetia, G.C., Aggarwal, B.B., 2007. "Spicing up" of the immune system by curcumin. *Journal of Clinical Immunology*. 27(1):19-35.
- Jama, B., Palm, C.A., Buresh, R.J., Niang, A., Gachengo, C., Nzighuiba, G., Amadalo, B., 2000. *Tithonia diversifolia* as a green manure for soil fertility improvement in western Kenya: A review. *Agroforestry Systems*. 49(2):202-221.
- Joe, B., Vijaykumar, M., Lokesh, B.R., 2004. Biological properties of curcumin, cellular and molecular mechanisms of action. *Critic. Rev. Food Sc. Nut*. 44:97-111.
- Kertia, N., Asdie, A.H., Rochmah, W., Marsetyawan., 2011. Ability of curcuminoid from *Curcum domestica* Val. In reducing the secretion of reactive oxygen intermediates by synovial fluid monocytes in patients with osteoarthritis. *Indonesian Journal of Biotechnology*. 16(1):111-117.
- Khadijah, A.E., 2012. Efek ekstrak terstandar *Tithonia diversifolia* (Hemsley) A. Gray sebagai pemacu sekresi nitrit oksida makrofag peritoneum pada mencit. Skripsi. Yogyakarta. Universitas Gadjah Mada.
- Kuroda, M., Yokosuka, A., Kobayashi, R., Jitsuno, M., Kando, H., Nosaka, K., Ishii, H., Yamori, T., Mimaki, Y., 2007. Sesquiterpenoids and flavonoids from the aerial parts of *Tithonia diversifolia* and their cytotoxic activity. *Chem.Pharm.Bull*. 55(8):1240-4.
- Kuo, C.L., Wu, S.Y., Ip, S.W., Wu, P.P., Yu, C.S., Yang, J.S., Chen, P.Y., Wu, S.H., Chung, J.G., 2011. Apoptotic death in curcumin-treated NPC-TW 076 human nasopharyngeal carcinoma cells is mediated through the ROS,

- mitochondrial depolarization and caspase-3-dependent signaling responses. *Int J Oncol.* 39(2):319-28. doi:10.3892/ijo.2011.1057.
- Lee, M.Y., Liao, M.H., Tsai, Y.N., Chiu, K.H., Wen, H.C., 2011. Identification and anti-human glioblastoma activity of tagitinin from *Tithonia diversifolia* methanolic extract. *Journal of Agricultural and Food Chemistry.* 59:2347-2355.
- Liao, M.H., Lin, W.C., Wen, H.C., Pu, H.F., 2010. *Tithonia diversifolia* and its main active component tagitinin C induce surviving inhibition and G2/M arrest in human malignant glioblastoma cells. *Fitoterapika.* 82(3):331-41.
- Liao, M.H., Tsai, Y.N., Yang, C.Y., Juang, C.L., Lee, M.Y., Chang, L.H., Wen, H.C., 2013. Anti-human hepatoma Hep-G2 proliferative, apoptotic, and antimutagenic activity of tagitinin C from *Tithonia diversifolia* leaves. *J Nat Med.* 67:98-106.
- Middleton, E. Jr., 1998. Effect of plant flavonoids on immune and inflammatory cell function. *Adv Exp Med Biol.* 439:175-82.
- Miura, T., Nosaka, K., Ishii, H., Ishida, T., 2005. Antidiabetic Effect of Nitobegiku, the Herb *Tithonia diversifolia*, in KK-Ay Diabetic Mice. *Boil Pharm Bull* 28(11):2152-2154.
- Moghadamtousi, S.Z., Kadir, H.A., Hassandarvish, P., Tajik, H., Abubakar, S., Zandi, K., 2014. A review on antibacterial, antiviral, and antifungal activity of curcumin. *BioMed Research International.* 186864.
- Murphy, K., Travers, P., Walprot, M., 2008. Janeway's immunobiology, 7th ed. Garland Science, New York.
- Nindyaningtyas, 2013. Standarisasi tagitinin c pada ekstrak etanol *Tithonia diversifolia* (Hemsley) A. Gray. dan pengaruhnya pada fungsi serta histopatologi ginjal mencit galur Swiss. Skripsi. Yogyakarta. Universitas Gadjah Mada.
- Nurhalimah, W., 2013. Pengaruh pemberian campuran ekstrak etanol *Tithonia diversifolia* (Hemsley) A. Gray dan *Curcuma domestica* Val terhadap berat badan dan nodul tikus betina model kanker payudara. Skripsi. Yogyakarta. Universitas Gadjah Mada.
- Orwa, C., Mutua, A., Kindt, R., Jamnadass, R., Simons, A., 2009. Agroforestry Database: a tree reference and selection guide version 4.0 (<http://www.worldagroforestry.org/af/treedb/>)
- Otusanya, O., Ilori, O., 2012. Phytochemical screening and the phytotoxic effects of aqueous extracts of *Tithonia diversifolia* (Hemsl) A. Gray. *International Journal of Biology.* 4(3):97-101.
- Paramytha, A.D.R., 2013. Standarisasi tagitinin c pada ekstrak etanol *Tithonia diversifolia* (Hemsley) A. Gray. dan pengaruhnya pada fungsi serta histopatologi hati mencit galur Swiss. Skripsi. Yogyakarta. Universitas Gadjah Mada.

- Parslow, T.G., Bainton, D.F., 2003. Innate Immunity in Parslow, T.G., Stites, D.P., Terr, A.I., Imboden, J.B., (eds) *Medical Immunology*, pp. 19-39. Mc.Graw Hill, New York.
- Passoni, F.D., Oliveria, R.B., Chagas-Paula, D.A., Gobbo-Neto, L., Da Costa, F.B., 2013. Repeated-dose toxicological studies of *Tithonia diversifolia* (Hems.) A. Gray and identification of the toxic compounds. *Journal of Ethnopharmacology*. 147(2013):389-394.
- Rao, S. B cell activation and humoral immunity. June 2006-Oct 2011 [cited 2014 June 17]. Available from: URL: http://www.microrao.com/micronotes/pg/humoral_immunity.pdf.
- Roche Diagnostic GmbH. 2004. Phytohemagglutinin-M (PHA-M). Roche, Germany.
- Rustam, E., Atmasari, I., Yanwirasti, 2007. Efek antiinflamasi ekstrak etanol kunyit (*Curcuma domestica* Val.) pada tikus putih jantan galur Wistar. *Jurnal Sains dan Teknologi Farmasi*. 12(2):112-115.
- Sanchez-Mendoza, M.E., Reyes-Ramirez, A., Antonio, L.C., Jimenez, L.M., Rodriguez-Silverio, J., Arrieta, J., 2011. Bioassay-guided isolation of an anti-ulcer compound, tagitinin c, from *Tithonia diversifolia*: role of nitric oxide, prostaglandins and sulfhydryls. *Molecules*:(16:665-674.
- Sari, L.P., 2008. Efek ekstrak terstandar *Tithonia diversifolia* (Hemsley) A. Gray terhadap aktivasi respon imunitas seluler secara *in vitro*. Skripsi. Yogyakarta. Universitas Gadjah Mada.
- Sasaki, S., Sumino, K., Hamajima, K., Fukushima, J., Ishii, N., Kawamoto, S., Mohri, H., Kensil, C.R., Okuda, K., 1998. Induction of systemic and mucosal immune responses to human immunodeficiencies virus type 1 by DNA vaccine formulated with QS-21 saponin adjuvant via intramuscular and intranasal routes. *J virol*. 72(6):4931-9.
- Spelman, K., Burns, J.J., Nichols, D., Winters, N., Ottersberg, S., Tenborg M., 2006. Modulation of cytokine expression by traditional medicines: A review of herbal immunomodulators. *Altern Med Rev*: 11(2):128-150.
- Steenis, C.G.G.J., 1976. Flora untuk sekolah di Indonesia. Diterjemahkan oleh Moeso Soerjowinoto. P.T. Pradnya Paramita, Jakarta.
- Tona, L., Kambu, K., Mesia, K., Cimanga, K., Apers, S., De Bruyne, T., Pieters, L., Totte, J., and Vlietinck, A.J., 1999. Biological screening of traditional preparations from some medicinal plants used as antidiarrhoeal in Kinshasa Kongo, *Pytoedicine*, 6(1):59-66.
- Victor, BO., Sikiru, A.J., Adeolu, OO., Elizabeth, AB., Ayodele, OS., 2005. Haematological evaluation of aqueous extract of *Tithonia diversifolia* in wistar rats. *recent Progres in Medicinal Plants*. 21(13):401-409.
- Wahyuningsih, M.S.H., Mubarika, S., Bolhuis., R.L.H., Nooter, K., Oostrum, R.G., Boersma, A.M.W., and Wahyuono, S., 2003. Sitotoksitas rimpang temu mangga (*Curcuma mangga* Val. & V. Zijp.) dan kunir putih

(*Curcuma zedoaria* L.) terhadap beberapa sel kanker manusia (*in vitro*) dengan metoda SRB. *B.I.K.* 35(4):197-201.

- Wahyuningsih, M.S.H., Syarif, R.A., Duana, Y., Vindawati, Z.S., 2007. Cytotoxic effect of n-hexane insoluble fraction obtained from chloroform extract of kembang bulan leaves (*Tithonia diversifolia* [Hemsley] A. Gray) on Hela cells and mechanism detection by Hoechst 33342. *Journal of Medical Science*. ISSN 0126-1312.
- Wahyuningsih, M.S.H., Wijayanti, M.A., 2009. Isolasi, identifikasi senyawa antikanker dari frasi aktif *Tithonia diversifolia* (hemsley) a. gray, selektivitas dan mekanisme apoptosis secara *in vitro*. Laporan penelitian Risbon Iptekdok.
- Wijaya, M.A.S., 2012. Efek ekstrak etanol terstandar daun *Tithonia diversifolia* (Hemsley) A. Gray sebagai pemacu respon proliferasi limfosit pada mencit. Skripsi. Yogyakarta. Universitas Gadjah Mada.
- Xie, Y., Deng, W., Sun, H., Li, D., 2008. Platycodin D2 is a potential less hemolytic saponin adjuvant eliciting Th1 and Th2 immune responses. *Int Immunopharmacol.* 8(8):1143-50.