

DAFTAR PUSTAKA

- Alvindia, D.G., & M. A. Acda. 2015. Revisiting the efficacy of hot water treatment in managing anthracnose and stem-end rot diseases of mango cv. 'Carabao'. *Crop Protection* 67: 96-101.
- Barkai-Golan, R. 2001. *Postharvest Diseases of Fruits & Vegetables: Development and Control*. Elsevier, Amsterdam.
- Ben-Yehoshua, S., V. Rodov, Fang D.Q. & Kim J.J. 1995. Preformed antifungal compounds of citrus fruit: effect of postharvest treatments with heat and growth regulators. *Journal Agriculture Food Chemistry*. 43: 1062-1066 (Abst).
- Chaturvedi, R & J. Shah. 2007. Salicylic acid in plant disease resistance *in*: S. Hayat and A. Ahmad (eds.). *Salicylic Acid: A Plant Hormone*. Springer, Netherland.
- Chen, Z.J., A. Ribeiro, M.C. Silva, P. Santos, L. Guerra-Guimara, M. Gouveia, D. Fernandez, & C.J Roudrigues Jr. 2003. Heat shock induced susceptibility of green coffee leaves and berries to *Colletotrichum gloeosporioides* and its association to PR and hsp70 gene expression. *Physiology Molecular Plant Pathology* 63: 181-190.
- Duriat, A.S., N. Gunaeni, & A.W. Wulandari. 2007. *Penyakit Penting Tanaman Cabai dan Pengendaliannya*. Balai Penelitian Tanaman Sayuran, Bandung.
- Edreva, A. 2004. A novel strategy for plant protection: Induced resistance. *Journal of Cell and Molecular Biology* 3: 61-69.
- Fallik, E., S. Grinberg, S. Alkalai, & S. Lurie. 1996. The effectiveness of postharvest hot water dipping on the control of gray and black moulds in sweet red pepper (*Capsicum annuum*). *Plant Pathology* 45: 644-649 (Abst).
- Punja, Z.K. 2004. *Fungal Disease Resistance in Plants: Chemistry, Molecular Biology and Genetic Engineering*. Food Product Press, New York.
- Istikorini, Y. 2000. Pengimbasan Ketahanan terhadap Antraknosa pada Cabai Besar (*Capsicum annum*) dengan *Colletotrichum gleosporoides* avirulen. Fakultas Pertanian Universitas Gadjah Mada. Tesis.
- Kim, J.J., S. Ben-Yehoshua, B. Shapiro, Y. Henis, & S. Carmeli. 1991. Accumulation of scoparone in heat treated lemon fruit inoculated with *Penicillium digitatum* Sacc. *Plant Physiology*. 97: 880-885 (Abst).
- Kohler, A., S. Schwindling, & U. Conrath. 2002. Benzothiadiazole induced priming for potentiated responses to pathogen infection, wounding, and infiltration of water into leaves require the *NPRI/NIM1* gene in Arabidopsis. *Plant Physiology* 128: 1046–1056 (Abst).

- Kusandriani, Y. 1996. Botani Tanaman Cabai Merah. Balai Penelitian Tanaman Sayuran, Bandung.
- Li Y., Yang B., Yonghong G., Yi W., Yaoyao L., & Guolin L. 2013. Postharvest hot water dipping reduces decay by inducing disease resistance and maintaining firmness in muskmelon (*Cucumis melo* L.) fruit. *Scientia Horticulturae* 161: 101–110.
- Malamy, J., J.P. Carr, D.F. Klessig, & I. Raskin. 1990. Salicylic acid: a likely endogenous signal in the resistance response of tobacco to viral infection. *Science* 250: 1002–1004 (Abst).
- Manandhar, J.B. & J.B. Hartman. 1995. Anthracnose development on pepper fruits inoculated with *Colletotrichum gloeosporoides*. *Plant Disease* 79: 380-383.
- Margosan, D.A. & Phillips, D.J. 1990. Ultrastructural changes in dormant *Monilinia fructicola* conidia with heat treatment. *Phytopathology* 80: 1052 (Abst).
- Mauch-Mani, B. & A.J. Slusarenko. 1996. Production of salicylic acid precursors is a major function of phenylalanine ammonia-lyase in the resistance of *Arabidopsis* to *Peronospora parasitica*. *Plant Cell* 8: 203-212 (Abst).
- Mauch-Mani, B., F. Mauch., C. Gaille, B. Kull, D. Haas, & Reimann, C., 2001. Manipulation of salicylate content in *Arabidopsis thaliana* by the expression of an engineered bacterial salicylate synthase. *Plant Journal* 25: 62-77 (Abst).
- Nawrath, C., S. Heck, N. Parinthewong, & J.P. Métraux. 2002. EDS5, an essential component of salicylic acid-dependent signaling for disease resistance in *Arabidopsis*, is a member of the MATE transporter family. *Plant Cell* 14: 275-286 (Abst).
- Paiva, N.L. 2000. An introduction to the biosynthesis of chemicals used in plant-microbe communication. *Journal Plant Growth Regulator* 19: 131–143.
- Punja, Z.K. 2004. Fungal Disease Resistance in Plants: Chemistry, Molecular Biology and Genetic Engineering. Food Product Press, New York.
- Semangun, H. 2004. Penyakit-Penyakit Tanaman Hortikultura di Indonesia. Gadjah Mada University Press, Yogyakarta.
- Shah, J., P. Kachroo & D.F. Klessig. 1999. The *Arabidopsis ssi1* mutation restores pathogenesis-related gene expression in *npr1* plants and renders Defense gene expression SA dependent. *Plant Cell* 11: 191-206 (Abst).
- Spadoni, A., F. Neri, P. Bertolini, & M. Mari. 2013. Control of *Monilinia* rots on fruit naturally infected by hot water treatment in commercial trial. *Postharvest Biology and Technology* 86: 280-284.



- Suryaningsih, E., R. Sutarya, & A.S. Duriat. 1996. Teknologi Produksi Cabai Merah. Balai Penelitian Tanaman Sayuran, Bandung.
- Vallellian-bindschedler, P. Schweizer, E. Mosinger, & J.P. Metraux. 1998. Heat-induced resistance in barley to powdery mildew (*Blumeria graminis* f.sp. *hordei*) is associated with a burst of active oxygen species. *Physiological and Molecular Plant Pathology* 52: 185-199.
- Walters, D., D. Walsh, A. Newton, & G. Lyon. 2005. Induced Resistance for Plant Disease Control: Maximizing the Efficacy of Resistance Elicitors. *Phytopathology* 95: 1368-1373.
- Widiastuti, A., M. Yoshino, H. Saito, K. Maejima, S. Zhou, H. Odani, M. Hasegawa, Y. Nitta, & T. Sato. 2011. Induction of disease resistance against *Botrytis cinerea* by heat shock treatment in melon (*Cucumis melo* L.). *Physiological and Molecular Plant Pathology* 75: 157-162.
- Wijeratnam, R.S.W., I.G.N. Hewajulige, & N. Abeyratne. 2005. Postharvest hot water treatment for the control of *Thielaviopsis* black rot of pineapple. *Postharvest Biology and Technology* 36: 323-327.
- Xueping L, Xiaoyang Z., Nan Z., Danwen F., Jun L., Wen C., & Weixin C. 2013. Effects of hot water treatment on anthracnose disease in papaya fruit and its possible mechanism. *Postharvest Biology and Technology* 86: 437-446.