

## DAFTAR PUSTAKA

- Adiprabawa, G. (2012). *Substitusi tepung garut (Maranta arundinacea) dan fruktosa pada pembuatan kue lidah kucing sebagai alternatif makanan selingan diet diabetes mellitus*. Skripsi, Universitas Gadjah Mada Yogyakarta.
- Aguilo-Aguayo, I., Oms-Oliu, G., Soliva-Fortuny, R., & Martin-Belloso, O. (2008). Changes in quality attributes throughout storage of strawberry juice processed by high-intensity pulsed electric fields or heat treatments. *LWT Food Science and Technology*, 42 : 813-818.
- Alsuhendra, R & Mardianty, I. (2014). *Pengaruh proses ekstraksi terhadap nilai pH, kandungan kalium, dan daya terima sari buah bligo (Benincasa hispida)*. Naskah publikasi, Universitas Negeri Jakarta.
- Andres-Bello, A., Barreto-Palacios, V., Garcia-Segovia, P., Mir-Bel, J., & Martinez-Monzo, J. (2013). Effect of pH on color and texture of food products. *Food Eng Rev*, 5 : 158-170.
- Anonim. (2006). *Pengujian Organoleptik (Evaluasi Sensori) dalam Industri Pangan* [Internet]. Available from : <ebookpangan.com> [Accessed 20 Januari 2014].
- Aureli, P., Capurso, L., Castellazzi, A.M., Clerici, M., Giovannini, M., Morelli, L., Poli, A., Pregliasco, F., Salvini, F., & Zuccotti, V. (2011). Probiotics and health : an evidence-based review. *Pharmacol Res*, 63 : 366-376.
- Benucci, I., Liburdi, K., Garzillo, A.M.V., & Esti, M. (2011). Bromelain from pineapple stem in alcoholic-acidic buffers for wine application. *Food Chem*, 124 : 1349-1353.
- Berger, R.G (Ed.). (2007). *Flavours and Fragrances Chemistry, Bioprocessing and Sustainability*. Germany : Springer.
- Blanchette, I., Roy, D., Belanger, G., & Gauthier, S.F. (1996). Production of cottage cheese using dressing fermented by Bifidobacteria. *J.Dairy Sci*, 79: 8-15.
- Bujalance, C., Jimenez-Valera, M., Moreno, E., & Ruiz-Bravo, A. (2006). A selective differential medium for *Lactobacillus plantarum*. *J.Microbiol Meth*, 66 : 572-575.
- Caplice, E. & Fitzgerald, G.F. (1999). Food fermentations : role of microorganism in food production and preservation. *Int J Food Microbiol*, 50 : 131-149.
- Cardello, A.V & Maller, O. (1982). Relationships between food preferences and food acceptance ratings. *J. Food Sci*, 45(5) : 1553-1557.
- Cardello, A.V. (1994). Consumer Expectations and Their Role in Food Acceptance. In : Macfie, H.J. & Thomson, D.M.H (eds). *Measurement Of Food Preferences*. London : Blackie academic.

- Carpenter, R.P., Lyon, D.H., & Hasdell, T.A. (2000). *Guidelines for Sensory Analysis in Food Product Development and Quality Control 2<sup>nd</sup> Edition*. Maryland : Aspen Publisher.
- CCFA. (2011). 44<sup>th</sup> CCFA-Information Document to The Discussion on The GSFA. FA/44 INF/D1-Table Three page 491-501.
- Chaurasiya, R.S. & Hebbar, H.U. (2013). Extraction of bromelain from pineapple core and purification by RME and precipitation methods. *Sep Purif Technol*, 111 : 90-97.
- Christensen, C.M. 1980. Effects of taste quality and intensity on oral perception of viscosity. *Percept Psychophys*, 28 (4) : 315-320.
- Clark, J.E. 1982. Taste and flavor : their importance in food choice and acceptance. *Proceedings of the Nutrition Society*, 57 : 639-643.
- Corcoran, B.M., Stanton, C., Fitzgerald, G.F., & Ross, R.P. (2005). Survival of probiotic *Lactobacilli* in acidic environments is enhanced in the presence of metabolizable sugars. *Appl Environ Microbiol*, 71 (6): 3060-3067.
- Corzo, C.A., Waliszewski, K.N., & Welte-Chanes, J. (2011). Pineapple fruit bromelain affinity to different protein substrates. *Food Chem*, 133 : 631-635.
- Damayanti, W.S. (2003). *Penggunaan lipida terhidrogenasi sebagai enkapsulan untuk mempertahankan viabilitas sel starter yoghurt kering selama penyimpanan*. Skripsi, Universitas Gadjah Mada Yogyakarta.
- De Vries, M.C., Vaughan, E.E., Kleerebezem, M., & de Vos, W.M. (2006). *Lactobacillus plantarum*-survival, functional and potential probiotic properties in the human intestinal tract. *Int Dairy J*, 16 : 1018-1028.
- Del Piano, M., Morelli, L., Strozzi, GP., Allesina, S., Barba, M., Deidda, F., Lorenzini, P., Ballare, M., Montino, F., Orsello, M., Sartori, M., Garelo, E., Carmagnola, S., Pagliarulo, M., & Capurso, L. (2006). Probiotics : from researcher to consumer. *Digest Liver Dis*, 38 suppl 2 : S248 – S255.
- Demir, N., Bachçeci, K.S., & Acar, J. (2006). The effects of different initial *Lactobacillus plantarum* concentrations on some properties of fermented carrot juice. *J Food Process Pres*, 30 : 352-363.
- Devaki, C.S & Premavalli, K.S. (2012). Evaluation of supplementation of ashgourd fermented beverage to geriatric population. *JPANS*, 2 : 140-147.
- Di Cagno, R., Coda, R., De Angelis, M., & Gobbetti, M. (2013). Exploitation of vegetables and fruits through lactic acid fermentation. *Food Microbiol*, 33 : 1-10.
- Ediriwera, E.R.H.S.S & Ratnasooriya, W.D. (2009). A review on herbs used in treatment of diabetes mellitus by sri lankan ayurvedic and traditional physicians. *Ayu*, 30(4) : 373-391.
- El Hadi, M.A.M., Zhang, F-J., Wu, F-F., Zhou, C-H., & Tao, J. (2013). Advances in fruit aroma volatile research. *Molecules*, 18 : 8200-8229.

- Ernawati. (2003). *Efek Probiotik yang disuplementasi pada sari buah pepaya-nanas terhadap profil lipid serum dan sifat digesta tikus sprague dawley*. Tesis, Universitas Gadjah Mada Yogyakarta.
- FAO. (2013). *Food and Agriculture Organization of the United Nations, FAOSTAT* [Internet]. Available from : <<http://faostat3.fao.org/faostat-gateway/go/to/download/Q/QC/E>> [Accessed 10 Oktober 2013].
- FAO/WHO. (2002). *Guidelines for The Evaluation of Probiotics in Food. Joint FAO/WHO Working Group Report on Drafting Guidelines for The Evaluation of Probiotics in Food*. London, Ontario, Canada.
- Fardiaz, S. (1989). *Penuntun Praktek Mikrobiologi Pangan*. Bogor : IPB Press.
- Firmansyah, D.Z. (2012). *Pengaruh suhu dalam pembuatan minuman probiotik sari buah melon (Curcumismelo I) dengan starter Lactobacillus bulgaricus menggunakan fermentor*. Tugas Akhir D3, Universitas Diponegoro Semarang.
- Frewer, L., Scholderer, J. & Lambert, N. (2003). Consumer acceptance of functional foods: issues for the future. *Br Food J*, 105 : 714–731.
- Gill, N.S., Dhiman, K., Bajwa, J., Sharma, P., & Sood, S. (2010). Evaluation of free radical scavenging, anti-inflammatory and analgesic potential of benincasa hispida seed extract. *Int J. Pharmacol*, 6(5) : 652-657.
- Girgis, H.S., Smith, J., Luchansky, J.B., & Klaenhammer, T.R. (2003). Stress adaptation of lactic acid bacteria. In : Yousef, A.E dan Vijay K.J (eds). *Microbial Stress Adaptation and Food Safety*. USA : CRC Press.
- Grunert, K.G., Bech-Larsen, T., & Bredahl, L. (2000). Three issues in consumer quality perception and acceptance of dairy products. *Int Dairy J*, 10 : 575-584.
- Guarner, F & Scaafsma, G.J. (1998). Short Communication Probiotics. *Int J Food Microbiol*, 39 : 237-238.
- Guinard, J-X., Little, C., Marty, C., & Palchak, T.R. (1993). Effect of sugar and acid on the acceptability of frozen yogurt to a student population. *J Dairy Sci*, 77 : 1232-1238
- Harris, J. & Sun, D. (2003). *Effective use of protease in winemaking*. American patent application US20030165592 A1. 2003-9-4.
- Hartati, S. (2002). *Suplementasi lactobacilli probiotik yang mempunyai kemampuan asimilasi kolesterol dan dekonjugasi garam empedu dalam sari buah pepaya-nanas*. Tesis, Universitas Gadjah Mada Yogyakarta.
- Hemalatha, R. & Anbuselvi, S. 2013. Physicochemical constituents of pineapple pulp and waste. *J Chem Pharm Res*, 5(2): 240-242
- Hemamalini, K. & Varma, M.V.K. (2007). Antinociceptive effects of methanolic extract of benincasa hispida (thumb) cogn fruit. *Pharmacologyonline*, 3 : 327-332.
- Holzappel, W.H. & Wood, B.J.B. (2014). *Lactic Acid Bacteria Biodiversity and Taxonomy*. UK : Wiley Blackwell.

- Homayouni, A., Azizi, A., Ehsani, M.R., Yarmand, M.S., & Razavi, S.H. (2008). Effect of microencapsulation and resistant starch on the probiotic survival and sensory properties of synbiotic ice cream. *Food Chem*, 111 : 50–55.
- Hulme, A.C. (1971). *The Biochemistry of Fruits and Their products*. London : Academic Press Inc.
- Indina. (2013). *Measuring Ripeness in The Fruit and Vegetable Industry- Measuring Brix Using Refractometry* [Internet]. Available from : <[http://www.kruess.com/documents/Applikationsberichte/Brixmessung\\_Refraktometrie\\_en.pdf](http://www.kruess.com/documents/Applikationsberichte/Brixmessung_Refraktometrie_en.pdf)> [Accessed 10 Oktober 2014].
- Jansen. (2013). *Brix-Sugar Determination* [Internet]. Available from : <[http://id.mt.com/dam/Analytical/Density/DE-PDF/BRIX\\_Sugar\\_Determination.pdf](http://id.mt.com/dam/Analytical/Density/DE-PDF/BRIX_Sugar_Determination.pdf)> [Accessed 10 Oktober 2014]
- Jayakumar, G., Ajithabai, M.D., Sreedevi, S., Viswanathan, P.K., & Remeshkumar, B. (2010). Ethnobotanical survey of the plants used in the treatment of diabetes. *IJTK*, 9(1) : 100-104.
- Jayasree, T., Kishore, K.K., Vinary, M., Vasavi, P., Dixit, R., Rajanikanth, M., & Manohar. (2011). Diuretic effect of chloroform extract of *benincasa hispida* rind (pericarp) in Sprague dawley rats. *IJABPT*, 2 (2) : 94-99.
- Joy, P.P., Thomas, J., Mathew, S., & Skaria, B.P. (2001). Medicinal plants. In : Bose, T.K., Kabir, J., Das, P. & Joy, P.P (eds). *Tropical Horticulture Vol. 2*. Calcutta : Naya Prokash, pp. 449-632.
- Kader, A.A. & Rolle, R.S. (2004). The role of post-harvest management in assuring quality and safety of horticultural produce. *FAO Agricultural Services Bulletin* 152 : 7-10
- Kader, A.A. (2002). Pre and postharvest factors affecting fresh produce quality, nutritional value, and implications for human health. *Proceedings of the International Congress Food Production and the Quality of Life, Sassari (Italia)*, September 4-8, 2000, Vol 1 : 109-119
- Kalia, A. & Gupta, R.P. (2006). Fruit microbiology. In : Hui, Y.H., Barta, J., Cano, M.P., Gusuk, T.W., Sidhu, J.W., & Sinha, N.K (eds). *Handbook of Fruits and Fruit Processing*. USA : Blackwell Publishing.
- Kalita, D. & Bonoranjan, P. (2009). Folk medicines used by the moran of Brahmaputra valley, Tinsukia district, Assam, India. *NPR*, 8 (1) : 73-76.
- Kalure, A.U. (2011). *Effect of ethanolic fruits extract of benincasa hispida on dexamethasone induced insulin resistance in mice*. Disertasi, University's college of pharmacy Belgaum India.
- Kapaleshwar, G. (2010). *Standardization and characterization of value added ash gourd (Benincasa hispida) ready-to-serve beverage*. Tesis, University Of Agricultural Sciences India.
- Kartika, B., Hastuti, P., & Wahyu S. 1988. *Pedoman Uji Inderawi Bahan Pangan*. Yogyakarta : Pusat Antar Universitas Pangan dan Gizi UGM.

- Khoo, H-E., Prasad, K.N., Kong, K-W., Jiang, Y., & Ismail, A. (2011). Carotenoids and their isomers : color pigments in fruits and vegetables. *Molecules*, 16 : 1710-1738.
- Kokkinidou, S. (2013). *Inhibition of maillard reaction pathways and off-flavor development in UHT milk: structure reactivity of phenolic compounds*. Disertasi, University of Minnesota.
- Kraft, A.A. (1992). *Psychotropic Bacteria in Food Disease and Spoilage*. Florida : CRC Press.
- Kumar, A., & Vimalavathini, R. (2004). Possible anorectic effect of methanol extract of *Benincasa hispida* (Thunb.) Cong, fruit. *Indian J Pharmacol*, 36 : 348-350.
- Kumar, S., Saini, M., Kumar, V., Prakash, O., Arya, R., Rana, M., & Kumar, D. (2012). Traditional medicinal plants curing diabetes : a promise for today and tomorrow. *Asian J Tradit Med*, 7 (4) : 178 – 188.
- Lawless, H.T., & Heymann, H. (2010). *Sensory Evaluation of Food : Principles and Practices 2<sup>nd</sup> Edition*. London : Springer Media.
- Leahu, A., Damian, C., Orian, M., & Ropciuc, S. (2013). Physico-chemical parameters of fruit juices-evolution during storage. *Lucrari Stiintifice-Seria Zootehnie*, 59 : 213-217.
- Lim, T.K. (2012). *Edible Medicinal and Non-Medicinal Plants Volume 2 : Fruits*. London : Springer.
- Liu, S.Q. (2012). Flavors and food fermentation. In : Hui, Y.H. & Evranus, E.O (eds). *Handbook of Plant-Based Fermented Food and Beverage Technology Second Edition*. USA : CRC Press.
- Mayai, S.W. (2011). *Studi pembuatan minuman probiotik dari sari buah kulit nenas (*Ananas comosus* L) dengan menggunakan *Lactobacillus bulgaricus**. Skripsi, Universitas Hasanuddin Makassar.
- Mazumder, P.M., Rathinavelusarny, P., & Sasmal, D. (2012). Role of antioxidants in phytomedicine with special reference to antidiabetic herbs. *Asian Pac J Trop Dis*, s969-s979.
- Mitsuoka, T. (1989). *Microbes in The Intestine, Our Life Long Partner*. Yakult, Honcho co.Ltd, Japan.
- Morris, J.R., Sistrunk, W.A., Junek, J., & Sims, C.A. (1986). Effects of fruit maturity, juice storage, and juice extraction temperature on quality of concord grape juice. *J Amer Soc Hort Sci*, 11 : 742-746
- Muchtadi, D. (2012). *Pangan Fungsional & Senyawa Bioaktif*. Bandung : Alfabeta.
- Muljohardjo, M. (1984). *Nanas dan Teknologi Pengolahannya*. Yogyakarta : Liberty.

- Nadzirah, K.Z., Zainal, S., Noriham, A., & Normah, I. (2013). Efficacy of selected purification techniques for bromelain. *International Food Research Journal* 20 (1) : 43-46.
- Nakashima, M., Shigekumi, Y., Obi, T., Shiraishi, M., Miyamoto, A., Yamasaki, H., Etoh, T., & Iwai, S. (2011). Nitrit oxide-dependent hypotensive effects of wax gourd juice. *J Ethnopharmacol* 138 : 404-407.
- Natalia. (2010). *produksi biomassa bubuk Lactobacillus plantarum Dad13 menggunakan susu skim sebagai media pertumbuhan*. Skripsi, Universitas Gadjah Mada Yogyakarta.
- Nualkaekul, S. & Charalampopoulos, D. (2011). Survival of *Lactobacillus plantarum* in model solutions and fruit juices. *Int J Food Microbiol*, 146 : 111-117.
- Oliveira, A. (2011). *Sensory Evaluation of Foods*. University of Alaska.
- Oliveira, A.D.N., Ramos, A.M., Minim, V.P.R., & Chaves, J.B.P. (2012). Sensory stability of whole mango juice : influence of temperature and storage time. *Ciênc. Technol. Aliment Campinas*, 32(4) : 819-825.
- Patil, J.K. & Patel, M.R. (2012). Pharmacognostic and phytochemical investigation of benincasa hispida (Thunb).Cogn. fruit. *Int J Pharm Sci*, 3 (1) : 146-156.
- Pereira, A.L.F., Tatiane, C., Macie., & Rodrigues, S. (2010). Probiotic beverage from cashew apple juice fermented with *Lactobacillus casei*. *Food Res Int*, 44 : 1276-1283.
- Pereira, C.C., Riberio Jr, C.P., Nobrega, R., & Borges, C.P. (2006). Pervaporative recovery of volatile aroma compounds from fruit juices. *J Membrane Sci*, 274 : 1-23.
- Pinelo, M., Zeuner, B., & Meyer, A.S. (2010). Juice clarification by protease and pectinase treatments indicates new roles of pectin and protein in cherry juice turbidity. *Food Bioprod Process*, 88 : 259-265.
- Prado, F.C., Parada, J.L., Pandey, A., & Soccol, C.R. (2008). Trends in non-dairy probiotic beverages. *Food Res Int*, 41 : 111:125.
- Pramono, Y.B., Harmayani, E., & Utami, T. (2002). Kinetika pertumbuhan *Lactobacillus plantarum* dan *Lactobacillus sp.* pada media MRS cair. *Jurnal Teknologi dan Industri Pangan*, XIV (1) : 46-50.
- Prescott, S.L. & Bjorksten, B. (2007). Probiotics for the prevention or treatment of allergic disease. *J.Allergy Clin Immunol*, 120 : 255-262.
- Qadrie, Z.L., Hawisa, N.T., Khan, M.W.A., Samuel, M., & Anandan, R. (2009). Antinociceptive and anti-pyretic activity of *Benincasa hispida* (Thunb.) Cogn. In wistar albino rats. *Pak J Pharm Sci*, 22(3) : 287-290.
- Raghuvver, C. & Tandon, RV. (2009). Review article : consumption of functional food and our health concerns. *Park J Physiol*, 5 (1) : 76-83.

- Ray, B. (2004). *Fundamental Food Microbiology*. Florida : CRC Press.
- Redaksi Agromedia. (2008). *Buku Pintar Tanaman Obat: 431 Jenis Tanaman Penggempur Aneka Penyakit*. Jakarta : Agromedia.
- Reid, G., Gaudier, E., Guarner, F., Huffnagle, G.B., Macklaim, J.M., Munoz, A.M., Martini, M., Ringel-Kulka, T., Sartor, B.R., Unal, R.R., Verbeke, K., & Walter, J. (2010). Responders and non-responders to probiotic interventions : How we can improve the odds. *Gut Microbes* 1(3) : 200-204.
- Rerksuppaphol, S. & Rerksuppaphol, L. (2010). *Lactobacillus acidophilus* and *Bifidobacterium bifidum* stored at ambient temperature are effective in the treatment of acute diarrhoea. *Ann Trop Paediatr*, 30 : 299-304.
- Reynolds, J. & Farinha, M. (2005). *Counting Bacteria*. Richland college.
- Riset Kesehatan Dasar (Riskesdas). (2013). Jakarta : Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan Republik Indonesia.
- Rukmana, R. (1996). *Nenas Budidaya dan Pascapanen*. Yogyakarta : Kanisius.
- Sairi, M., Yih, L.W., & Sarmidi, M.R. 2004. *Chemical composition and sensory analysis of fresh pineapple juice and deacidified pineapple juice using electro dialysis*. University Teknologi Malaysia.
- Salminen, S., Von Wright, A., Morelli, L., Marteau, P., Brassart, D., de Vos, W.M., Fonden, R., Saxelin, M., Collins, K., Mogensen, G., Birkeland, S-E., & Mattila-Sandholm, T. (1998). Demonstration of safety of probiotics – a review. *Int J Food Microbiol*, 44 : 93-106.
- Sari, N.M. (2011). *Minuman fermentasi susu menggunakan isolat lokal *Lactobacillus plantarum* Dad13; karakteristik kimiawi dan mikrobiologis*. Tesis, Universitas Gadjah Mada Yogyakarta.
- Sharma, J., Chatterjee, S., Kumar, V., Variyar, P.S., & Sharma, A. (2010). Analysis of free and glycosidically bound compounds of ash gourd (*benincasa hispida*) : identification of key odorants. *Food Chem*, 122 : 1327-1332.
- Singh, K., Kallali, B., Kumar, A., & Thaker, V. (2011). Probiotics : a review. *Asian Pac J Trop Biomed* : S287-S2890.
- Soeharsono (Ed). (2010). *Probiotik Basis Ilmiah, Aplikasi, dan Aspek Praktis*. Bandung : Widya Padjajdaran.
- Srenivas, K.M. & Lele, S.S. (2013). Prebiotic activity of gourd family vegetable using in vitro fermentation. *Food Bioscience* : 26-30.
- Stanburry, P.F., Whitaker, A., & Hall, S.J. (1995). *Principles of Fermentation Technology Second Edition*. London : Butterworth Heinemann.
- Stone, H. & Sidel, J.L. (2004). *Sensory Evaluation Practice 3<sup>rd</sup> Edition*. California : Elsevier.
- Tiwari, A.K., Anusha, I., Sumangali, M., Kumar, D.A., Madhusudana, K., & Agawane, S.B. (2013). Preventive and therapeutic efficacies of benincasa

- hispidia and sechium edule fruit's juice on sweet-beverages induced impaired glucose tolerance and oxidative stress. *Pharmacologia*, 4(3) : 197-207.
- Tortora, G.J., Funke, B.R., & Case, C.L. (2013). *Microbiology : An Introduction*. USA : Pearson Education Inc.
- Umashanker, M. & Shruti, S. (2011). Traditional india herbal medicine used as antipyretic, antiulcer, anti-diabetic and anticancer : a review. *International Journal of Research in Pharmacy and Chemistry*, 1(4): 1152-1159.
- USDA . (2013b). *Ananas comosus (L.) Merr. pineapple* [Internet]. Available from : <<http://plants.usda.gov/core/profile?symbol=ANCO30>> [Accessed 1 Januari 2014].
- .(2013a). *Benincasa hispida (Thunb.) Cogn. waxgourd* [Internet]. Available from<<http://plants.usda.gov/core/profile?symbol=BEHI3&mapType=nativity>> [Accessed 1 Januari 2014]
- Van de Guchte, M., Serror, P., Chervaux, C., Smokvina, T., Ehrlich, S.D., & Maguin, E. (2002). Stress responses in lactic acid bacteria. *Antonie van Leeuwenhoek*, 82 : 287-216.
- Vasiljevic, T & Shah, N.P. (2008). Probiotics – from Metchnikoff to bioactives. *Int Dairy J.*, 18 : 714-728.
- Vaughan, E.E. & Hugenholtz, J. (2013). Food biotechnology editorial overview. *Curr Opin Biotech*, 24 : 121-123.
- Vinderola, G., Binetti, A., Burns, P., & Reinheimer, J. (2011). Cell viability and functionality of probiotic bacteria in dairy products. *Front Microbiol*, 2 : 1-6.
- Viticulture & Enology. (2014). *Lactobacillus plantarum* [Internet]. Available from : <[http://wineserver.ucdavis.edu/industry/enology/winemicro/winebacteria/lactobacillus\\_plantarum.html](http://wineserver.ucdavis.edu/industry/enology/winemicro/winebacteria/lactobacillus_plantarum.html)> [Accessed 20 Januari 2014]
- Walker, E.B. (2013). *Refractive Index* [Internet]. Available from :<<http://faculty.weber.edu/ewalker/Chem2990/Chem%202990%20Refractive%20Index%20Readings.pdf>> [Accessed 2 Oktober 2014].
- Wijayakusuma, H. (2007). *Bebas Diabetes Mellitus Ala Hembing*. Jakarta : Gramedia Pustaka Utama.
- Wild, S., Roglic, G., Green, A., Sicree, R., & King, H. (2004). *Global prevalence of Diabetes*. *Diabetes Care*, 27 : 1047-1053.
- Winarno, F.G. 1992. *Kimia Pangan dan Gizi*. Jakarta : Gramedia Pustaka Utama.
- Yoon, K.Y., Woodams, E.E., & Hang ,Y.D. (2004). Probiotication of tomato juice by lactic acid bacteria. *J Microbiol*, 42 (4) : 315-318.
- .(2005). Production of probiotic cabbage juice by lactic acid bacteria. *Bioresource Technol*, 97: 1427-1430.
- Zaini, N.A.M., Anwar, F., Hamid, A.A., & Saari, N. (2011). Kundur [Benincasa hispida (Thunb).Cogn.] : A potential source for valuable nutrients and functional foods. *Food Res Int*, 44 : 2368-2376.