

Daftar Pustaka

- Bignell, D. E., Roisin, Y. and Nathan, L. 2011. Biology of Termites: A Modern Synthesis. Springer Dordrecht Heidelberg. London. New York.
- Brune, A. 2014. Reviews: Symbiotic digestion of lignocelluloses in termite guts. *Nature Reviews in Microbiology*.12: 167-180.
- Bryant, MP. And Nola, S. 1956. The anaerobic monotrichous butyric acid- producing curved rod-shaped bacteria of the rumen. *Journal of Bacteriology*. 72(1): 16-21.
- Culman, S. W., Gauch, H. G., Blackwood, C. B. and Thies, J. E. 2008. Analysis of T-RFLP data using analysis of variance and ordination methods: a comparative study. *Journal of Microbiological Methods*.75: 55-56.
- Eggerton, P. 2001. Termite and trees: a review of recent advances in termite phylogenetics. *Insectes Sociaux Journal*. 30: 187-193.
- Engel, M.S., Grimaldi, D.A. and Krishna, K. (2009) Termites (Isoptera): Their phylogeny, classification, and rise to ecological dominance. *American Museum Novitates* (3650), 127.[Presents the first phylogeny of termite lineages using examples of Cretaceous, Tertiary and Recent taxa.
- Harris, W. V. 1971. Termites Their Recognition and Control. Longman Group Limited. London.
- Hongoh, Y., Moriya, O., Toshiaki, K. 2003. Molecular analysis of bacterial microbiota in the gut of termite *Reticulitermes speratus* (Isoptera: Rhinotermitidae). *FEMS Microbiology Ecology*.44: 231-242.
- Hongoh, Y. 2010. Diversity and genomes of uncultured microbial symbionts in the termite gut. *Bioscience Biotechnology and Biochemistry*. 74: 1145–1151.
- Jones, C. G., J. H. Lawton, and M. Shachak. 1994. Organisms as ecosystem engineers. *Oikos* 69:373–386.
- Kim, SH., Harzman, C., Davis, JK., Hutcheson, R., Broderick, JB., Masrh, TL and Tiedje, JM. 2012. Genome sequence of *Desulfotobacterium hafniense* DCB-2, a Gram-positive anaerobe capable of dehalogenation and metal reduction. *BMC Microbiology Journal*.12:21.
- Krebs, C. J. 1978. Ecological Methodology. New York. Harper and Row Publisher.

- Lamoureux, S., and O’Kane M.A. 2012. Effects of termites on soil cover system performance. Dalam Fourie and Tibbet (eds). Mine Clossure. Perth. h. 433-446.
- Legendre, F., Michael, F. W., Christian, B., Eliana, M. C., Theodore, A. E., Philippe, G. 2008. The phylogeny of termite (Dictyoptera: Isoptera) based on mitochondrial and nuclear marker: implication for the evolution of worker and pseudergate caste, and foraging behaviors. *Molecular Phylogeny and Evolution*. 48: 615-627.
- Liu *et.al.* 2013. Metagenomic insights into metabolic capacities of the gut microbiota in a fungus- cultivating termite (*Odontotermes yunnanensis*). *Plos One Journal*.8(7).
- Ohkuma, M., S. Noda, K. Horikoshi, and T. Kudo. 1995. Phylogeny of symbiotic methanogens in the gut of the termite *Reticulitermes speratus*. *FEMS Microbiology Letter*.134:45–50.
- Ohkuma, M., and T. Kudo. 1996. Phylogenetic diversity of the intestinal bacterial community in the termite *Reticulitermes speratus*. *Applied Environmental Microbiology*. 62:461–468.
- Ohkuma, M., and T. Kudo. 1998. Phylogenetic analysis of the symbiotic intestinal microflora of the termite *Cryptotermes domesticus*. *FEMS Microbiology.Letter*. 164:389-395.
- Ohkuma M., S. Noda, and T. Kudo. 1999. Phylogenetic diversity of nitrogen fixation genes in the symbiotic microbial community in the gut of diverse termites.*Applied Environmental Microbiology*.65:4926–4934.
- Ohkuma M, Hongoh Y and Kudo T. 2006.Diversity and molecular analyses of yet-uncultivatedmicroorganisms. In: König H, Varma A (eds) *Intestinal microorganisms of termites and otherinvertebrates*. Springer, Heidelberg, pp 303–317.
- Ohtoko, K., M. Ohkuma, S. Moriya, T. Inoue, R. Usami, and T. Kudo. 2000. Diverse genes of cellulase homologues ofglycosyl hydrolase family 45 from the symbiotic protistsin the hindgut of the termite *Reticulitermes speratus*.*Extremophiles* 4:343–349.
- Schmitt-Wagner, D., M. Friedrich, B. Wagner, and A. Brune.2003a.Phylogenetic diversity, abunandce, and axial distribution of bacteria in the intestinal tract of two soil-feeding termites (*Cubitermes* spp.).*Applied EnvironmentalMicrobiology*. 69:6007–6017.

- Schultz, J. E., and J. A. Breznak. 1978. Heterotrophic bacteria present in hindguts of wood-eating termites *Reticulitermes flavipes* (Kollar). *Applied Environmental Microbiology*.35:930–936.
- Shütte, U. M. E., Zaid, A., Stephen, J. B., Conrad, S., Christopher, J. W., Jacob, D. P. and Larry, J. F. 2008. Advances in the use of terminal restriction fragment length polymorphism (T-RFLP) analysis of 16S rRNA genes to characterize microbial communities. *Applied Microbiology and Biotechnology*. 80: 365-380.
- Singla, M., Vijay, L. S., Ranbir, C.S., Monika, S. and Memtesh, K. 2013. Genetic relationship among Indian termite based on DNA sequence of mitochondrial 12S ribosomal RNA gene. *International Journal of Evolution*. 2(1): 1-5.
- Thompson, G.J., Kitade, O., Lo, N. and Crozier, R.H., 2000. Phylogenetic evidence for a single, ancestral origin of a true worker caste in termites. *Journal of Evolutionary Biology*. 13, 869–881.
- Tiedje, J. M. 2000. 20 years since Dunedin: the past and the future of microbial ecology. *In Microbial Biosystem: New Frontiers. Proceedings of the 8th International Symposium on Microbial Ecology*. C. Bell, M. Brylinsky and P. Johnson-Green (eds.). Atlantic Canada Society for Microbial Ecology, Halifax, Canada.
- Torsvic, V. and Ovreas, L. 2002. Microbial diversity and function in soil: from genes to ecosystems. *Current Opinion Microbiology*.5:240-245.
- Triplehorn, Charles A. and Norman F. Johnson. 2005. Borror and Delong's Introduction to the Study of Insects. Thomson Brooks/Cole (Seven Edition).
- Um, S., Antoine, F., Panagiotis, S., Dong-Chan, O. and Michael, P. 2013. The fungus-growing termite *Macrotermes natalensis* harbors bacillaene-producing *Bacillus* sp. that inhibit potentially antagonistic fungi. *Scientific Reports*. 3:1-7.
- Vršanský, P. and Andil, A. 2014. Termites (Isoptera) from the Jurassic/ Cretaceous boundary: evidence for the longevity of their earliest genera. *European Journal of Entomology*.1:137-141.